



This is a digital copy of a book that was preserved for generations on library shelves before it was carefully scanned by Google as part of a project to make the world's books discoverable online.

It has survived long enough for the copyright to expire and the book to enter the public domain. A public domain book is one that was never subject to copyright or whose legal copyright term has expired. Whether a book is in the public domain may vary country to country. Public domain books are our gateways to the past, representing a wealth of history, culture and knowledge that's often difficult to discover.

Marks, notations and other marginalia present in the original volume will appear in this file - a reminder of this book's long journey from the publisher to a library and finally to you.

Usage guidelines

Google is proud to partner with libraries to digitize public domain materials and make them widely accessible. Public domain books belong to the public and we are merely their custodians. Nevertheless, this work is expensive, so in order to keep providing this resource, we have taken steps to prevent abuse by commercial parties, including placing technical restrictions on automated querying.

We also ask that you:


- + *Make non-commercial use of the files* We designed Google Book Search for use by individuals, and we request that you use these files for personal, non-commercial purposes.
- + *Refrain from automated querying* Do not send automated queries of any sort to Google's system: If you are conducting research on machine translation, optical character recognition or other areas where access to a large amount of text is helpful, please contact us. We encourage the use of public domain materials for these purposes and may be able to help.
- + *Maintain attribution* The Google "watermark" you see on each file is essential for informing people about this project and helping them find additional materials through Google Book Search. Please do not remove it.
- + *Keep it legal* Whatever your use, remember that you are responsible for ensuring that what you are doing is legal. Do not assume that just because we believe a book is in the public domain for users in the United States, that the work is also in the public domain for users in other countries. Whether a book is still in copyright varies from country to country, and we can't offer guidance on whether any specific use of any specific book is allowed. Please do not assume that a book's appearance in Google Book Search means it can be used in any manner anywhere in the world. Copyright infringement liability can be quite severe.

About Google Book Search

Google's mission is to organize the world's information and to make it universally accessible and useful. Google Book Search helps readers discover the world's books while helping authors and publishers reach new audiences. You can search through the full text of this book on the web at <http://books.google.com/>

ces
D45.3
c





8594
1

CATALOGUS
PLANTARUM

HORTI REGII PARISIENSIS.

OUVRAGES DU MÊME AUTEUR,

MÊME ADRESSE.

Histoire des Arbres et Arbrisseaux qui peuvent être cultivés en pleine terre sur le sol de la France, etc. 2 vol. in-8. br. Prix, 13 fr. et 15 fr. franc de port.

Auteur indique le terrain, le climat et la culture qui conviennent à chaque espèce, des Arbres et Arbrisseaux qu'il est à propos de multiplier dans nos forêts, ceux qui contribuent à l'ornement des jardins, ceux qui sont propres à retenir les sables ou les terres mouvantes, ceux dont le bois peut être employé aux constructions, aux travaux de menuiserie ou aux ouvrages de tour, et ceux enfin dont on peut tirer parti pour les teintures ou pour l'économie domestique.

Il ne traite pas seulement des plantes qui conviennent au sol de la France restreinte à ses limites actuelles, mais de toutes celles qui pouvaient être cultivées dans les diverses parties de la France telle qu'elle était avant 1814.

Choix de plantes du Corollaire des Instituts de Tournefort. 1 vol. in-4°, papier vélin, orné de 72 planches gravées sur les dessins d'Aubriet. Prix : 30 fr.

E TYPIS C. THUAU,

via dicta Saint-Benoît, n. 4.

CATALOGUS PLANTARUM

HORTI REGII PARISIENSIS,

CUM ANNOTATIONIBUS DE PLANTIS NOVIS AUT MINUS COGNITIS;


AUCTORE

RENATO DESFONTAINES,

REGIÆ SCIENTIARUM ACADEMIÆ SOCIO,

NEC NON BOTANICES IN HORTO REGIO PARISIENSI PROFESSORE.

EDITIO TERTIA.



Parisii,

APUD EDITOREM J. S. CHAUDÉ,

VIA VULGO DICTA DE LA HARPE, 56.

1829.

W
D453
C

20

L'ÉCOLE de Botanique du Jardin du Roi s'est considérablement enrichie depuis quelques années, par des envois de graines et de plantes vivantes qu'elle doit aux recherches des voyageurs et à divers jardins publics et particuliers de l'Europe. L'ancien Catalogue de cette École ne renfermant plus à beaucoup près tous les Genres et toutes les Espèces qu'elle possède aujourd'hui, nous avons cru utile d'en publier une nouvelle édition plus exacte et plus complète. Quand on connaîtra les plantes dont se compose la collection du Jardin du Roi, on saura mieux celles qui lui manquent; et il pourra en acquérir encore plus facilement de nouvelles, par des dons et par des échanges.

Nous avons cité, à la suite du nom de chaque Espèce, une ou deux des meilleures gravures qui en ont été publiées, parce que de bonnes figures font plus sûrement reconnaître les plantes, que des descriptions, quelque exactes qu'elles puissent être.

Plusieurs des noms différens que l'on a souvent donnés à une même plante, et qui se sont multipliés inutilement et au détriment de la science, ont été réunis par un signe commun, afin que les correspondans évitent d'envoyer, comme distinctes, les mêmes espèces sous d'autres dénominations.

Les plantes indigènes des environs de Paris, et la

plupart de celles qui sont cultivées dans les jardins de plusieurs pépiniéristes, que l'Ecole de Botanique ne possède pas, sont mentionnées dans notre Catalogue, parce qu'il sera toujours facile de se les procurer.

Nous n'avons pas la prétention de donner une énumération parfaitement exacte des plantes du Jardin du Roi : le nombre en est trop variable par les Espèces nouvelles qu'il reçoit fréquemment, et par les pertes inévitables qu'il éprouve chaque année. Il y a aussi dans les serres plusieurs plantes exotiques qui n'ont pas encore fleuri, et dont les tiges et les feuilles n'offrent aucun caractère qui puisse les faire reconnaître. Pour obvier à ces inconvéniens, on donnera de temps à autre des Supplémens où l'on indiquera les Espèces nouvelles qu'on aura acquises, celles des serres qu'on aura pu reconnaître, et celles qu'on aura perdues.

Nous avons suivi l'ordre des Familles naturelles de M. de Jussieu, avec quelques changemens que l'auteur, nous osons l'espérer, ne désapprouvera pas.

La durée des plantes, celles qu'il faut abriter dans la serre chaude ou tempérée sous le climat de Paris, sont indiquées aussi exactement qu'il nous a été possible par les signes usités.

On trouvera à la fin du Catalogue une description abrégée des Espèces qui nous auront paru nouvelles ou peu connues. Ce sont ces espèces que nous avons marquées d'une * dans le courant du volume.

NOMINUM

QUÆ IN HOC LIBRO ABBREVIATIM SCRIPTA SUNT

EXPLANATIO.

Econ.	Economica.	⊙	Annua.
Med.	Medicinalis.	♂	Bisannua.
Orn.	Ornamentum.	℥	Perennis.
Ven.	Venenosa.	h	Fruticosa.
Cald.	Caldarium.		
Temp.	Caldarium tem- peratum.		

NOMINA REGIONUM.

Abyss.	Abyssinia.	Bohem.	Bohemia.
Egypt.	Egyptus.	Brasil.	Brasilia.
Ethiop.	Ethiopia.	Byzant.	Byzantium.
Afr.	Africa.		
Afr. s.	Africa septen- trionalis.	Californ.	California.
Alpes altaic.	Alpes altaicæ.	Canad.	Canada.
Amboin.	Amboina.	Canar.	Canariæ.
Am.	America.	Cap.	Caput Bonæ Spei.
Am. m.	America meri- dionalis.	Cappad.	Cappadocia.
Am. s.	America septen- trionalis.	Carniol.	Carniola.
Angl.	Anglia.	Carolin.	Carolina.
Antill.	Antillæ.	Carpat.	Carpathia.
Arab.	Arabia.	Carth.	Carthago nova.
Archip.	Archipelagus.	Caucas.	Caucasus.
Armen.	Armenia.	Cochinch.	Cochinchina.
Asia m.	Asia minor.	Corom.	Coromandela.
Astracan.	Astracantum.	Croat.	Croatia.
Austr.	Austria.	Curac.	Curacao.
Barbar.	Barbaria.	Europ.	Europa.
Bengal.	Bengala.	Europ. m.	Europa meridio- nalis.

Europ. s.	Europa septentrionalis.	Magell.	Magellan.
		Mare Casp.	Mare Caspium.
		Maroc.	Marochium.
Florid.	Florida.	Martin.	Martinica.
		Maryl.	Maryland.
Gall.	Gallia.	Maurit.	Mauritania.
Gall. m.	Gallia meridionalis.	Moluc.	Moluccæ.
		Monsp.	Monspessulanus.
Gallo-pr.	Gallo-provincia.		
Georg.	Georgia.	M. Sinai.	Mons Sinai.
German.	Germania.		
Gothland.	Gothlandia.	N. Caled.	Nova Caledonia.
Guian.	Guiana.	N. Cambr.	Nova Cambria.
Guin.	Guinea.	N. Hisp.	Nova Hispania.
		N. Holl.	Nova Hollandia.
Havan.	Havana.	N. Orlean.	Nova Orleana.
Helvet.	Helvetia.	N. Zeland.	Nova Zelandia.
Hisp.	Hispania.	Norweg.	Norwegia.
Hungar.	Hungaria.		
		Palatin.	Palatinatus.
I. Balear.	Insulæ Baleariæ.	Palæstin.	Palæstina.
I. Borbon.	Insula Borbonica.	Patagon.	Patagonia.
		Pensyl.	Pensylvania.
I. Franc.	Insula Franciæ.	Peruv.	Peruvia.
I. Melit.	Insula Melitæ.	Philipp.	Philippinæ.
I. Norfolk.	Insula Norfolk.	P. Jack.	Portus Jacksonius.
I. S. Crucis.	Insula Sanctæ Crucis.		
I. S. Helen.	Insula Sanctæ Helenæ.	Pyren.	Pyrenæi montes.
I. Trinit.	Insula Trinitatis.	Russ.	Russia.
Ind.	India.	Seneg.	Senegal.
Ind. Occid.	India Occidentalis.	Siber.	Siberia.
		Sicil.	Sicilia.
I. Carib.	Insulæ Caribeæ.	Sierra-Leon.	Sierra-Leona.
Ital.	Italia.	Siles.	Silesia.
		Suec.	Suecia.
		Surin.	Surinam.
Jamaic.	Jamaica.		
Japon.	Japonia.	Tartar.	Tartaria.
		Tenerif.	Tenerifa.
Kamtsch.	Kamtschatka.	Transylv.	Transylvania.
Lac. Baiacal.	Lacus Baiacal.	Ukran.	Ukrania.
Louis.	Louisiana.		
Lusit.	Lusitania.	Zeland.	Zelandia.
		N. Zeland.	Nova Zelandia.
Madag.	Madagascar.	Zeyl.	Insula Zeylana.

NOMINA AUCTORUM OPERUMQUE TITULI.

- Aldin. H. farn. — Aldino, Hortus farnesianus.
 All. Ped. — Allioni, Flora pedemontana.
 All. Auct. — Allioni, Auctuarium.
 Alp. Ægypt. — Alpinus, de Plantis Ægypti.
 Alp. Exot. — Alpinus, de Plantis exoticis.
 Amm. Rut. — Ammanni, Stirpium rariorum in imperio Ruthenico spontè provenientium Icones et Descriptiones.
 Andr. Eric. — Andrews, Ericæ (Heaths).
 Andr. Rep. — Andrews, The Botanist Repository.
 Ann. du Mus. d'Hist. nat. — Annales du Muséum d'Histoire naturelle.
 Arduin. Acad. patav. — Arduino, Academia di Padova.
 Arduin. Spec. — Arduino, Specimen.
 Aubl. Guian. — Aublet, Histoire des plantes de la Guiane.
 Aug. St.-Hilaire, Pl. us. — Auguste de Saint-Hilaire, Plantes usuelles des Brésiliens.
- Balb. Add. — Balbis, Additamentum ad Floram pedemontanam.
 Balb. H. Acad. taur. — Balbis, Horti Academiæ taurinensis Stirpium Descriptiones.
 Balb. Miscell. — Balbis, Miscellanea botanica.
 Barr. — Barrelier, Plantæ per Galliam, Hispaniam et Italiam observatæ.
 Bauh. C. Pinax. — Bauhini (Caspari) Pinax.
 Bauh. Prodr. — Bauhini Prodromus.
 Bauh. Theat. — Bauhini Theatrum.
 Bauh. (J.) Hist. — Bauhini (Joannis) Historia plantarum.
 Beauv. Agr. — Beauvois, Agrostographie.
 Beauv. Fl. d'Owar. — Beauvois, Flore d'Oware.
 Bellardi App. — Bellardi Appendix ad Floram pedemontanam.
 Bergeret, Phyt. — Bergeret, Phytomatotechnie.
 Berg. Cap. — Bergii Descriptiones plantarum ex Capite Bonæ-Spei.
 Besler, Eyst. — Besler, Hortus eystettensis.
 Bivona, Cent. — Bivona, Sicularum plantarum Centuriæ.
 Bivona, Manip. — Bivona, Manipuli Stirpium rariorum.
 Bocc. Mus. — Boccone, Museo di Pianta rare.
 Bocc. Ic. — Boccone, Icones et Descriptiones rariorum plantarum Sicilia.
 Boerh. Lug.-Bat. — Boerhaave, Index alter plantarum quæ in horto Acad. Lugduni-Batavorum aluntur.
 Bonpl. Malm. et Nav. — Bonpland, Descriptions des plantes cultivées à la Malmaison et à Navarre.
 Bosc. Dict. — Bosc, Dictionnaire d'histoire naturelle (Déterville).

- Bosc. Soc. d'Hist. nat. — Bosc, Société d'histoire naturelle.
 Bot. Mag. — Botanical Magazine.
 Bot. Reg. — Botanical Register.
 Brad. Succ. — Bradley, Historia plantarum succulentarum.
 Breyn. Cent. — Breynius, plantarum Centuria.
 Breyn. Prodr. — Breynius, Prodromus.
 Brotero, Phyt. — Brotero, Phytographia.
 Brown. Jam. — Brown, The civil and natural History of Jamaica.
 Brown (R.) Ascl. — Brown (Robert), on the Asclepiadeæ.
 Brown. Prodr. — Brown, Prodromus.
 Brown. Soc. Lin. Lond. — Brown, Transactions of the Linnean Society.
 Bull. Herb. — Bulliard, Herbar de la France.
 Burm. Afr. — Burmanni (Joannis), Rariorum Africae plantarum Decades.
 Burm. Zeyl. — Burmanni, Thesaurus zeylanicus.
 Burm. Ind. — Burmanni (Nicolai Laurentii), Flora indica.
 Buxb. Cent. — Buxbaumii Centuriæ.

 Camer. Epit. — Camerarius, Epitome.
 Camer. Hort. — Camerarius, Hortus medicus.
 Carey et Wallich. Fl. Ind. — Carey et Wallich, Flora indica.
 Cassin. H. Dict. — Cassini (Henri), Dictionnaire des Sciences naturelles (Levrault).
 Catesby, Car. — Catesby, The natural History of Carolina.
 Cav. Diss. — Cavanilles, Dissertationes.
 Cav. Ic. — Cavanilles, Icones.
 Clus. Hist. — Clusii, Rariorum plantarum Historia.
 Glus. Curæ post. — Clusii, Curæ posteriores.
 Colla, H. rip. — Colla, Hortus ripulensis.
 Coll. Monogr. — Colladon, Histoire des Casses.
 Col. Ecphr. — Columnæ Ecphrasis.
 Col. Phyt. — Columnæ, Phytobasanos.
 Com. Hort. — Caspari Commelini Hortus amstelodamensis.
 Com. Præl. — Commelini Prælua botanica.
 Com. Rar. — Commelini Plantæ rariores.
 Comm. Acad. Sc. Petrop. — Commentaria Academiæ Scientiarum imperialis Petropolitane.
 Comm. n. Acad. Sc. Petrop. — Commentaria nova Academiæ Scientiarum Petropolitane.
 Comm. Gott. — Commentaria Societatis regię Scientiarum Gottingensis.
 Cornut. Canad. — Cornuti, Canadensium plantarum Historia.
 Correa, Soc. Lin. Lond. — Correa, Transactions of the Linnean Society.
 Coulter, Dips. — Coulter, Mémoire sur les Dipsacées.
 Crantz, Austr. — Crantz, Stirpes Austriacæ.

Crantz, Diss. — Crantz, Dissertatio de duabus arboribus Draconis.

Curt. Lond. — Curtis, Flora londinensis.

Cyrill. — Cyrillo, Cyperus papyrus.

Cyrill. Rar. — Cyrillo, Plantarum rariorum Fasciculi duo.

DC. Ann. du Mus. — Decandolle, Annales du Muséum d'histoire naturelle.

DC. Astrag. — Decandolle, Astragalologia.

DC. Bull. phil. — Decandolle, Bulletin de la Société philomatique.

DC. Cat. — Decandolle, Catalogus plantarum Horti botanici monspeliensis.

DC. Fl. — Decandolle, Flore française.

DC. H. genev. — Decandolle, Hortus genevensis.

DC. Ic. rar. — Decandolle, Icones plantarum Galliae rariorum.

DC. Mém. du Mus. — Decandolle, Mémoires du Muséum d'histoire naturelle.

DC. Pl. gr. — Decandolle, Plantes grasses.

DC. Prodr. — Decandolle, Prodromus.

DC. Syst. — Decandolle, Systema.

Delessert. Ic. — Delessert, Icones selectæ.

Delile, Ægypt. — Delile, Description de l'Égypte.

Desf. Arb. — Desfontaines, Histoire des arbres et arbrisseaux.

Desf. Ann. du Mus. — Desfontaines, Annales du Muséum d'histoire naturelle.

Desf. Atl. — Desfontaines, Flora atlantica.

Desf. Choix de Pl. — Desfontaines, Choix de plantes du Corollaire de Tournefort.

Desf. Mém. du Mus. — Desfontaines, Mémoires du Muséum d'histoire naturelle.

Desf. Soc. d'Hist. nat. — Desfontaines, Actes de la Société d'histoire naturelle.

Desrouss. Encycl. — Desrousseaux, Encyclopédie.

Desvaux. Journ. — Desvaux, Journal de botanique.

Dill. Elth. — Dillenius, Hortus elthamensis.

Dod. Pempt. — Dodonæi Pemptades.

Dodart. Acad. — Dodart, Mémoires de l'Académie des Sciences.

Dodart et Robert. Ic. — Dodart et Robert, Planches de l'Académie.

Don. Prodr. — Don, Prodromus.

Duham. Arb. — Duhamel, Arbres et arbustes.

Duham. Ed. n. — Duhamel, Edition nouvelle.

Dum. Cours. Bot. cult. — Dumont de Courset, Botaniste cultivateur.

Dun. Solan. — Dunal, Histoire des Solanum.

Dun. Monogr. — Dunal, Monographie des Anonacées.

Durand , Dissert. — Durand , Dissertatio de quibusdam Chlo-
ridis speciebus.

Ehret. Pict. — Ehret , Plantæ depictæ.
Engl. Bot. — English Botany.

Feuil. Obs. — Feuillée , Observations.
Fischer. Index. — Fischer , Index horti petropolitani.
Fl. Dan. — Flora danica.
Fl. Græca. — Flora græca.
Fl. Peruv. — Flora peruviana.
Forsk. Fl. Ægypt. — Forskahl , Flora ægyptiaca.
Froel. Gent. — Froelich , de Gentiana.
Fuchs. Historia. — Fuchs , Historia plantarum.

Gay. Lasiop. — Gay , Lasiopetalæ.
Gaertn. Fruct. — Gaertner , de Fructibus.
Gaertn. fil. — Gaertneri filii Supplementum.
Garid. Aix. — Garidel , Histoire des plantes de Provence.
Gaudin. Agr. — Gaudin , Agrostographia.
Ger. Gallo-prov. — Gerard , Flora gallo-provincialis.
Gmel. Sib. — Gmelin , Flora sibirica.
Good. Soc. Lin. Lond. — Goodenough , Transactions of the Lin-
nean Society.
Gouan. Ill. — Gouan , Illustrationes.
Gouan. Fl. — Gouan , Flora monspeliaca.
Guers. Soc. phil. — Guersant , Bulletin de la Société philoma-
tique.
Gunn. Norw. — Gunnerus , Flora norwegica.

Hall. Hist. — Haller , Historia Stirpium.
Hall. Ien. — Haller , Flora ienensis.
Hall. H. Gott. — Haller , Hortus gottingensis.
Hall. Opusc. — Haller , Opuscula botanica.
Haw. Mesemb. — Haworth , Observations on the genus Mesem-
bryanthemum.
Haw. Syn. — Haworth , Synopsis Plantarum succulentarum.
Herm. Hort. — Hermann , Hortus.
Herm. Parad. — Hermann , Paradisus.
Hook. Exot. Fl. — Hooker , Exotic Flora.
Horn. Hort. — Hornemann , Hortus hafniensis.
H: kew. — Hortus kewensis.
H. malab. — Hortus malabaricus.
H. p. — Hortus parisiensis.
Host. Gram. — Host , Icones et Descriptiones Graminum aus-
triacorum.
Hoffm. et Link. Fl. Lusit. — Hoffmannsegg et Link , Flore por-
tugaise.

Humb. et Bonpl. Equinox. — Humboldt et Bonpland, Plantes équinoxiales.

Jacq. Am. — Jacquin, *Stirpium americanarum Historia*.

Jacq. Austr. — Jacquin, *Flora Austriaca*.

Jacq. Collect. — Jacquin, *Collectanea*.

Jacq. Fragm. — Jacquin, *Fragmenta*.

Jacq. Hort. — Jacquin, *Hortus vindobonensis*.

Jacq. H. schön. — Jacquin, *Hortus schönbrunnensis*.

Jacq. Miscell. — Jacquin, *Miscellanea*.

Jacq. Obs. — Jacquin, *Observationes*.

Jacq. Oxal. — Jacquin, *Oxalis Monographia*.

Jacq. Rar. — Jacquin, *Icones plantarum rariorum*.

Jacq. Stap. — Jacquin, *Stapeliae*.

Jacq. f. Ecl. — Jacquini filii *Eclogae*.

J. St.-Hilaire. — Jaume Saint-Hilaire, *Plantes de France*.

Juss. B. Acad. — Jussieu (Bernard), *Mémoires de l'Académie*.

Juss. A. Ann. du Mus. — Jussieu (Antoine), *Annales du Muséum d'Histoire naturelle*.

Juss. f. Euph. — Jussieu filius, *De Euphorbiacearum generibus*.

Kämpf. Amæn. — Kämpfer, *Amœnitates*.

Kämpf. Ic. sel. — Kämpfer, *Icones selectae*.

Ker. Diss. — Ker, *Dissertationes*.

Kunth. N. Gen. — Kunth, *Nova Genera et Species*.

Kunth. Legum. — Kunth, *Leguminosae*.

Labill. Dec. — Labillardière, *Décades*.

Labill. Itin. — Labillardière, *Voyage*.

Labill. N. Holl. — Labillardière, *Novae Hollandiae Specimen*.

Lagasca, Gen. et Sp. — Lagasca, *Genera et Species*.

Lamk. Encycl. — Lamarck, *Encyclopédie*.

Lamk. Ill. — Lamarck, *Illustrationes*.

Lamb. Pin. — Lambert, *Description of the genus Pinus*.

Lapeyr. Pyrén. — Lapeyrouse, *Histoire abrégée des plantes des Pyrénées*.

Lapeyr. Ic. — Lapeyrouse, *figures*.

Laroche, Eryng. — Laroche, *Eryngiorum Historia*.

Leers, Herb. — Leers, *Flora herbbornensis*.

Lehm. Asperif. — Lehmann, *Asperifoliae*.

Lehm. Nic. — Lehmann, *Nicotianae*.

Lehm. Pot. — Lehmann, *Potentillae*.

L'hér. Corn. — L'héritier, *Cornus*.

L'hér. Gen. — L'héritier, *Genera*.

L'hér. Ger. — L'héritier, *Gerania*.

L'hér. Sert. — L'héritier, *Sertum*.

L'hér. Stirp. — L'héritier, *Stirpes*.

Lind. Coll. — Lindley, *Collectanea*.

Link. Enum. — Link, Enumeratio plantarum Horti berolinensis.

Link. H. berol. — Link, Hortus berolinensis.

L. Act. Holm. — Linnæus, Acta stockholmiensia.

L. Amœn. — Linnæus, Amœnitates.

L. Dec. — Linnæus, Decades.

L. Fasc. — Linnæus, Fasciculus.

L. Fl. lapp. — Linnæus, Flora lapponica.

L. H. cliff. — Linnæus, Hortus cliffortianus.

L. H. ups. — Linnæus, Hortus upsaliensis.

L. Mant. — Linnæus, Mantissa.

L. Spec. — Linnæus, Species plantarum.

L. Suppl. — Linnæus, Supplementum.

Lob. Ic. — Lobel, Icones.

Lodd. Bot. Cab. — Loddiges, Botanical Cabinet.

Loes. Pruss. — Loesel, Flora prussica.

Lois. Fl. gall. — Loiseleur, Flora gallica.

Lois. Herb. de l'Amat. — Loiseleur, Herbar de l'amateur.

Lois. Narc. — Loiseleur, Recherches sur les Narcisses.

Loureir. Coch. — Loureiro, Flora cochinchinensis.

Magn. Bot. — Magnol, Botanicon monspeliense.

Magn. Hort. — Magnol, Hortus monspeliensis.

Marcgr. — Marcgrave, Historia naturalis Brasiliae.

Marsch. Cauc. — Marschall, Flora taurico-caucasica.

Martius. Palm. — Martius, Palmæ.

Martyn, Dec. — Martyn, Decades.

Mass. Stap. — Masson, Stapeliæ.

Med. Acad. palat. — Medicus, Academia Scientiarum Theodora Palatinatûs.

Mich. Arb. — Michaux fils, Histoire des arbres.

Mich. Fl. — Michaux père, Flora Boreali-Americana.

Mich. Gen. — Micheli, Nova Genera.

Mich. Hort. — Micheli, Catalogus plantarum Horti florentini.

Mill. Ic. — Miller, Icones.

Mill. Ill. — Miller, Illustrationes Systematis sexualis Linnæi.

Moris. Hist. — Morison, Historia plantarum.

Moris. Umb. — Morison, Umbelliferæ.

Munt. Brit. — Muntingius, De Herba Britannica.

Murray, Gott. — Murray, Commentarii Societatis Scientiarum Gottingensis.

Murray, N. Comm. — Murray, Novi Commentarii.

Nest. Pot. — Nestler, Monographia de Potentilla.

Nuttal, Gen. — Nuttal, the Genera.

Ortega, Dec. — Ortega, Decades.

Osbeck. Iter. — Osbeck, Iter in Chinam.

- Pall. Astrag. — Pallas , Species Astragalorum descriptæ.
 Pall. Ross. — Pallas , Flora rossica.
 Pall. Itin. — Pallas , Voyages (editio gallica).
 Pers. Syn. — Persoon , Synopsis plantarum.
 Pluk. — Plukenetii Phytographia , etc.
 Plum. Am. — Plumier , Description des plantes de l'Amérique.
 Plum. Fil. — Plumier , Traité des Fougères de l'Amérique.
 Plum. Ic. — Plumier , Plantarum americanarum Fasciculi 10
 (editio Burmanni).
 Poiret , Encycl. — Poiret , Encyclopédie.
 Poiret , Suppl. — Poiret , Supplément.
 Poit. et Turp. Fl. par. — Poiteau et Turpin , Flore parisienne.
 Pollich. Palat. — Pollich , Historia plantarum Palatinatûs.
 Pona , Bald. — Pona , Plantæ quæ in Baldomonte reperiuntur.
 Pourret , Act. tolos. — Pourret , Mémoires de l'Académie de
 Toulouse.
 Pursh , Fl. — Pursh , Flora Americæ septentrionalis.

 Ramrat. Journ. d'Hist. nat. — Ramatuelle , Journal d'Histoire
 naturelle.
 Ramond , Bull. phil. — Ramond , Bulletin de la Société phi-
 lomatique.
 Ray , Syn. — Ray , Synopsis.
 Red. Lil. — Redouté , Liliacées.
 Red. et Thor. Ros. — Redouté et Thori , les Roses.
 Renealm. Spec. — Renealmi Specimen.
 Retz. Obs. — Retzii Observationum botanicarum Fasciculi.
 Rich. Ann. du Mus. d'his. nat. — Richard , Annales du Mu-
 séeum d'histoire naturelle.
 Rich. Mém. du Mus. d'hist. nat. — Richard , Mémoires du
 Muséeum d'histoire naturelle.
 Rich. Conifères. — Richard , Mémoires sur les Conifères et les
 Cycadées.
 Rivin. — Rivinus.
 Robert et Dodart , Ic. — Robert et Dodart , Planches de l'A-
 cadémie.
 Rœm. et Sch. Syst. — Rœmer et Schultes , Systema vegetabi-
 lium.
 Roques , Phyt. — Roques , Phytographie médicale.
 Roscoe. Soc. Lin. Lond. — Roscoe , Transactions of the Lin-
 nean Society.
 Roth , Cat. — Roth , Catalecta botanica.
 Roth , Germ. — Roth , Tentamen Floræ germanicæ.
 Rottb. Rar. et Cyp. — Rottboll , Descriptiones et Icones rario-
 rum , etc.
 Roxb. Corom. — Roxburgh , Plants of the coast of Coromandel.
 Roxb. Fl. Ind. — Roxburgh , Flora indica.
 Roxb. H. beng. — Roxburgh , Hortus bengalensis.

Rudge. Guian. — Rudge, Plantarum Guianæ rariorum Icones et Descriptiones.

Rumph. Amb. — Rumphii, Herbarium Amboinense.

Salisb. Par. — Salisbury, the Paradisus londinensis.

Salisb. Ic. — Salisbury, Icones Stirpium rariorum.

Salm Dyck. — De Salm, Plantæ succulentæ.

Savi, Fl. pis. — Savi, Flora pisana.

Scheu. Agrost. — Scheuchzerii, Agrostographia.

Schk. Car. — Schkuhr, Histoire des Carex (traduction).

Schk. Crypt. — Schkuhr, Cryptogamische Gewächse.

Schk. Handb. — Schkuhr, Botanisches Handbuch.

Schmied. Ic. — Schmiedel, Icones plantarum.

Schousb. Maroc. — Schousboe, Marokko.

Schrad. Cat. — Schrader, Index plantarum.

Schrad. Germ. — Schrader, Flora germanica.

Schrad. Sertum. — Schrader, Sertum hanoverianum.

Schrad. Verb. — Schrader, Monographia generis Verbasci.

Schrad. Ver. — Schrader, Commentatio de Veronicis spicatis.

Schreb. Gram. — Schreber, Beschreibung der Gräser.

Schreb. Spicil. — Schreber, Spicilegium.

Schreb. Vertic. — Schreber, Verticillatæ.

Scop. Carn. — Scopoli, Flora carniolica.

Scop. Insubr. — Scopoli, Deliciæ floræ insubricæ.

Sebast. Pl. rom. — Sebastiani, Romanarum plantarum Fasciculi.

Seg. Veron. — Seguiet, Plantæ veronenses.

Seringe, Aconit. — Seringe, Essai d'une Monographie du genre Aconit.

Shaw, Specim. — Shaw, Specimen Phytographiæ africanæ.

Sloan. Jam. — Sloane, A Voyage to the Islands Madera, Barbados and Jamaica.

Smith. Exot. — Smith, Exotic Botany.

Smith. Fl. — Smith, Flora britannica.

Smith. Ic. ined. — Smith, Icones ineditæ.

Smith. Ic. pict. — Smith, Icones pictæ.

Smith. Prodr. Fl. græcæ. — Smith, Prodrômus Floræ græcæ.

Smith. Specim. — Smith, Specimen.

Smith. Spicil. — Smith, Spicilegium.

Sonn. Voyag. — Sonnerat, Voyage.

Sparm. Acta Holm. — Sparmann, Acta stockholmiensia.

Spreng. Syst. veg. — Sprengel, Systema vegetabilium.

Stev. Act. mosq. — Steven, Mémoires de la Société impériale des naturalistes de Moscou.

Swartz, Fl. ind. — Swartz, Flora indica.

Swartz, Obs. — Swartz, Observationes botanicæ.

Swartz, Orch. — Swartz, Orchides.

Swartz, Syn. — Swartz, Synopsis Filicum.
Syst. veg. — Murray, Systema vegetabilium.

Tabern. Ic. — Tabernæmontani Icones.
Tenore, Cat. — Tenore, Catalogus plantarum.
Tenore, Corso. — Tenore, Corso delle botaniche Lezioni.
Tenore, Fl. nap. — Tenore, Flora napolitana.
Tilli, Pis. — Tilli, Catalogus horti pisani.
Thouin, Ann. — Thouin, Annales du Muséum d'Histoire naturelle.
Thunb. Diss. — Thunberg, Dissertationes.
Thunb. Jap. — Thunberg, Flora japonica.
Thunb. N. Gen. — Thunberg, Nova genera.
Thunb. Prodr. — Thunberg, Prodromus.
Tournef. Inst. — Tournefort, Institutiones.
Tournef. Itin. — Tournefort, Relation d'un voyage, etc.
Trew. Sel. — Trew, Plantæ selectæ.
Triumf. — Triumfetti Observationes.

Vahl, Ecl. — Vahl, Eclogæ.
Vahl, Enum. — Vahl, Enumeratio.
Vahl, Symb. — Vahl, Symbolæ.
Vaill. Bot. — Vaillant, Botanicon.
Vélins du Mus. — Vélins du Muséum d'Histoire naturelle.
Vent. Ch. — Ventenat, Choix de plantes.
Vent. H. Cels. — Ventenat, Jardin de Cels.
Vent. Malm. — Ventenat, Jardin de la Malmaison.
Vill. Hist. — Villars, Histoire des plantes du Dauphiné.
Viviani, Frag. — Viviani, Floræ italicæ Fragmenta.
Volck. Norib. — Volckameri Flora noribergensis.

Wahlenb. Fl. carp. — Wahlenberg, Flora Carpathorum.
Wahlenb. Fl. lapp. — Wahlenberg, Flora lapponica.
Wald. et Kit. Hung. — Waldstein et Kitaibel, Descriptiones et Icones plantarum rariorum Hungariæ.
Wall. Fl. ind. — Wallich, Flora indica.
Walth. Hort. — Waltheri, Designatio plantarum quas hortus... complectitur.
Weinm. Phyt. — Weinmann, Phytantoza.
Wendl. Coll. — Wendland, Collectio plantarum, etc.
Wendl. Obs. — Wendland, Botanische Beobachtungen.
Wendl. Sert. Han. — Wendland, Sertum hanoverianum.
Willd. Amar. — Willdenow, Historia Amaranthorum.
Willd. Enum. — Willdenow, Enumeratio.
Willd. H. berol. — Willdenow, Hortus berolinensis.
Willd. Spec. — Willdenow, Species plantarum.

Zan. Hist. — Zanonii, Rariorum stirpium Historia.

CATALOGUS PLANTARUM

HORTI REGII PARISIENSIS, 1828.

CLASSIS I.

ACOTYLEDONES.

In horto regio non cultæ præteruntur.

CLASSIS II.

MONOCOTYLEDONES.

ORDO I.

FILICES.

I. Capsulæ nudæ, nec annulo cinctæ.

OPHIOGLOSSUM Lin.

vulgatum L. Plum. Fil. t. B. f. 5. Fl. Dan. t. 147. Gall. v

BOTRYCHIUM Swartz Syn.

{ Lunaria Swartz. Syn. Gall. v
{ Osmunda lunaria L. Fl. Dan. t. 18.

OSMUNDA Lin.

regalis L. Plum. Fil. t. B. f. 4. Fl. Dan. t. 217. Gall. v Med.

II. Capsulæ subvelatæ, nec annulo cinctæ.

HYDROGLOSSUM Willd.

{ palmatum Willd. Sp. Am. s. Temp. v
{ Lygodium palmatum Swartz Syn.
{ Cteisium paniculatum Mich. Fl.

III. Capsulæ nudæ, annulo cinctæ.

ACROSTICHUM Lin.

aureum L. Plum. Fil. t. 104. Antill. Cald. v

Marantæ L. Camer. Epit. 666. Ic. Alpes. v

alcicorne Swartz Syn. Bot. Reg. 262, 263. Ind. Cald. v

CETERACH Willd.

- { officinarum Willd. Sp. Camer. Epit. 640. Ic. Plum.
 Fil. t. B., f. 3. Gall. & Med.
- { Grammitis Ceterach Schk. Crypt. t. 7. b. p.
- Asplenium Ceterach L.

POLYPODIUM Lin.

1. Fronde simplici.

crassifolium L. Plum. Fil. t. 123. Antill. Cald. &

2. Fronde pinnatifida.

- { attenuatum Willd. Sp. Brasil. Cald. &
- { dissimile Schk. Crypt. t. 14.

phymatodes L. Mant. Jacq. Rar. t. 637. Ind. Cald. &

aureum L. Plum. Fil. t. 76. Antill. Cald. &

vulgare L. Tournef. Inst. t. 316. Plum. Fil. t. A. f. 2.
 Gall. & Med.

cambricum. L. Moris. S. 14. t. 2 f. 8. Gall. & (Varietas
 præcedentis).

3. Fronde bipinnatifida.

Phegopteris L. Engl. Bot. 2224. Schk. Crypt. t. 20. Gall. &

4. Fronde supradecomposita.

Dryopteris L. Engl. Bot. 616. Schk. Crypt. t. 25. Gall. &

IV. Capsulæ indusio velatæ.

ASPIDIUM Swartz.

1. Fronde ternata.

- { trifoliatum Swartz Syn. Plum. Fil. t. 148. Antill. Cald. &
- { Polypodium trifoliatum L. Jacq. Rar. t. 638.

2. Fronde pinnata.

- { Lonchitis Swartz Syn. Schk. Crypt. t. 29. Alpes. &
- { Polypodium Lonchitis L. Fl. Dan. t. 497.

acrostichoides Swartz Syn. Am. s. &

pectinatum Willd. Sp. &

3 Fronde bipinnatifida, indusiis reniformibus.

Oreopteris Swartz Syn. Fl. Dan. t. 1141. Engl. Bot.
 1019. Gall. &

Thelypteris Swartz Syn. Fl. Dan. t. 760. Engl. Bot.
 1018. Gall. &

- { molle Swartz Syn. Schk. Crypt. t. 346. Caracas. Cald. &
- { Polypodium molle Jacq. Rar. t. 640.
- { cristatum Swartz Syn. Engl. Bot. 2125. Schk. Crypt.
- { t. 37. Gall. &
- { Polypodium cristatum L.

4. Froude bipinnata, triplicato-pinnatave, indusiis reniformibus.

- { Filix-mas Swartz Syn. Engl. Bot. 1458. Gall. & Med.
- { Polypodium Filix-mas. L.
- { Filix foemina Swartz. Syn. Engl. Bot. 1459. Schk.
- { Crypt. t. 58. Gall. &
- { Polypodium filix foemina L.
- { aculeatum Swartz Syn. Moris. S. 14. t. 3. f. 15.
- { Engl. Bot. 1562. Gall. &
- { Polypodium aculeatum L.
- dilatatum Swartz Syn. Engl. Bot. 1461. Gall. &
- { rigidum Swartz Syn. Schk. Crypt. t. 38. Alpes. &
- { Polypodium fragrans Vill. Hist. (Excl. synonym.)
- { Halleri Willd. Sp. Alpes. &
- { fontanum Swartz Syn. Engl. Bot. 2024. Schk. Crypt. t. 53.
- { bulbiferum Swartz Syn. Cornuti Canad. 4. ic. Schk.
- { Crypt. t. 57. Canada. &
- { Polypodium bulbiferum L.
- { fragile Swartz Syn. Schk. Crypt. t. 54, 55. Gall. &
- { Polypodium fragile L.
- { Cyathea fragilis Engl. Bot. 1587.
- { rhæticum Swartz Syn. Gall. &
- { Polypodium rhæticum L.
- { montanum Swartz Syn. Alpes. &
- { myrrhidifolium Vill. Hist. t. 53.

ALSOPHILA.

- { microdonta Desv. Soc. d'Hist. nat. Guian. Cald. &
- { Polypodium microdontum Desv. Mag. berol.

ONOCLEA Lin.

- sensibilis L. Pluk. t. 404. f. 2. Schk. Crypt. t. 102. Virgin. &

STRUTHIOPTERIS Willd.

- { germanica Willd. Sp. German. &
- { Onoclea Struthiopteris Schk. Crypt. t. 105.
- { Osmunda Struthiopteris L. Fl. Dan. t. 169.

DOOBIA Brown.

- aspera Brown. Prodr. Hook. Exot. Fl. 8 N. Holl. Temp. &

ASPLENIUM Lin.

- { septentrionale Swartz Syn. Gall. &
- { Acrostichum septentrionale L. Fl. Dan. t. 60.
- marinum L. Engl. Bot. 392. Schk. Crypt. t. 68. Gall. &

acrostichoides Swartz Syn. Am. s. π

Trichomanes L. Bull. Herb. t. 185. Schk. Crypt. t. 74.
Gall. π

furcatum Swartz Syn. Schk. Crypt. t. 79. Cap, Madera.
Temp. π

Ruta-muraria L. Camer. Epit. 785. Ic. Plum. Fil. t. A. f. 3.
Gall. π Med.

Adiantum-nigrum. L. Fl. Dan. t. 250. Gall. π Med.

lanceolatum Swartz. Syn. Engl. Bot. 240. Gall. π

SCOLOPENDRIUM Smith.

{ officinarum Swartz Syn. Tournef. Inst. t. 319. Plum.
Fil. t. A. f. 4. Med.
{ Asplenium Scolopendrium. L.

DIPLAZIUM Swartz.

arborescens Swartz Syn. I. Borbon. Cald. π

BLECHNUM Lin.

occidentale L. Jacq. Rar. t. 644. Antill. Cald. π

{ boreale Swartz. Syn. Engl. Bot. 1159. Gall. π
{ Osmunda Spicant. L. Fl. Dan. t. 99.

WOODWARDIA Smith.

{ radicans Swartz Syn. Schk. Crypt. t. 112. Madera.
Temp. π
{ Blechnum radicans. L. Mant.

PTERIS Lin.

aquilina L. Moris: S. 14. t. 4. f. 3. Schk. Crypt. t. 95, 96.
Gall. π

arguta Vahl Symb. Pluk. t. 290. f. 2. Canada. Temp. π

serrulata L. Suppl. Pluk. t. 407. f. 2. Schk. Crypt. t. 91.
Zeyl. Cald. π

cretica L. Mant. Tournef. Inst. t. 321. Schk. Crypt. t. 90.
Creta. Temp. π

longifolia L. Jacq. H. schœn. t. 399. Antill. Cald. π

{ crispa Swartz Syn. Moris. S. 14. t. 4. f. 4. Engl. Bot.
1160. Alpes. π

{ Osmunda crispa. L. Fl. Dan. t. 496.

{ hastata Swartz Syn. I. Borbon. Cald. π

{ polymorpha Encycl.

CHEILANTES Swartz.

{ odora Swartz Syn. Schk. Crypt. t. 123.

{ Polypodium fragrans. Desf. Atl. t. 257. Gall. m.
Maurit. Temp. π

{ Pteris acrosticha. Balbis. Add.

lendigera Swartz Syn. Amm. Comm. Petr. 10. t. 22. f. 3.
N. Hisp. Cald. π

ADIANTUM Lin.

- reniforme L. Pluk. t. 287. f. 5. Madera. Temp. v
 pedatum. L. Cornuti Canad. 6. ic. Schk. Crypt. t. 115.
 Canada. z. Med.
 Capillus-veneris L. Tournef. Inst. t. 117. Jacq. Miscell. 2.
 t. 7. Gall. v Med.

DAVALLIA Smith.

- { canariensis Swartz Syn. Canar. Temp. v
 { Trichomanes canariense. Jacq. Rar. t. 200.

HYMENOPHYLLUM.

- { tunbridgense Swartz Syn. Gall. v
 { Trichomanes tunbridgense L. Fl. Dan. t. 954. Engl. Bot.
 162.

ORDO II.**RHIZOSPERMÆ** Roth. DC.**PILULARIA** Lin.

- globulifera L. B.-Juss. Acad. 1739. t. 11. Vaill. Bot. t. 15.
 f. 6. Gall. v

MARSILEA Lin.

- quadrifolia L. B.-Juss. Acad. 1740. t. 15. Gall. z •

ORDO III.**EQUISETACEÆ** Rich. DC.**EQUISETUM** Lin.

- arvense L. Engl. Bot. 2020. Schk. Crypt. t. 167. Gall. v
 sylvaticum L. Fl. Dan. t. 1182. Schk. Crypt. t. 166. Gall. z
 palustre L. Fl. Dan. t. 1183. Engl. Bot. 2021. Schk. Crypt.
 t. 169, 170. Gall. z
 fluviatile L. Engl. Bot. 2022. Schk. Crypt. t. 168. Gall. v
 limosum L. Fl. Dan. t. 1184. Engl. Bot. 929. Gall. v
 hyemale L. Engl. Bot. 915. Schk. Crypt. t. 172. Gall. v Econ.
 variegatum Willd. Sp. Engl. Bot. 1987. Schk. Crypt. t. 172.
 Gall. v

ORDO IV.**NAIADEÆ** Juss.**CHARA** Lin.

- vulgaris L. Engl. Bot. 336. Gall. ☉

hispida L. Engl. Bot. 463. Gall. ☉

flexilis L. Engl. Bot. 1070. Gall. ☉

translucens Vaill. Acad. 1719. t. 3. f. 8. Engl. Bot. 1855. Gall. ☉

gracilis Engl. Bot. 2140. Gall. ☉

CERATOPHYLLUM Lin.

submersum L. Vaill. Acad. 1719. t. 2. f. 2. Engl. Bot. 679. Gall. ☿

demersum L. Vaill. Acad. 1719. t. 2. f. 1. Engl. Bot. 947. Gall. ☿

NAIAS Lin.

{ *major* DC. Fl. Mich. Gen. t. 8. f. 2. Gall. ☉

{ *monosperma* Willd. Sp.

{ *minor* DC. Fl. Mich. Gen. t. 8. f. 3.

{ *Caulinia fragilis* Willd. Sp.

CALLITRICHE. Lin.

verna L. Fl. Dan. t. 129. Gall. ☉

— *autumnalis* L.

pedunculata DC. Fl. (an varietas). Gall. ☉

LEMNA Lin.

polyrhiza L. Mich. Gen. t. 11. f. 1. Engl. Bot. 2458. Gall. ☉

minor L. Mich. Gen. t. 11. f. 3. Engl. Bot. 1095. Gall. ☉

gibba L. Mich. Gen. t. 11. f. 2. Engl. Bot. 1233. Gall. ☉

trisulca L. Mich. Gen. t. 11. f. 5. Engl. Bot. 926. Gall. ☉

CLASSIS III.

MONOCOTYLEDONES, STAMINA HYPOGYNA,

ORDO I.

AROIDEÆ Juss.

I. Spadix spathâ involutus.

AMBROSINIA Lin.

Bassii L. Bocc. Sic. t. 26. Vélins du Mus. vol. 5. Sicil. Temp. ☿

ARUM Lin.

1. Acaulia, foliis compositis.

{ crinitum Willd. Sp. Bot. Reg. 831. Minorca. Temp. v
 { muscivorum L. Suppl.

* trifidum H. p. Seneg. Cald. v

{ clavatum. Vélins du Mus. vol. 5. Cald. v

{ pedatum Link. H. berol. t. 8.

Dracunculus L. Roques Phyt. t. 17. Vélins du Mus. vol. 5.
 Gall. v Méd.

Dracontium L. Bot. Reg. 668. Virgin. Temp. v

bulbiferum Bot. Mag. 2072 et 2508. Ind. Cald. v

triphyllum Dodart Acad. 1666-1699, p. 273. Ic. Bot. Mag.
 950. Virgin. Temp. v

* subulatum Vélins du Mus. vol. 5. v

2. Foliis simplicibus.

maculatum L. Fl. Dan. t. 505. Roques Phyt. t. 16. Gall. v

italicum Encycl. Vélins du Mus. vol. 5. Ital. v

virginicum L. Virgin. Temp. v

Arisarum L. Clus. Hist. 2. 73. ic. Jacq. H. schœn. t. 192.
 Gall. m. Temp. v

Colocasia L. Clus. Hist. 2. 75. ic. Ægypt. Cald. v Econ.

* colocasioides. H. p. Cald. v

cordifolium Bory Voyage. I. Borbon. Cald. v

pictum L. Suppl. Minorca. Temp. v

tenuifolium L. Clus. Hist. 2. 74. ic. Bot. Mag. 2282.
 Gall. m. Temp. v

{ trilobatum L. Bot. Mag. 2324. Ind. Cald. v

{ divaricatum L. H. malab. 11. t. 20.

CALADIUM Vent.

1. Acaulia.

* variegatum. H. p. Cald. v

* brasiliense H. p. Cald. v

{ sagittæfolium L. Antill. Cald. v

{ Arum sagittæfolium Jacq. Hort. t. 157.

— violaceum. Vélins du Mus. vol. 5. Antill. Cald. v

bicolor Vent. H. Cels. t. 30. Bot. Mag. 820. Jacq. H. schœn.
 186. Brasil. Cald. v Orn.

2. Caulescentia.

{ pinnatifidum. Willd. Sp. Caracas. Cald. v

{ Arum pinnatifidum. Jacq. H. schœn. t. 187.

{ lacerum Willd. Sp. Caracas. Cald. v

{ Arum lacerum Jacq. H. schœn. t. 468.

- { *seguinum* Willd. Sp. Antill. Cald. ♪
- { *Arum seguine* Jacq. Amer. t. 151. Plum. Amer. t. 61.
- { Bot. Mag. 2606.
- { *auritum* Willd. Sp. Antill. Cald. ♪
- { *Arum auritum* Jacq. H. schœn. t. 191.
- { *tripartitum* Willd. Sp. Caracas. Cald. ♪
- { *Arum tripartitum* Jacq. H. schœn. t. 190.
- * *trifoliatum*. Cald. ♪
- * *rugosum* H. p. Cald. ♪

CALLA Lin.

- { *æthiopica* L. Bot. Mag. 832. Cap. Temp. π Orn.
- { *Richardia africana* Kunth. Mém. du Mus. 4. t. 20.
- palustris* L. Fl. Dan. t. 422. Bot. Mag. 1831. Gall. ψ

DRACONTIUM Lin.

- pertusum* L. Plum. Amer. t. 56, 57. Jacq. H. schœn. t. 184, 185. Antill. Cald. ♪
- polyphyllum* L. Herm. Parad. 93. ic. Bot. Reg. 700. Guian. ♪

POTHOS Lin.

- crassinervia* Jacq. Rar. t. 609. Am. m. Cald. π
- * *maxima* H. p. Am. m. Cald. π
- lanceolata* L. Plum. Amer. t. 62. Antill. Cald. π
- acaulis* L. Jacq. Amer. t. 153. Hook. Exot. Fl. 122. Antill. Cald. π
- * *platinevron* H. p. Brasil. ? Cald. π
- cordata* L. Plum. Burm. t. 38. Antill. Cald. π
- * *cartilaginea* H. p. Cald. π
- * *suaveolens* H. p. Cald. ♪
- { *foetida* Mich. Fl. Bot. Mag. 836. Am. s. Temp. π
- { *Dracontium foetidum* L.
- sagittata* Bot. Mag. 1684. Am. m. Cald. π
- violacea* Swartz Fl. Ind. Hook Exot. Fl. 55. Jam. Cald. π
- digitata* Jacq. Rar. t. 611. Am. m. Cald. ♪
- cannæfolia* Rudge Guian. t. 33. Guian. Cald. ♪

HOUTHUYNIA Thunb.

- cordata* Thunb. Jap. t. 26. Japon. Temp. π

CARLUDOVICA Ruiz et Pavon.

- funifera* Poiteau. Mém. du Mus. 9. t. 1. Guian. Cald. ♪
- subacaulis* Poiteau. Mém. du Mus. 9. p. 31. Guian. ♪

II. *Spadix spathâ destitutus.***ORONTIUM** Lin.

- japonicum* Thunb. Jap. Kæmpf. Ic. sel. t. 12. Bot. Mag. 898. Japon. Cald. π

ACORUS Lin.

calamus L. Moris. S. 8. t. 13. f. 4. Fl. Dan. t. 1158.

Engl. Bot. 356. Gall. & Med.

gramineus H. kew. Smith Spicil. t. 17. &

ORDO II.**PANDANEÆ Brown.****PANDANUS**

{ utilis Willd. Enum. Madag. Cald. 5

{ odoratissimus Jacq. Fragm. t. 13, 14. f. 1.

odoratissimus Willd. Enum. Cald. 5

bromeliæfolia Lodd. Catal. I. Borbon. Cald. 5

humilis Willd. Spec. Jacq. Fragm. t. 14. f. 2. I. Borbon.
Cald. 5

reflexus Lodd. Catal. I. Borbon. Cald. 5

amarylloides Parmentier. Cald. 5

ORDO III.**TYPHEÆ Juss.****SPARGANIUM.**

erectum L. Moris. S. 8. t. 13. f. 1. Gall. &

simplex Smith. Fl. Fl. Dan. t. 932. Gall. &

natans L. Engl. Bot. 273. Gall. &

TYPHA Lin.

latifolia L. Moris. S. 8. t. 13. f. 1. Engl. Bot. 1455.

Gall. & Econ.

angustifolia L. Moris. S. 8. t. 13. f. 2. Engl. Bot. 1456.

Gall. & Econ.

{ minima DC. Fl. Moris. S. 8. t. 13. f. 5. Gall. &

{ minor Engl. Bot. 1457.

ORDO IV.**GRAMINEÆ Juss.****CINNA Lin.**

{ arundinacea Schreb. Gram. t. 49. Am. s. &

{ Agrostis Cinna Willd. Enum.

ANTHOXANTHUM Lin.

odoratum L. Schreb. Gram. t. 5. Gall. &

- { amarum Brotero Phyt. Lusit. v
- { glaucum Vahl Spec.

CRYPISIS Gen. Plant. ed. Schreb.

- { aculeata H. kew. Moris. S. 8. t. 5. f. 3. Gall. ☉
- { Schoenus aculeatus Schreb. Gram. t. 32.
- { Anthoxanthum aculeatum L. Suppl.
- { Antitragus aculeatus Gært. Fruct. t. 80.
- schoenoides Lamk. Ill. t. 42. f. 1 Barrel. t. 54. Gall. ☉
- { alopecuroides Schrad. Germ. Gall. m. ☉
- { Heleochoa alopecuroides Host. Gram. 1. t. 29.

CORNUCOPIÆ Lin.

- cucullatum L. Lamk. Ill. t. 40. Schreb. Gram. t. 41.
- Oriens ☉

ALOPECUROS Lin.

- { utriculatus Schrad. Germ. Moris. S. 8. t. 4. f. 19. Gall. ☉
- { Phalaris utriculata L.
- bulbosus L. Rai. Syn. t. 20, f. 2. Engl. Bot. 1249. Gall. x
- agrestis L. Schreb. Gram. t. 19. f. 2. Gall. v
- pratensis L. Schreb. Gram. t. 19, f. 1. Gall. x
- { arundinaceus Poiret. Encycl. Russ. v
- { nigricans Horn. Hort. Jacq. F. Ecl. t. 13.
- geniculatus L. Fl. Dan. t. 861. Gall. v
- { Gerardi Vill. Hist. Alpes v
- { Phleum Gerardi. Jacq. Rar. t. 301.

PHLEUM Lin.

- pratense L. Schreb. Gram. t. 14. f. 1 et 2. Gall. v
- nodosum L. Moris. S. 8, t. 4. f. 3. Gall. x
- alpinum L. Host. Gram. 3, t. 10. Engl. Bot , 519.
- Alpes v
- arenarium L. Fl. Dan. , t 915. Gall. x
- { Bellardi Willd. Enum. Barrel. t. 14. f. 1. Gall. ☉
- { Phalaris bulbosa L.
- { Phalaris cylindrica DC. Fl.
- { Phleum tenue Schrad. Germ.

LEERSIA Gen. Pl. ed. Schreb.

- { oryzoides Willd. Sp. Gall. v
- { Phalaris oryzoides L. Schreb. Gram., t. 22.

PHALARIS Lin.

- { aspera Retz. Obs. Host. Gram. 2, t. 37. Gall. ☉
- { Phleum asperum Jacq. Rar. t. 14.
- minor Retz. Obs. Alger ☉
- canariensis L. Camer. Epit. 661 ic. Schreb. Gram. t. 10,
- f 2. Gall. ☉
- paradoxa L. Dec. 1, t. 18. Schreb. Gram. t. 12. Gall. ☉

- utriculata L. Host. Gram. 3, t. 7. Gall. ☉
 bulbosa Cavan. Ic. t. 6 $\frac{1}{4}$ (non Lin). Hisp. π
 { phleoides L. Fl. Dan. t. 531. Engl. bot. 459. Gall. π
 { Phleum Boehmeri Schrad. Germ.
 { mucronata H. p. Alpes. π
 { Phleum phalaroides Vill. Hist.
 arundinacea L. Moris. S. 8. t. 6. f. 41. Host. Gram. 2. t. 33.
 Gall. π
 — picta Moris. S. 8. t. 6, f. 43.

BECKMANNIA Host.

- { erucæformis Host. Gram. 3, t. 6. Siber. ☉
 { Phalaris erucæformis L. Gmel. Sib. 1. t. 29.

PASPALUM Lin.

- { stoloniferum Bosc. Soc. Lin. Lond. 2, t. 16. Peruv. π
 { racemosum Jacq. Rar. t. 302.
 { Milium latifolium Cavan. Ic. t. 273.
 { membranaceum Lamk. Ill. t. 43, f. 2. Peruv. Cald. π
 { Ceresia elegans Willd. Enum.
 tenellum Willd. Enum. Cald. π
 Kora Willd. Sp. H. berol. t. 7 $\frac{1}{4}$. Ind. Cald. π

CYNODON Willd. Enum.

- { Dactylon Willd. Enum. Moris. S. 8, t. 3, f. 4. Gall. π
 { Med.
 { Panicum dactylon L. Host. Gram. 2, t. 18.

DIGITARIA Willd. Enum.

- { sanguinalis Willd. Enum. Gall. ☉
 { Panicum sanguinale L. Schreb. Gram. t. 16.
 horizontalis Willd. Enum. Antill. ☉

PANICUM Lin.

1. Flores spicati.

- verticillatum L. Moris. S. 8. t. 4, f. 11. Host. Gram. 2.
 t. 13. Gall. ☉
 viride L. Host. Gram. 2. t. 14. Gall. ☉
 glaucum L. Schreb. Gram. t. 25. Host. Gram. 2. t. 16.
 Gall. ☉
 geniculatum Willd. Enum. Antill. Cald. π
 italicum L. C. B. Theat. 519 Ic. Ital. ☉
 germanicum Willd. Sp. German. ☉

2. Flores spicati, spicis pluribus.

- Crus-galli L. Moris. S. 8. t. 4, f. 15. Gall. ☉
 — aristatum Moris. S. 8. t. 4, f. 16.
 echinatum Willd. Enum. Am. m. ☉

colonum L. Ehret. Pict. t. 3. f. 3. Ind. ☉
brizoides L. Mant. Jacq. F. Ecl. t. 2. Ind. ♂

3. Flores paniculati.

{ læve Lamk. Encycl. Guian. Cald. ♀
{ maximum Jacq. Rar. t. 13.
{ sulcatum L. I. Franc. Cald. ♀
{ plicatum Lamk. Ill.

plicatum Willd. Enum. Jacq. F. Ecl. t. 1. Ind. Cald. ♀
proliferum Lamk. Encycl. ☉

virgatum Lamk. Encycl. Virgin. ♀

coloratum Jacq. Rar. t. 12 Ægypt. ♀

miliaceum L. Host. Gram. 2. t. 20. India. ☉ Econ.

— nigrum.

capillare L. Virgin. ☉

capillaceum Lamk. Encycl. Sloan. Jam. 1. t. 72. Antill. ☉

latifolium Lamk. Ill. Am. m. Cald. ♀

LUDOLPHIA Willd. Enum.

glaucescens Willd. Enum. Ind. Cald. ♀

MILIUM Lin.

cœrulescens Desf. Atl. t. 12, Alger. Gall. ♀

paradoxum L. Schreb. Gram. t. 28. f. 2. Gall. ♀

effusum L. Fl. Dan. t. 1145. Host. Gram. 3. t. 22. Gall. ♀

{ multiflorum Schrad. Germ. Gall. ♀

{ Agrostis miliacea L. Host. Gram. 3. t. 45

CALAMAGROSTIS Roth. Germ.

{ arenaria Roth. Germ. Gall. ♀ Econ.

{ Arundo arenaria L. Fl. Dan. t. 917.

{ montana DC. Fl. Suppl. Alpes. ♀

{ Arundo montana Gaud Agr.

{ Arundo varia Schrad. Germ. t. 4. f. 6.

{ lanceolata Roth. Germ. Gall. ♀

{ Arundo calamagrostis L. ?

littorea Schrad. Germ. t. 4. f. 2. Gall. ♀

pseudo-phragmites Schrad. Germ. t. 4. f. 3. Gall. ♀

{ epigeios Roth. Germ. Gall. ♀

{ Arundo epigeios L. Schrad. Germ. t. 4. f. 1.

{ argentea DC. Fl. Suppl. Gall. ♀

{ Agrostis calamagrostis L.

{ Arundo speciosa Schrad. Germ. t. 4. f. 8.

{ Achnantherum Calamagrostis Beauv. Agr.

GASTRIDIDIUM Beauv.

{ lendigerum Beauv. Agr. Gall. ☉

{ Milium lendigerum L. Host. Gram. 3. t. 24.

AGROSTIS Lin.

1. Aristatæ.

spica-venti L. Fl. Dan. t. 853. Host. Gram. 3. t. 47. Gall. ☉

interrupta L. Vaill. Bot. t. 17. f. 4. Host. Gram. 3. t. 48. Gall. ☉

{ retrofracta Willd. Enum. N. Holl. Temp. v

{ debilis Poiret. Encycl. Suppl.

racemosa Mich. Fl. Am. s.

vinealis Willd. Sp. German. v

2. Muticæ.

stolonifera L. Engl. Bot. t. 1532. Gall. v

— alba L.

{ vulgaris Smith Fl. Engl. Bot. 1671. Gall. v

{ capillaris Leers Herb.

dulcis Poiret Encycl. Suppl. Oriens. ☉

{ serotina L. Mant. Seguiet Veron. 3. t. 3. f. 2. Gall. ☉

{ Festuca serotina Host. Gram. 2. t. 92.

pumila L. Mant. Alpes v

elegans Lois. Journ. de Bot. 2. t. 8. f. 1. Gall. m. ☉

pungens L. Schreb. Gram. t. 27. f. 3. Gall. v

mexicana L. Mant. Am. m. Cald. v

tenacissima Jacq. Rar. t. 16. Ind. Cald. v

TRICHODIUM Mich. Fl.

{ caninum Schrad. Germ. Gall. v

{ Agrostis canina L.

{ laxiflorum Mich. Fl. t. 8. Am. s. ☉

{ Agrostis Cornucopiæ Lamk. Ill.

decumbens Mich. Fl. Am. s. ☉

CHAMAGROSTIS Schrad.

{ minima Schrad. Germ. Moris. S. 8. t. 2. f. 10. Gall. ☉

{ Agrostis minima L.

{ Knappia agrostidea Smith. Fl. Engl. Bot. 1127.

POLYPOGON Desf.

{ monspeliensis Desf. Atl. Gall. ☉

{ Alopecurus monspeliensis Schreb. Gram. t. 20. f. 3.

{ subspicatus Willd. Enum.

{ Chæturus subspicatus Beauv. Agr.

STIPA Lin.

capillata Willd. Sp. Host. Gram. 3. t. 5. Gall. v

pennata L. Clus. Hist. 2. 221. Ic. infer. Host. Gram. 4. t. 33. Gall. v

Aristella Willd. Sp. Host. Gram. 4. t. 34. Gall. v

juncea L. Desf. Atl. t. 28. Gall. v

tenacissima. L. Desf. Atl. t. 30. Maurit. Temp. v Econ.

tortilis Desf. Atl. t. 31. f. 1. Maurit. ☉

ARISTIDA Lin.

- { cœrulescens Desf. Atl. t. 21. f. 2. Maurit. Temp. ☿
- { canariensis Willd. Enum.

SACCHARUM Lin.

officinarum L. Sloan. Jam. 1. t. 66. Ind. Cald. ☿ Econ.
— violaceum.

tenerisæ L. Suppl. Tenerif. Temp. ☿

- { cylindricum Lamk. Ill. t. 40. f. 2. Gall. m. Temp. ☿
- { Lagurus cylindricus L.
- { Imperata cylindrica Beauv. Agr.

ERIANTHUS Mich.

saccharoides Mich. Fl. Carolin. Temp. ☿

- { Ravennæ Beauv. Agr. Ital. Temp. ☿
- { Andropogon Ravennæ L. Host. Gram. 3. t. 1.

LAGURUS Lin.

ovatus L. Schreb. Gram. t. 19. f. 3. Gall. ☉

PENICILLARIA Willd. Enum.

- { spicata Willd. Enum. Jacq. F. Ecl. t. 17. Ind. ☉
- { Holcus spicatus L. Arduin. Acad. Patav. 1. t. 2.

SORGHUM Willd. Enum.

vulgare Willd. Enum. Arduin. Acad. Patav. 1. t. 4. f. 1.
Ind. ☉ Econ.

cernuum Willd. Enum. Arduin. Acad. Patav. 1. t. 3.
Ind. ☉ Econ.

saccharatum Willd. Enum. Arduin. Acad. Patav. 1. t. 4.
f. 2. Ind. ☉ Econ.

- { halepense Willd. Enum. Oriens. ☉
- { Holcus halepensis L. Schreb. Gram. t. 18. Host. Gram.
1. t. 1

HOLCUS Lin.

lanatus L. Schreb. Gram. t. 20. f. 1. Host. Gram. 1. t. 2.
Gall. ☿

mollis L. Schreb. Gram. t. 20. f. 2. Host. Gram. 1. t. 3.
Gall. ☿

ANDROPOGON Lin.

{ Allionii DC. Fl.

{ contortum Allion (non Lin.) Fl. Ped. t. 91. f. 4. Alpes ☿
provinciale Lamk. Encycl. Ger. Gallop. t. 4. Gall. ☿

ischoemum L. Schreb. Gram. t. 33. Gall. ☿

annulatum Vahl. Symb. Ital. ☿

{ Nardus Pers. Syn. Ind. Cald. ☿

{ citriodorum H. p.

- hirtum L. Bocc. Mus. Phys. t. 8. f. 1. Host. Gram. 4. t. 1.
 Gall. m. Temp. π
 { distachyon L. Ger. Gallop. t. 3. f. 2. Gall. m. Temp. π
 { furcatum Schreb. Gram. t. 48.
 Gryllus L. Scheuchz. Gram. t. 6. f. 1. Host. Gram. 2.
 t. 1. Gall. π
 Schoenanthus L. Vent. H. Cels. t. 89. Ind. Cald. π
 macrouros Mich. Fl. Carolin. Temp. π
 { squarrosus L. Suppl. Ind. Cald. π
 { muricatum Retz. Obs.

CHLORIS Swartz. Fl.

- { petraea Swartz. Fl. Ind. Jamaic. Cald. π
 { Cynosurus paspaloides Vahl. Symb. t. 27.
 ciliata Swartz. Fl. Ind. Jamaic. Cald. π
 { radiata Swartz. Fl. Antill. \odot
 { Agrostis radiata. Syst. Veget. ex Swartz.
 { Andropogon fasciculatus. Syst. Veget. ex Swartz.
 { Cynosurus scoparius Lamk. Encycl.
 elongata Poir. Encycl. Suppl. Timor. \odot
 compressa DC. Cat. monsp. \odot
 { imberbis. Mexico. \odot
 { submutica Kunth. N. Gen. t. 50.
 { procumbens Durand. Dissert.
 { Anteropogon procumbens. Jacq. F. Ecl. t. 12.

TRIPSACUM Lin.

- dactyloides L. Moris. S. 8. t. 3. f. 11. Mill. Ill. Ic. Virgin. π
 { hermaphroditum L. Dec. t. 9. Antill. \odot
 { Anthephora elegans Schreb. Gram. t. 44.

TRAGUS Haller.

- { racemosus Desf. Atl. Barrel. t. 718. Gall. \odot
 { Cenchrus racemosus L. Schreb. Gram. t. 4.
 { Lappago racemosa Willd. Sp.

CENCHRUS Lin.

- echinatus L. Schreb. Gram. t. 23. f. 1. Antill. \odot
 tribuloides L. Moris. S. 8. t. 5. f. 4. Virgin. \odot
 ciliaris L. Mant. Cap. \odot

ECHINARIA Desf.

- { capitata Desf. Atl. Moris. S. 8. t. 5. f. 4. Gall. m. \odot
 { Cenchrus capitatus L.
 { Sesleria echinata Schrad. Germ. Host. Gram. 3. t. 8.

ÆGILOPS Lin.

- ovata L. Moris. S. 8. t. 7. f. 10. Gall. \odot

triuncialis L. Vaill. Bot. t. 17. f. 1. Schreb. Gram. t. 10.
f. 1. Gall. ☉

squarrosa L. Buxb. Cent. 1. t. 50. f. 1. Gall. ☉

ROTTBOLLIA Lin.

incurvata L. Fl. Dan. t. 938. Gall. ☉.

{ *pannonica* Host. Gram. 1. t. 24. Hungar. ☉

{ *biflora* Pers. Syn.

{ *monandra* Cavan. Ic. t. 39. f. 1. Gall. ☉

{ *Nardus aristata* L.

filiformis Roth. Catal. 2. Ital. ☉ ?

AIRA Lin

cespitosa L. Fl. Dan. t. 240. Host. Gram. 2. t. 42. Gall. ✕

arundinacea Marsch. Fl. Taur. Caucas. suppl.

flexuosa L. Fl. Dan. t. 157. Schreb. Gram. t. 30. Gall. ✕

{ *juncea* Vill. Hist. Alpes. ✕

{ *Deschampsia juncea* Beauv. Agr.

caryophyllea L. Fl. Dan. t. 382. Host. Gram. 2. t. 44. Gall. ✕

præcox L. Fl. Dan. t. 383. Gall. ☉

minuta L. Schreb. Gram. t. 21. f. 2. Hisp. ☉

{ *canescens* L. Fl. Dan. t. 1023. ✕

{ *Corynophorus canescens*. Beauv. Agr.

pubescens Vahl. Symb. Ger. Gallop. t. 1 ? Gall.

CATABROSA Beauv.

{ *aquatica* Beauv. Agr. Gall. ✕

{ *Aira aquatica* L. Vaill. Bot. t. 17. f. 7. Host. Gram. 2. t. 4

MELICA Lin.

ciliata L. Host. Gram. 2. t. 12. Gall. ✕

pyramidalis Lamk. Ill. Barrel. t. 95. f. 2. Gall. m. Temp. ✕

Bauhini Willd. Enum. C. B. Theat. 157. Ic. Inter. Gall.

m. Temp. ✕

{ *uniflora*. Retz. Fl. Dan. t. 1144. Gall. ✕

{ *Lobelii* Vill. Hist.

{ *nutans* L. Fl. Dan. t. 962. Schreb. Gram. t. 6. f. 1.

{ Gall. ✕

{ *montana* DC. Fl.

altissima L. Gmel. Sib. 1. t. 20. Host. Gram. 2. t. 9. Siber. ✕

MOLINIA Koel.

{ *cœrulea* Beauv. Agr. Gall. ✕

{ *Melica cœrulea* L. Fl. Dan. t. 239. Host. Gram. 2. t. 8.

SPARTINA Schreb.

{ *cynosuroides* Beauv. Agr. Am. s. ✕

{ *Trachinotia cynosuroides*. Mich. Fl.

{ *Dactylis cynosuroides* L. Fasc. t. 9.

DACTYLIS Lin.

glomerata L. Fl. Dan. t. 743. Schreb. Gram. t. 8. f. 2.
Gall. π

SESLEBIA Arduini.

{ *Cœrulea* Arduin. Spec. 2. t. 6. f. 3. Jacq. Rar. t. 21.
Host. Gram. 2. t. 98. Gall. π
{ *Cynosurus cœruleus* L.
elongata Host. Gram. 2. t. 97. Istria. π

DINEBA Delile.

{ *ægyptiaca* Delile. Ægypt. t. 11. f. 3. Ægypt. ☉
{ *Dactylis paspaloides* Willd. Enum.
{ *curtipendula* Beauv. Agr. Am. s. π
{ *Chloris curtipendula* Mich. Fl.
{ *Antheropogon apludoides* Jacq. F. Ecl. t. 7.

CYNOSURUS Lin.

cristatus L. Schreb. Gram. t. 8. f. 1. Host. Gram. 2. t. 96.
Gall. π
echinatus L. Host. Gram. 2. t. 95. Gall. ☉
{ *durus* L. Barrel. t. 50. Gall. ☉
{ *Poa dura* Host. Gram. 2. t. 73.

LAMARCKIA DC.

{ *aurea* DC. Fl. Barrel. t. 4. Gall. m. ☉
{ *Cynosurus aureus* L. Host. Gram. 3. t. 4.
{ *Chrysurus cynosuroides* Pers. Syn.

ELEUSINE Gærtn.

{ *ægyptia* Alpin. Ægypt. 2. p. 56. t. 43. Moris. S. 8. t. 3.
f. 7. Ægypt. ☉
{ *Cynosurus ægyptius* L.
{ *indica* Lamk. Ill. Ind. ☉
{ *Cynosurus indicus* L. Burm. Zeyl. t. 47. f. 1.
{ *coracana* Lamk. Ill. Maurit. ☉
{ *Cynosurus coracanus* L. Schreb. Gram. t. 35.

LOLIUM Lin.

temulentum L. Schreb. Gram. t. 36. Host. Gram. 1. t. 26.
Gall. ☉
perenne L. Schreb. Gram. t. 37. Gall. ☉

ELYMUS Lin.

arenarius L. Schreb. Gram. t. 40. Gall. π Econ.
{ *giganteus* Vahl. Symb. Siber.? π
{ *racemosus* Lamk. Ill.
virginicus L. Virgin. π
sibiricus L. Schreb. Gram. t. 21 f. 1. Siber. π

* ramosus H. p. π

europæus L. Host. Gram. 1. t. 28. Engl. Bot. 1317. Gall. π

{ hordeiformis H. p. Am. s. π
 { striatus Willd. Sp.

ASPRELLA Willd.

{ hystrix Willd. Enum. Oriens. \odot

{ Elymus hystrix L.

{ Gymnostichum hystrix Schreb. Gram. t. 47.

HORDEUM Lin.

vulgare L. C. B. Theatr. 439. Ic. exter. Host. Gram. 3. t. 34. \odot . Econ.

hexastichon L. Host. Gram. 3. t. 37. \odot Econ.

Zeocriton L. Schreb. Gram. t. 17. \odot Econ.

distichon L. Moris. S. 8. t. 6. f. 1. Host. Gram. t. 36. \odot Econ.

maritimum, All. Ped. t. 91. f. 3. Host. Gram. 1. t. 34. Gall. π

secalinum L. Vaill. Bot. t. 17. f. 6. Host. Gram. 1. t. 33. π

bulbosum L. Host. Gram. 4. t. 13. Oriens. Temp. π

murinum L. Fl. Dan. t. 629. Gall. \odot

jubatum L. Oriens. \odot

{ crinitum Desf. Atl. Alger. Gall. m. \odot

{ Elymuscrinitus Schreb. Gram. t. 24.

TRITICUM Lin.

vulgare Willd. Enum. Host. Gram. 5. t. 26. \odot Econ.

— hybernum.

compositum L. Suppl. Moris. S. 8. t. 1. f. 7. Host. Gram. 3. t. 27. \odot . Econ.

durum Desf. Atl. Maurit. \odot Econ.

Spelta L. Host. Gram. 3. t. 30. \odot Econ.

Zea Host. Gram. 3. t. 29. \odot Econ.

monococcum L. Moris. S. 8. t. 6. f. 2. Host. Gram. 3. t. 32. \odot Econ.

polonicum L. Moris. S. 8. t. 1. f. 8. Host. Gram. 3. t. 31. \odot Econ.

cristatum Pers. Syn. Schreb. Gram. t. 23. f. 2.

imbricatum Lamk. Ill. π

repens L. Schreb. Gram. t. 26. Gall. π Med.

— aristatum.

junceum L. Fl. Dan. t. 916. Gall. π

{ rigidum Schrad. Germ. Austr. π

{ elongatum Host. Gram. 2. t. 23.

caninum L. Host. Gram. 2. t. 25. Gall. π

glaucum DC. Fl. Suppl. Gall. π

prostratum L. Suppl. Jacq. Hort. 3. t. 44. Siber. \odot

- { patulum Willd. Enum. Egypt. ☉
- { Secale pungens Pers. Syn.
- Poa DC. Fl. Gall. ☉
- Nardus DC. Fl. Gall. ☉
- unilaterale L. Mant. Host. Gram. 2. t. 27. Gall. ☉

SECALE Lin.

- cereale L. Host. Gram. 2. t. 48. ☉ Econ.
- villosum L. Host. Gram. 2 t. 47. Istria ☉

BROMUS Lin.

- mollis L. Moris. S. 8. t. 7. f. 18. Schreb. Gram. t. 6. f. 2. Gall. ☉
- * parviflorus H. p. ☉
- lanceolatus Roth. Cat. Canar. ☉
- secalinus L. Gall. ☉
- squarrosus L. Host. Gram. 1. t. 13. Gall. ☉
- { dumetorum Lamk. Ill. Moris. S. 8. t. 7. f. 27. Gall. x
- { asper L. Suppl. Host. Gram. 1. t. 7.
- arvensis L. Host. Gram. 1. t. 14. Gall. ☉
- sterilis L. Moris. S. 8. t. 7. f. 11. Host. Gram. 1. t. 16. Gall. ☉
- maximus Desf. Atl. t. 26. Alger. ☉
- { madritensis L. Host. Gram. 1. t. 17. Gall. ☉
- { gynandrus Roth. Cat.
- tectorum L. Host. Gram. 1. t. 15. Gall. ☉
- { commutatus Schrad. Germ. Host. Gram. 1. t. 11. Gall. x
- { pendulinus H. p.
- { * platistachys H. p. Spad. ☉
- { Libertia arduennensis Lejeune Fl.
- giganteus L. Vaill. Bot. t. 18. f. 3. Schreb. Gram. t. 11. Gall. x
- { pratensis Lamk, Ill. Vaill. Bot. t. 18. f. 2. Gall. x
- { perennis Vill. Hist.
- { erectus Schrad. Germ.
- purgans L. Canada.
- purpurascens Delile Egypt. t. 11. Egypt. ☉
- rubens L. Gall. ☉
- inermis Willd. Sp. Schreb. Gram. t. 13. Gall. x

ARUNDINARIA Mich.

- { macrosperma Mich. Fl. Am. s. x
- { Miegia macrosperma Pursch. Fl.
- { Ludolphia macrosperma Willd. Enum.

FESTUCA Lin.

- { pinnata Barrel. t. 25. Gall. x
- { Bromus pinnatus L. Host. Gram. 1. t. 22.
- { Triticum pinnatum DC. Fl.

- { cespitosa Desf. Atl. t. 24. f. 1. Gall. m. ♀
- { Pluknetii Hort. Gram. 4. t. 19.
- { sylvatica H. p. Gall. ♂
- { Bromus pinnatus Fl. Dan. t. 164.
- { Bromus sylvaticus Lamk. Ill.
- { Festuca gracilis Schrad. Germ.
- { Triticum sylvaticum DC. Fl.
- { distachyos.
- { Bromus distachyos L. Ger. Gallopr. t. 3. f. 1. Host.
- { Gram. 1. t. 20. Gall. ☉
- { stipoides Desf. Atl. Gall. m. ☉
- { Bromus stipoides L. Mant.
- delicatula Lagasca. ☉
- bromoides L. Gall. ♂
- ovina L. Host. Gram. 2. t. 84. Gall. ♂
- capillata Lamk. Encycl. Gall. ♀
- tenella Willd. Sp. Am. s. ☉
- heterophylla Lamk. Ill. Host. Gram. 3. t. 18. Gall. ♀
- rubra L. Host. Gram. 2. t. 82. Gall. ♀
- glauca Lamk. Ill. Host. Gram. 2. t. 88.
- dumetorum L. Fl. Dan. t. 700. Gall. ♀
- { pratensis Schrad. Germ. Gall. ♂
- { loliacea DC. Fl.
- { elatior Lamk. Ill. Schreb. Gram. t. 2. Host. Gram. 2.
- { t. 79.
- { elatior Schrad. Germ. Host. Gram. 1. t. 8. Gall. ♀
- { arundinacea Vill. Hist.
- myuros L. Moris. S. 8. t. 7. f. 43. Host. Gram. 2. t. 93.
- Gall. ♂
- uniglumis Smith. Fl. Rai. Syn. t. 17. f. 2. Gall. ☉
- spadicea Smith. Soc. Lin. Lond. vol. 1. t. 10. Host. Gram.
- 3. t. 20. Alpes. ♂
- diandra Mich. Fl. t. 10. Am. s. ♀
- unioloides Willd. H. herol. t. 3. Carol. ☉?
- alopecuros Willd. Enum. Maroc. ☉
- polystachya Mich. Fl. Am. s. ♂
- virgata Lamk. Ill. Sloan. 1. t. 70. f. 1. Antill. Cald. ♀
- { calycina L. Cavan. Ic. t. 44. f. 2. Gall. ☉
- { Koeleria calycina DC. Fl. Suppl.
- divaricata Desf. Atl. t. 22. Alger. ☉
- { phleoides Vill. Hist. Desf. Atl. t. 23. Alpes ☉
- { Koeleria phleoides DC. Fl. Suppl.

DANTHONIA DC.

- { decumbens DC. Fl. Moris. S. 8. t. 1. f. 6. Gall. ♀
- { Festuca decumbens L. Fl. Dan. t. 162.
- { Triodia decumbens Beauv. Agr.

Poa Lin.

{ fluitans H. p. Gall. & Econ.

{ Festuca fluitans L. Schreb. Gram. t. 3. Fl. Dan. t. 237.

aquatica L. Fl. Dan. t. 920. Host. Gram. 2. t. 60. Gall. &

alpina L. Host. Gram. 2. t. 67. Alpes. &

bulbosa L. Barrel. t. 703. Host. Gram. 2. t. 65. Gall. &

cenisia All. Auct. Host. Gram. 3. t. 16. Alpes &

cæsia Smith Fl. Engl. Bot. 1719. Scotia. &

trivialis L. Host. Gram. 2. t. 62. Gall. &

pratensis L. Host. Gram. 2. t. 61. Gall. &

trinervata DC. Fl. Gall. &

* senegalensis H. p. Senegal.

{ pilosa L. Host. Gram. 2. t. 68. Gall. ☉

{ verticillata Cav. Ic. t. 93.

annua L. Host. Gram. 2. t. 64. Engl. Bot. 1141. Gall. ☉

{ agrostidea DC. Rar. t. 1. Gall. &

{ Airopsis agrostidea DC. Fl. Suppl.

compressa L. Vaill. Bot. t. 18. f. 5. Host. Gram. 2. t. 70.
Gall. &

nemoralis L. Host. Gram. 2. t. 71. Engl. Bot. 1265. Gall. &

* rariflora H. p. Gall. &

ægyptiaca Willd. Enum. Egypt. ☉

rigida L. Barrel. t. 49. Vaill. Bot. t. 18. f. 4. Gall. ☉

procumbens Smith. Fl. Engl. Bot. 532. Angl. ☉

littoralis Gouan. Fl. App. Lamk. Ill. t. 45. f. 5. Gall. m. &

maritima L. Engl. Bot. 1140. Gall. &

{ cristata Willd. Sp. Host. Gram. 2. t. 75. Gall. &

{ Aira cristata L. Engl. Bot. 648.

{ Koeleria cristata Pers. Syn.

peruviana Jacq. Rar. t. 18. Peruv. ☉

{ elongata Willd. Enum. Ind. Cald. &

{ Eragrostis elongata Jacq. F. Ecl. t. 3.

{ glomerata H. p.

{ retroflexa Curt. Lond. Gall. &

{ distans Willd. Sp. Engl. Bot. 986.

maritima Schrad. Germ. Engl. Bot. 1140. Gall. &

{ striata Mich. Fl. Virgin. &

{ nervata Willd. Sp.

glauca Willd. Enum. Fl. Dan. t. 964.

abyssinica Jacq. Rar. t. 17. Abyss. ☉

capillaris L.

tenella L. Pluk. t. 300. f. 2. Ind. ☉

ciliaris L. Antill. ☉

{ sícula Jacq. Bocc. Sic. t. 33. f. 2. Jacq. Obs. 2. t. 43.

{ Sicil. ☉

{ Briza cynosuroides Scop. Insub. t. 11.

Eragrostis L. Mant. Schreb. Gram. t. 38. Gall. ☉

{ megastachya Schrad. Germ. Gall. ☉

{ Briza Eragrostis L. Schreb. Gram. t. 39.

BRIZA Lin.

minor L. Moris. S. 8. t. 6. f. 47. Gall. ☉

media L. Fl. Dan. t. 258. Host. Gram. 2. t. 29. Gall. ♀

maxima L. Jacq. Obs. t. 60. Bot. Mag. 357. Gall. m. ☉

UNIOLA Lin.

latifolia Mich. Fl. Am. s. ♂

AVENA Lin.

elator L. Schreb. Gram. t. 1. Gall. ♂ Econ.

bulbosa DC. Fl. Suppl. Moris. S. 8. t. 7. f. 38. Gall. ♀

{ striata Lamk. Ill. Alpes. ♀

{ sempervirens Vill. Hist. Host. Gram. 3. t. 41.

sativa L. Host. Gram. 2. t. 59. ☉ Econ.

orientalis Willd. Sp. Host. Gram. 3. t. 44. Austr. ☉

brevis Willd. Sp. Host. Gram. 3. t. 42. Austr. ☉

strigosa Willd. Sp. Host. Gram. 2. t. 56. Germ. ☉

fatua L. Schreb. Gram. t. 15. Host. Gram. 2. t. 58. Gall. ☉

sterilis L. Host. Gram. 2. t. 57. Gall. ☉

pubescens L. Fl. Dan. t. 1203. Host. Gram. 2. t. 50.
Gall. ♀

pratensis L. Host. Gram. 2. t. 51. Gall. ♂

versicolor Willd. Sp. Host. Gram. 2. t. 52. Gall. ♂

planiculmis Schrad. Gram. t. 6. f. 2. Silesia. ♀

distichophylla Vill. Hist. 2. t. 4. Host. Gram. 2. t. 53.
Alpes. ♀

flavescens L. Schreb. Gram. t. 9. Host. Gram. 3. t. 38.
Gall. ♀

panicea Lamk. Ill. Maurit. ☉

fragilis L. Schreb. Gram. t. 24. f. 3. Gall.

{ coarctata H. p. ☉

{ Arthrostachya coarctata. Link. Hort. berol.

{ Bromus coarctatus Horn.

ARUNDO Lin.

Donax L. C. B. Theat. 271. Ic. Host. Gram. 4. t. 38.
Gall. ♀ Econ.

— variegata.

phragmitis L. Moris. S. 8. t. 8. f. 1. Schrad. Germ. t. 5. f. 4.
Gall. ♀ Econ.

BAMBUSA Gen. Plant. Ed. Schreb.

{ Thouarsii Kunth Journ. de Phys. 1822. Madag. Cald. ♀

{ Nastus Beauv. Agr. t. 25. f. 3.

ORYZA Lin.

sativa L. Tournef. Inst. t. 296. Ind. ☉ Econ. Med.

* perennis H. p. Ind. Cald. ♂

ERHARTA Thunb.

panicea Smith. Ic. Ined. t. 9. Cap. Temp. π

NARDUS Lin.

stricta L. Moris. S. 8. t. 7. f. 8. Schreb. Gram. t. 7.
Alpes. π

LYGEUM Lin.

Spartum L. Schreb. Gram. t. 52 S. 53. Gall. m. π

ZEa Lin.

Maïs L. Moris. S. 8. t. 13. f. 1, 2, 3. Peruv. ☉ Econ.

COIX Lin.

Lachryma L. Clus. Hist. 2. 216. Ic. Exter. Bot. Mag.
2479. Ind. Cald. π

ORDO V.

CYPEROIDEÆ Juss.

1. Spica unica simplici.

CAREX Lin.

dioica L. Schk. Car. t. A. f. 1. Engl. Bot. 543. Gall. π

pulicaris L. Schk. Car. t. A. f. 3. Engl. Bot. 1051. Gall. π

2. Spicis androgynis.

foetida All. Ped. Schk. Car. t. Hh. f. 96. Alpes. π

{ cyperoides Schk. Car. t. A. f. 5. Gall. π

{ bohémica Schreb. Gram. t. 28. f. 3.

{ disticha Schreb. Spicil. Gall. π

{ intermedia Good. Soc. Lin. Lond. Engl. Bot. 2042.

{ spicata Lamk. Encycl.

{ arenaria Leers Herb. (non Lin.)

atrata L. Fl. Dan. t. 158. Schk. Car. t. X. f. 77. Gall. π

arenaria L. Schk. Car. Dd. f. 6. Engl. Bot. 928. Gall. π Econ.

{ Schreberi Schk. Car. t. B. f. 9. Gall. π

{ tenella Thuil. Fl.

ovalis Good. Soc. Lin. Lond. Moris. S. 8. t. 12. f. 29. Gall. π

lagopodioides Willd. Sp. Schk. Car. t. Yyy. f. 177. Am. s. π

multiflora Willd. Sp. Schk. Car. t. Lll. f. 144. Am. s. π

vulpina L. Moris. S. 8. t. 12. f. 24. Engl. Bot. 307. Gall. π

muricata L. Engl. Bot. 1097. Gall. π

stellulata Good. Soc. Lin. Lond. Schk. Car. t. C. f. 14.

Engl. Bot. 806. Gall. π

divulsa Good. Soc. Lin. Lond. Mich. Gen. t. 33. f. 10.

Gall. π

curta Good. Soc. Lin. Lond. Schk. Car. t. C. f. 13. Gall. π
 elongata L. Schk. Car. t. E. f. 25. Engl. Bot. 1920. Gall. π
 brizoides L. Schk. Car. t. C. f. 12. Gall. π
 paniculata L. Fl. Dan. t. 1116. Schk. Car. t. D. f. 20. Gall. π
 teretiuscula Good. Soc. Lin. Lond. t. 19. f. 3. Engl. Bot.
 1065. Gall. π
 remota L. Moris. S. 8. t. 12. f. 17. Engl. Bot. 832.
 Gall. π

3. Spicis sexu distinctis, foemineis sessilibus.

digitata L. Schk. Car. t. H. f. 38. Engl. bot. 615. Gall. π
 flava L. Fl. Dan. t. 1047. Schk. Car. t. H. f. 36. Gall. π
 Aederi Roth. Germ. Schk. Car. t. F. f. 26. Engl. Bot. 1773.
 Gall. π
 { extensa Good. Soc. Lin. Lond. t. 21. Engl. Bot. 833.
 { Angl. π
 { nervosa Desf. Atl.
 { montana L. Moris. S. 8. t. 12. f. 16. Gall. π
 { pilulifera Willd. Sp.
 tomentosa L. Schk. Car. t. F. f. 28. Engl. Bot. 2046.
 Gall. π
 præcox Jacq. Austr. t. 446. Engl. Bot. 1099. Gall. π
 filiformis L. Good. Soc. Lin. Lond. t. 20. f. 5. Engl.
 Bot. 904. Gall. π
 distans L. Fl. Dan. t. 1049. Engl. Bot. 1234. Gall. π

4. Spicis sexu distinctis, foemineis pedunculatis.

alba Willd. Sp. Schk. Car. t. O. f. 55. Gall. π
 { argentea Vill. Hist. Gall. π
 { scariosa Lamk. Encycl.
 { prostrata All. Ped.
 { clandestina Schk. Car. t. K. f. 43.
 panicea L. Schk. Car. t. Ll. f. 100. Engl. Bot. 1505. Gall. π
 { sylvatica Good. Soc. Lin. Lond. Schk. Car. t. Ll. f. 101.
 { Engl. Bot. 995. Gall. π
 { Drymeia L. Suppl.
 pallescens L. Schk. Car. t. Kk. f. 99. Gall. π
 plantaginea Lamk. Encycl. Schk. Car. t. U. f. 70. Virgin.
 Temp. π
 pseudo-cyperus L. Schk. Car. t. Mm. f. 102. Engl.
 Bot. 242. Gall. π
 depauperata Good. Soc. Lin. Lond. Schk. Car. t. M. f. 50.
 Engl. Bot. 1098. Gall. π
 { pendula Good. Soc. Lin. Lond. Schk. Car. t. Q. f. 60.
 { Engl. Bot. 2315. Gall. π
 { maxima Scop. Carn.

5. *Spicis sexu distinctis, masculis pluribus.*

- cæspitosa* L. Schk. Car. t. Aa et Bb. f. 85. Gall. ψ
glauca Scop. Carn. Schk. Car. t. O. f. 57. et t. Zz. f. 113.
 Gall. ψ
 { *stricta* Good. Soc. Lin. Lond. t. 21. f. 9. Engl.
 Bot. 914. Gall. ψ
 verna Lamk. Encycl.
riparia Good. Soc. Lin. Lond. Mich. Gen. t. 32. f. 6. Engl.
 Bot. 579. Gall. π
paludosa Good. Soc. Lin. Lond. Engl. Bot. 807.
acuta Schk. Car. t. Ff. f. 92.
secalina Willd. Sp.
hordeistychos Vill. Hist. 2. t. 6. Gall. ψ
vesicaria L. Fl. Dan. t. 647. Schk. Car. t. Ss. f. 106. Gall. π
ampullacea Good. Soc. Lin. Lond. Schk. Car. t. Tt. f. 107.
 Gall. π
hirta L. Schk. Car. t. Uu. f. 108. Gall. π

SCHOENUS Lin.

1. *Culmo tereti.*

- { *Mariscus* L. Fl. Dan. t. 1202. Host. Gram. 3. t. 53.
 Gall. ψ
 Cladium germanicum Schrad. Germ.
 { *mucronatus* L. Scheu. Agr. t. 8. f. 1. Gall. ψ
 Cyperus ægyptiacus Gloxin. Obs. t. 3. Gall. m. Temp. ψ
nigricans L. Moris. S. 8. t. 10. f. 28. Gall. π
 { *fuscus* L. Engl. Bot. 1575.
 Rhincospora fusca H. kew. Gall. π
 { *albus* L. Moris. S. 8. t. 9. f. 39. Fl. Dan. t. 320.
 Gall. ψ
 Rhincospora alba Vahl. Enum. H. kew. Gall. ψ

2. *Culmo triquetro.*

- { *compressus* L. Host. Gram. 3. t. 57. Gall. π
 Carex uliginosa L.
 Scirpus caricis Willd. Sp.

ERIOPHORUM Lin.

- { *polystachyum* L. Vaill. Bot. t. 16. f. 2. Gall. ψ
 latifolium Schrad. Germ. Turp. et Poit. Fl. Par. t. 50.
Vaillantii Turp. et Poit. Fl. Par. t. 52. Vaill. Bot. t. 16. f. 1.
 Gall. π
angustifolium Turp. et Poit. Fl. Par. t. 51. Gall. ψ
 { *gracile* Turp. et Poit. Fl. Par. t. 53. Gall. ψ
 triquetrum Schrad. Germ.

vaginatum L. Fl. Dan. t. 236. Turp. et Poit. Fl. Par. t. 49.
 Gall. ✕
 capitatum Host. Gram. t. 38. Alpes. ✕

SCIAPUS Lin.

1. Spica unica.

palustris L. Moris. S. 8. t. 10. f. 32. Fl. Dan. t. 273.
 Gall. ✕
 cæspitosus L. Engl. Bot. 1029. Gall. ✕
 acicularis L. Moris. S. 8. t. 10. f. 37. Engl. Bot. 749.
 Gall. ✕
 fluitans L. Moris. S. 8. t. 10. f. 31. Fl. Dan. t. 1082.
 Gall. ✕
 ovatus Roth. Cat. Host. Gram. 3. t. 36. Gall. ✕
 { Bœotryon. L. Suppl. Scheu. Agr. t. 7. f. 21.
 { campestris Roth. Cat. Scheu. Agr. t. 7. f. 19.

2. Culmo tereti polystachyo.

{ prolifer Rottb. Cyp. t. 17. f. 2. Cap. Temp. ✕
 { Cyperus punctatus Lamk. Ill. ✕
 setaceus L. Moris. S. 8. t. 10. f. 23. Fl. Dan. t. 311.
 Gall. ✕
 supinus L. Schrad. Germ. t. 1. f. 1. Host. Gram. 3. t. 64.
 Gall. ✕
 lacustris L. Moris. S. 8. t. 10. f. 1. Gall. ✕ Econ.
 medius Schrad. Germ. Moris. S. 8. t. 10. f. 2. Gall. ✕
 Holoschoenus L. Moris. S. 8. t. 10. f. 17. Host. Gram.
 3. t. 62. Gall. ✕

3. Culmo triquetro polystachyo.

triqueter L. Pluk. t. 40. f. 2. Gall. ✕
 mucronatus L. Host. Gram. 3. t. 66. Gall.
 maritimus L. Fl. Dan. t. 937. Gall. ✕
 sylvaticus L. Fl. Dan. t. 307. Gall. ✕
 { annuus All. Ped. t. 88. f. 5. Ital. ☉ ?
 { biumbellatus Forsk. Fl.
 { dichotomus L.
 { Fimbristylis dichotomum Vahl. Enum.
 michelianus L. Tilli. Pis. t. 20. f. 5. Ital. Temp. ✕

CYPERUS Lin.

1. Culmo tereti.

{ junciformis Desf. Atl. t. 7. f. 1. Alger. ✕
 { lateralis Forsk. Fl.
 { distachyos All. Auct.
 articulatus L. Sloan. Jam. 1. t. 81. f. 1. Antill. Cald. ✕

2. Culmo triquetro.

- viscosus Swartz. Fl. Ind. Jacq. Rar. t. 295. Antill. Cald. &
 longus L. Jacq. Rar. t. 297. Gall. & Med. Econ.
 fastigiatus Rottb. Cyp. t. 7. f. 2. India. Cald. &
 tenuiflorus L. Jacq. Rar. t. 296. Rottb. Cyp. t. 14. f. 1. &
 rotundus L. Camer. Epit. 10. Ic. Alger. Temp. &
 esculentus L. Host. Gram. 3. t. 75. Ægyp. Temp. & Econ.
 { vegetus Vahl. Enum. Ind. Cald. &
 { compressus Jacq. Hort. 3. t. 12.
 patulus Willd. Enum. Host. Gram. 3. t. 74. Germ. &
 strigosus Willd. Enum. Virgin. &
 { Iria L. Pluk. t. 191. f. 7. India. Cald. &
 { panicoides Lamk. Encycl.
 { Santonici Rottb. Cyp. t. 9. f. 1.
 glomeratus L. Seguier Veron. 3. t. 2. f. 2. Ital. Temp. &
 flavescens L. Moris. S. 8. t. 11. f. 37. Host. Gram. 3. t. 72.
 Gall. &
 fuscus L. Moris. S. 8. t. 11. f. 38. Host. Gram. 3. t. 73.
 Gall. &
 pannonicus L. Suppl. Jacq. Austr. App. t. 6. Hungar. &
 Papyrus L. Cyrillo Monogr. Ic. Sicil. Cald. & Econ.
 alternifolius L. Jacq. Rar. t. 298. Madag. Cald. &
 * asperifolius H. p. Cald. &

KILLINIGA Rottb.

- monocephala L. Suppl. Rottb. Cyp. t. 4. f. 4. Lamk. Ill.
 t. 38. f. 1. India. Cald. &
 triceps L. Suppl. Rottb. Cyp. t. 4. f. 6. Lamk. Ill. t. 38.
 f. 2. India. Cald. &

. CLASSIS IV.

MONOCOTYLEDONES, STAMINA PERIGYNA.

ORDO I.

JUNCEÆ DC.

APHYLLANTES Lin.

- monspeliensis L. Bot. Mag. 1132. Gall. m. Temp. &

LOMANDRA Labill.

- { longifolia Labill. N. Holl. t. 119. N. Holl. Temp. &
 { Xerotes longifolia Brown. Prodr.

SOWERBÆA Smith.

juncea Smith. Soc. Lin. Lond. 5. t. 6. Bot. Mag. 1104.
Red. Lil. t. 341. N. Holl. Temp. ♀

JUNCUS Lin.**1. Culmo nudo.**

acutus L. Moris. S. 8. t. 10. f. 15. Gall. ♀
maritimus Smith. Fl. Engl. Bot. 1725. Gall. ♀
conglomeratus L. Moris. S. 8. t. 10. f. 7. Engl. Bot.
835. Gall. ♀
effusus L. Moris. S. 8. t. 10. f. 4. Engl. Bot. 836. Gall. ♀
glaucus Willd. Sp. Fl. Dan. t. 1159. Gall. ♀ Econ.
bicornis Mich. Fl. Moris. S. 8. t. 9. f. 15. Am. s. ♀
trifidus L. Fl. Dan. t. 107. Engl. Bot. 1482. Gall. ♂
squarrosus L. Moris. S. 8. t. 9. f. 13. Engl. Bot. 933.
Gall. ♀

2. Culmo folioso.

articulatus L. Engl. Bot. 238. Gall. ♂
sylvaticus Willd. Sp. Host. Gram. 3. t. 86. Gall. ♂
tenuis Willd. Sp. Am. s. ♂
bulbosus L. Moris. S. 8. t. 9. f. 11. Engl. Bot. 934. Gall. ♀
Tenageia L. Suppl. Vaill. Bot. t. 20. f. 1. Gall. ☉
bufonius L. Barrel. t. 263, 264. Engl. Bot. 802. Gall. ☉

LUZULA DC.

{ *albida* DC. Fl. Alpes. ♂
{ *Juncus albidus* Host. Gram. 3. t. 95.
{ *nivea* DC. Fl. Alpes. ♂
{ *Juncus niveus* L.
{ *spadicea* DC. Fl. Alpes. ♀
{ *Juncus spadiceus* All. Ped.
{ *lutea* DC. Fl. Alpes. ♀
{ *Juncus luteus* L.
{ *campestris* DC. Fl. Gall. ♂
{ *Juncus campestris* L.
{ *vernalis* DC. Fl. Gall. ♀
{ *Juncus pilosus* L. Engl. Bot. 736.
{ *maxima* DC. Fl. Gall. ♂
{ *Juncus maximus* Willd. Sp. Host. Gram. 3. t. 98.
{ *Juncus sylvaticus*. Engl. Bot. 737.
{ *pediformis* DC. Fl. Alpes. ♀
{ *Juncus pediformis* Vill. Hist. 2, t. 6 bis.

ORDO II.

CYCADEÆ Pers. Brown.

ZAMIA Lin.

- pumila* Encycl. (non Lin.) Florid. Cald. ♪
furfuracea Willd. Sp. Trew. Sel. t. 26. Bot. Mag. 1969.
 Ind. Cald. ♪
integrifolia Jacq. Rar. t. 634. Rich. Conif. t. 27, 28.
 Florid. Cald. ♪
spiralis Brown. Prodr. N. Holl. Cald. ♪
tridentata Willd. Cald. ♪
pungens H. kew. Cap. Cald. ♪
horrida Jacq. Fragm. t. 27, 28. Cap. Cald. ♪

CYCAS Lin.

- circinalis* L. Rich. Conif. t. 24, 25, 26. Ind. Cald. ♪ Econ.
revoluta Thunb. Jap. Smith. Soc. Lin. Lond. 6. t. 29,
 30. Japon. Cald. ♪
undulata H. p. Gaudich. Cald. ♪

ORDO III.

PALMÆ Juss.

1. Foliis pinnatis.

CALAMUS Lin.

- Draco* Willd. Sp. Rumph. Amb. 5. t. 58. Ind. Cald. ♪

COCOS Lin.

- nucifera* L. Hort. malab. 1. t. 1-4. Roxb. Corom. 1. t. 73.
 Ind. Cald. ♪ Econ.
ovata Lodd. Cald. ♪

PHOENIX Lin.

- dactylifera* L. Kæmpf. Amœn. Exot. 667. Ic. Delile Egypt.
 t. 62. Cald. ♪ Econ.
 { *pygmaea* Lodd. Ind. Cald. ♪ Econ.
 { *an farinifera* Roxb. Corom. 1. t. 74?

FULCHIRONIA.

- { *senegalensis* Leseb. Senegal. Cald. ♪
 { *Phoenix leonensis* Lodd.

CARYOTA Lin.

- urens* L. Jacq. Fragm. t. 12. f. 1. Ind. Cald. ♪

BACTRIS Jacq.

- major Jacq. Am. t. 171. f. 2. Am. m. Cald. 5
 minor Gært. t. 9. Am. m. Cald. 5
 minima Gært. t. 139. Cald. 5

SAGUS Gært.

- { Rumphii Willd. Sp. Rumph. Amb. 1. t. 17. Ind. Cald.
 5 Econ.

ELAIS Jacq.

- guineensis Jacq. Am. t. 172. Guinea. Cald. 5 Econ.

ACROCOMIA Martius.

- sphaerocarpa Martius. Cald. 5

ARECA Lin.

- alba Bory. Itin. I. Borbon. Cald. 5
 Catechu L. ? Roxb. Corom. 1. t. 75. Ind. Cald. 5
 montana Lodd. Cald. 5
 rubra Bory. Itin. I. Borbon. Cald. 5

ARENGA Labill.

- saccharifera Labill. Journ. Phil. Rumph. Amb 1. t. 13.
 Amboin. Cald. 5 Econ.

DESMONCHUS Martius.

- polyphyllus Poiteau Mss. Guian. Cald. 5
 polyanthos Martius Palm. t. 68. Guian. Cald. 5

2. *Folius digitatis.***LONTARUS** Rumph. Gært.

- domestica Rumph. Amb. 1. t. 10. Ind. Cald. 5

CORYPHA Lin.

- elata Lodd. Cald. 5
 australis Brown. Prodr. N. Holl. Temp. 5
 taliera Lodd. Cald. 5

SABAL Adans.

- { Adansonii Guers. Soc. Philom. Bot. Mag. 1434. Carol.
 Cald. 5
 { Chamærops acaulis Mich. Fl.
 { Corypha minor Jacq. Hort. 5. t. 8.
 { Rhapis acaulis Willd. Sp.

CHAMÆROPS Lin.

- { humilis L. Sicil. Temp. 5
 { Phoenix humilis Cav. Ic. t. 115.
 Hystrix Pursch Fl. Georg. Cald. 5

LATANIA Commers. Juss.

- { *chinensis* Jacq. Fragn. t. 11. f. 1. I. Borbon. Cald. ♪
- { *borbonica* Willd. Sp.
- rubra* Jacq. Fragn. t. 8. I. Franc. Cald. ♪

THRINAX Swartz.

- radiata* Martius. Am. m. Cald. ♪
- parviflora* Swartz Fl. Antill. Cald. ♪
- argentea* Lodd. Cald. ♪

RHAPIS Gen. Pl. Ed. Schreb.

- flabelliformis* H. kew. Bot. Mag. 1371. China. Cald. ♪

ORDO IV.**ASPARAGINEÆ** Juss.**DRACÆNA** Lin.

- Draco* L. S. Veg. Crantz Diss. f. 1, 2, 3. Ind. Cald. ♪
- Med. Econ.
- Boerhaavii* Tenore. Cald. ♪
- australis* Forst. Prodr. N. Zeland. Cald. ♪
- { *arborea* Link. Enum. Afr. Cald. ♪
- { *Aletris arborea* Willd. Enum.
- { *fragrans* Bot. Mag. 1081. Afr. Cald. ♪
- { *Aletris fragrans* L. Red. Lil. t. 117.
- { *terminalis* Jacq. Rar. t. 448. Red. Lil. t. 91. Ind.
- { Cald. ♪
- { *ferrea* Willd. Sp. Bot. Mag. 2053.
- * *elliptica* H. p. I. Borbon. Cald. ♪
- marginata* Lamk. Encycl. (non Willd.) Madag. Cald. ♪
- ovata* Bot. Mag. 1180. Sier. Leon. Cald. ♪
- { *reflexa* Lamk. Encycl. Red. Lil. t. 92.
- { *cernua* Jacq. H. schœn. t. 96. I. Borbon. Cald. ♪
- umbraculifera* Jacq. H. schœn. t. 95. I. Borbon. Cald. ♪

DIANELLA Lamarck.

- { *nemorosa* Lamk. Encycl. Ind. Cald. ℥
- { *ensifolia* Red. Lil. t. 1.
- cœrulea* Red. Lil. t. 79. N. Holl. Temp. ♪
- divaricata* Brown Prodr. N. Holl. Temp. ℥

FLAGELLARIA Lin.

- indica* L. Red. Lil. t. 257. Ind. Cald. ♪

ASPARAGUS Lin.

- tenuifolius* Lamk. Encycl. Red. Lil. t. 434. Gall. ℥
- officinalis* L. Engl. Bot. 339. Gall. ℥ Med. Econ.
- amarus* DC. Fl. Suppl. Red. Lil. t. 446. Gall. ℥

Broussonetii Jacq. F. Ecl. t. 40.
 tricarinatus Red. Lil. t. 451. Temp. ♪
 decumbens Jacq. H. schœn. t. 97. Cap. Temp.
 retrofractus L. Pluk. t. 375. f. 3 (mala). Afr. Cald. ♪
 asiaticus L. Pluk. t. 15. f. 4 (mala). Asia. Temp. ♪
 pectinatus Red. Lil. t. 407. Temp. ✕
 albus L. Clus. Hist. 2. p. 178. Ic. inter. Maurit. Temp. ♪
 acutifolius L. Camer. Epit. 260. Ic. Gall. m. ♪
 aphyllus L. Clus. Hist. 2. 178. Ic. exter. Maurit. Temp. ♪
 — horridus Red. Lil. t. 288.
 capensis L. Jacq. H. schœn. t. 266. Cap. Temp. ♪
 sarmentosus L. Red. Lil. t. 460. Cap. Temp. ♪

EUSTREPHUS Brown.

latifolius Brown Prodr. Bot. Mag. 1245. N. Holl. Temp. ♪

HERRERIA Ruiz et Pav.

stellata Fl. Peruv. t. 303. Chili. Cald. ♪

MEDEOLA Lin.

asparagoides L. Red. Lil. t. 442. Cap. Temp. ♪

TRILLIUM Lin.

sessile L. Red. Lil. t. 133. Bot. Mag. 40. Am. s. 4
 cernuum L. Bot. Mag. 954. Am. s. ✕

PARIS Lin.

quadrifolia L. Red. Lil. t. 226. Gall. ✕

CONVALLARIA Lin.

maialis L. Red. Lil. t. 227. Gall. ✕ Med. Orn.
 { japonica Thumb. Jap. Red. Lil. t. 80. Japon. Temp. ✕
 { Ophiopogon japonicus. Bot. Mag. 1063.

POLYGONATUM Desf.

{ vulgare Desf. Ann. du Mus. vol. 9. Red. Lil. t. 258.
 { Gall. ✕ Med.
 { Convallaria Polygonatum L.
 { multiflorum Desf. Ann. du Mus. vol. 9. Red. Lil. t. 229.
 { Gall. ✕
 { Convallaria multiflora L. Fl. Dan. t. 152.
 { verticillatum Desf. Ann. du Mus. vol. 9. Red. Lil.
 { t. 244. Alpes ✕
 { Convallaria verticillata L. Fl. Dan. t. 86.

SMILACINA Desf.

{ racemosa Desf. Ann. du Mus. vol. 9. Red. Lil. t. 230.
 { Canada ✕
 { Convallaria racemosa L.

- { stellata Desf. Ann. du Mus. vol. 9. Red. Lil. t. 185.
 Virgin. \mathfrak{z}
 Convallaria stellata L.

MAIANTHEMUM Desf.

- { bifolium Desf. Ann. du Mus. vol. 9. Red. Lil. t. 216.
 Gall. \mathfrak{z}
 Convallaria bifolia L. Bot. Mag. 510.
 canadense Desf. Ann. du Mus. vol. 9. Red. Lil. t. 216. f. 1.
 Canad. \mathfrak{z}

RUSCUS Lin.

- aculeatus L. Camer. Epit. 935. Ic. Gall. \mathfrak{z} Med. Econ.
 — latifolius Barrel. t. 517. Hisp. \mathfrak{z}
 Hypophyllum L. Dill. Elth. t. 251. f. 303. Ital. \mathfrak{z}
 Hypoglossum L. Barrel. t. 249. Variet. Ital. \mathfrak{z}
 androgynus L. Dill. Elth. t. 250. f. 322. Canar. Temp. \mathfrak{z}
 racemosus L. Moris. S. 13. t. 5. f. 4. J. St. Hil. 2. t. 145.
 Lusit. \mathfrak{z}

SMILAX Lin.

I. Caule aculeato, fruticoso.

- aspera L. Clus. Hist. 112. Ic. infer. Gall. m. \mathfrak{z} Med.
 oblongata Swartz Fl. Ind. Antill. Cald. \mathfrak{z}
 mauritanica Desf. Atl. Alger. Temp. \mathfrak{z}
 excelsa L. Buxb. Cent. 1. t. 27. Oriens. Temp. \mathfrak{z}
 * horrida H. p. Temp. \mathfrak{z}
 laurifolia L. Catesb. Car. I. t. 15. Carolin. Temp. \mathfrak{z}
 rotundifolia Mich. Fl. Canad. \mathfrak{z}
 caduca L. Canad. \mathfrak{z}
 glauca Mich. Fl. Bot. Mag. 1846. Carolin. Temp. \mathfrak{z}

II. Caule inermi.

- pubera Mich. Fl. Carolin. Temp. \mathfrak{z}
 { hastata L. Pluk. t. 111. f. 3. Carolin. Temp. \mathfrak{z}
 { bona-nox L. Pluk. t. 111. f. 2. Variet.
 herbacea L. Bot. Mag. 1920. Virgin. Temp. \mathfrak{z}

ROXBURGIA Roxb.

- { gloriosioides Roxb. Corom. 1. t. 32. Bot. Mag. 1500.
 Ind. Cald. \mathfrak{z}
 { viridiflora Smith. Exot. t. 57.

RAJANIA Lin.

- cordata L. Plum. Ic. t. 155. f. 1. Antill. Cald. \mathfrak{z}

DIOSCOREA Lin.

- villosa L. Jacq. Rar. t. 626. Am. s. \mathfrak{z}
 alata L. H. malab. 7. t. 38. Ind. Cald. \mathfrak{z} Econ.

TAMNUS Lin.

communis L. Camer. Epit. 988. Ic. Gall. & Med.

{ *elephantipes* L'her. Sert. Bot. Mag. 1347. Femina. Cap.
Cald. &
{ *Testudinaria elephantipes* Bot. Reg. 921. Mas.

ORDO V.**COMMELINEÆ** Brown.**COMMELINA** Lin.**I. Petalis inæqualibus.**

communis L. Dill. Elth. t. 78. f. 89. Red. Lil. t. 206.
Am. m. ☉

africana L. Red. Lil. t. 207. Bot. Mag. 1431. Cap.
Temp. &

erecta L. Dill. Elth. t. 77. f. 88. Virgin. Temp. &

benghalensis L. Murr. Com. Gott. 1779. t. 5. Bengh.
Cald. &

II. Petalis æqualibus aut subæqualibus.

{ *pallida* Willd. Hort. berol. t. 87. Am. m. Cald. &
{ *rubens* Red. Lil. t. 367.

virginica L. Pluk. t. 174. f. 4. Virgin. Temp. &

dianthifolia Red. Lil. t. 390. Temp. &

tuberosa L. Dill. Elth. t. 79. f. 90. Red. Lil. t. 108.
Mexico. Temp. &

* *stricta* H. p. Temp. &

{ *cristata* L. Zeylan. ☉

{ *Tradescantia cristata* Jacq. Hort. 2. t. 137.

{ *Zanonia* L. Red. Lil. t. 192. Antill. Cald. &

{ *Tradescantia Zanonia* Swartz. Fl. Ind.

TRADESCANTIA Lin.

virginica L. Red. Lil. t. 95. Virgin. &

erecta Jacq. Rar. t. 354. Red. Lil. t. 239. Mexico ☉

rosea Mich. Fl. Red. Lil. t. 94. Caroline. Temp. &

discolor L'her. Sert. t. 12. Bot. Mag. 1192. Red. Lil. t. 168.
Am. m. Cald. &

fuscata Bot. Reg. 482. Bot. Mag. 2330. Brasil. Cald. &

DICHORISANDRA Mikan. Delect.

thyrsiflora Bot. Reg. 682. Brasil. Cald. &

ORDO VI.

POTAMEÆ Juss. Mss.

POTAMOGETON.

- natans L. Fl. Dan. t. 1025. Gall. π
 perfoliatum L. Fl. Dan. t. 196. Engl. Bot. 168. Gall. π
 densum L. Engl. Bot. 397. Gall. π
 lucens L. Fl. Dan. t. 195. Gall. π
 crispum L. Fl. Dan. t. 927. Gall. π
 compressum L. Fl. Dan. t. 203. Gall. π
 heterophyllum Willd. Sp. Engl. Bot. 1285. Gall. π
 { pectinatum L. Gall. π
 { marinum L. Fl. Dan. t. 186. Variet.
 gramineum L. Fl. Dan. t. 222. Gall. π
 pusillum L. Vaill. Bot. t. 32. f. 4. Engl. Bot. 215.
 Gall. π

APONOGETON Lin.

- distachyon L. Suppl. Bot. Mag. 1293. Cap. Temp. π

ZANICHELLIA Lin.

- palustris L. Vaill. Acad. 1719. t. 1 f. 1. Fl. Dan. t. 67.
 Gall. π

ORDO VII.

ALISMACEÆ DC.

BUTOMUS Lin.

- umbellatus L. Red. Lil. t. 209. Gall. π

ALISMA Lin.

- Plantago L. Red. Lil. t. 452. Gall. π
 ranunculoides L. Red. Lil. t. 268. Gall. π
 natans L. Red. Lil. t. 285. Gall. π
 Damasonium Red. Lil. t. 289. Gall. π

SAGITTARIA Lin.

- sagittifera L. Red. Lil. t. 279, 280. Gall. π
 sinensis Bot. Mag. 1631. China. Temp. π
 lancifolia L. Plum. Ic. t. 116. f. 1. Bot. Mag. 1792. Antill.
 Cald. π

SCHEUCHZERIA Lin.

- palustris L. Fl. Lapp. t. 10. f. 1. Fl. Dan. t. 76. Gall. π

TRIGLOCHIN Lin.

palustre L. Fl. Dan. t. 490. Gall. ʁ

maritimum L. Fl. Dan. t. 306. Gall. ʁ

ORDO VIII.**COLCHICACEÆ DC.****NARTHECIUM** Juss.

{ caliculatum All. Ped. Gall. ʁ

{ Anthericum caliculatum L. Fl. Lapp. t. 10. f. 3. Fl. Dan.
t. 36. Gall. ʁ

{ Toffieldia palustris DC. Red. Lil. t. 256.

{ Helonias borealis Willd. Sp.

PELIOSANTHES Andr. Rep.

Teta Bot. Mag. 1302. Red. Lil. t. 415. Ind. Cald. ʁ

HELONIAS Lin.

{ erythrosperma Mich. Fl. Am. s. ʁ

{ læta Bot. Mag. 805:

{ Melanthium lætum Willd. Sp.

{ virginica Bot. Mag. 985. Am. s. ʁ

{ Melanthium virginicum L.

{ dioica Pursch. Fl. Am. s. ʁ

{ lutea Bot. Mag. 1062.

asphodeloides L. Bot. Mag. 748. Am. s. ʁ

{ bullata L. Bot. Mag. 747. Red. Lil. t. 13. Am. s. ʁ

{ latifolia Mich. Fl.

WURMBEA Gen. Pl. Ed. Schreb.

{ purpurea H. kew. Cap. Temp. ʁ

{ Melanthium spicatum Bot. Mag. 694.

MELANTHIUM Lin.

uniflorum Jacq. Rar. t. 450. Bot. Mag. 767. Cap. Temp. ʁ

junceum Jacq. Rar. t. 451. Bot. Mag. 558. Cap. Temp. ʁ

VERATRUM Lin.

album L. Red. Lil. t. 447. Gall. ʁ Med.

{ viride H. kew. Am. s. ʁ

{ Helonias viridis Bot. Mag. 1096.

nigrum L. Red. Lil. t. 416. Hung. ʁ

COLCHICUM Lin.

autumnale L. Red. Lil. t. 228, 468. Gall. ʁ

variegatum L. Red. Lil. t. 238. I. Chios. ʁ Orn.

- { montanum All. Ped. t. 74. f. 2. Alpes x
- { alpinum DC. Fl.
- arenarium Wald. et Kit. Hung. t. 179. Hung. x

MERENDERA Ramond.

- Bulbocodium Ramond Bull. Phil. Red. Lil. t. 25. Pyren.
- Temp. x

ORDO IX.**LILIACEÆ Juss.****TULIPA Lin.**

- sylvestris L. Red. Lil. t. 165. Bot. Mag. 1202. Gall. x
- celsiana Red. Lil. t. 38. Oriens x
- clusiana Red. Lil. t. 37. Gall. m. x
- biflora Pallas Itin. 5. t. 15. Ed. Gall. Siber. x
- suaveolens Red. Lil. t. 111. Gall. m. x
- oculus-solis Red. Lil. t. 219. Bot. Reg. 204. Gall. m. x
- Orn.
- gesneriana L. Red. Lil. t. 477, 478. Oriens. x Orn.
- cornuta Red. Lil. t. 445. Persia. Temp. x

ERYTHRONIUM Lin.

- Dens-canis L. Red. Lil. t. 194. Bot. Mag. 5. Alpes. x

METHONICA Juss.

- { superba Red. Lil. t. 26. Ind. Cald. x Orn.
- { Gloriosa superba L. Bot. Reg. 77.

UVULARIA Lin.

- { amplexifolia L. Alpes. x
- { Streptopus amplexifolius Red. Lil. t. 259.
- perfoliata L. Red. Lil. t. 184. Canad. x
- chinensis Bot. Mag. 916. China. Cald. x.

SCHELHAMMERA BROWN.

- undulata Brown Prodr. N. Holl. Temp. x

FRITILLARIA Lin.

- imperialis L. Red. Lil. t. 131. Persia. x Orn.
- persica L. Red. Lil. t. 57. Persia. x
- Meleagris L. Red. Lil. t. 222. Alpes. x Orn.
- latifolia Red. Lil. t. 51. x

LILIUM Lin.

- candidum L. Red. Lil. t. 199. Syria. x Med. Orn.
- bulbiferum L. Jacq. Austr. t. 226. Helvet. x Orn.
- croceum Red. Lil. t. 210.
- monadelphum Marsch. Cauc. Bot. Mag. 1405. Cauc. x

tigrinum Bot. Mag. 1237. Red. Lil. t. 395. China. Temp.
 4 Orn.

pomponium L. Red. Lil. t. 7. Bot. Mag. 271. Siber. 4
 Orn.

{ *pyrenaicum* Gouan. Ill. Red. Lil. t. 145. Pyren. 4
 Orn.

{ *pomponium* Bot. Mag. 798. Variet.

Martagon L. Red. Lil. t. 146. Alpes. 4 Orn.

chalcedonicum L. Red. Lil. t. 276. Persia. Temp. 4
 Orn.

concolor Salisb. Parad. t. 47. Bot. Mag. 1165 China.
 Temp. 4 Orn.

{ *pumilum* Red. Lil. t. 378. Bot. Reg. 132. Temp. 4
 Orn.

{ *tenuifolium* Fischer index.

philadelphicum L. Red. Lil. t. 104. Bot. Reg. 594. Am. s.
 4 Orn.

japonicum Thunb. Jap. Bot. Mag. 1591. Japon. Temp.
 4 Orn.

superbum L. Red. Lil. t. 103. Am. s. 4 Orn.

{ *canadense* L. Red. Lil. t. 301. Canad. 4 Orn.

{ *penduliflorum* Red. Lil. t. 105.

YUCCA Lin.

gloriosa L. Red. Lil. t. 326, 327. Carolin. 5 Orn.

aloifolia L. Red. Lil. t. 401, 402. Bot. Mag. 1700. Carolin.
 Temp. 5 Orn.

draconis L. Dill. Elth. t. 324. f. 417. Carolin. Cald. 5

filamentosa L. Trew. Select. t. 37. Red. Lil. t. 277, 278.
 Virgin. Temp. 5

angustifolia Pursch. Fl. Am. s. Temp. 5

SANSEVIERA Thunb. N. Gen.

zeylanica Willd. Sp. Red. Lil. t. 290. Bot. Reg. 160.
 Zeylan. Cald. 4

guineensis Willd. Sp. Red. Lil. t. 330. Guinea. Cald. 4

carnea Willd. Enum. Red. Lil. 323. China. Cald. 4

VELTHEIMIA Gledits. Willd.

{ *capensis* Red. Lil. t. 193. Cap. Temp. 4 Orn.

{ *viridifolia* Willd. Sp.

{ *Aletris capensis*. L. Bot. Mag. 501.

glauca Jacq. H. schœn. t. 77. Red. Lil. t. 440. Cap. Temp. 4

TRITOMA Ker. Bot. Mag.

{ *Uvaria* Bot. Mag. 758. Red. Lil. t. 291. Cap. Temp. 4
 Orn.

{ *Aletris Uvaria* Syst. veg.

{ *Veltheimia Uvaria* Willd. Sp.

- { media Bot. Mag. 744. Red. Lil. t. 161. Cap. Temp. 2
Orn.
- { Aletris sarmentosa Andr. Rep. 54.

PITCAIRNIA L'her.

- bromeliæ-folia L'her. Sert. t. 11. Red. Lil. t. 75. Jamaic. Cald. 5
- angustifolia H. kew. Red. Lil. t. 76. Santa-Cruz. Cald. 5
- latifolia Red. Lil. t. 73, 74. Antill. Cald. 5
- staminea Lodd. Bot. Cab. Bot. Mag. 2411. Am. m. Cald. 5

ALOE Lin.

- { purpurea Lamk. Encycl. I. Borbon. Cald. 5
- { marginalis DC. Pl. Gr. t. 31.
- vulgaris DC. Pl. Gr. t. 27. Maurit. Cald. 5 Med.
- cæsia de Salm Dyk. Cald. 5 Med.
- albo-cincta de Salm Dyk. Cald. 5
- abyssinica Lamk. Encycl. Abyss. Cald. 5
- paniculata Jacq. Fragm. t. 62. Cald. 5
- rubescens DC. Pl. Gr. t. 15. Ind. Cald. 5
- soccotrina Lamk. Encycl. DC. Pl. Gr. t. 85. Cap. Cald. 5
Med.
- macra Haw. Cald. 5.
- { fruticosa Lamk. Encycl. Cap. 5
- { arborescens DC. Pl. Gr. t. 38.
- ferox Lamk. Encycl. DC. Pl. Gr. t. 32. Bot. Mag. 1975.
Cap. Cald. 5
- mitræformis Lamk. Encycl. Dill. Elth. t. 17. f. 19. DC. Pl.
Gr. t. 99. Cap. Cald. 5
- angustior.
- rhodacantha DC. Pl. Gr. t. 44. Cap. Cald. 5
- { perfoliata L. Cap. Cald. 5
- { serra DC. Pl. Gr. t. 80.
- brevifolia DC. Pl. Gr. t. 81. Cap. Cald. 5
- humilis DC. Pl. Gr. t. 39. Cap. Cald. 2
- { echinata Willd. Enum. Cap. Cald. 2
- { humilis Bot. Mag. 828.
- umbellata DC. Pl. Gr. t. 98. Dill. Elth. t. 14. f. 15. Cap.
Cald. 5
- { maculata Dill. Elth. t. 15. f. 16. Cap. Cald. 5
- { picta DC. Pl. Gr. t. 97.
- tenuifolia Lamk. Encycl. Afr. Cald. 5
- variegata L. DC. Pl. Gr. t. 21. Cap. Cald. 5
- nigricans Haw. Cald. 5
- { disticha L. Cap. Cald. 2
- { linguæformis DC. Pl. Gr. t. 68.
- triangularis.
- latifolia.

- carinata* DC. Pl. Gr. t. 63. Cap. Cald. 2
obliqua DC. Pl. Gr. t. 91. Cap. Cald. 2
plicatilis L. DC. Pl. Gr. t. 75. Cap. Cald. 5
spiralis L. Dill. Elth. t. 13. f. 14. DC. Pl. Gr. t. 56. Cap. Cald. 5
viscosa L. Dill. Elth. t. 13. f. 13. DC. Pl. Gr. t. 16. Cap. Cald. 5
retusa L. DC. Pl. Gr. t. 45. Cap. Cald. 2
rigida DC. Pl. Gr. t. 62. Cap. Cald. 5
pentagona H. kew. Cap. Cald. 5
margaritifera L. Dill. Elth. t. 16. f. 17. DC. Pl. Gr. t. 57. Cap. Cald. 2
 — minor.
radula Jacq. H. schœn. t. 422. Cap. Cald. 2
cymbæformis Haw. Bot. Mag. 802. Cap. Cald. 2
arachnoidea L. Bot. Mag. 756. DC. Pl. Gr. t. 50. Cap. Cald. 2
atrovirens DC. Pl. Gr. t. 51. Cap. Cald. 2

ANTHERICUM Lin.

- frutescens* L. Dill. Elth. t. 231. f. 298. Bot. Mag. 816. Cap. Temp. 5
longiscapum Jacq. Rar. t. 404. Red. L. t. 423. Cap. Temp. 2
pugioniforme Jacq. Rar. t. 405. Cap. Temp. 2
alooides L. Dill. Elth. t. 232. DC. Pl. Gr. t. 26. Bot. Mag. 1317. Cap. Temp. 5
annuum L. DC. Pl. Gr. t. 8. Red. Lil. t. 397. Cap. ☉

ECHEANDIA Ortega.

- { *terniflora* Ortega Dec. Red. Lil. t. 313. I. Cuba. Temp. 2
 { *Anthericum reflexum* Cav. Ic. t. 241.

PHALANGIUM Juss.

- { *revolutum*. Cap. Temp. 2
 { *Anthericum revolutum* L. Bot. Mag. 1044.
 { *ramosum* Red. Lil. t. 287. Gall. 2
 { *Anthericum ramosum* L.
 { *Liliago* Red. Lil. t. 269. Gall. 2
 { *Anthericum Liliago* L.
 { *Liliastrum* Red. Lil. t. 255. Alpes 2 Orn.
 { *Anthericum Liliastrum* L. Bot. Mag. 318.
 { *bicolor* Desf. Atl. t. 90. Red. Lil. t. 215. Gall. 2
 { *Anthericum planifolium*. L. Mant.
 { *elatum* Red. Lil. t. 191. Cap. Temp. 2
 { *Anthericum elatum* H. kew.

CHLOROPHYTUM Bot. Mag.

- inornatum* Bot. Mag. 1071. Sierra-Leon. Cald. 2
orchidastrum Bot. Reg. 813. Sierra-Leon. Cald. 2

ARTHROPODIUM Brown. Prodr.

cirratum Bot. Mag. 2350 Bot. Reg. 709. N.-Zeland.
Cald. 2

{ *paniculatum* Brown. Prodr. Bot. Mag. 1421. N. Holl.
Temp. 2

{ *Phalangium milleflorum* Red. Lil. t. 58.

{ *pendulum*. N. Holl. Temp. 2

{ *Phalangium pendulum* Red. Lil. t. 360.

ASPHODELUS Lin.

luteus L. Red. Lil. 223. Gall. 2

capillaris Red. Lil. t. 380. Temp. 2

tauricus Marsch. Cauc. Red. Lil. t. 470. Cauc. Temp. 2

ramosus L. Red. Lil. t. 314. Gall. 2

fistulosus L. Red. Lil. t. 178. Gall. 2

EUCOMIS L'her. Sert.

punctata L'her. Sert. t. 18. Red. Lil. t. 208. Cap. Temp. 2

regia L'her. Sert. Dill. Elth. t. 92. f. 108, 93. f. 109. Cap.
Temp. 2

nana L'her. Sert. Jacq. H. schœn. t. 92. Cap. Temp. 2

{ *undulata* Willd. Sp. Bot. Mag. 1083. Cap. Temp. 2

{ *regia* Red. Lil. t. 175: (Excl. Syn.)

TUPISTRA Sims. Bot. Mag.

squalida Bot. Mag. 1655. Bot. Reg. 704. Amboin. Cald. 2

ASPIDISTRA Bot. Reg.

{ *lurida* Bot. Mag. 2499. Bot. Reg. 628. Cald. 2

{ *Macrogyne convallariæ-folia* Link. H. berol. t. 31.

MASSONIA Thunb. Diss.

{ *pustulata* Bot. Mag. 642. Red. Lil. t. 183. Cap. Temp. 2

{ *scabra* H. kew.

latifolia Bot. Mag. 848. Jacq. H. schœn. t. 455. Cap. Temp.
2

{ *violacea* Red. Lil. t. 386. Andr. Rep. 46. Cap. Temp. 2

{ *Polyanthes pygmæa* Jacq. Rar. t. 380.

{ *Maulia ensifolia* Thunb. Prodr.

{ *Agapanthus ensifolius* Willd. Sp.

DRIMIA Jacq.

elata Jacq. Rar. t. 373. Red. Lil. t. 430. Cap. Temp. 2
Orn.

lanceæfolia Bot. Mag. 1380. Cap. Temp. 2

{ *maculata*.

{ *Lachenalia lanceæfolia* Jacq. Rar. t. 402. Red. Lil. t. 59.
Cap. Temp. 2

pusilla Jacq. Rar. t. 374. Cap. Temp. 2

HYACINTHUS Lin.

- { non scriptus L. Gall. ✕
- { Scilla non scripta Red. Lil. t. 224.
- { patulus H. p. Gall. ✕
- { Scilla patula Red. Lil. t. 225.
- { amethystinus L. Red. Lil. t. 14. Hisp. Temp. ✕
- { hispanicus Lamk. Encycl.
- romanus L. Red. Lil. t. 334. Pyren. ✕
- serotinus L. Red. Lil. t. 202. Gall. ✕
- orientalis L. Red. Lil. t. 465. Oriens ✕ Orn.
- { viridis L. Red. Lil. t. 203. Cap. Temp. ✕
- { Lachenalia viridis H. kew.
- { Zuccagnia viridis Thunb. Dissert.
- ciliatus Marsch. Cauc. Clus. Hist. 180. Ic. exter. Tauria. ✕

MUSCARI Tournef.

- { moschatum Willd. Enum. Bot. Mag. 1565. Gall. m.
- { Temp. ✕ Orn.
- { ambrosiacum Red. Lil. t. 132.
- comosum Willd. Enum. Red. Lil. t. 231. Gall. ✕
- monstruosum Col. Ecphr. 2.-12. Ic.
- racemosum Willd. Enum. Red. Lil. t. 232. Bot. Mag. 122.
- Gall. ✕
- botryoides Willd. Enum. Red. Lil. t. 361. Gall. ✕

PHORMIUM Forst.

- tenax Forst. Gen. Red. Lil. t. 448, 449. N. Zeland. Temp.
- ✕ Econ.

LACHENALIA Jacq.

- pendula Jacq. Rar. t. 400. Red. Lil. t. 52. Cap. Temp. ✕
- Orn.
- pallida Willd. Sp. Red. Lil. t. 22. Cap. Temp. ✕ Orn.
- tricolor Jacq. Rar. t. 61. Red. Lil. t. 2. Cap. Temp. ✕
- Orn.
- luteola Jacq. Rar. t. 395. Red. Lil. t. 297. Cap. Temp. ✕
- Orn.
- angustifolia Jacq. Rar. t. 381. Red. Lil. t. 162. Cap.
- Temp. ✕
- orchioides Jacq. Rar. t. 390. Bot. Mag. 1269, 854. Variet.
- Cap. Temp. ✕

CYANELLA Lin.

- capensis L. Red. Lil. t. 373. Cap. Temp. ✕

ALBUCA Lin.

- cornuta Red. Lil. t. 70. Cap. Temp. ✕
- major L. Red. Lil. t. 69. Cap. Temp. ✕
- fastigiata Willd. Sp. Red. Lil. t. 474. Bot. Reg. 277. Cap.
- Temp. ✕

viridiflora Jacq. Rar. t. 446. Cap. Temp. Ț
 minor L. Red. Lil. t. 21. Cap. Temp. Ț
 { abyssinica Jacq. Rar. t. 64. Afr. Cald. Ț
 { Asphodelus africanus Lamk. Encycl.

SCILLA Lin.

maritima L. Red. Lil. t. 116. Bot. Mag. 918. Gall. Ț Med.
 peruviana L. Red. Lil. t. 167. Hisp. Temp. Ț Orn.
 italica L. Red. Lil. 304. Alpes. Ț
 umbellata Red. Lil. t. 166. Gall. Ț
 { brevifolia Bot. Mag. 1468. Cap. Temp. Ț
 { Hyacinthus brevifolius Thunb. Prodr.
 amœna L. Red. Lil. t. 130. Oriens. Ț
 { sibirica Andr. Rep. 365. Siber. Ț
 { amœnula Horn. Hort. hafn.
 Liliohyacinthus L. Red. Lil. t. 205. Alpes Ț
 { pomeridiana DC. Cat. Hort. Monsp. Red. Lil. t. 421.
 { Lusit. Temp. Ț
 { Anthericum pomeridianum Bot. Reg. 1364.
 hyacinthoides L. Suppl. Bot. Mag. 1140. Madera Temp.
 Ț
 bifolia L. Red. Lil. t. 254. Bot. Mag. 746. Gall. Ț
 undulata Desf. Atl. t. 88. Tunis. Temp. Ț
 autumnalis L. Red. Lil. t. 317. Gall. Ț

ERIOSPERMUM Jacq.

lanceæfolium Jacq. Rar. t. 421. Red. Lil. t. 394. Cap.
 Temp. Ț
 latifolium Jacq. Rar. t. 420. Cap. Temp. Ț

ORNITHOGALUM Lin.

{ luteum L. Gall. Ț
 { Gagea lutea Bot. Mag. 1200.
 minimum L. Fl. Dan. t. 612. Gall. Ț
 tenuifolium Red. Lil. t. 312. Temp. Ț
 pyrenaicum L. Red. Lil. t. 234. Gall. Ț
 pyramidale Jacq. Rar. t. 425. Red. Lil. t. 422. Hisp.
 Temp. Ț
 narbonense L. Bot. Mag. 2510. Gall. m. Temp. Ț
 trigynum Red. Lil. t. 417. Ț
 lacteum Jacq. Rar. t. 434. Red. Lil. 418. Cap. Temp. Ț
 exscapum Tenore. Ital. Ț
 umbellatum L. Red. Lil. t. 143. Gall. Ț
 — latifolium.
 nutans L. Red. Lil. t. 253. Bot. Mag. 269. Gall. Ț
 longi-bracteatum Jacq. Hort. 3. t. 29. Red. Lil. t. 120.
 Cap. Temp. Ț
 arabicum L. Red. Lil. t. 63. Bot. Mag. 728. Alger. Temp-
 Ț Orn.

aureum Bot. Mag. 190. Red. Lil. t. 439. Cap. Temp. ⁊
Orn.
thyrsoides H. kew. Red. Lil. t. 333. Bot. Mag. 1164. Cap.
Temp. ⁊ Orn.

ALLIUM Lin.

I. Foliis teretibus aut subteretibus.

Cepa L. ⁊ Econ. Med.
fistulosum L. Dod. Pempt. 687. Ic. exter. Bot. Mag.
1230. ⁊ Econ. Med.
Schænoprasum L. Fl. Dan. t. 971. Gall. ⁊
Ascalonicum L. Palestin. ⁊ Econ.
{ glaucum H. p. Alpes. ⁊
{ foliosum DC. Fl. Red. Lil. t. 214. mala.
globosum Marsch. Cauc. Red. Lil. t. 179. Caucas. ⁊
moschatum L. Red. Lil. t. 100. Gall. m. ⁊
obtusiflorum Red. Lil. t. 118. Temp. ⁊
bisulcum Red. Lil. t. 286. ⁊
flavum L. Red. Lil. t. 119. Gall. ⁊
vineale L. Engl. Bot. 1974. Gall. ⁊
sphærocephalum Red. Lil. t. 391. Gall. ⁊
pallens L. Red. Lil. t. 272. Gall. m. ⁊
paniculatum L. Red. Lil. t. 252. Gall. ⁊
lusitanicum Lamk. Encycl. Red. Lil. t. 271. Lusit. ⁊
longispathum Red. Lil. t. 316. Gall. ⁊
oleraceum L. Engl. Bot. 488. Gall. ⁊

II. Foliis planis.

carinatum L. Red. Lil. t. 568. Gall. ⁊
angulosum L. Red. Lil. t. 281. Alpes. ⁊
rubens Schrad. Cat. ⁊
baicalense Willd. Enum. Lac. Baical. ⁊
roseum L. Red. Lil. t. 213. Bot. Mag. 978. Gall. ⁊
— bulbiferum
striatum Red. Lil. t. 50. Am. s. ⁊
denudatum Red. Lil. t. 357. Temp. ⁊
cernuum Roth. Cat. Red. Lil. t. 345. Bot. Mag. 1324. ⁊
tataricum L. Suppl. Red. Lil. t. 98. Siber. ⁊
carolinianum Red. Lil. t. 101. Carol. Temp. ⁊
danubiale Spreng. Cat. ⁊
album Red. Lil. t. 300. Ital. Temp. ⁊
ciliare Red. Lil. t. 311. Ital. Temp. ⁊
brachystemon Red. Lil. t. 374. Temp. ⁊
subhirsutum L. Red. Lil. t. 305. Maurit. Temp. ⁊
pendulinum Tenore Corso. Ital. Temp. ⁊
senescens L. Bot. Mag. 1150. (an idem ac angulosum),
German. ⁊

nutans L. Red. Lil. t. 233. Bot. Mag. 1143. Siber. ✕
controversum Schrad. Cat. Willd. Enum. ✕
sativum L. Camer. Epit. 328. Ic. Roques. Phyt. t. 30.
 Sicilia ✕ Med. Econ.

Scorodoprasum L. Clus. Hist. 191. Ic. super. Gall. ✕
rotundum L. Palatin. ✕
arenarium L. Red. Lil. t. 379. Gall. ✕
obliquum L. Red. Lil. t. 363. Siber. ✕
Ampeloprasum L. Red. Lil. t. 385. Bot. Mag. 1385. Europa
 m. ✕

Porrum L. Camer. Epit. 321. Ic. ♂ Econ.

{ *monspesulanum* Gouan. Ill. Monsp. ✕

{ *nigrum* Red. Lil. t. 102.

magicum L. Clus. Hist. 192. Ic. Sup. Exter. Gall. m. ✕

Victorialis L. Red. Lil. t. 265. Alpes. ✕

ursinum L. Red. Lil. t. 303. Gall. ✕

scorzoneræfolium Red. Lil. t. 99. ✕

Moly L. Red. Lil. t. 97. Gall. m. Temp. ✕

Chamæ-Moly L. Red. Lil. t. 325. Bot. Mag. 1203. Maurit.
 Temp. ✕

fragrans Vent. H. Cels. t. 26. Red. Lil. t. 68. Temp. ✕

POLYANTHES Lin.

tuberosa L. Red. Lil. t. 147. Bot. Reg. 63. Ind. Temp. ✕
 Orn.

HEMEROCALLIS Lin.

flava L. Red. Lil. t. 15. Hungar. ✕ Orn.

graminea Bot. Mag. 873. Siber. ✕

fulva L. Red. Lil. t. 16. China. ✕ Orn.

cœrulea Red. Lil. t. 106. Vent. Malm. t. 18. Japon. Temp.
 ✕ Orn.

Japonica Thunb. Jap. Kæmpf. Ic. Sel. t. 11. Red. Lil. t. 3.
 Japon. Temp. ✕ Orn.

BLANDFORDIA Brown.

grandiflora Brown. Prodr. Bot. Reg. 924. N. Holl. Temp.
 ✕

AGAPANTHUS L'her.

umbellatus L'her. Sert. Red. Lil. t. 6. Cap. Temp. ✕

— *minor* Red. Lil. t. 403.

ORDO X.

NARCISSEÆ Juss.

DORYANTHES Correa.

excelsa Correa Soc. Lin. Lond. 6. t. 23, 24. Bot. Mag.
1685. N. Holl. Temp. 5 Orn.

LITTÆA Tagliab.

{ geminiflora Tagl. Velins. du Mus. Am. m. Temp. 5
{ Agave geminiflora Journ. of. Scienc.

AGAVE Lin.

americana L. Andr. Rep. 433. Cald. 4 Econ.

— variegata.

{ foetida L. Jacq. Rar. t. 379. Am. m. Cald. 5 Econ.

{ Furcræa gigantea Vent. DC. Pl. Gr. t. 126.

vivipara L. Com. Præl. t. 15. Am. m. Cald. 5

yuccæfolia Red. Lil. t. 328, 329. Cald. 4

spicata DC. Cat. Monsp. Red. Lil. t. 485. Am. m. Cald. 4

virginica L. Jacq. Rar. t. 378. Bot. Mag. 1157. Virgin.
Temp. 4

ALSTROEMERIA Lin.

Pelegrina L. Red. Lil. t. 46. Bot. Mag. 139. Peruv. Cald.
4 Orn.

Ligtu L. Red. Lil. t. 40. Peruv. Cald. 4 Orn.

Salsilla L. Bot. Mag. 1613. Peruv. Cald. 4 Orn.

HÆMANTHUS Lin.

coccineus L. Red. Lil. t. 39. Cap. Temp. 4 Orn.

puniceus L. Trew. Sel. t. 44. Cap. Temp. 4 Orn.

{ pubescens L. Suppl. Cap. Temp. 4

{ albiflos Jacq. H. schœn. t. 59. Red. Lil. t. 398. Cap.
Temp. 4

quadrivalvis Jacq. H. schœn. t. 58. Cap. Temp. 4

lanceæfolius Jacq. H. schœn. t. 60. Cap. Temp. 4

multiflorus Willd. Sp. Red. Lil. t. 204. Sierra Leon. Cald. 4
Orn.

{ toxicarius H. kew. Bot. Mag. 1217. Bot. Reg. 567. Cap.
Temp. 4

{ Amaryllis disticha L. Suppl.

CRINUM Lin.

asiaticum Red. Lil. t. 348. Molucæ. Cald. 4 Orn.

americanum Red. Lil. t. 332. Am. m. Cald. 4 Orn.

amabile Bot. Mag. 1605. Bot. Reg. 679. Ind. Cald. & Orn.

erubescens Red. Lil. t. 27. Bot. Mag. 1232. Am. m. Cald. & Orn.

Commelini Red. Lil. t. 322. (C. Americ. incaute dictum.) Am. m. Cald. & Orn.

{ giganteum Red. Lil. t. 181. Sierra-Leon. Cald. & Orn.

{ Amaryllis gigantea H. kew.

{ taitense Red. Lil. t. 408. N. Holl. Cald. & Orn.

{ pedunculatum Bot. Reg. 52.

multiflorum H. p. Cald. & Orn.

bracteatum Willd. Sp. Jacq. H. schoen. t. 492. Bot. Reg. 279. Ind. Cald. & Orn.

moluccanum Ker. Diss. on the Gen. Crinum. Amboin. Cald. & Orn.

CYRTHANTHUS H. kew.

{ obliquus H. kew. Red. Lil. t. 381. Cap. Temp. & Orn.

{ Amaryllis umbellata L'her. Sert. t. 16.

{ angustifolius H. kew. Bot. Mag. 271. Red. Lil. t. 388.

{ Cap. Temp. & Orn.

{ Crinum angustifolium L. Suppl.

AMARYLLIS Lin.

lutea L. Red. Lil. t. 148. Bot. Mag. 290. Gall. m. Temp. & Orn.

Atamasco L. Red. Lil. t. 31. Virgin. Temp. & Orn.

{ candida Bot. Reg. 724. Peruv. Temp. &

{ Zephyranthes candida Bot. Mag. 2607.

{ rosea H. p.

{ Zephyranthes rosea Bot. Reg. 821. Havan. Cald. &

tubispatha L'her. Sert. Bot. Mag. 1586. Buenos-Aires. Cald. &

formosissima L. Red. Lil. t. 5. Bot. Mag. 47. Am. m. Temp. & Orn.

{ falcata L'her. Sert. Cap. Temp. & Orn.

{ Crinum falcatum Jacq. Hort. 3. t. 60.

{ Brunswigia falcata Bot. Mag. 1443.

coranica Bot. reg. 139. Cap. Temp. & Orn.

{ purpurea H. kew. Cap. Temp. & Orn.

{ elata Jacq. H. schoen. t. 62.

reticulata H. kew. Bot. Mag. 657. Red. Lil. t. 424. Brasil. Cald. & Orn.

— major Bot. Reg. 352. Bot. Mag. 2113.

Osbekii Sabine. Cald. & Orn.

{ Broussonetii Red. Lil. t. 62. Sierra-Leon. Cald. & Orn.

{ spectabilis Andr. Rep. 590. mala.

{ ornata Bot. Mag. 1253.

{ Crinum Broussonetii Bot. Mag. 2121.

- longifolia* H. kew. Red. Lil. t. 347. Cap. Temp. & Orn.
Belladonna L'her. Sert. Red. Lil. t. 180 (an Lin.?) Cap. Cald.
 Temp. & Orn.
reginæ L'her. Sert. Bot. Mag. 453. Red. Lil. t. 9. Mexico.
 Temp. & Orn.
brasiliensis Red. Lil. t. 469. Variet. præced. Brasil. Cald. &
 Orn.
 { *revoluta* L'her. Sert. Bot. Mag. 1178. Cap. Temp. &
 Orn.
 { *variabilis* Jacq. H. schœn. t. 429.
equestris Hort. kew. Red. Lil. t. 32. Am. m. Cald. &
 Orn.
vittata L'her. Sert. t. 15. Red. Lil. t. 10. Bot. Mag. 129.
 Cap. Temp. & Orn.
 { *Josephinæ* Red. Lil. t. 371, 372. Cap. Temp. & Orn.
 { *orientalis* H. schœn. t. 74.
 { *Brunswigia multiflora* Bot. Mag. 1619.
sarniensis L. Red. Lil. t. 33. Japon. Temp. & Orn.
curvifolia Jacq. H. schœn. t. 64. Red. Lil. t. 274. Cap.
 Temp. & Orn.
undulata Syst. Veg. Red. Lil. t. 115. Bot. Mag. 369. Cap.
 Temp. & Orn.
humilis Jacq. H. schœn. t. 69. Cap. Temp. & Orn.
aurea L'her. Sert. t. 15. bis. Red. Lil. t. 61. China. Cald.
 & Orn.

PANCRATIUM Lin.

- speciosum* Salisb. Soc. Lin. Lond. 2. t. 12. Red. Lil. t.
 412. (Excl. t. 15.) Ind. Cald. & Orn.
 { *amœnum* Salisb. Soc. Lin. Lond. 2. t. 10. Guinea. Cald.
 & Orn.
 { *fragrans* Red. Lil. t. 413.
ovatum Bot. Reg. 43. Trew. Sel. t. 28. Ind. Temp. & Orn.
 { *disciforme* Red. Lil. t. 155. Carolin. Temp. & Orn.
 { *rotatum* Bot. Mag. 827.
 { *littorale* Red. Lil. t. 154. Am. m. Cald. & Orn.
 { *Dryandri* Ker. Diss. on the Gen. Pancratium.
 { *declinatum* Jacq. Hort. 3. t. 10. Red. Lil. t. 414. Ind.
 Cald. & Orn.
 { *caribæum* L. Ker. Diss. on the Gen. Pancratium.
amboinense L. Red. Lil. t. 384. Amboin. Cald. & Orn.
 { *calathiforme* Red. Lil. t. 352. Brasil. Cald. & Orn.
 { *calathinum* Bot. Reg. 215.
illyricum L. Red. Lil. t. 153. Europ. m. & Orn.
maritimum L. Red. Lil. t. 8. Gall. & Orn.
parviflorum Red. Lil. t. 471. Temp. &

NARCISSUS Lin.

- poeticus L. Red. Lil. t. 160. Gall. & Orn.
 biflorus Bot. Mag. 197. Red. Lil. t. 405. Gall. &
 Pseudo-Narcissus L. Red. Lil. t. 158. Gall. & Orn.
 bicolor Bot. Mag. 1187. Gall. & Orn.
 lætus Red. Lil. t. 428. Gall. & Orn.
 radiatus Red. Lil. t. 459. Gall. & Orn.
 { odorus Willd. Sp. . Red. Lil. t. 157. Gall. & Orn.
 } calathinus Bot. Mag. 934.
 pumilus Red. Lil. t. 409. & Orn.
 { calathinus Red. Lil. t. 177. et 410. Lusit. Temp. & Orn.
 { triandrus Bot. Mag. 48 et 1262. Variet.
 minor L. Red. Lil. t. 480. Gall. & Orn.
 patulus Lois. Narc. DC. Fl. Suppl. Gall. m. & Orn.
 Tazetta L. Red. Lil. t. 17. Hisp. & Orn.
 unicolor Tenore. Ital. Temp. & Orn.
 polyanthos Lois. Narc. DC. Fl. Suppl. Orn.
 intermedius Red. Lil. t. 427. Gall. & Orn.
 Jonquilla L. Red. Lil. t. 159. Gall. m. & Orn.
 Bulbocodium L. Red. Lil. t. 24. Lusit. Temp. & Orn.

STRUMARIA Jacq.

- { filifolia H. kew. Cap. Temp. &
 { Leucoium strumosum Jacq. Rar. t. 361.

STERNBERGIA.

- colchiciflora Wald. et Kit. Hung. t. 159. Hung. &

LEUCOIUM Lin.

- vernum L. Bot. Mag. 46. Gall. & Orn.
 æstivum L. Red. Lil. t. 125. Gall. & Orn.
 autumnale L. Red. Lil. t. 150. f. 2. Alger. Temp. &
 trichophyllum Red. Lil. t. 150. f. 1. Corsia. Temp. &

GALANTHUS Lin.

- nivalis L. Red. Lil. t. 200. Gall. & Orn.

HYPOXIS Lin.

- { plicata L. Suppl. Cap. Temp. &
 { Gethyllis plicata Jacq. H. schoen. t. 80.
 { Curculigo plicata H. kew.
 erecta L. Bot. Mag. 710. Red. Lil. t. 355. Am. s. Temp. &
 sobolifera Jacq. Rar. t. 372. Red. Lil. t. 170. Cap.
 Temp. &
 stellata L. Suppl. Red. Lil. t. 169. Cap. Temp. &
 { tridentata Red. Lil. Orn.
 { stellata Jacq. Rar. t. 368. (Excl. Syn.)

CURCULIGO Ker. Bot. Mag.

- latifolia H. kew. Bot. Mag. 2034. Bot. Reg. 754. Ind.
 Cald. &

recurvata H. kew. Bot. Reg. 770. Ind. Cald. ✕
orchioides Roxb. Corom. t. 13. Bot. Mag. 1076. Ind.
 Cald. ✕

BROMELIA Lin.

Ananas L. Red. Lil. t. 455, 456. Am. m. Cald. ✕ Econ.
Pinguin L. Trew. Sel. t. 51. Red. Lil. t. 396. Ind. Cald. ✕
Karatas L. Red. Lil. t. 457. Am. m. Cald. ✕

TILLANDSIA Lin.

serrata L.? Plum. Ic. t. 75. f. 1. Am. m. Cald. ✕
exsudans Lodd. Bot. Cab. 801. Ind. Cald. ✕
 { *amœna* Lodd. Am. m. Cald. ✕
 { *Bromelia pallida* Bot. Reg. 344. Hook. Exot. Fl. 42.

ORDO XI.**HÆMODORACEÆ** Brown.**ANIGOZANTHOS** Labill. N. Holl.

flavida Brown. Prodr. Red. Lil. t. 176. N. Holl. Temp. ✕

ORDO XII.**IRIDEÆ** Juss.**SISYRINCHIUM** Lin.

Bermudiana L. Dill. Elth. t. 41. f. 48. Red. Lil. t. 149.
 Bot. Mag. 94. Berm. Temp. ✕
 { *gramineum* Bot. Mag. 464. Am. s. Temp. ✕
 { *anceps* Willd. Sp. Temp. ✕
laxum Bot. Mag. 2312. Temp. ✕
convolutum Red. Lil. t. 47. Cap. Temp. ✕
tenuifolium Red. Lil. t. 275. Mexico. Temp. ✕
 { *striatum* Smith. Ic. pictæ. 9. Red. Lil. t. 66. Mexico ✕
 { *Marica striata* Bot. Mag. 701.

TIGRIDIA Juss.

{ *pavonia* Red. Lil. t. 6. Mexico. Temp. ✕ Orn.
 { *Ferraria pavonia* Cav. Diss. t. 189. f. 1.

FERRARIA Lin.

undulata L. Red. Lil. t. 28. Bot. Mag. 91. Cap. Temp. ✕
 Orn.

IRIS Lin.

1. Barbatæ.

- susiana* L. Red. Lil. t. 18. Oriens. Temp. & Orn.
florentina L. Red. Lil. t. 23. Bot. Mag. 671. Europ. m. &
 Med. Orn.
germanica L. Red. Lil. t. 309. Gall. & Med. Orn.
 — *cœrulea*. ?
 — *violacea*.
pallida Lamk. Ill. Red. Lil. t. 366. & Orn.
flavescens Red. Lil. t. 375 & Orn.
sambucina L. Red. Lil. t. 338. Gall. & Orn.
plicata Lamk. Ill. (Excl. Red. lc.) & Orn.
Swertii Lamk. Ill. Red. Lil. t. 306 & Orn.
squalens L. Red. Lil. t. 365. Bot. Mag. 787. Europ. m. &
variegata L. Red. Lil. t. 292. Bot. Mag. 16. Hung. &
pumila L. Red. Lil. t. 261. Gall. & Orn.
 — *cœrulea* Red. Lil. t. 262.
lutescens Lamk. Ill. Red. Lil. t. 263. Gall. &
cristata H. kew. Red. Lil. t. 376. Am. s. &
arenaria Wald. et Kit. Hung. t. 57. Red. Lil. t. 296. Bot.
 Reg. 549. Hung. &

2. Imberbes.

- Pseudo-acorus* L. Red. Lil. t. 235.
fœtidissima L. Red. Lil. t. 351. Gall. &
Monnierii Red. Lil. t. 236. Oriens. & Orn.
ochroleuca L. Mant. Red. Lil. t. 350. Siber. &
triflora Balbis. Miscell. Red. Lil. t. 481. &
spuria L. Red. Lil. t. 349. Gall. &
fimbriata Vent. H. Cels. t. 9. Red. Lil. t. 152. China.
 Temp. &
fulva Bot. Mag. 1496. N. Orleans. &
 { *sibirica* L. Bot. Mag. 50. Gall. &
 { *pratensis* Lamk. Ill. Red. Lil. t. 237. 111
prismatica Pursch. Fl. Am. s. & 117
versicolor L. Red. Lil. t. 339. Bot. Mag. 1938. Carolin. 1011
 Temp. &
 { *stenogyna* Red. Lil. &
 { *Gawleri* Red. Lil. t. 310.
dichotoma L. Suppl. Bot. Reg. 246. Dauria. Temp. &
 { *humilis* Marsch. Cauc. Siber. &
 { *ruthenica* Bot. Mag. 1123 et. 1393.
graminea L. Red. Lil. t. 299. Gall. &
scorpioides Desf. Atl. Red. Lil. t. 211. Alger. Temp. &
Xiphium L. Red. Lil. t. 337. Gall. Temp. & Orn.

xiphioides Willd. Sp. Red. Lil. t. 212. Hisp. Temp. & Orn.

tuberosa L. Red. Lil. t. 48. Bot. Mag. 531. Oriens. Temp. & Med.

persica L. Red. Lil. t. 189. Bot. Mag. 1. Persia. Temp. & Orn.

Sisyrinchium L. Clus. Hist. 216. Ic. Red. Lil. t. 29. Maurit. Temp. &

curtopetala Red. Lil. t. 340. Temp. &

{ *martinicensis* L. Red. t. 172. Martinica. Cald. &

{ *Vieusseuxia martinicensis* DC. Ann. du Mus. 2. p. 138.

{ *Marica martinicensis* H. kew.

MARICA Ker. Ann. of Bot.

cœrulea Bot. Reg. 713. Brasil. Cald. & Orn.

{ *northiana* Bot. Mag. 654. Brasil. Cald. &

{ *Moræa vaginata* Red. Lil. t. 56.

VIEUSSEUXIA DC.

{ *glaucopis* DC. Ann. du Mus. 2. t. 42 Red. Lil. t. 42.
Cap. Temp. & .

{ *Iris tricuspidis* Thunb. Prodr.

{ *Moræa tricuspidis*. Bot. Mag. 696.

PATERSONIA Brown.

glabrata Brown. Prodr. Bot. Reg. 51. N. Holl. Temp. &

MORÆA Lin.

iridioides L. Mant. Red. Lil. t. 45. Cap. Temp. &

{ *dichotoma* L. Suppl. Dauria. Temp. &

{ *Iris dichotoma* Bot. Reg. 250.

{ *fugax* Jacq. Hort. 3. t. 20. Cap. Temp. &

{ *vegeta* Jacq. Rar. t. 224.

{ *edulis* Bot. Mag. 1238 (Variet. sequentis).

edulis Thunb. Diss. Bot. Mag. 613. Cap. Temp. & Econ.

{ *elegans* Jacq. H. schœn. t. 12. Cap. Temp. &

{ *Sisyrinchium elegans* Red. Lil. t. 171.

sordescens Jacq. Rar. t. 225. Red. Lil. t. 71. Cap. Temp. &

{ *chinensis* Willd. Sp. China. Temp. & Orn.

{ *Ixia chinensis* L. Trew. Sel. t. 52. Bot. Mag. 171.

{ *Belamcanda chinensis* Red. Lil. t. 121.

{ *Pardanthus chinensis*, H. kew.

IXIA Lin.

{ *Bulbocodium* L. Jacq. Rar. t. 271. Red. Lil. t. 88. F. B.
Gall. m. Temp. &

{ *Trichonema Bulbocodium*. H. kew.

- parviflorum Red. Lil. t. 88. F. A.
- { cruciata Jacq. Rar. t. 290. Cap. Temp. &
- { Trichonema cruciatum Bot. Mag. 575.
- { crocata L. Jacq. Rar. t. 7. Cap. Temp. & Orn.
- { hyalina Red. Lil. t. 87. Variet.
- { Tritonia crocata H. kew.
- miniata Jacq. H. schœn. t. 24. Cap. Temp. & Orn.
- maculata Red. L. t. 89.
- polystachya L. Red. Lil. t. 126. Cap. Temp. & Orn.
- scillaris L. Bot. Mag. 542. Red. Lil. t. 127. Cap. Temp. & Orn.
- crispa L. Suppl. Red. Lil. t. 433. Cap. Temp. & Orn.
- { tricolor Bot. Mag. 381. Red. Lil. t. 129. Cap. Temp. & Orn.
- { Sparaxis tricolor. H. kew.
- anemonæflora Red. Lil. t. 85. Cap. Temp. & Orn.
- fusco-citrina Red. Lil. t. 86. Cap. Temp. & Orn.
- conica H. kew. Red. Lil. t. 138 (an variet. præced?) Cap. Temp. & Orn.
- leucantha Jacq. Rar. t. 278. Cap. Temp. & Orn.
- { bulbifera L. Red. Lil. t. 128. Bot. Mag. 545. Cap. Temp. & Orn.
- { Sparaxis bulbifera H. kew.
- { longiflora Bergius. Cap. Red. Lil. t. 34. Bot. Mag. 236. Cap. Temp. & Orn.
- { Gladiolus longiflorus Lin. Suppl.
- { Tritonia longiflora H. kew. Bot. Mag. 1502.
- { speciosa Andr. Rep. 186. Cap. Temp. &
- { crateroides Bot. Mag. 594.
- { erecta Willd. Sp. Cap. Temp. & Orn.
- { dubia Vent. Choix. t. 10. Red. Lil. t. 64.
- maculata Red. Lil. t. 137. Cap. Temp. & Orn.
- viridiflora Red. Lil. t. 466. Cap. Temp. & Orn.
- Liliago Red. Lil. t. 109. Cap. Temp. & Orn.
- { grandiflora Red. Lil. t. 362. Bot. Mag. 541. Cap. Temp. & Orn.
- { Sparaxis grandiflora. Bot. Reg. 28. Variet.

GALAXIA Thunb.

- { ixiæflora Red. Lil. t. 41. Cap. Temp. & Orn.
- { Ixia columnaris Andr. Rep. 213.
- { Ixia monadelphæ Bot. Mag. 607.

DIASIA DC.

- { iridifolia DC. Bull. Phil. Red. Lil. t. 54. Cap. Temp. & Orn.
- { Melasphærula graminea Bot. Mag. 615.
- graminifolia DC. Bull. Phil. Red. Lil. t. 163. Cap. Temp. & Orn.

GLADIOLUS Lin.

communis L. Red. Lil. t. 267. Gall. & Orn.

byzantinus Bot. Mag. 874. Byzant. & Orn.

laccatus Jacq. Rar. t. 232. Red. Lil. t. 343. Cap. Temp. & Orn.

{ *watsonius* Thunb. Diss. Red. Lil. t. 369. Cap. Temp. & Orn.

{ *præcox* Andr. Rep. 38.

{ *iridifolius* Jacq. Rar. t. 234. Cap. Temp. & Orn.

{ *Watsonia iridifolia* H. kew.

mucronatus Jacq. Rar. t. 253. Red. Lil. t. 142. Cap. Temp. & Orn.

xantospilus Red. Lil. t. 124. Cap. Temp. & Orn.

undulatus L. Mant. Red. Lil. t. 122. Cap. Temp. & Orn.

strictus Willd. Sp. Red. Lil. t. 90. Cap. Temp. & Orn.

hirsutus Jacq. Rar. t. 250. Red. Lil. t. 273. Cap. Temp. & Orn.

cardinalis Red. Lil. t. 112. Cap. Temp. & Orn.

tristis L. Red. Lil. t. 344. Cap. Temp. & Orn.

angustus L. Red. Lil. t. 344. Cap. Temp. & Orn.

carneus Jacq. Rar. t. 255. Red. Lil. t. 65. Cap. Temp. & Orn.

{ *ringens* Red. Lil. t. 123. Cap. Temp. & Orn.

{ *recurvus* L. Mant.

refractus Jacq. Rar. t. 241. Red. Lil. t. 419. Cap. Temp. & Orn.

{ *crispus* Jacq. Rar. t. 267. Cap. Temp. & Orn.

{ *Tritonia crispa* Bot. Mag. 678.

cuspidatus Jacq. Rar. t. 257. Red. Lil. t. 36. Cap. Temp. & Orn.

lineatus Bot. Mag. 487. Red. Lil. t. 55. Cap. Temp. & Orn.

{ *merianus* Jacq. Rar. t. 230. Red. Lil. t. 11. Cap. Temp. & Orn.

{ *Antholiza meriana* L. Bot. Mag. 418.

tubatus Jacq. Rar. t. 264. Red. Lil. t. 264. Cap. Temp. & Orn.

{ *tubiflorus* Jacq. Rar. t. 266. Cap. Temp. & Orn.

{ *inclinatus* Red. Lil. t. 44.

{ *junceus* L. Suppl. Red. Lil. t. 141. Cap. Temp. & Orn.

{ *Lapeyrousia juncea* Pourret. Act. Tolos.

{ *securiger* Bot. Mag. 383. Cap. Temp. & Orn.

{ *Montbretia securigera* DC. Bull. Phil.

ANTHOLIZA Lin.

æthiopica L. Red. Lil. t. 110. Cap. Temp. & Orn.

—*præalta* Red. Lil. t. 387. Variet.

Cunonia L. Red. Lil. t. 12. Cap. Temp. & Orn.

WITSENIA Thunb.

corymbosa Smith. Exot. Bot. t. 68. Red. Lil. t. 453. Bot. Mag. 895. Cap. Temp. π .

{ *maura* Thunb. N. Gen. Red. Lil. t. 245. Cap. Temp. π
 { *Antholiza maura* L. Mant.

ARISTEA Ker. Ann. of Bot.

{ *cyanea* H. kew. Bot. Mag. 458. Red. Lil. t. 462. Cap. Temp. π

{ *Ixia africana* L.

{ *capitata* Bot. Mag. 605. Cap. Temp. π

{ *major* Andr. Rep. 160.

{ *Moræa cœrulea* Thunb. Diss.

{ *Gladiolus capitatus* L.

CROCUS Lin.

vernus Red. Lil. t. 266. Gall. π Orn.

{ *multifidus* Ramond. Bull. phil. n° 48. t. 8. f. 2. Pyren. π Orn.

{ *an speciosus* Marsch. Cauc. ?

biflorus Red. Lil. t. 294. π Orn.

susianus Red. Lil. t. 293. π Orn.

luteus Red. Lil. t. 196. π Orn.

sativus Red. Lil. t. 173. Gall. π Med.

reticulatus Marsch. Cauc. Tauria π

WACHENDORFIA Lin.

thyrsiflora L. Red. Lil. t. 93. Bot. Mag. 1060. Cap. Temp. π

paniculata L. Bot. Mag. 616. Cap. Temp. π

PONTEDERIA Lin.

cordata L. Red. Lil. t. 72. Virgin. π

CLASSIS V.

MONOCOTYLEDONES , STAMINA EPIGYNA.

ORDO I.

MUSÆ Juss.

MUSA Lin.

sapientum L. Trew. Sel. t. 21, 22, 23. Ind. Cap. & Econ.
paradisiaca L. Trew. Sel. t. 18, 19, 20. Red. Lil. t. 443,
444. Ind. Cap. & Econ.

—violacea.

coccinea Andr. Rep. 47. Red. Lil. t. 307, 308. China.
& Orn.

HELICONIA Lin.

humilis Jacq. H. schœn. t. 48, 49. Red. Lil. t. 382, 383.
Guyan. Cap. &

psittacorum L. Suppl. Red. Lil. t. 1. Bot. Mag. 502.
Antill. Cap. & .

{ Bihai Swartz. Obs. Bot. Reg. 374 (an ead. ac. H. humilis
Red.) Antill. Cap. &
{ Musa Bihai L.

RAVENALA Sonnerat.

madagascariensis Lamk. Ill. t. 222. Jacq. H. schœn. t. 93.
Madag. & Econ.

STRELITZIA Thunb.

reginæ H. kew. Red. Lil. t. 77, 78. Cap. Cald. & Orn.
ovata H. kew. Variet. Cap. Cald. &
angustifolia H. kew. Cap. Cald. &
parvifolia H. kew. Cap. Cald. &

ORDO II.

CANNÆ Juss.

CANNA Lin.

indica L. Red. Lil. t. 201. Ind. Cald. & Orn.
edulis Bot. Reg. 775. Peruv. Cald. & Econ.

glauca L. Dill. Elth. t. 59. f. 69. Red. Lil. t. 354. Carolin. Cald. π

gigantea Red. Lil. t. 331. Bot. Reg. 206. Cap. Cald. π Orn.

flaccida Salisb. Ic. p. 3. t. 2. Red. Lil. t. 107. Carolin. Cald. π

ALPINIA Lin.

{ nutans Roscoe. Soc. Lin. Lond. Smith. Exot. Bot. t. 106. Ind. Cald. π

{ Renealmia nutans Andr. Rep. 360.

{ Globba nutans Red. Lil. t. 60.

{ calcarata Roscoe Soc. Lin. Lond. vol. 8. Bot. Reg. 141. Ind. Cald. π

{ Renealmia calcarata Andr. Rep. 42.

{ Globba erecta Red. Lil. 174.

GLOBBA Lin.

marantina L. Mant. Smith. Exot. Bot. 103. Ind. Cald. π

MANTISIA Sims. Bot. Mag.

saltatoria Bot. Mag. 1320. Ind. Cald. π

HELLENIA Willd.

cœrulea Brown Prodr. N. Holl. Cald. π

ANOMUM Lin.

{ Zingiber L. H. malab. 11. t. 12. Jacq. Hort. 1. t. 75. Ind. Cald. π Econ.

{ Zingiber officinale H. kew.

{ Zerumbet L. Jacq. Hort. 3. t. 54. Ind. Cald. π Econ.

{ Zingiber Zerumbet. Roscoe. Soc. Lin. Lond. vol. 8. Smith. Exot. Bot. t. 112. Bot. Mag. 2000.

{ Casumar.

{ Zingiber Casumar Roxb. Bot. Mag. 1426. Asiat. Research. vol. 11. t. 7. Ind. Cald. π

Afzelii Roscoe Soc. Lin. Lond. vol. 8. Sierra-Leon. Cald. π

HEDYCHUM Koenig. Retz.

coronarium Willd. Sp. Bot. Mag. 708. Red. Lil. t. 436. Ind. Cald. π

angustifolium Roxb. Corom. t. 251. Bot. Reg. 157. Bengal. Cald. π

COSTUS Lin.

arabicus L. Ind. Cald. π

MARANTA Lin.

zebrina Bot. Reg. 385. Bot. Mag. 1926. Brasil. Cald. π

arundinacea L. Red. Lil. t. 57. Am. m. Cald. π

indica Tussac. Journ. de Bot. vol. 2. Martyn. Cent. 39. Ic. Ind. utraque Cald. π Econ.

Tonchat Willd. Sp. Rumph. Amb. 4. t. 7. ♀
 bicolor Bot. Reg. 786. Brasil. Cald. ℥.
 variegata Lodd. Cald. ℥

PERONIA Red. Lil.

{ stricta Red. Lil. t. 342. Carolin. m. Cald. ℥
 { Thalia dealbata Bot. Mag. 1690.

CURCUMA Lin.

longa L. Red. Lil. t. 473. Ind. Cald. ℥ Med.
 rubescens Carey. Fl. Ind. Ind. Cald. ℥
 elata Carey. Fl. Ind. Ind. Cald. ℥

KÆMPFERIA Lin.

Galanga L. Hort. cliff. t. 3. Red. Lil. t. 144. Ind. Cald. ℥ Med.
 { longa Jacq. H. schoen. t. 317. Red. Lil. t. 49. Ind. Cald. ℥ Med.
 { rotunda H. kew. Bot. Mag. 920.
 angustifolia Willd. Enum.

ORDO III.

ORCHIDEÆ Juss.

ORCHIS Lin.

1. Bulbis indivisis.

bifolia L. Vaill. Bot. t. 50. f. 7. Hall. Hist. n° 1285. t. 35. f. 2. Gall. ℥
 pyramidalis L. Jacq. Austr. t. 266. Hall. Hist. n° 1286. t. 35. f. 1. Gall. ℥
 coriophora L. Vaill. Bot. t. 31. f. 30, 31, 32. Hall. Hist. n° 1284. t. 34. f. infer. Gall. ℥
 Morio L. Vaill. Bot. t. 31. f. 13, 14. Hall. Hist. n° 1282. t. 33. f. exter. Gall. ℥
 mascula L. Vaill. Bot. t. 31. f. 11, 12. Hall. Hist. n° 1283. t. 33. f. inter. Gall. ℥
 laxiflora Lamk. Fl. Vaill. Bot. t. 31. f. 33, 34. Gall. ℥
 ustulata L. Vaill. Bot. t. 31. f. 35, 36. Fl. Dan. t. 103. Gall. ℥
 militaris L. Vaill. Bot. t. 31. f. 27, 28. Hall. Hist. n° 1276. t. 31. Gall. ℥
 variegata Poiret. Encycl. Vaill. Bot. t. 31. f. 22, 23, 24. Hall. Hist. n° 1277. t. 30. f. inter. Gall. ℥
 { simia Lamk. Fl. Vaill. Bot. t. 31. f. 25, 26. Gall. ℥
 { tephrosanthos Bot. Reg. 375.
 { hircina Swartz. Orch. Vaill. Bot. t. 30. f. 6. Gall. ℥
 { Satyrium hircinum L. Hall. Hist. n° 1268. t. 25. Gall. ℥

2. *Bulbis palmatis.*

- latifolia* L. Vaill. Bot. t. 31. f. 1, 2, 3. Hall. Hist. n° 1279.
 t. 32. f. exter. Gall. ψ
maculata L. Hall. Hist. n° 1278. t. 32. f. inter. Gall. ψ
conopsea L. Vaill. Bot. t. 30. f. 8. Hall. Hist. n° 1287. t. 29.
 f. exter. Gall. ψ
abortiva L. Hall. Hist. n° 1288. t. 36. f. exter. Gall. π
 { *viridis* DC. Fl. Vaill. Bot. t. 31. f. 6, 7, 8. Gall. π
 { *Satyrium viride* L. Lamk. Ill. t. 726. f. 2.

SERAPIAS Lin.

- lingua* L. Col. Ecphr. 322. Ic. Moris. S. 12. t. 14. f. 21. Gall.
 m. Temp. π
cordigera L. Andr. Rep. 475. Gall. m. Temp. π

SATYRIUM Swartz.

- { *cucullatum* Swartz. Orch. Cap. Temp. π
 { *Orchis bicornis* L. Andr. Rep. 315.

OPHRYs Lin.

- anthropophora* L. Vaill. Bot. t. 31. f. 19, 20. Hall. Hist.
 n° 1263. t. 23. Gall. π
insectifera L.
musciflora Vaill. Bot. t. 31. f. 17, 18. Hall. Hist. n° 1265.
 t. 24. f. inter. Gall. ψ
arachnites Vaill. Bot. t. 30. f. 10, 11, 12, 13. Gall. π
rubiginosa Vaill. Bot. t. 31. f. 15, 16.

PRESCOTIA Lindley.

- plantaginifolia* Spreng. Syst. Brasil. Cald. ψ

GOODYERA Brown. H. kew.

- discolor* Bot. Mag. 2055. Bot. Reg. 271. Brasil. Cald. ψ

NEOTTIA Jacq.

- speciosa* Jacq. Rar. t. 600. Red. Lil. t. 404. Antill. Cald. π
elata Willd. Sp. Red. Lil. t. 164. Antill. Cald. π
 { *picta* Bot. Mag. 1562. I. Trinit. Cald. π
 { *acaulis* Smith. Exot. Bot. t. 105.
 { *spiralis* DC. Fl. Gall. π
 { *Ophrys spiralis* Encycl. Fl. Dan. t. 387.
 { *æstivalis* DC. Fl. Gall. ψ
 { *Ophrys æstivalis* Encycl. Hall. Hist. n° 1294. t. 38.
 { *cernua* Swartz. Orch. Bot. Mag. 1568. Am. s. π
 { *Ophrys cernua* L.
 { *repens* DC. Fl. Alpes ψ
 { *Satyrium repens* L. Hall. Hist. n° 1295. t. 22.
 { *pubescens* Willd. Sp. Am. s. ψ
 { *Satyrium repens* Mich. Fl.

MALAXIS Swartz.

- { *lilifolia* Swartz. Orch. Am. s. π
- { *Ophrys lilifolia*. Red. Lil. t. 437.
- { *Loeselii* Swartz. Orch. Gall. π
- { *Ophrys Loeselii* L. Engl. Bot. 47.

EPIPACTIS Haller.

- { *latifolia* Swartz. Orch. Hall. Hist. n° 1297. t. 40. Gall. π
- { *Serapias latifolia* L.
- { *palustris* Swartz. Orch. Hall. Hist. n° 1296. t. 39. Gall. π
- { *Serapias longifolia* Syst. Veg.
- { *pallens* Swartz. Orch. Hall. Hist. n° 1298. t. 41. Gall. π
- { *Serapias grandiflora* L.
- { *rubra* Swartz. Orch. Hall. Hist. n° 1299. t. 42. Fl. Dan. t. 345. Gall. π
- { *Serapias rubra* L.
- { *Nidus-avis* Swartz. Orch. Hall. Hist. n° 1290. t. 37. f. inter. Gall. π
- { *Ophrys Nidus-avis* L. Fl. Dan. t. 181.
- { *ovata* Swartz. Orch. Hall. Hist. n° 1271. t. 37. f. exter. Gall. π
- { *Ophrys ovata* L. Fl. Dan. t. 137.

LIMODORUM Swartz.

- { *Tankervilliae* Swartz. Orch. Red. Lil. t. 43. China. Cald. π Orn.
- { *Bletia Tankervilliae* H. kew. Bot. Mag. 1924.

CYMBIDIUM Swartz.

- { *purpureum*. Am. m. Cald. π
- { *Limodorum purpureum* Lamk. Encycl. Red. Lil. t. 83.
- { *aloifolium* Swartz. Orch. Ind. Cald. π
- { *Limodorum aloifolium* L. Red. Lil. t. 114.
- { *sinense* Willd. Sp. China. Cald. π
- { *Epidendrum sinense* Andr. Rep. 216. Red. Lil. t. 113.
- reflexum* Brown Prodr. N. Holl. Temp. π

DENDROBIUM Swartz.

- speciosum* Smith. Exot. Bot. t. 10.
- squalens* Bot. Reg. 732. Brasil. Cald. π

PLEUROTHALLIS Brown H. kew.

- { *ruscifolia* H. kew. Am. m. π
- { *Dendrobium ruscifolium* Willd. Sp.
- { *Epidendrum ruscifolium* Jacq. Am. t. 133. f. 3.

ONCIDIUM Swartz.

- Papilio* Bot. Reg. 910. I. Trinit. Cald. π

RODRIGUEZIA Ruiz et Pav.

- { secunda Kunth. N. Gen. t. 92. Bot. Reg. 930. Am. m. Cald. ψ
- { lanceolata Lodd. Bot. Cab. 676.
- { Pleurothallis coccinea Hook. Exot. Fl. 129.

CYPRIPEDIUM Lin.

- { spectabile Salisb. Soc. Lin. Lond. Am. s. Temp. ψ
- { album Bot. Mag. 216.
- venustum Bot. Reg. 788. Bot. Mag. 2129. Hook. Exot. Fl. 34. Ind. Cald. ψ
- { pubescens Willd. Sp. H. berol. t. 13. Am. s. ψ
- { flavescens Red. Lil. t. 20.
- { humile Soc. Lin. Lond. vol. 5. t. 3. f. 4. Am. s. ψ
- { acaule H. kew. Bot. Mag. 192.
- insigne Lind. Collect. t. 32. Hook. Exot. Fl. 35. Ind. Cald. γ

EPIDENDRUM Lin.

- cochleatum L. Red. Lil. t. 346.
- longatum Swartz. Orch. Jacq. Rar. t. 605. Bot. Mag. 611. Am. m. Cald. ψ
- bifidum Swartz. Orch. Red. Lil. t. 84. Am. m. Cald. ψ
- { undulatum Swartz. Prodr. Bot. Mag. 777. Antill. Cald. ψ
- { carthagenense Jacq. Am. ?
- aloifolium L. Red. Lil. t. 114. Ind. Cald. γ
- ciliare L. Red. Lil. t. 82. Bot. Reg. 784. Antill. γ

VANILLA Plum.

- { aromatica Swartz. Orch. Plum. Ic. t. 188. Am. m. Cald. γ Econ. Med.
- { Epidendrum Vanilla L.

ORDO IV.**HYDROCHARIDÆ** Juss.**VALLISNERIA** Lin.

- spiralis L. Mich. Gen. t. 10. Gall. γ

STRATIOTES Lin.

- alooides L. Fl. Dan. t. 337. Gall. occid. γ

HYDROCHARIS Lin.

- Morsus-ranæ L. Engl. Bot. 808. Gall. γ

NYMPHÆA Lin.

alba Lin. Fl. Dan. t. 602. Gall. & Med.

lutea L. Fl. Dan. t. 603. Gall. &

advena H. kew. Bot. Mag. 684. Am. s.

cœrulea Savigny Ann. du Mus. vol. 1. t. 25. Vent. Malm.
t. 6. Ægypt. Cald. &**CLASSIS VI.****DICOTYLEDONES APETALÆ, STAMINA EPIGYNA.****ORDO I.****ARISTOLOCHIÆ** Juss.**ARISTOLOCHIA** Lin.

pubera Brown. Prodr. N. Holl. Temp. &

tomentosa Bot. Mag. 1369. Am. s. Temp. ♀

{ labiosa Bot. Reg. 689. Bot. Mag. 2545. (Excl. Valh
et Willd.) Brasil. Cald. ♀

{ ringens Link H. berol. t. 13.

altissima Desf. Atl. t. 249. Alger. Temp. ♀

bilobata L. Plum. Am. t. 106. Antill. Cald. ♀

sempervirens L. Clus. Hist. 2. p. 260. Ic. exter. Bot. Mag.
1116. Gall. m. Temp. ♀

Pistolochia L. Clus. Hist. 2. p. 72. Gall. m. Temp. & Med.

oblongata Jacq. H. schœn. t. 183. Caracas. Cald. ♀

anguicida Jacq. Am. t. 144. Carthag. Cald. ♀

pandurata Jacq. H. schœn. t. 497. Caracas. Cald. ♀

trilobata L. Jacq. f. Ecl. t. 26. Am. m. Cald. ♀

Sypho L'her. Stirp. t. 7. Am. s. ♀

longa L. Clus. Hist. 2. p. 70. Ic. inter. Gall. & Med.

rotunda L. Clus. Hist. 2. p. 70. Ic. exter. Riv. Irreg.
Monop. t. 116. Gall. & Med.

Clematitis L. Fl. Dan. t. 1235. Gall. & Med.

serpentaria L. Jacq. H. schœn. t. 385. Am. s. & Med.

ASARUM.

europæum L. Fl. Dan. t. 633. Gall. & Med.

canadense L. Cornuti. Canad. 25. Ic. Canad. & Med.

virginicum L. Pluk. t. 78. f. 2. Virgin. Temp. & Med.

CLASSIS VII.

DICOTYLEDONES APETALÆ, STAMINA PERIGYNA.

ORDO I.

ELÆAGNEÆ Juss.

THESIUM Lin.

linophyllum L. Moris. S. 15. t. 1. f. 3. Engl. Bot. 247.
Gall. x

OSYRIS Lin.

alba L. Clus. Hist. 91. Ic. Gall. y

HIPPOPHAE.

Rhamnoides L. Fl. Dan. t. 265. Gall. x

SHEPHERDIA Nuttall.

{ canadensis Nuttall. Gen. Am. s. s. y
{ Hippophae canadensis L.

ELÆAGNUS Lin.

angustifolia L. Camer. Epit. 106. Ic. Oriens. y Orn.
{ argentea Colla. H. Rip. t. 28. (non Pursch.) Temp. y
{ acuminata Link. Enum.
argentea Pursch. Fl. ? Am. s. y

NYSSA Lin.

aquatica L. Am. s. y
angulisans Mich. Fl. Am. s. y
villosa Mich. Fl. Am. s. y
candicans Mich. Fl. Am. s. y

BUCIDA Lin.

Buceras L. Brown. Jam. t. 23. f. 1. Antill. Cald. y

TERMINALIA Lin.

{ angustifolia Jacq. Hort. 3. t. 100. Ind. Cald. y
{ Benzoin L. Suppl.
Catappa L. Mant. Jacq. Rar. t. 197. Ind. Cald. y Econ.
guianensis H. p. Cald. y

GYROCARPUS Roxb.

- { Jacquini Roxb. Corom. t. 1. Ind. Cald. ♪
 { asiaticus Willd. Sp.

ORDO II.**THYMELÆÆ.****DIRCA** Lin.

- palustris L. Amoen. 3. t. 1. f. 1. Bot. Reg. 292. Virgin. ♪

DAPHNE Lin.

1. Floribus lateralibus.

- Mezereum L. Fl. Dan. t. 268. Roques Phyt. t. 41. Gall. ♪
 Orn.

— album.

- Thymelæa L. Ger. Gallop. t. 17. f. 2. Gall. m. Temp. ♪

- Tarton-raira L. Pluk. t. 318. f. 6. mala. Gall. m. Temp.

- ♪
 alpina L. Alpes. ♪

- pontica L. Bot. Mag. 1282. Asia min. ♪ Orn.

- Laureola L. Jacq. Austr. t. 183. Gall. ♪ Venen.

2. Floribus terminalibus.

- { odora Thunb. Jap. Kæmpf. Ic. Sel. t. 16. Smith. Exot.
 { t. 47. Japon. Cald. ♪ Orn.
 { sinensis Lamk. Encycl.

- altaica Pallas Ross. Bot. Mag. 1875. Alpes. Altaic. ♪

- oleoides L. Mant. Bot. Mag. 1917. Oriens. Temp. ♪

- collina Smith. Spicil. t. 18. Bot. Mag. 428. Bot. Reg. 822.
 Ital. Temp. ♪

- Cneorum L. Jacq. Austr. t. 426. Bot. Mag. 313. Gall. ♪
 Orn.

- Gnidium L. Clus. Hist. 87. Ic. infer. Gall. m. Temp. ♪
 Med.

PASSERINA Lin.

- hirsuta L. Bot. Mag. 1949. Gall. m. Temp. ♪

- { dioica Ramond. Bull. Phil. Pyren. ♪

- { Daphne dioica Gouan. Ill. t. 17. f. 1.

- spicata L. Suppl. Wendl. Obs. t. 2. f. 19. Cap. Temp. ♪

- filiformis L. H. cliff. t. 11. Cap. Temp. ♪

- grandiflora L. Suppl. Bot. Mag. 292. Cap. Temp. ♪

STELLERA Lin.

- Passerina L. Col. Ecphr. 1. 82. Ic. Jacq. Rar. t. 68. Gall. ☉

PIMELEA Smith.

- linifolia Smith. N. Holl. 1. t. 11. Bot. Mag. 891.
 N. Holl. Temp. ♪
 { decussata Brown. Prodr. N. Holl. Temp. ♪
 { ferruginea Labill. N. Holl. t. 5.
 rosea Brown. Prodr. Bot. Mag. 1458. N. Holl. Temp. ♪

STRUTHIOLA Lin.

- virgata L. Mant. Smith. Exot. Bot. t. 46. Cap. Temp. ♪
 erecta L. Mant. Bot. Mag. 2138. Cap. Temp. ♪
 imbricata Andr. Rep. 113. Cap. Temp. ♪

LACHNEA Lin.

- eriocephala L. Bot. Mag. 1295. Cap. Temp. ♪
 buxifolia Lamk. Encycl. Bot. Mag. 1657, 1658. Cap.
 Temp. ♪

DAIS Lin.

- { cotinifolia L. Bot. Mag. 147. Cap. Temp. ♪
 { laurifolia Jacq. Rar. t. 77.

GNIDIA Lin.

- simplex L. Mant. Bot. Mag. 812. Cap. Temp. ♪
 pinifolia L. Suppl. Bot. Mag. 2016. Bot. Reg. 19 Variet.
 Cap. Temp. ♪
 oppositifolia L. Bot. Reg. 2. Cap. Temp. ♪
 tomentosa Bot. Mag. 2761. Cap. Temp. ♪

ORDO III.**PROTEACEÆ** Juss.**PROTEA** Lin.

- { argentea L. Com. Hort. 2. t. 26. Cap. Temp. ♪ Orn.
 { Leucadendrum argenteum Brown. Soc. Lin. Lond.
 { vol. 10.
 { pallens L. Mant. (non Thunb.) Cap. Temp. ♪
 { Leucadendrum ascendens Brown. Loc. cit. Pluh. t. 229.
 { f. 6. (Mas.)
 { conifera L. Mant. ex Brown. Cap. Temp. ♪
 { torta Thunb. Diss. Cap. Temp. ♪
 { Leucadendrum tortum Brown. Loc. cit. Bot. Reg. t. 826.
 { parviflora L. Mant. Thunb. Diss. t. 4. ex Brown. Cap.
 { Temp. ♪
 { obliqua L. Suppl.
 { Leucadendrum plumosum Brown. Loc. cit.
 { Levisanus L. Mant. Pluk. t. 343. f. 9. Burm. Afr. t. 100.
 { f. 2. (Mas.) Cap. Temp. ♪
 { Leucadendrum Levisanus Brown. Loc. cit.

- { hirta L. Mant. Weim. Phyt. t. 899. Cap. Temp. ♀
- { Mimetes hirta Brown. Loc. cit.
- { prolifera Thunb. Diss. t. 4. Cap. Temp. ♀
- { Spatalla prolifera Brown. Loc. cit.
- { saligna L. Mant. Cap. Temp. ♀
- { Leucadendrum salignum Brown. Loc. cit.
- { conocarpa Thunb. Diss. Boerh. Lugd.-Bat. 2. 196. Ic. Cap. Temp. ♀
- { Leucospermum conocarpum Brown. Loc. cit.
- { grandiflora. Cap. Temp. ♀
- { Leucadendrum grandiflorum Brown. Loc. cit. Bot. Mag. 1650.
- speciosa L. Mant. Brown. Loc. cit. Bot. Mag. 1183. Cap. Temp. ♀
- pulchella Bot. Reg. 20. Cap. Temp. ♀
- { formosa H. kew. Bot. Mag. 1713. Cap. Temp. ♀
- { Orn.
- { coronata Andr. Rep. 469.
- { mellifera Thunb. Diss. Bot. Mag. 346. Cap. Temp. ♀
- { repens L. Mant. ex Brown.
- cordata Thunb. Diss. t. 5. f. 1. Bot. Mag. 649. Cap. Temp. ♀
- cynanoides L. Mant. Brown. Loc. cit. Andr. Rep. 288. Bot. Mag. 750. Cap. Temp. ♀
- { strobilina Thunb. Diss. (non Lin. Mant.) Cap. Temp. ♀
- { Leucadendrum ovale Brown. Loc. cit.

BANKSIA Lin. Suppl.

- { latifolia Brown Prodr. Bot. Mag. 2406. N. Holl. Temp. ♀
- { Robur Cav. Ic. t. 543.
- serrata Brown. Prodr. Andr. Rep. 82. N. Holl. Temp. ♀
- { præmorsa Andr. Rep. 258. N. Holl. Temp. ♀
- { marcescens Brown. Prodr.
- spinulosa Brown. Prodr. Smith. N. Holl. t. 4. Andr. Rep. 457. N. Holl. Temp. ♀
- ericæfolia Brown. Prodr. Andr. Rep. 156. Cav. Ic. t. 538. Bot. Mag. 738. N. Holl. Temp. ♀
- littoralis Brown. Prodr. N. Holl. Temp. ♀

HAKEA Schrad. Sert.

- gibbosa Brown. Prodr. Cav. Ic. t. 534. N. Holl. Temp. ♀
- { dactyloides Brown. Prodr. Cav. Ic. t. 535. N. Holl. Temp. ♀
- { Conchium dactyloides Vent. Malm. t. 110.
- microcarpa Brown. Prodr. Bot. Reg. 475. N. Holl. Temp. ♀
- { saligna Brown. Prodr. N. Holl. Temp. ♀
- { Embothrium salicifolium Vent. Hort. Cels. t. 8.

ruscifolia Brown. Prodr. N. Holl. Temp. 5
verticillata Brown. Prodr. Hook. Exot. Fl. 96. N. Holl.
 Temp. 5

ceratophylla Brown. Prodr. N. Holl. Temp. 5
suaveolens Brown. Prodr. N. Holl. Temp. 5
epiglottis Labill. N. Holl. t. 40. N. Holl. Temp. 5
pugioniformis Brown. Prodr. Cav. Ic. t. 533. N. Holl.
 Temp. 5
 { *acicularis* Brown. Prodr. N. Holl. Temp. 5
 { *Conchium aciculare* Vent. Malm. t. 111.

DRYANDRA Brown.

floribunda Brown. Prodr. Bot. Mag. 1581. N. Holl.
 Temp. 5
longifolia Brown. Prodr. Bot. Mag. 1582. N. Holl.
 Temp. 5
 { *nivea* Brown. Prodr. N. Holl. Temp. 5
 { *Banksia nivea* Labill. Itin. t. 24.

LAMBERTIA Smith.

formosa Brown. Prodr. Cav. Ic. t. 547. Bot. Reg. 528.
 N. Holl. Temp. 5

STENOCAEPUS Brown.

salignus Brown. Prodr. Bot. Reg. 441. N. Holl. Temp. 5

EMBOTHRIUM Forst.

{ *sericeum* Smith. N. Holl. t. 9. Andr. Rep. 100. N. Holl.
 { Temp. 5
 { *Grevillea sericea* Brown. Prodr.
 { *rosmarinifolium*. N. Holl. Temp. 5
 { *Grevillea rosmarinifolia* Aiton. N. Holl. Temp. 5

LOMATIA Brown.

{ *silaifolia* Brown. Prodr. N. Holl. Temp. 5
 { *Embothrium silaifolium* Smith. N. Holl. t. 8.
 { *Embothrium herbaceum*. Cav. Ic. t. 384.

PERSOONIA Smith.

ilicifolia Brown. Prodr. N. Holl. Temp. 5
linearis Brown. Prodr. Vent. Malm. t. 32. N. Holl.
 Temp. 5

ORDO IV.

LAURINEÆ Juss.

TETRANTHERA Jacq.

- { laurifolia Jacq. H. schoen. t. 113. Bot. Reg. 893. China.
Cald. ♪
- { Tomex Tetranthera Willd. Sp.
- { Litsea chinensis Lamk. Encycl.
- apetala Roxb. Corom. t. 147. Ind. Cald. ♪

VIROLA Aublet.

- { sebifera Aublet. Guyan. t. 345. Guyan. Cald. ♪ Econ.
- { Myristica sebifera Lamk. Encycl.

LAURUS Lin.

1. Foliis perennibus.

- Cinnamomum L. Bot. Mag. 2628. Ind. Cald. ♪ Econ.
- { nitida Roxb. Mss. Zeylan. Cald. ♪ Econ. Med.
- { Cinnamomum nitidum Hook. Exot. Fl. 176. Ind. Cald. ♪
- Camphora L. Kaempfer. Amoen. 771. Ic. Jacq. Coll. 4. t. 3.
- Japon. Temp. ♪ Econ. Med.
- Cassia L. H. malab. 1. t. 57. Bot. Mag. 1656. Ind. Cald. ♪ Econ.
- Culiban L. Mant. Rumph. Amb. 2. t. 14. Ind. Cald. ♪ Med.
- aggregata Bot. Mag. 2497. China. Cald. ♪
- Persea L. Sloan. Jam. 2. t. 222. f. 2. Antill. Cald. ♪ Econ.
- nobilis L. Camer. Epit. 60. Ic. Ital. Temp. ♪ Econ. Med.
- indica L. Madera. Temp. ♪
- Borbonia L. ? Catesbi Carolin. 1. t. 63. Carolin. Temp. ♪
- caroliniensis Mich. Fl. Carolin. Temp. ♪
- foetens H. kew. Madera. Temp. ♪

1. Foliis deciduis.

- diospyroides Mich. Fl. Bot. Mag. 1470. Am. s. Temp. ♪
- geniculata Mich. Fl. Bot. Mag. 1471. Carolin. Temp. ♪
- æstivalis L. Virgin. Temp. ♪
- Benzoin L. Virgin. ♪
- Sassafras L. Trew. Sel. t. 69, 70. Am. s. ♪ Med. Orn.

MYRISTICA Lin. Suppl.

- { aromatica Lamk. Encycl. Molucæ. Cald. ♪ Econ. Med.
- { officinalis Hook. Exot. Fl. 155, 156. Bot. Mag. 2756 et 2757.

HERNANDIA Lin.

sonora L. Hort. cliff. t. 33. Ind. Cald. ♪

ORDO V.**POLYGONEÆ** Juss.**COCCOLOBA** Lin.

coronata Jacq. Am. t. 77. ? Antill. Cald. ♪

excoriata L. Plum. Ic. t. 146. f. 1. Antill. Cald. ♪

uvifera L. Plum. Ic. t. 145. Antill. Cald. ♪

{ * rheifolia H. p. Antill. Cald. ♪

{ latifolia Encycl.

* rugosa H. p. Antill. Cald. ♪

pubescens L. Antill. Cald. ♪

diversifolia Jacq. Am. t. 76. Hook. Exot. Fl. 102. Antill. Cald. ♪

{ * pyrifolia H. p. Antill. Cald. ♪

{ excoriata Encycl. Variet. B.

fagifolia Jacq. H. schoen. t. 352. Antill. Cald. ♪

nivea Swartz. Fl. ind. Jacq. Am. t. 78. Antill. Cald. ♪

BRUNNICHIA Gærtn.

cirrhosa Mich. Fl. Gærtn. Fruct. t. 45. Am. s. ♪

ATRAPHAXIS Lin.

undulata L. Dill. Elth. t. 32. f. 36. Cap. Temp. ♪

spinosa L. Dill. Elth. t. 40. f. 47. L'her. Stirp. t. 14. Oriens. Temp. ♪

POLYGONUM Lin.

1. Foliis indivisis, floribus octandris.

herniarioides Delile Fl. Ægypt. Ægypt. Temp. ♥

aviculare L. Fl. Dan. t. 803. Engl. Bot. 1252. Gall. ♥

Bellardi All. Ped. t. 90. f. 2. Alpes ♥

maritimum L. Camer. Epit. 691. Ic. Gall. ♥

frutescens L. Bot. Reg. 254. Siber. ♪

divaricatum L. Gmel. Siber. 3. t. 11. f. 1. Siber. ♥

alpinum All. Ped. t. 68. f. 1. Alpes ♥

angustifolium Poiret. Encycl. Siber. ♥

2. Stylo bifido, staminibus minus 8.

orientale L. Bot. Mag. 213. Ind. ☉ Orn.

Persicaria L. Engl. Bot. 756. Gall. ☉ Med.

— maculata.

lapathifolium L. Engl. Bot. 1382. Gall. ☉

{ minus Smith. Fl. Engl. Bot. 1043. Gall. ☉
 { pusillum DC. Fl.
 Hydropiper L. Engl. Bot. 989. Gall. ☉ Med.
 amphibium L. Engl. Bot. 436. Gall. ✕
 virginianum L. Virgin. ✕

3. Bistortæ, spica unica.

viviparum L. Fl. Dan. t. 13. Engl. Bot. 669. Alpes. ✕
 Bistorta L. Engl. Bot. 509. Gall. ✕ Med.
 — latifolia.

4. Foliis subcordatis.

tataricum L. Gmel. Siber. 3. t. 13. f. 1. Siber, ☉ Econ.
 * cymosum H. p. ✕
 Fagopyrum L. Engl. Bot. 1044. ☉ Econ.
 emarginatum Willd. Sp. China. ☉ Econ.
 Convolvulus L. Engl. Bot. 941. Gall. ☉
 dumetorum L. Fl. Dan. t. 756. Gall. ☉
 scandens L. Pluk. t. 177. f. 7. mala. Am. s. ✕
 acetosæfolium Vent. H. Cels. t. 88. Brasil. Temp. ✕

RUMEX Lin.

1. Hermaphroditi, valvulis granulo destitutis.

{ Lunaria L. Pluk. t. 252. f. 3. Canar. Temp. ♀
 { Polygamus Cav. Ic. t. 22.
 vesicarius L. Munt. Brit. 227. Ic. Maurit. ☉
 roseus L. Egypt. ☉
 tingitanus L. Moris. S. 5. t. 28. f. 8. Maurit. ✕
 scutatus L. Moris. S. 5. t. 28. f. 9. Gall. ✕ Med. Econ.
 — glaucus.
 digynus L. Fl. Dan. t. 14. Engl. Bot. 919. Alpes. ✕
 bucephalophorus L. Cav. Ic. t. 41. f. 1. Gall. ☉

2. Floribus diclinis.

{ abyssinicus Jacq. Hort. 3. t. 93. Abyssin. Cald. ♀
 { arifolius L. Suppl.
 alpinus L. Moris. S. 5. t. 27. f. 2. Alpes. ✕ Med.
 { montanus Bocc. Mus. t. 125. Alpes. ✕
 { arifolius All. Ped.
 { * cordatus H. p. Cap. Temp. ✕
 { sarchorhizus? Link. Enum.
 Acetosa L. Fuchs. Hist. 464. Ic. Engl. Bot. 127. Gall. ✕
 Med. Econ.
 Acetosella L. Tabern. Ic. 440. f. inter. Engl. Bot. 1674.
 Gall. ✕
 spinosus L. C. B. Prodr. 57. Ic. Oriens. ☉

3. Floribus hermaphroditis, valvulis granulo notatis.

- maritimus L. Engl. Bot. 725. Gall. ʒ
 crispatus Mich. Fl. Am. s. ☉
 ægyptiacus L. Till. Pis. t. 37. f. 1. Ægypt. ☉
 dentatus L. Mant. Dill. Elth. t. 158. f. 191. Ægypt. ☉
 pulcher L. Engl. Bot. 1576. Gall. ʒ
 verticillatus L.? Am. s. ʒ
 salicifolius Weim. ex Fischer. Californ. ʒ
 Nemolapathum L. Suppl. Gall. ʒ
 sanguineus L. Engl. Bot. 1533. Gall. ʒ
 purpureus Poiret. Encycl. ʒ
 obtusifolius L. Engl. Bot. 1999. Gall. ʒ
 crispus L. Engl. Bot. 1998. Gall. ʒ
 { Hydrolapathum Willd. Sp. Tabern. Ic. 437. f. exter.
 Gall. ʒ
 aquaticus Smith. Fl.
 Patientia L. Munt. Brit. 68. Ic. Gall. ʒ Med.
 { undulatus H. p. ʒ
 cristatus DC. Cat. Monsp.
 confertus Willd. Enum.

RHEUM Lin.

- Rhaponticum L. Asia. ʒ Med.
 compactum L. Tartar. ʒ Med.
 undulatum L. China. ʒ Med.
 Ribes L. Desf. Ann. du Mus. 2. t. 49. Asia. ʒ Med.
 Econ.
 hybridum H. kew. Murr. Gott. 1779. t. 1. Asia. ʒ
 palmatum L. Mill. Ill. Ic. China. ʒ Med.
 * rugosum H. p. ʒ

PALLASIA.

- { caspica L. Suppl. Russ. ʒ
 Pterococcus aphyllus Pall. Itin. Ed. Gall. 2. t. 16.
 Calligonum Pallasia L'her. Soc. Lin. Lond. 1.

TRIPLARIS Lin.

- americana Vahl. Symb. Aublet. Guian. t. 347. Guian.
 Cald. ʒ

ORDO VI.

ATRIPLICEÆ Juss.

PHYTOLACCA Lin.

- octandra L. Dill. Elth. t. 239. f. 508. Mexico. Cald. ʒ
 decandra L. Bot. Mag. 931. Virgin. ʒ

- { dodecandra L'her. Stirp. t. 69. Abyss. Cald. ♀
- { abyssinica Willd. Sp.
- icosandra L. Mill. Ic. t. 207. Am. m. Cald. ♂
- dioica L. L'her. Stirp. t. 70. Am. m. Cald. ♀

RIVINA Lin.

- humilis L. Com. Hort. 1. t. 66. Bot. Mag. 1781. Antill. Cald. ♀
- lævis L. Mant. Bot. Mag. 2333. Antill. Cald. ♀
- purpurascens Willd. Enum. Cald. ♀
- brasiliensis Willd. Sp. Brasil. Cald. ♀
- octandra L. Plum. Ic. t. 241. Am. m. Cald. ♀

BOSEA Lin.

- Yerva-mora L. Jacq. f. Ecl. t. 25. Canar. Temp. ♀

PETIVERIA Lin.

- alliacea L. Trew. Sel. t. 67. Antill. Cald. ♀

POLYCNEMUM Lin.

- arvense L. Jacq. Austr. t. 365. Gall. ☉

CAMPHOROSMA Lin.

- monspeliaca L. Tournef. Acad. Par. 1705. t. 4. Gall. m. Temp. ♀ Med.

GALENIA Lin.

- africana L. Bocc. Mus. t. 110. (Kali lignosum). Cap. Temp. ♀

BASELLA Lin.

- rubra Lamk. Ill. t. 215. f. 1. Ind. Cald. ♂
- alba L. Pluk. t. 63. f. 1. Ind. Cal. ♂
- cordifolia Lamk. Encycl. H. malab. 7. t. 24. (an rubra) L.)? Ind. Cald. ♂
- vesicaria Lamk. Ill. t. 215. f. 2. Peruv. Cald. ♂

SALSOLA Lin.

1. Fruticosæ.

- brevifolia Desf. Atl. Maurit. Temp. ♀
- { vermiculata H. p. Egypt. Temp. ♀
- { Sueda vermiculata Delile. Fl. Egypt.
- prostrata L. Jacq. Austr. t. 294. Austr. ♀
- { sericea Willd. Enum. Cap. Temp. ♀
- { Chenolea diffusa Willd. Sp.
- { oppositifolia Desf. Atl. Maurit. Temp. ♀
- { fruticosa Cav. Ic. t. 285.

2. Herbaceæ.

- { baccata H. p. Ægypt. Temp. ♀
- { Sueda baccata Delile Fl. Ægypt.
- { hortensis H. p. Ægypt.
- { Sueda hortensis Delile Fl. Ægypt.
- { hirsuta L. Fl. Dan. t. 187. Gall. ☉
- { Chenopodium hirsutum Marsch. Caucas.
- muricata L. Mant. All. Miscell. t. 4. f. 2. Ægypt. ☉
- laniflora L. Suppl. Siber. ☉
- arenaria Wald et Kit. Hung. 1. t. 78. Hungar. ☉
- Soda L. Jacq. Hort. t. 68. Gall. ☉
- { radiata Desf. Ann. du Mus. 2. t. 34. Am. s. ☉
- { platiphylla Mich. Fl.
- { Kochia dentata Willd. Hort. Ber. t. 28.
- salsa Jacq. Hort. 3. t. 83. an Lin.? Buxb. t. 31. f. 1. plantam
diversam repræsentat. Astracan. ☉
- Kali L. Camer. Epit. 779. Ic. Fl. Dan. t. 818. Gall. ☉ Econ.
- Tragus L. Gall. ☉ Econ.

SPINACIA Lin.

- oleracea L. Lob. Ic. 257. f. inter. ☉
- lævis.

BETA Lin.

- vulgaris L. Europ. m. ♂ Econ.
- rubra.
- Cycla Murr. Syst. Veg. Lusit. ♂
- maritima L. Engl. Bot. 285. Gall. ♂
- trigyna Wald. et Kit. Hung. 1. t. 35. Hungar. ♀
- * hastata. H. p.

CHENOPODIUM Lin.

1. Foliis angulatis.

- Bonus henricus L. Fl. Dan. t. 579. Gall. ♀
- urbicum L. Engl. Bot. 717. Gall. ☉
- { atriplicis H. kew. China. ☉
- { purpurascens Jacq. Hort. 3. t. 80.
- Quinoa Willd. Sp. Feuil. Obs. t. 10. Peruv. ☉
- rhombifolium Willd. Enum. Am. s. ☉
- murale L. Engl. Bot. 1722. Gall. ☉
- hybridum L. Vail. Bot. t. 7. f. 2. Gall. ☉
- ficifolium Smith. Fl. Engl. Bot. 1724. Gall. ☉
- album L. Engl. Bot. 1723. Gall. ☉
- rubrum L. Fuchs. Hist. 653. Ic. Engl. Bot. 1721. Gall. ☉
- ambrosioides. L. Mexico. ☉ Med.
- anthelminticum L. Dill. Elth. t. 66. f. 76. Pensylv.
- Temp. ♀

Botrys L. Fuchs. Hist. 178. Ic. Gall. m. ☉ Med.
 multifidum L. Dill. Elth. t. 66. f. 77. Buenos-Ayres.
 Temp. ♀
 graveolens Willd. Enum. Jacq. f. Ecl. t. 67. Mexico? ☉
 glaucum L. Engl. Bot. 1454. Gall. ☉

2. Foliis integris.

{ Vulvaria L. Bull. Herb. t. 323. Gall. ☉
 { olidum Smith. Fl. Engl. Bot. 1034.
 lanceolatum Willd. Enum. Pensylv. ☉
 caudatum Jacq. Ic. t. 344. Guinea. ☉
 polyspermum L. Camer. Epit. 237. Ic. Engl. Bot. 1480.
 Gall. ☉
 scoparia L. Dod. Pempt. 101. Ic. f. infer. Græcia. ☉
 villosum Lamk. Encycl. ☉
 aristatum L. Hall. Com. Gott. 2. t. 15. f. 3. Siber. ☉
 maritimum L. Fl. Dan. t. 489. Engl. Bot. 633. Gall. ☉
 { altissimum Marsch. Cauc. Mare Casp. ☉
 { Salsola altissima L.
 { fruticosum Marsch. Caucas. Gall. ♀
 { Salsola fruticosa L.

ATRIPLEX Lin.

Halimus L. Clus. Hist. 53. Ic. Gall. ♀
 portulacoides L. Dod. Pempt. 771. Ic. Engl. Bot. 261.
 Gall. ♀
 albicans H. kew. Cap. Temp. ♀
 rosea L. Schk. Handb. 3. t. 350. Europ. m. ☉
 sibirica Schk. Handb. t. 350. Siber. ☉
 microsperma Wald. et Kit. Hung. t. 250. Hungar. ☉
 * lacera H. p. ☉
 hortensis L. Lob. Ic. 253. Tartar. ☉
 — rubra.
 — ruberrima.
 nitens Willd. Sp. Schk. Handb. t. 348. Hungar. ☉
 laciniata L. Engl. Bot. 165. Gall. ☉
 * multifida. H. p. ☉
 { hastata L. Gall. ☉
 { patula L. Engl. Bot. 936.
 erecta Smith. Fl. Engl. Bot. 2223. Gall. ☉
 angustifolia Smith. Fl. Engl. Bot. 1774. Gall. ☉
 littoralis L. Engl. Bot. 708. Gall. ☉

CERATOSPERMUM Pers.

{ papposum Pers. Syn. Oriens. Temp. ♀
 { Axyris ceratoides L. Jacq. Bar. t. 189.
 { Diotis ceratoides Willd. Sp.
 { Eurotia Adans.

AXYRIS Lin.

amaranthoides L. Schk. Handb. 3. t. 285. Siber. ☉

BLITUM Lin.

capitatum L. Poit. et Turp. Fl. Par. t. 2. Gall. ☉

virgatum L. Poit. et Turp. Fl. Par. t. 3. Bot. Mag. 276.
Gall. ☉

minus Vahl. Enum. Moris. S. 5. t. 32. f. 11. Variet. ☉

SALICORNIA Lin.

{ herbacea L. Fl. Dan. t. 303. Gall. ☉

{ annua Engl. Bot. 415.

fruticosa L. Camer. Epit. 246. Ic. Gall. ☉

CORISPERMUM Lin.

hyssopifolium L. Sibth. Fl. Græca. t. 1. Gall. m. ☉

squarrosum L. Pallas Ross. 2. t. 99. Ross. ☉

CLASSIS VIII.

DICOTYLEDONES APETALÆ, STAMINA HYPOGYNA.

ORDO I.

AMARANTHACEÆ Juss.

LECANOCARPUS Fischer.

nepaulensis Fischer. Index Hort. petrop. Nepaul. ☉

AMARANTHUS Lin.

1. Triandri.

albus L. Willd. Amar. t. 1. f. 2. Am. s. ☉

gracisans L. Willd. Amar. t. 4. f. 7. Am. s. ☉

angustifolius Willd. Sp. Marè Casp. ☉

tenuifolius Willd. Sp. Ind. ☉

prostratus Balbis. Miscell. t. 10. Ital. ☉

tricolor. L. Hort. eist. autumn. 2. t. 6. Ind. ☉

lividus L. Willd. Amar. t. 1. f. 1. Am. s. ☉

melancholicus L. Willd. Amar. t. 9. f. 18. Ind. ☉

Blitum L. Camer. Epit. 236. Ic. Engl. Bot. 2212. Gall. ☉

sylvestris DC. Suppl. Gall. ☉

polygonoides L. Sloan. Jam. t. 92. f. 2. Antill. ☉

2. Pentandri.

- chlorostachys* Willd. Sp. Amar. t. 10. f. 19. ☉
rigidus Schult. ☉
lætus Willd. Sp. Amar. t. 8. f. 15. ☉
paniculatus L. Willd. Amar. t. 2. f. 4. Am. s. ☉
 { *hybridus* L. (non Willd.) Gall. ☉
 } *retroflexus* Lamk. Encycl. Willd. Amar. t. 11. f. 21.
speciosus Bot. Mag. 2227. Nepaul. ☉
caudatus L. Hort. eist. autumn. 2. t. 17. f. 1. Ind. ☉
 Orn.
sanguineus L. Willd. Amar. t. 2. f. 3. Am. m. ☉
spinosus L. Willd. Amar. t. 4. f. 8. Ind. ☉

CELOSIA Lin.

- argentea* L. Martyn. Dec. 1. t. 7. China. ☉
margaritacea L. H. malab. 10. t. 38. Ind. ☉
trigyna L. Mant. Jacq. Hort. 3. t. 15. Senegal. ☉
cristata L. Asia. ☉ Orn.
coccinea L. China ☉ Orn.
castrensis L. Barrel. t. 1195. Ind. ☉

IREGINE Lin.

- celosioides* L. Antill. Cald. ♀

ACHYRANTHES Lin.

- argentea* Lamk. Encycl. Bocc. Sic. t. 9. Sicil. ☉
fruticosa Lamk. Encycl. Ind. Cald. ♀
 { *crispa* Poiret. Encycl. Suppl. Am. m. Cald. ♀
 } *aspera* Jacq. f. Ecl. t. 43.
virgata Poiret. Encycl. Suppl. Am. m. Cald. ♀
 * *rivinaefolia* H. p. Antill. Cald. ♀
axillaris Willd. Enum. Cald. ♀
porrigens Jacq. H. schœn. t. 350. Bot. Mag. 830. Peruv.
 Cald. ♀

DESMOCHÆTA DC.

- { *atropurpurea* DC. H. monsp. H. malab. t. 59. Ind.
 Cald. ♀
 { *Achyranthes lappacea* L.
 { *flavescens* DC. Ind. Cald. ♀
 } *Achyranthes styracifolia* Lamk. Encycl.

GOMPHRENA Lin.

- globosa* L. Com. Hort. 1. t. 45. Ind. ☉
 { *interrupta* L. L'her. Stirp. t. 3. Antill. Cald. ♀
 } *Celosia procumbens* Jacq. Rar. t. 51.
decumbens Jacq. H. schœn. t. 482. ☉
brasiliensis L. Jacq. Rar. t. 346. Brasil. Cald. ♀

ILLECEBRUM Lin.

- lanatum L. Burm. Zeyl. t. 26. f. 1. Ind. Cald. ✕
 { javanicum Syst. Veg. Burm. Ind. t. 65. f. 2. Ind. Cald. 3
 { Achyranthes alopecuroides Lamk. Encycl.

ORDO II.**PLANTAGINEÆ** Juss.**PLANTAGO** Lin.1. *Caule folioso.*

- { Psyllium Fuchs. Hist. 888. Ic. Gall. ☉
 { arenaria Willd. Enum.
 Cynops L. Bergeret. Phyt. 1. p. 203. Gall. ✕
 { squarrosa Willd. Sp. Ægypt. ☉
 { ægyptiaca Jacq. Rar. t. 28.
 stricta Schousb. Maroc. Maroc. ☉
 { pseudo-psyllium. H. p.
 { Psyllium L.

2. *Caule aphylo.*

- { maxima Jacq. Rar. t. 26. Siber. ✕
 { cucullata Lamk. Ill.
 asiatica Lamk. Ill. Siber. ✕
 cordata Lamk. Ill. Am. s. ✕
 major L. Fl. Dan. t. 461. Engl. Bot. 1558. Gall. ✕ Med.
 media L. Fl. Dan. t. 581. Engl. Bot. 1559. Gall. ✕
 { crassa Willd. Sp. ✕
 { crispa Jacq. Collect. Suppl. t. 16.
 saxatilis Marsch. Cauc. Caucas. ✕
 sibirica Poiret. Encycl. Suppl. Siber. ✕
 * chilensis H. p. Chili. Temp. ✕
 lanceolata L. Fl. Dan. t. 437. Gall. ✕
 Lagopus L. Moris. S. 8. t. 16. f. 13. mala. Gall. ✕
 amplexicaulis Cav. Ic. t. 125. Hisp. ✕
 serraria L. Barrel. t. 749. Maurit. ✕
 vaginata Vent. H. Cels. t. 29. Maurit. ✕
 { interrupta Poiret. Encycl. Am. s. ✕
 { sparsiflora Mich. Fl.
 virginica L. Moris. S. 8. t. 15. f. 8. Am. s. ☉
 albicans L. Clus. Hist. 2. p. 110. Ic. infer. Gall. m.
 Temp. ✕
 alpina L. Alpes. ✕
 { sphaerocephala Poiret. Encycl. Alpes. ✕
 { alpina Jacq. Hort. t. 125.
 { microcephala Poiret. Encycl. German. ☉
 { villosa Roth. Cat.

- { *Holostea* Lamk. Ill. Alpes ☉
- { *Bellardi* Vahl. Symb. All. Ped. t. 85. f. 3.
- graminea* Lamk. Ill. Gall. m. ✕
- maritima* L. Fl. Dan. t. 243. Engl. Bot. 175. Gall. ✕
- hirsuta* Thunb. Prodr. Cap. ☉
- tenuiflora* Wald. et Kit. Hung. 1. t. 39. Hungar. ☉
- subulata* L. J. B. Hist. 3. p. 511. Ic. Gall. ✕
- Loeflingii* L. Jacq. Hort. t. 126. Gall. ☉
- Coronopus* L. Fl. Dan. t. 272. Engl. Bot. 892. Gall. ☉

LITTORELLA Lin.

- lacustris* L. B. Juss. Acad. Par. 1742. t. 7. Gall. ✕

ORDO III.**NYCTAGYNEÆ** Juss.**MIRABILIS** Lin.

- Jalapa* L. Clus. Hist. 2. p. 89. Ic. Bot. Mag. 371. Peruv.
- ☉ Orn.
- *lutea*.
- longiflora* L. Smith. Exot. Bot. t. 23. Mexico ☉ Orn.

CALYXHYMENIA Ortega Dec.

- { *Mirabilis viscosa* Cav. Ic. t. 19. Peruv. Cald. ✕
- { *Oxybaphus viscosus*. Bot. Mag. 434.
- { *paniculata* H. p. Am. s. ☉
- { *Allionia ovata* Pursh. Fl.
- glabrifolia* Ortega Dec. 3. t. 1. Peruv. Cald. ✕
- { *aggregata* Ortega Dec. 7. t. 11. N. Hisp. Cald. ✕
- { *Mirabilis aggregata* Cav. Ic. t. 437.
- * *Cervantesii*. H. p. Cald. ♀

BOERHAAVIA Lin.

- erecta* L. Jacq. Hort. t. 5, 6. Antill. Cald. ✕
- diffusa* L. Herm. Parad. 237. Ic. Antill. Cald. ✕
- hirsuta* L. Mant. Jacq. Hort. t. 7. Antill. Cald. ✕
- scandens* L. Jacq. Hort. t. 4. Antill. Cald. ♀
- tuberosa* Lamk. Ill. Peruv. Cald. ♀
- { *arborea* Lagasca Vahl. Enum. N. Hisp. Cald. ♀
- { *Pisonia Mexicana* Willd. Enum. Suppl.

PISONIA Lin.

- aculeata* L. Plum. Ic. t. 327. f. 1. Antill. Cald. ♀
- * *fragrans* H. p. Cald. ♀
- * *nitida* H. p. Cald. ♀
- * *latifolia* H. p. (an generis) Cald. ♀
- nigricans* Swartz. Fl. Ind. Jamaic. Cald. ♀

ORDO IV.

PLUMBAGINEÆ Juss.

PLUMBAGO Lin.

europæa L. Clus. Hist. 2. p. 124. Ic. super. Gall. &
Med.

scandens L. Sloan. Jamaic. 1. t. 133. f. 1. mala. Antill.
Cald. &

rosea L. Bot. Mag. 250. Antill. Cald. &

capensis Thunb. Prodr. Bot. Mag. 2110. Bot. Reg. 417.
Cap. Temp. & Orn.

STATICE Lin.

1. Caulis ramosus.

monopetala L. Bocc. Sic. t. 17. Gall. m. Temp. &

— angustifolia.

suffruticosa L. Gmel. Siber. 2. t. 88. f. 2. Siber. &

Limonium L. Fl. Dan. t. 315. Engl. Bot. 102. Gall. &

scoparia Marsch. Cauc. Siber. &

speciosa L. Bot. Mag. 656. Russ. &

spathulata Willd. Hort. t. 63. (Excl. Syn.) &

bellidifolia Gouan. Fl. Monsp. Gall. &

minuta L. Bocc. Sic. t. 13. f. 3. Gall. m. Temp. &

ferulacea L. Moris. S. 15. t. 1. f. 23. Alger. Temp. &

echioides L. Gouan. Ill. t. 2. f. 4. Gall. m. ☉

mucronata L. Suppl. L'her. Stirp., t. 13. Maroc. Temp. &

graminifolia H. Kew. Temp. &

tatarica L. Gmel. Siber. 2. t. 92. Russ. & Orn.

— angustifolia.

oleæfolia Scop. Insubr. t. 10. Ital. Temp. &

ægyptiaca Delile Fl. t. 25. f. 3. Bot. Mag. 2563. Egypt.
Temp. &

sinuata L. Clus. Cur. Post. 63. Ic. Bot. Mag. 71. Oriens.
Temp. &

spicata Willd. Sp. Gmel. Siber. 2. t. 91. f. 3. Persia.
Temp. &

2. Caulis simplici, nudo, floribus capitatis.

Armeria L. Fl. Dan. t. 1092. Gall. &

| maritima. Gall. & Orn.

| Armeria maritima Willd. Enum.

— longifolia.

— glaucescens.

fasciculata Vent. H. Cels. t. 58. Corsia. Temp. &

* pubigera H. p. Temp. &

CLASSIS IX.

DICOTYLEDONES MONOPETALÆ, COROLLA HYPOGYNÆ.

ORDO I.

LYSIMACHIÆ Juss.

CENTUNCULUS Lin.

minimus L. Vaill. Bot. t. 4. f. 2. Fl. Dan. t. 177. Gall. ☉

ANAGALLIS Lin.

arvensis L. Clus. Hist. 2. p. 185. Ic. Super. Fl. Dan. t. 88. Gall. ☉

— *cœrulea*.

Monelli L. Moris. S. 5. t. 26. f. 3. Bot. Mag. 319. Gall. ☉

latifolia L. Hisp. ☉

{ *collina* Schousb. Maroc. Maurit. Temp. ♀

{ *fruticosa* Vent. Ch. de Pl. t. 14.

{ *tenella* Syst. Veg. Engl. Bot. 530. Gall. ♀

{ *Lysimachia tenella* L.

LYSIMACHIA Lin.

vulgaris L. Fuchs. Hist. 492. Ic. Gall. ♀ Med.

Ephemerum L. Bot. Mag. 2346. Hisp. ♀

{ *orientalis* Lamk. Encycl. Oriens. Temp. ♀

{ *atropurpurea* Murr. Com. Gott. 1782. t. 1.

{ *dubia* H. kew.

thyrsiflora L. Fl. Dan. t. 517. Bot. Mag. 2012. Gall. ♀

capitata Pursch. Fl. Am. s. ♀

verticillata Marsch. Cauc. Bot. Mag. 2295. Caucas. ♀

punctata L. Jacq. Austr. t. 366. Helvet. ♀

ciliata L. Walth. Hort. t. 12. Am. s. ♀

nemorum L. Fl. Dan. t. 174. Gall. ♀

nummularia L. Fuchs. Hist. 401. Ic. Gall. ♀

Linum-stellatum L. Magnol. Bot. 162. Ic. Ital. ☉

HOTTONIA Lin.

palustris L. Fl. Dan. t. 487. Gall. ♀

CORIS Lin.

monspeliensis L. Clus. Hist. 2. p. 174. Ic. Super. Bot. Reg. 536. Gall. m. Temp. ♂

LIMOSELLA Lin.

aquatica L. Fl. Dan. t. 69. Gall. ☉

TRIENTALIS Lin.

europæa L. Fl. Dan. t. 87. Alpes. ✕

ARETIA Lin.

Vitaliana Syst. Veg. Col. Ecphr. t. 65. f. 1. Alpes. ✕

ANDROSACE Lin.

maxima L. Clus. Hist. 2. p. 134. Ic. infer. Jacq. Austr. t. 331. Gall. ☉

septentrionalis L. Fl. Dan. t. 7. Bot. Mag. 2021. Europ. s. ☉

elongata Syst. Veg. Jacq. Austr. t. 330. Austr. ☉

coronopifolia Bot. Mag. 2022. Siber. ☉

lactea L. Bot. Mag. 868, 981. Alpes. ✕

carnea L. Col. Ecphr. 2. t. 68. f. 2. Alpes. ✕

villosa L. Jacq. Austr. t. 332. Alpes. ✕

PRIMULA Lin.

veris L. Fl. Dan. t. 433. Engl. Bot. 5. Gall. ✕ Orn.

elatior Willd. Sp. Engl. Bot. 513. Gall. ✕

— *acaulis* Engl. Bot. 4.

Perreiniana Flugge. Ann. du Mus. 12. t. 37. Hisp. ✕

Auricula L. Jacq. Austr. t. 415. Variet. Alpes. ✕ Orn.

Palinuri Jacq. f. Ecl. t. 43. Hook. Exot. Fl. 118.

marginata Willd. Sp. Bot. Mag. 191. Alpes. ✕

farinosa L. Fl. Dan. t. 125. Engl. Bot. 6. Alpes. ✕

viscosa All. Ped. t. 5. f. 1. Alpes ✕

integrifolia L. Jacq. Austr. t. 327. Bot. Mag. 912. Alpes. ✕

villosa Jacq. Austr. Suppl. t. 27. Bot. Mag. 14. Alpes. ✕

auriculata Vent. H. Cels. t. 42. Oriens. Temp. ✕

cortusoides L. Jacq. H. schœn. t. 259. Bot. Mag. 399. Siber.

✕
sinensis Lindley. Collect. t. 7. China. Temp. ✕ Orn.

CORTUSA Lin.

Matthioli L. Jacq. Rar. t. 32. Bot. Mag. 987. Alpes. ✕

SOLDANELLA Lin.

alpina L. Jacq. Austr. t. 13. Bot. Mag. 49. Alpes. ✕ Orn.

DODECATHEON Lin.

Meadia L. Trew. Sel. t. 12. Bot. Mag. 13. Virgin. ✕ Orn.

CYCLAMEN Lin.

europæum L. Jacq. Austr. t. 401. Gall. ✕ Orn.

hederæfolium H. kew. Bot. Mag. 1001. Gall. ✕ Orn.

persicum H. kew. Bot. Mag. 44. I. Cypris. ✕

coum Bot. Mag. 4. Ital. ✕

1.

um L. Acad. Paris. 1712. t. 18. Gall. m. Temp. 7

gifolia H. kew. Bot. Reg. 685. Madera. Temp. 9

icina Lamk. Encycl.

vulgaris L. Camer. Hort. t. 7. Gall. 7

spinosa L. Cambessedes. Ann. des Sc. Nat. 9. t. 40. Hisp.

Temp. 7

nudicaulis L. Jacq. Austr. t. 230. Alpes. 7

cordifolia L. Jacq. Austr. t. 245. Alpes. 7

SAMOLUS Lin.

Valerandi L. Fl. Dan. t. 138. Gall. 7

UTRICULARIA Lin.

vulgaris L. Fl. Dan. t. 138. Poit. et Turp. Fl. t. 30

Gall. 7

minor L. Fl. Dan. t. 128. Poit. et Turp. Fl. t. 31. Gall. 7

PINGUICULA Lin.

vulgaris L. Fl. Dan. t. 93. Poit. et Turp. Fl. t. 29. Gall.

Econ.

MENYANTHES Lin.

trifoliata L. Fl. Dan. t. 541. Gall. 7 Med.

ORDO II.**PEDICULARES Juss.****VERONICA Lin.**

1. Racemis terminalibus, foliis verticillatis et oppositis.

pallida Horn. Hort. 7

gentianoides Vahl. Enum. Vent. Malm. t. 86. Oriens. 7

virginiana L. Pluk. t. 70. f. 2. Virgin. 7

perfoliata Brown. Prodr. Bot. Mag. 1936. N. Holl. Temp.

7

glabra Schrad. Ver. t. 1. f. 4. 7

spuria L. Gmel. Itin. 1. t. 39. Siber. 7

maritima L. Fl. Dan. t. 374. Europa 7

longifolia L. Schrad. Ver. t. 2. f. 1. German. 7

* excelsa H. p. 7

{ arguta Schrad. Ver. t. 2. f. 2. 7

{ prasifolia H. p.

elegans DC. Cat. Monsp. Gall. s. 7

incana L. Hoffm. Com. Gott. t. 15. t. 6. Ucraina. 7

{ canescens Schrad. Ver. Siber. 7

{ neglecta Vahl. Enum.

orchidea Wahlenb. Fl. Carp. Bot. Mag. 2210. C
spicata L. Vaill. Bot. t. 33. f. 4. Fl. Dan. t. 52. C
hybrida L. Rai. Syn. t. 11. Engl. Bot. t. 673. An
pinnata Willd. Sp. Laxm. Com. Petrop. 15. t.
 Siber. ✕
incisa Willd. Sp. Siber. ✕

2. *Corymboso-racemosis.*

Allionii Vahl. Enum. All. Ped. t. 46. f. 3. Alpes. ✕
officinalis L. Fl. Dan. t. 248. Gall. ✕ Med.
bellidioides L. Mant. Hall. Hist. t. 15. f. 1. Alpes. ✕
fruticulosa L. Hall. Hist. t. 16. f. 1. Jacq. Collect. 4. t. 5.
 Alpes. 5
alpina L. Hall. Hist. t. 15. f. 2. Fl. Dan. t. 16. Alpes. ✕
decussata Willd. Sp. Bot. Mag. 242. Magellan. 5
serpyllifolia L. Fl. Dan. t. 492. Gall. ✕
Beccabunga L. Fl. Dan. t. 511. Gall. ✕
Michauxii Lamk. Ill. Oriens. Temp. ✕
Anagallis L. Fl. Dan. t. 903. Gall. ✕
scutellata L. Fl. Dan. t. 209. Gall. ✕
Teucrium Clus. Hist. 349. (f. inter.) Gall. ✕
prostrata L. Gall. ✕
Chamædrys L. Fl. Dan. t. 448. Gall. ✕
 { *latifolia* L. Austr. ✕
 { *psendochamædrys* Jacq. Austr. t. 60.
villosa Schrad. Ver. t. 1. f. 3. ✕
 { *melissæfolia* Poiret. Encycl. Austr. ✕
 { *pilosa* L. Append.
labiata Brown. Prodr. Bot. Mag. 1660. N. Holl. Temp. ✕
urticæfolia L. Suppl. Jacq. Austr. t. 59. Alpes. ✕
Ponæ Gouan. Ill. t. 1. f. 1. Pyren. ✕
montana L. Suppl. Jacq. Austr. t. 109.
multifida Syst. Veg. Siber. ✕
caucasica Marsch. Cauc. Siber. ✕
austriaca L. Jacq. Austr. t. 529. Austr. ✕
 * *nitida* H. p. ✕
orientalis Vahl. Sp. Armen. ✕

3. *Pedunculis unifloris.*

{ *Buxbaumi* Tenore Corso. Buxb. Cent. 1. t. 40. f. 2. Per-
 { sia ☉
 { *persica* H. p.
cristata Willd. Enum. Suppl. ☉
cymbalariaefolia Vahl. Enum. Buxb. Cent. 1. t. 39. f. 2.
 Oriens. ☉
agrestis L. Fl. Dan. t. 449. Engl. Bot. 783. Gall. ☉

- a L. Engl. Bot. 25. Gall. ☉
 nsis L. Fl. Dan. t. 515. Engl. Bot. 754. Gall. ☉
 trifolia L. Fl. Dan. t. 428. Engl. Bot. 784. Gall. ☉
 syllos L. Fl. Dan. t. 627. Engl. Bot. 26. Gall. ☉
 } romana L. Mant. Europ. ☉
 } peregrina Vahl. Enum.
 præcox Vahl. Enum. All. Auct. t. 1. f. 1. Gall. ☉
 acinifolia Syst. Veg. Vaill. Bot. t. 33. f. 5. Gall. ☉
 } digitata Vahl. Enum. Hisp. ☉
 } chamæpithyoides Lamk. Ill.

SIBTHORPIA Lin.

- europæa L. Engl. Bot. 649. Gall. x
 africana Shaw. Specim. N° 149. Ic. Maurit. Temp. x

DISANDRA Lin.

- prostrata L. Suppl. Bot. Mag. 218. Madera. Temp. x

ERINUS Lin.

- alpinus L. Bot. Mag. 310. Alpes. x
 { capensis L. Mant. Cap. Temp. y
 { lychnidea Bot. Reg. 748.

MANULEA Lin.

- oppositifolia Vent. Malm. t. 15. Cap. Temp. y
 violacea Link. Enum.
 { alternifolia H. p. Cap. ☉
 { Buchnera foetida Jacq. H. schoen. t. 448.

EUPHRASIA Lin.

- officinalis L. Fl. Dan. t. 1037. Engl. Bot. 1416. Gall. ☉
 { Odontites L. Fl. Dan. t. 625. Gall. ☉
 { Bartsia Odontites Smith. Fl. Engl. Bot. 1415.

PEDICULARIS Lin.

- palustris L. Engl. Bot. 599. Gall. x
 sylvatica L. Engl. Bot. 400. Gall. x

RHINANTHUS Lin.

- Crista-galli L. Engl. Bot. 657. Gall. ☉
 hirsuta DC. Fl. Gall. ☉

MELAMPYRUM Lin.

- arvense L. Rivin. Irreg. Monop. t. 80. Fl. Dan. t. 911.
 Gall. ☉
 cristatum L. Fl. Dan. t. 1104. Gall. ☉
 pratense L. Engl. Bot. 113. Gall. ☉
 sylvaticum L. Fl. Dan. t. 145. Engl. Bot. 804. Gall. ☉

OROBANCHE Lin.

- major Smith. Fl. Engl. Bot. 421. Gall. x
 caryophyllacea Smith. Soc. Lin. Lond. 4. Gall. x
 minor Smith. Fl. Engl. Bot. 422. Gall. x
 ramosa L. Engl. Bot. 184. Gall. O
 cœrulea Smith. Fl. Engl. Bot. 423. Gall. x

BATHREA Lin.

- clandestina L. Moris. S. 12. t. 16. f. 15. J. St. Hil. Pl. de
 Fr. 2. t. 95. Gall. x

ORDO III.**ACANTHEÆ** Juss.**PHAYLOPSIS** Sims. Bot. Mag.

- { longifolia Bot. Mag. 2433. Sierra-Leon. Cald. x
 { Barleria longifolia Spreng. Syst.

BARLERIA Lin.

- purpurea Lodd. Bot. Cab. Ind. Cald. y
 { lactea. H. p. Cald. y
 { alba Lodd. Bot. Cab. ?
 cristata L. Bot. Mag. 1615. Ind. Cald. y
 Prionitis L. H. malab. 9. t. 41. Ind. Cald. y
 { flava Jacq. f. Ecl. t. 46. Arabia. Cald. y
 { Eranthemum flavum Willd. Enum. Suppl.

TRUNDERGIA Lin. Suppl.

- fragrans Roxb. Corom. t. 67. Bot. Mag. 1881. Ind.
 Cald. y
 alata Bot. Mag. 2591. Hook. Exot. Fl. 177. Afr. or. Cald. x
 grandiflora Bot. Reg. 495. Bot. Mag. 2366. Nepaul. Cald. y
 coccinea Hook. Exot. Fl. 195. Nepaul. Cald. y

ACANTHUS Lin.

- mollis L. Hort. eyst. Æst. 11. p. 2. f. 3. Riv. Irreg.
 Monop. t. 87. Ital. x Med.
 spinosus L. Bot. Mag. 1808. Ital. x
 spinosissimus Pers. Syn. x

RUPELLIA Lin.

- { Blechnum L. Plum. Ic. t. 41. f. 3. Antill. Cald. x
 { Blechnum Brownei. Juss. Ann. du Mus. 9.
 { Justicia lupulina Lamk. Ill.
 strepens L. Dill. Elth. t. 249. f. 321. Am. s. Temp. x
 formosa Andr. Rep. 610. Bot. Mag. 1400. Brasil. Cald. x
 persicifolia Bot. Reg. 955. Ind. Cald. y

- Vent. H. Cels. t. 46. Ind. Cald. ♀
 emum pulchellum Andr. Rep. 88.
 i nervosa Vahl. Enum.
 L. Bot. Reg. 585. Antill. Cald. ♀
 ovata Cav. Ic. t. 254. Mexico. Cald. ♀
 lactea Cav. Ic. t. 255. Mexico. Cald. ♂
 patula Jacq. Rar. t. 119. Ind. Cald. ♀
 tuberosa L. Dill. Elth. t. 248. f. 320. Antill. Cald. ♂
 * achyranthifolia H. p. Cald. ♂

JUSTICIA Lin.

1. Fruticose.

- Adhatoda L. Riv. Irreg. Monop. t. 88. Bot. Mag. 861.
 Ind. Cald. ♀ Orn.
 byssopifolia Syst. Veg. Pluk. t. 280. f. 1. Canar. Cald. ♀
 orchioides L. Suppl. Vent. Malm. t. 51. Cap. Temp. ♀
 spinosa Jacq. Amer. t. 2. f. 1. Am. m. Cald. ♀
 hypocrateriformis Vahl. Enum. ? Guinea. Cald. ♀
 nasuta L. Bot. Mag. 325. Ind. Cald. ♀
 bracteolata Jacq. Rar. t. 205. Caracas. Cald. ♀
 picta L. H. malab. 6. t. 60. Bot. Mag. 1870. Ind. Cald.
 ♀
 coccinea Smith. Piet. t. 8. Bot. Mag. 432. Guian. Cald.
 ♀ Orn.
 pulcherrima Jacq. Rar. t. 204. Am. m. Cald. ♀ Orn.
 formosa Willd. Enum. Cald. ♀
 nitida Jacq. Am. Andr. Rep. 570. Antill. Cald. ♀
 lucida Andr. Rep. 313. Bot. Mag. 1014. Am. m. Cald.
 ♀
 { cristata Jacq. H. schœn. t. 320. Am. m. ♀ Orn.
 { tetragona Vahl. Enum.
 { Ruellia cristata Andr. Rep. 506.
 { Aphelandra cristata H. kew.
 { infundibuliformis L. Ind. Cald. ♀
 { Crossandra undulæfolia Salisb. Parad. 12.
 { Ruellia infundibuliformis Andr. Rep. 542.
 { Harrachia speciosa Jacq. f. Ecl. t. 21.
 Echolium L. H. malab. 2. t. 20. Bot. Mag. 1847. Ind.
 Cald. ♀
 bicolor Bot. Mag. 1423. Ind. Cald. ♀ Orn.
 Gendarussa L. Suppl. H. malab. 9. t. 42. Bot. Reg. 635.
 Ind. Cald. ♀.
 { quadrifida Vahl. Enum. Mexico. Cald. ♀ Orn.
 { coccinea Cav. Ic. t. 199.
 { ligularis Salisb. Parad. 50.
 flavicoma Bot. Reg. 1027. Brasil. Cald. ♀

- { resupinata Vahl. Enum. N. Hisp. Cald. ♀
 { sexangularis Cav. Ic. t. 203.
 { Dicliptera resupinata. Juss. Ann. du Mus. 9.
 carthagenensis L. Bot. Reg. 797. Carthag. Cald.

2. Herbaceæ.

- { bicaliculata Vahl. Enum. Ind. ☉
 { ligulata Cav. Ic. t. 71.
 { Dianthera malabarica L. Suppl. .
 { furcata Vahl. Enum. Jacq. H. schoen. t. 3. Peruv. Cald. x
 { peruviana Cav. Ic. t. 28. Bot. Mag. 430.
 ciliaris L. Suppl. Jacq. Hort. t. 104. ☉
 pectoralis Vahl. Symb. Bot. Reg. 796. Antill. x
 { lithospermifolia Jacq. H. schoen. t. 4. Peruv. Cald. ☉
 { ladanoides Lamk. III.
 martinicensis Jacq. Am. t. 2. f. 3. Martin. Cald. x

ORDO IV.

JASMINEÆ Juss.

SYRINGA Lin.

- vulgaris L. Bot. Mag. 183. Asia ♀ Orn.
 persica L. Bot. Mag. 486. Pers. ♀ Orn.
 — laciniata.

FRAXINUS Lin.

- excelsior L. Fl. Dan. t. 969. Gall. ♀ Econ.
 — argentea.
 — verrucosa.
 — jaspidea.
 — horizontalis.
 — pendula.
 viridis Mich. Arb. 3. t. 10. Am. s. ♀
 rotundifolia Lamk. Encycl. Ital. ♀ Econ. Med.
 { lentiscifolia. H. p.
 { parvifolia Lamk. Encycl.
 { simplicifolia Willd. Sp. Engl. Bot. 2476. Angl. ♀
 { monophylla (Variet. Fr. excels.)
 Ornus L. Fl. Græca. t. 4. Ital. ♀ Med.
 { pubescens Lamk. Encycl. Am. s. ♀
 { tomentosa Mich. Arb. 3. t. 9.
 longifolia Bosc. Am. s. ♀
 nigra Bosc. Am. s. ♀
 americana L. Mich. Arb. 3. t. 8. Am. s. ♀ Orn.
 floribunda Wall. Fl. Ind. Nepaul. Temp. ♀
 juglandifolia Lamk. Encycl. Am. s. ♀

lia Lamk. Encycl. Mich. Arb. 3. t. 12. Am. s. ♀

alata Mich. Arb. 3. t. 11. Am. s. ♀

Mich. Arb. 3. t. 13. Am. s. ♀.

. p. ♀

niifolia Duham. Arb. Ed. n.

atrovirens H. p. Duham. Arb. Ed. n. Am. s. ? ♀

FONTANESIA Labill.

phillyreoides Labill. Decad. t. 1. Syria ♀ Orn.

CHIRONANTHUS Lin.

virginica L. Catesby. Car. 1. t. 68. Am. s. ♀ Orn.

OLEA Lin.

europæa L. Clus. Hist. 26. Ic. Fl. Græca. t. 3. Europ. m.

Temp. ♀ Econ. Med.

undulata Jacq. H. schœn. t. 2. Cap. Temp. ♀

capensis L. Dill. Elth. t. 160. f. 194. Bot. Reg. 613. Cap.

Temp. ♀

exasperata Jacq. H. schœn. t. 251. Cap. Temp. ♀

lancea Lamk. Ill. 1. Franciæ. Cald. ♀

americana L. Mant. Catesby. Car. t. 61. Am. s. ♀

excelsa Vahl Enum. Madera. Temp. ♀

fragrans Thunb. Jap. t. 2. Japon. Temp. ♀

{ emarginata Lamk. Ill. t. 8. f. 2. Madagas. Cald. ♀.

{ Norannia emarginata Pet.-Thouars.

* glandulifera H. p. Nepaul. Cald. ♀

* asiatica H. p. Nepaul. Cald. ♀

NOTELEA Vent.

longifolia Vent. Choix de pl. t. 25. N. Holl. Temp. ♀

PHILLYREA Lin.

angustifolia L. p. 4. Clus. Hist. 52. Ic. infer. Hisp. ♀

Orn.

media L. Camer. Epit. 90. Ic. Gall. m. ♀ Orn.

latifolia L. Clus. Hist. 51. Ic. Gall. m. ♀ Orn.

BORYA.

{ acuminata Willd. Sp. Carolin. ♀

{ Adelia acuminata Mich. Fl. t. 48.

{ porulosa Willd. Sp. Florid. Temp. ♀

{ Adelia porulosa Mich. Fl.

{ obovata H. p.

{ prinoides Willd. Enum. Suppl. Temp. ♀

NYCTANTHES Lin.

Arbor-tristis L. H. malab. 1. t. 21. Ind. Cald. ♀

MOGORIUM Juss.

- { Sambac Lamk. Ill. t. 6. f. 1. Clus. Cur. p.
- Ind. Cald. 5 Orn.
- { Nyctanthes Sambac L. Burm. Zeyl. t. 58. f.
- Jasminum Sambac Vahl. Enum.

JASMINUM Lin.

1. Foliis simplicibus.

- { angustifolium Vahl. Enum. Bot. Reg. 521. Nepaul.
- Cald. 5
- { Nyctanthes angustifolia L.
- glaucum Vent. H. Cels. t. 55. Cap. Temp. 5
- simplicifolium Vahl. Enum. Bot. Mag. 980. N. Holl.
- Temp. 5
- { multiflorum Andr. Rep. 496. China. Cald. 5
- { hirsutum Smith. Exot. Bot. t. 118.
- { Nyctanthes hirsuta L.
- gracile Brown. Prodr. Bot. Reg. 606. N. Holl. Temp. 5
- { undulatum Vahl. Enum. Bot. Reg. 436. Temp. 5
- { Nyctanthes undulata L. China.

2. Foliis compositis.

- fruticans L. Bot. Mag. 461. Gall. 5 Orn.
- humile L. Bot. Reg. 350. Canar. Temp. 5 Orn.
- revolutum Bot. Mag. 1731. Bot. Reg. 178. China. Temp.
- 5
- odoratissimum Vahl. Enum. Bot. Mag. 285. Madera. Temp.
- 5 Orn.
- auriculatum Vahl. Enum. Bot. Reg. 264. Ind. Cald. 5
- azoricum L. Bot. Mag. 1889. Madera. Temp. 5 Orn.
- volubile Jacq. H. schœn. t. 321. Cap. Temp. 5
- { flexile Vahl. Enum. Ind. Cald. 5
- { mauritianum. H. p.
- officinale L. Bot. Mag. 34. Ind. 5 Econ. Orn.
- grandiflorum L. Camer. Epit. 37. lc. Bot. Reg. 91. Ind.
- Temp. 5 Orn.

LEUSTRUM Lin.

- vulgare L. Bull. Herb. t. 295. Gall. 5 Econ.
- { japonicum Thunb. Jap. t. 1. Japon. 5
- { lucidum H. kew. Bot. Mag. 2565.
- nepaulense Wall. Fl. Ind. Cald. 5

ORDO V.

MYOPORINEÆ Brown.

MYOPORUM Brown.

parvifolium Brown. Prodr. Bot. Mag. 1693. N. Holl. Temp. ♪

tuberculatum Brown. Prodr. N. Holl. Temp. ♪

debile Brown. Prodr. Bot. Mag. 1830. N. Holl. Temp. ♪

{ Pogonia debilis Andr. Rep. 212.

{ ellipticum Brown. Prodr. N. Holl. Temp. ♪

{ Andrewsia glabra Vent. Malm. t. 108.

{ Pogonia glabra Andr. Rep. 283.

STENOCHILUS Brown.

glaber Brown. Prodr. Bot. Mag. 1942. Bot. Reg. 572. N. Holl. Temp. ♪

maculatus Bot. Reg. 647. N. Holl. Temp. ♪

ORDO VI.

VITICEÆ Juss.

CLERODENDRUM Lin.

viscosum Vent. Malm. t. 25. Bot. Reg. 629. Ind. Cald. ♪

macrophyllum Bot. Mag. 2536. Ind. Cald. ♪

{ squamatum H. kew. Bot. Reg. 649. China. Cald. ♪

{ Volkameria kœmpferiana Jacq. Rar. t. 521.

{ Phlomis Vahl. Symb. Ind. Cald. ♪

{ Volkameria multiflora Burm. Ind. t. 45. f. 1.

{ Siphonanthus H. kew. Ind. Cald. ♪

{ Siphonanthus indica L.

{ Ovieda mitis L. Burm. Ind. t. 43. f. 1. (mala.)

ÆGIPHILA Lin.

martinicensis L. Mant. Jacq. Obs. 3, t. 27. Martin. Cald. ♪

* macrophylla H. p. (an generis). Cald. ♪

VOLKAMERIA Lin.

tomentosa Vent. Malm. t. 84. Ind. ? Cald. ♪

aculeata L. Plum. Ic. t. 164. f. 2. Antill. Cald. ♪

{ inermis L. Jacq. Collect. Suppl. t. 4. f. 1. Ind. Cald. ♪

{ Clerodendrum inerme Brown. Prodr.

angustifolia Lamk. Ill. t. 544. f. 2. I. Franciæ. Cald. ♪

serrata L. Mant. Ind. Cald. ♪

HOLMBOLDIA Retz. Obs.

- { sanguinea Retz. Obs. Bot. Reg. 692. Ind. Cald
- { Platanum rubrum Juss. Ann. du Mus. 7.
- { Hastingsia coccinea Smith. Exot. bot. t. 80.

VITEX Lin.

- arborea Fischer. ♀
- Agnus-castus L. Camer. Epit. 105. Ital. ♀ Med.
- albidus.
- { incisa Lamk. Encycl. China. ♀
- { Negundo Bot. Mag. 354.
- alba.
- trifolia Lamk. Encycl. Ind. Cald. ♀

CALLIGARPA Lin.

- americana L. Catesby. Carolin. 2. t. 47. Virgin. Temp. ♀
- cana Vahl. Symb. Bot. Mag. 2107. Ind. Cald. ♀
- ~~WHITTAKERIANA~~ Willd. Enum. Cald. ♀

CORNUZIA Lin.

- { pyramidata L. Am. m. Cald. ♀
- { Hosta cœrulea Jacq. H. schoen. t. 114.

TECTONA Lin. Suppl.

- grandis L. Suppl. Roxb. Corom. t. 6. Ind. Cald. ♀ Econ.

GUELINA Lin.

- parvifolia Roxb. Corom. 3. t. 162. Ind. Cald. ♀

CITHAREXYLUM Lin.

- { villosum Jacq. Rar. t. 118. Antill. Cald. ♀
- { tomentosum Poiret. Encycl.
- quadrangulare Syst. Veg. Jacq. Hort. t. 22. Jamaic. Cald. ♀
- * coriœceum H. p. Cald. ♀
- pentandrum Vent. H. Cels. t. 47. Antill. Cald. ♀

DURANTA Lin.

- Plumieri L. Jacq. Rar. t. 502. Bot. Reg. 244. Antill. Cald. ♀
- Ellisia L. Jacq. Hort. 3. t. 99. Antill. Cald. ♀
- * microphylla H. p. Antill. Cald. ♀

LANTANA Lin.

- trifoliata L. Plum. Ic. t. 70. Bot. Mag. 1449. Antill. Cald. ♀
- anana L. Bot. Mag. 1022. Antill. ☉
- * achyranthifolia H. p. Cald. ♀
- * alba H. p. Cald. ♀
- * parvifolia H. p. Cald. ♀
- involucrata L. Medic. Act. Palat. 3. t. 16. Am. m. Cald. ♀
- recta H. kew. Jacq. H. schoen. t. 360. Jamaic. Cald. ♀

- lvifolia* Jacq. H. schœn. t. 285. (non Lam.) Cap. Temp. ♀
olacea H. p.
o-purpurea H. p. Cald. ♀
cina H. p. Cald. ♀ Orn.
 * *mollissima* H. p. Philipp. Cald. ♀
cinerea Lamk. Encycl. Am. m. Cald. ♀
nivea Vent. Malm. t. 8. Ind. Cald. ♀
 * *suaveolens* H. p. Cald. ♀
Camara L. Dill. Elth. t. 56. f. 65. Antill. Cald. ♀ Orn.
aculeata L. Bot. Mag. 96. Am. m. Cald. ♀
melissifolia H. kew. Dill. Elth. t. 57. f. 66. Variet. Am.
 m. Cald. ♀

SPIELMANNIA Medic. Act. Palat.

- { *africana* Willd. Sp. Bot. Mag. 1899. Cap. Temp. ♀
 { *Lantana africana* L. Com. Rar. t. 6.

ZAPPANIA Scop. Insub.

- { *globifera* Am. m. Cald. ♀
 { *Verbena globifera* L'her. Stirp. t. 12.
 { *nodiflora* Pers. Syn. Hisp. Temp. ✕
 { *Verbena nodiflora* L. Barrel. t. 855.

PRIVA Pers.

- { *mexicana* Pers. Syn. Dill. Elth. t. 302. f. 389. Mexico
 { Cald. ✕
 { *Verbena mexicana* L.

STACHYTARPHETA Vahl.

- { *angustifolia* Vahl. Enum. Am. m. ☉
 { *Verbena indica* Jacq. Obs. t. 86. (non Lin.)
 { *mutabilis* Vahl. Enum. Am. m. Cald. ✕
 { *Verbena mutabilis* Jacq. Rar. t. 207. Vent. Malm.
 t. 36.
 { *jamaicensis* Vahl. Enum. Bot. Mag. 1860. Jamaic.
 Cald. ✕
 { *Verbena jamaicensis* L. Jacq. Obs. t. 85.
urticifolia Bot. Mag. 1848. Cald. ✕

VERBENA Lin.

- triphylla* L'her. Stirp. t. 11. Bot. Mag. 567. Peruv. Temp.
 ♀ Econ.
 { *multifida* Fl. peruv. t. 33. f. c. Peruv. ☉
 { *serinoides* Lamk. Ill.
Aubletia Jacq. Hort. t. 176. Bot. Mag. 308. Am. s. ♂
urticifolia L. Moris. S. 11. t. 25. f. 3. Am. s. ✕
caroliniana L. Dill. Elth. t. 301. f. 388. Carolin. ✕
 { *stricta* Vent. H. Cels. t. 53. Am. s. ✕
 { *rigens* Mich. Fl.

- paniculata* Lamk. Ill. Am. s. ♀
hastata L. Herm. Parad. 242. Ic. Am. s. ♀
bonariensis L. Dill. Elth. t. 300. f. 387. Bonar.
prostrata H. kew. Am. s. ♀
bracteosa Mich. Fl. Am. s. ☉
officinalis Bull. Herb. 1215. Gall. & Med.
supina L. Clus. Hist. 2. 46. Ic. super. Gall. ☉

SELAGO Lin.

- corymbosa* L. Com. Hort. 2. t. 40. Cap. Temp. &
fasciculata L. Mant. Jacq. Rar. t. 496. Bot. Reg. 184. Cap.
 Temp. &
 { *ovata* H. kew. Bot. Mag. 186. Cap. Temp. ♀
 { *Lippia ovata* L. Mant.
spuria L. Burm. Afr. t. 42. f. 3. Cap. Temp. ♀

HEDENSTRETIA Lin.

- dentata* L. Burm. Afr. t. 42. f. 2. Bot. Mag. 483. Cap.
 Temp. ♂

ORDO VII.

LABIATÆ Juss.

LYCOPUS Lin.

- europæus* L. Fl. Dan. t. 1081. Gall. ♀
virginicus L. Am. s. ♀
exaltatus L. Suppl. Fl. Græca. 1. t. 12. Ital. ♀

AMETHYSTEA Lin.

- cærulea* L. Hall. Com. Gott. 1751. t. 10. Bot. Mag. 2448.
 Siber. ☉

ZIZIPHORA Lin.

- capitata* L. Moris. S. 11. t. 8. f. 5. Oriens. ☉
tenuior L. Moris. S. 11. t. 19. f. 4. Oriens. ☉
dasyantha Marsch. Cauc. Caucas. &
 { *Cunila*. H. p. Siber. &
 { *Cunila capitata* L. Suppl.
 { *pulegioides*. H. p. Am. s. ☉
 { *Cunila pulegioides* L.
 { *mariana*. H. p. Am. s. ♀
 { *Cunila mariana* Syst. Veg.

MONARDA Lin.

- fistulosa* L. Cornut. Canad. 14. Ic. Canad. ♀
didyma L. Trew. Sel. t. 64. Am. s. ♀ Orn.
 { *clinopodia* L. Virgin. ♀
 { *violacea*. H. p.

L. Andr. Rep. 546. Am. s. ♂

Bot. Mag. 2513. Am. s. x

mith.

formis Brown. Prodr. Andr. Rep. 214. N. Holl.

temp. ♀

triphylla Aiton. N. Holl. Temp. ♀

ROSMARINUS Lin.

officinalis L. Fl. Græca. t. 14. Gall. m. ♀ Med.

SALVIA Lin.

1. Fruticose.

pomifera L. Journ. of Itin. 1. 77. Ic. Candia. Temp. ♀

officinalis L. Fuchs. Hist. 248. Ic. Gall. m. ♀ Med.

— tricolor.

— variegata.

— tenuior.

{ grandiflora Vahl. Enum. Rivin. Irreg. Monop. t. 127

Oriens. ♀

{ crassifolia H. p. Variet.

cretica L. Rivin. Irreg. Monop. t. 128. Creta. ♀ Med.

{ triloba L. Suppl. Oriens. Temp. ♀

{ sipylea Lamk. Ill.

calicina Fl. Græca. t. 16. Oriens. Temp. ♀

africana L. Com. Hort. 2. t. 91. Cap. Temp. ♀

paniculata L. Mant. Breyn. Cent. t. 85. Cap. Temp. ♀

chamædryoides Cav. Ic. t. 197. Bot. Mag. 808. Mexico.

Cald. ♀

aurea L. Com. Hort. 2. t. 92. Bot. Mag. 182. Cap. Temp.

♀

interrupta Schousb. Maroc. t. 1. Maroc. Temp. ♀

canariensis L. Pluk. t. 301. f. 2. Canar. Temp. ♀

mexicana L. Dill. Elth. t. 254. f. 330. Mexico. Cald. ♀

{ formosa L'her. Stirp. t. 21. Bot. Mag. 376. Peruv. Cald.

♀

{ leonuroides Vahl. Enum.

polystachya Cav. Ic. t. 27. N. Hisp. Cald. ♀

{ melissifolia H. p.

{ amœna Bot. Mag. 1294. Bot. Reg. 446. Am. m. Cald. ♀

{ Boosiana Jacq. f. Ecl. t. 47.

* scorodoniaefolia H. p. Temp. ♀

leucantha Cav. Ic. t. 24. Mexico. Cald. ♀

{ foetida Desf. Atl. Alger. Temp. ♀

{ tingitana Willd. Sp.

coccinea L. Suppl. Murr. Com. Gott. 1778. t. 1. Florid.

Temp. ♀

pseudo-coccinea Jacq. Rar. t. 209. Am. m. Cald. ♀

involucrata Cav. Ic. t. 105. Mexico. Temp. ♀
splendens Bot. Reg. 687. Brasil. Cald. ♀
disermas L. Arduin. Spec. 1. t. 1. Oriens. Temp

2. Herbaceæ.

pinnata Jacq. Fragn. t. 49. Oriens. Temp. ♂
 { *azurea* Vahl. Enum. Carolin. Temp. ♂
 { *acuminata* Vent. H. Cels. t. 50.
 { *angustifolia* Mich. Fl.
 { *reptans* Jacq. H. schoen. t. 319. N. Hisp. Cald. ♂
 { *angustifolia* Cav. Ic. t. 317.
 { *scabiosæfolia* Lamk. Journ. d'Hist. Nat. t. 27. Tauria.
 Temp. ♂
 { *habliziana* Willd. Diar. Bot. Schrad. Bot. Mag. 1429.
 { *vulnerarifolia* Willd. Sp.
glutinosa L. Rivin. Irreg. Monop. t. 35. Alpes. ♂
 { *amarissima* Vahl. Enum. Jacq. H. schoen. t. 255. Mexico.
 Temp. ♂
 { *circinata* Cav. Ic. t. 318.
pratensis L. Fuchs. Hist. 569. Ic. Rivin. Irreg. Monop. t. 36.
 Gall. ♂
Sclarea L. Fuchs. Hist. 568. Ic. Fl. Græca. t. 25. Gall.
 ♂
patula Desf. Atl. Alger. ♂
 { *præcox* H. p. Oriens. ♂
 { *spinosa* L. Mant. Jacq. Rar. t. 7.
Æthiopis L. Jacq. Austr. t. 211. Gall. ♂
austriaca Jacq. Austr. t. 112. Austr. ♂
argentea L. Fl. Græca. t. 27. Oriens. Temp. ♂
phlomidoides Vahl. Enum. Hisp. Temp. ♂
indica L. Jacq. Hort. t. 78. Bot. Mag. 395. Ind. Cald. ♂
 { *bicolor* Desf. Atl. t. 2. Alger ♂
 { *crassifolia* Jacq. Fragn. t. 60.
 { *ceratophylla* L. Oriens. ♂
 { *exasperata* Cav. Ic. t. 558.
ceratophylloides L. Mant. Arduin. Spec. 2. t. 2. Sicil.
 Temp. ♂
runcinata L. Suppl. Jacq. H. schoen. t. 8. Cap. Temp. ♂
clandestina L. Barrel. t. 220. Ital ♂
 * *lanigera* H. p. Egypt. Temp. ♂
sylvestris L. Jacq. Austr. t. 212. Austria. ♂
nemorosa L. (an Variet. præced.?). Austria. ♂
virgata Jacq. Hort. t. 37. Oriens? ♂
 * *gigantea* H. p. ♂
nilotica L. Suppl. Jacq. Hort. 3. t. 92. Egypt. ☉
viscosa Jacq. Rar. t. 5. Ital. ♂
verticillata L. Gall. ♂

aeq. Hort. t. 152. Gall. ✕

Jacq. Hort. t. 108. Ægypt. ☉

L. Fl. Græca. t. 20. (Variet. S. viridis). Oriens. ☉

various L. Desf. Atl. t. 1. Maurit. ☉

* nepetifolia H. p. Poir. Encycl. Suppl. ☉

{ lanceolata Willd. Enum. Jacq. f. Ecl. t. 13. ☉

{ reflexa Horn. Hort.

verbenaca L. Berger. Phyt. 2. 99. Ic. Gall. ♂

— minutiflora ♂

{ oblongata Jacq. f. Ecl. t. 14. Caucas. ✕

{ spielmaniana Marsch. Cauc.

serotina L. Mant. Arduin. Spec. 1. t. 2. Oriens. ♂

dominica L. Swartz. Obs. t. 1. f. 1. Antill. Cald. ✕

hispanica L. Bot. Reg. 359. Hisp. ☉

tiliaefolia Vahl. Enum. Jacq. H. schoen. t. 254. Am. m.

Cald. ✕

nutans L. ? ✕

{ pendula H. p. ✕

{ nutans Wald. et Kit. Hung. 1. t. 62. Bot. Mag. 2436.

{ Russ. ✕

COLLINSONIA Lin.

canadensis L. H. cliff. t. 5. Am. s. ✕

AJUGA Lin.

orientalis L. Dill. Elth. t. 53. f. 61. Oriens. Temp. ✕

genevensis L. Gall. ✕

pyramidalis L. Engl. Bot. 1270. Gall. ✕

reptans L. Fl. Dan. t. 925. Bull. Herb. t. 345. Gall. ✕
Med.

TRUCRUM Lin.

{ canariense Lamk. Encycl. Canar. Temp. ♀

{ heterophyllum Willd. Sp.

fruticans L. Clus. Hist. 348. Ic. inter. Dill. Elth. t. 284.
f. 368. Maurit. Temp. ♀

rosmarinifolium Lamk. Encycl. Creta. Temp. ♀

{ betonicum L'her. Stirp. t. 40. Canar. Temp. ♀

{ maderiense Lamk. Encycl.

abutiloides L'her. Stirp. Jacq. H. schoen. t. 358. Canar
Temp. ♀

campanulatum L. Oriens. ✕

orientale L. Bot. Mag. 1279. Oriens. Temp. ✕

resupinatum Desf. Atl. t. 117. Maurit. ☉

Chamaepitys L. Clus. Hist. 2. p. 185. Ic. exter. Gall. ☉
Med.

Iva. L. Cav. Ic. t. 120. Gall. ☉ Med.

Laxmanni Syst. Veg. Wald. et Kit. Hung. 1. t

✕
Botrys L. Camer. Epit. 568. Ic. Gall. ☉ Med.
cubense L. Mant. Jacq. Obs. t. 30. Cuba. Cald.
flavum L. Hort. cyst. Est. 7. p. 11. f. 1. Hisp. ✕
lucidum L. Magnol. Hort. 52. Ic. Europ. m. ✕
brevifolium Schreb. Spicil. Creta. Temp. ♀
Chamædrys L. Fuchs. Hist. 869. Ic. Gall. ♀ Med.
 — major.

* **myrtifolium** H. p. Temp. ♀
Marum L. Rivin. Irreg. Monop. t. 13. Gall. m. Temp. ♀
canadense L. Am. s. ✕
inflatum Swartz. Fl. Ind. Antill. Cald. ♀
hyrcanicum L. Arduin. Spec. t. 4. Bot. Mag. 2013. Persia. ♀
massiliense L. Jacq. Hort. t. 94. Gall. m. Temp. ♀
asiaticum L. Mant. Jacq. Hort. 3. t. 41. Temp. ♀
Scorodonia L. Fl. Dan. t. 485. Bull. Herb. t. 302. Gall. ✕
 Med.
Scordium L. Fl. Dan. t. 593. Bull. Herb. t. 205. Gall. ♀
 Med.
montanum L. Jacq. Austr. t. 417. Gall. ♀
pyrenaicum L. Pyren. ♀
 { **aureum** Schreb. Vertic. Cav. Ic. t. 117. Hisp. Temp. ♀
 { **flavicans** Lamk. Encycl.
Polium L. Barrel. t. 1082. Hisp. Temp. ♀
capitatum L. Barrel. t. 1078, 1079. Hisp. Temp. ♀
spinosum Cav. Ic. t. 31. Hisp. ☉

Satureia Lin.

græca L. Alpin. Exot. 264. Ic. Creta. Temp. ✕
juliana L. Moris. S. 11. t. 17. f. 4. Ital. Temp. ✕
capitata L. Barrel. t. 897. Hisp. Temp. ♀
Thymbra L. Barrel. t. 898. Oriens. Temp. ♀
montana L. Rivin. Irreg. Monop. t. 44. f. exter. Gall. ♀
 Med.
hortensis L. Rivin. Irreg. Monop. t. 44. f. inter. Gall. ☉
 Med. Econ.

Hyssopus Lin.

officinalis L. Jacq. Austr. t. 254. Gall. ♀ Med.
 — **myrtifolius**.
 { **angustifolius** Marsch. Cauc. Tauria. ♀
 { **orientalis** Willd. Enum. Bot. Mag. 2299.
 { **discolor** H. p. ♀
 { **Fœniculum** Fischer. Cat.
Lophanthus L. Jacq. Hort. t. 182. Siber. ♀
nepetoides L. Jacq. Hort. t. 69. Am. s. ♀
scrophulariæfolius Willd. Sp. Am. s. ♂

ifolius Lamk. Encycl. Siber. ☉
 ha Patrini Pallas. N. Act. Acad. Petrop. 1. t. 8.
 ha ovata Cav. Ic. t. 360. f. 1? mala.
 litzia cristata Willd. Enum.

POGOSTEMON Desf.

plectrantoides Desf. Mem. du Mus. 2. t. 6. Ind. Cald. ♀

NEPETA Lin.

Cataria L. Fl. Dan. t. 580. Bull. Herb. t. 287. Gall. ♂
 Med.

pannonica L. Jacq. Austr. t. 129. Hungar. ♂

marrubioides Willd. Enum. ♂

incana H. kew. Oriens. ♂

graveolens Vill. Hist. Alpes. ♂

ucranica L. Ucran. ♂

diffusa Fischer. ♂

Nepetella L. Gall. ♂

* amethystina H. p. ♂

Mussini Horn. Hort. Russ.? ♂

longiflora Vent. H. Cels. t. 66. Oriens. Temp. ♂

nuda L. Jacq. Austr. t. 24. Gall. ♂

violacea L. Hisp. ♂

crispa Willd. Sp. ♂

italica L. Jacq. Hort. t. 112. Ital. ♂

tuberosa L. Barrel. 602, 1131. Hisp. Temp. ♂

melissæfolia H. p. Pers. Syn. (non Lamk. et Willd.) ♂ ?

{ bipinnata Cavan. Ic. t. 49. Siber. ☉

{ botryoides H. kew.

{ multifida L. Suppl. (non Lin. Sp.)

{ multifida L. Gmel. Sib. 3. t. 55. Siber. ♂

{ lavandulacea L. Suppl.

PERILLA Lin.

ocimoides Syst. Veg. Arduin. Spec. 2. t. 13. Bot. Mag.
 2395. Ind. ☉

LAVANDULA Lin.

Spica L. Bull. Herb. t. 337. Gall. m. ♀ Med.

* latifolia H. p. (non Willd. Enum.) Temp. ♀

Stachas L. Clus. Hist. 344. Ic. inter. Gall. m. Temp. ♀
 Med.

heterophylla H. p. Poiret. Encycl. Suppl. Temp. ♀

dentata L. Clus. Hist. 345. Ic. super. Bot. Mag. 400. Oriens.
 Temp. ♀

multifida L. Clus. Hist. 345. Ic. infer. Alger. Temp. ♂

pinnata L. f. Diss. t. 1. Bot. Mag. 401. Madera. Temp. ♀

{ elegans. H. p. Com. Rar. t. 27. Canar. Temp. ♀

{ abrotanoides Lamk. Encycl.

SIDERITIS Lin.1. *Ebracteatae*.

- cretica* L. Creta. Temp. ♀
candicans H. kew. Com. Hort. 2. t. 99. Madera. Temp. ♀
canariensis L. Jacq. Hort. 3. t. 36. Madera. Temp. ♀
montana L. Jacq. Austr. t. 434. Gall. ☉
romana L. J. B. Hist. 3. p. 428. Ic. Cav. Ic. t. 187. Gall. ☉
 { *nigricans* Lamk. Encycl. ☉
 { *elegans* Murray N. Com. Got. 1778. t. 4.

2. *Bracteatae, bracteis integris*.

- syriaca* L. Barrel. t. 1187. Oriens. Temp. ♀
perfoliata L. Oriens. Temp. ♂

3. *Bracteatae, bracteis dentatis*.

- scordioides* L. Barrel. t. 543. Gall. ♂
hyssopifolia L. Clus. Hist. 2. p. 41. Ic. exter. Gall. ♂
incana Cav. Ic. t. 186. Hisp. Temp. ♀

BISTROPOGON L'her.

- { *canariense* L'her. Sert. Com. Hort. 2. t. 65. Canar.
 Temp. ♀
 { *Mentha canariensis* L.
punctatum L'her. Sert. t. 23. Canar. Temp. ♀
 { *plumosum* L'her. Sert. t. 22. Canar. Temp. ♀
 { *Mentha plumosa* L. Suppl.

XENOPOMA Colla. Hort. rip.


- obovatum* Colla. H. rip. t. 25. Temp. ♀

MENTHA Lin.1. *Spicatae*.

- blanda* DC. H. genev. t. 8. Nepaul. Cald. ♂
sylvestris L. Fl. Dan. t. 484. Gall. ♂ Med.
viridis L. Moris. S. 11. t. 6. f. 1. Engl. Bot. 2424. Gall. ♂
tenuis Mich. Fl. Carolin. ♂
rotundifolia L. Fuchs. Hist. 289. Ic. Engl. Bot. 446. Gall.
 ♂ Med.
crispa L. Rivin. Irreg. Monop. t. 50. Gall. ♂ Med.
piperita Rai. Syn. t. 10. f. 2. Angl. ♂ Med.

2. *Capitatae*.

- aquatica* L. Fuchs. Hist. 722. Ic. Gall. ♂ Med.
citrata Willd. Sp. Europ. ♂



3. Verticillatæ.

- . Engl. Bot. 448. Gall. & Med.
gentilis L. Fl. Dan. t. 736. Engl. Bot. 2118, 449. Gall. &
arvensis L. Fl. Dan. t. 512. Gall. & Med.
Pulegium L. Fuchs. Hist. 198. Ic. Gall. & Med.
cervina L. Rivin. Irreg. Monop. t. 23. f. exter. Gall. m.
 Temp. &

HYPTIS Jacq.

- capitata* Jacq. Rar. t. 114 Poiteau. Ann. du Mus. 7. t. 27.
 f. 1. Antill. Cald. ♂
 { *pectinata* Poiteau. Ann. du Mus. 7. t. 30. Antill. Cald &
Nepeta pectinata. L.

GLECOMA Lin.

- hederacea* L. Fl. Dan. t. 789. Bull. Herb. t. 241. Gall. &
 Med.

LAMIUM Lin.

- Orvala* L. Wald. et Kit. Hung. 2. t. 131. Bot. Mag. 172.
 Ital. &
hirsutum Lamk. Encycl. Gall. &
maculatum L. Col. Ecphr. 185. Ic. Gall. &
garganicum L. Smith. Exot. Bot. t. 48. Ital. Temp &
purpureum L. Fl. Dan. t. 523. Gall. ☉
amplexicaule L. Fl. Dan. t. 752. Gall. ☉
album L. Fl. Dan. t. 594. Bull. Herb. t. 213. Gall. &
 Med.
molle H. kew. &

GALEOPSIS Lin.

- Tetrahit* L. Fl. Dan. t. 929. Engl. Bot. 207. Gall. ☉
Ladanum L. Engl. Bot. 884. Gall. ☉
villosa Smith. Fl. Engl. Bot. 2353. Gall. ☉
 { *grandiflora* Willd. Sp. Gall. ☉
 { *versicolor* Smith Fl. Engl. Bot. 667.

GALEOBDOLO Huds. Smith.

- { *luteum* Smith. Fl. Engl. Bot. 787. Gall. &
 { *Galeopsis Galeobdolon* L.
 { *Leonurus Galeobdolon* Willd. Sp.

BETONICA Lin.

- officinalis* L. Fl. Dan. t. 726. Bull. Herb. t. 41. Gall. &
 Med.
hirsuta L. Mant. Murray. N. Com. Gott. 1779. 2. t. 3.
 Gall. &
orientalis L. Tournef. Itin. 2. p. 296. Ic. Oriens &

grandiflora Willd. Sp. Bot. Mag. 700. Siber.
alopecuroides L. Jacq. Austr. t. 78. Alpes &

STACHYS Lin.

sylvatica L. Fl. Dan. t. 1102. Engl. Bot. 416. Gall. &
palustris Fl. Dan. t. 1103. Gall. &
coccinea Jacq. H. schœn. t. 284. Bot. Mag. 666. Mexico.
 Cald. &
lanata Jacq. Rar. t. 107. Siber. &
germanica L. Engl. Bot. 829. Gall. &
intermedia H. kew. Carolin. &
palæstina L. Bocc. Mus. t. 109, 112. Palæst. Temp. &
alpina L. Lapeyr. Pyren. t. 8. Alpes &
 { *salviaefolia* Tenore. Hort. &?
 { *altissima* H. p.
arabica Horn. Hort. ☉
circinata L'her. Stirp. t. 26. Maurit. Temp. &
nepetifolia H. p. Pers. Syn. ☉
hirta L. All. Ped. t. 2. f. 3. Gall. ☉
glutinosa L. Creta. Temp. &
mollissima Willd. Enum. H. berol. t. 60. Corfou. Temp. &
arvensis L. Engl. Bot. 1154. Gall. ☉
recta L. Mant. Jacq. Austr. t. 359. Gall. &
prostrata Lagasca. Hisp. Temp. &
arenaria Desf. Atl. t. 126. Bot. Mag. 1959. Alger. Temp. &
annua L. Jacq. Austr. t. 360. Gall. ☉
maritima L. Mant. Jacq. Hort. t. 70. Gall. &

BALLOTA Lin.

lanata L. Gmel. Siber. 3. t. 54. Siber. &
nigra L. Bull. Herb. t. 397. Gall. &

MARRUBIUM Lin.

1. Calicibus quinque-dentatis.

Alysson L. Clus. Hist. 2. p. 35. Ic. Hisp. Temp. &
peregrinum L. Dill. Elth. t. 174. f. 215. Jacq. Austr.
 t. 160. Germ. &
candidissimum L. Dill. Elth. t. 174. f. 214? Oriens &
supinum L. Barrel. t. 685. Gall. m. Temp. &
 * *cœrulescens* H. p.
catariæfolium Jacq. f. Ecl. t. 64. (non Lamk.)

2. Calicibus decem-dentatis.

vulgare L. Rivin. Irreg. Monop. t. 66. f. inter. Med. Fl. Dan.
 t. 1036. Bull. Herb. t. 165. Gall. & Med.

- H. p. Temp. ♀
 Herm. Parad. 200. Ic. Hisp. Temp. ♀
 l. p Temp. ♀
 . ~~Leonurus~~ tamnus L. Dod. Pempt. 281. Ic. infer. Creta.
 Temp. ♀
 acetabulosum L. Batrel. t. 129. Creta. Temp. ♀
 hispanicum Lamk. Encycl. (non Lin.) Temp. ♀

LEONURUS Lin.

- Marrubiastrum L. Jacq. Austr. t. 405. Gall. ☉
 sibiricus L. Smith. Exot. Bot. t. 94. Siber. ♂
 Cardiacæ L. Fl. Dan. t. 727. Bull. Herb. t. 273. Gall. ♀
 Med.
 crispus Syst. Veg. Murray. N. Com. Gott. 1777. t. 4. Siber.
 ♀ s. ♂
 * villosus H. p. Sprengel. Syst. Tauria. ♂
 tataricus L. Mill. Ic. t. 80. Russ. ♂
 * multifidus H. p.
 condensatus Horn. Hort. ♂

PHLOMIS Lin.

- fruticosa L. Dill. Elth. t. 237. f. 306. Bot. Mag. 1843.
 Hisp. ♀ Orn.
 — angustifolia.
 { italica Smith. Spicil. Ital. Temp. ♀
 { purpurea L.
 purpurea Smith. Spicil. t. 87. Hisp. Temp. ♀
 Lychnitis L. Clus. Hist. 2. p. 27. Ic. infer. Gall. m. Temp.
 ♀
 laciniata L. Oriens ♀
 Herba-venti L. Bot. Mag. 2449. Gall. m. ♀
 pungens Willd. Sp. Siber. ♀
 tuberosa L. Buxb. Cent. 1. t. 6. Siber. ♀

LEUCAS Brown.

- { Leonurus Desf. Mém. du Mus. 11. Breyn. Cent. t. 86.
 { Cap. Temp. ♀ Orn.
 { Phlomis Leonurus L. Bot. Mag. 478.
 { nepetifolia Desf. Mém. du Mus. 11. Ind. ☉
 { Phlomis nepetifolia L. Suppl.
 { Leonotis nepetifolia Bot. Reg. 281.
 { martinicensis Desf. Mém. du Mus. 11. Antill. ☉
 { Phlomis martinicensis Swartz Fl. Ind.
 { Phlomis caribæa Jacq. Rar. t. 110.

MOLUCELLA Lin.*lævis* L. Dod. Pempt. 92. Ic. exter. Bot. Mag.⊙
spinosa L. Dod. Pempt. 92. Ic. inter. Oriens. ⊙**CLINOPODIUM** Lin.*vulgare* L. Fl. Dan. t. 930. Gall. & Med.{ *incanum* L. Dill. Elth. t. 74. f. 85. Am. s. &
{ *Pycnanthemum incanum* Mich. Fl.**ORIGANUM** Lin.*Dictamnus* L. Camer. Epit. 472. Ic. Bot. Mag. 298. Creta.
Temp. & Med.*vulgare* L. Bull. Herb. t. 193. Engl. Bot. 1143. Gall. &
Med.* *humile* H. p. Poiret. Encycl. Suppl. &* *pallidum* H. p. &*sipyleum* L. Herm. Hort. 463. Ic. Oriens. Temp. &*smyrnæum* L. Oriens. Temp. &*onites* L. Oriens. Temp. &*ægyptiacum* L. Oriens & Temp. &*majoranoides* Willd. Sp. Temp. &**THYMUS** Lin.*Serpyllum* L. Fuchs. Hist. 251. Ic. Gall. & Med.— *villosum*.*Piperella* Syst. Veg. Barrel. t. 694. All. Ped. t. 37. f. 3.

Hisp. Temp. &

vulgaris L. Hisp. & Med. Orn.— *latifolius*.{ *majoranæfolius* H. p. Hungar. &{ *montanus* Willd. Enum. Wald. et Kit. Hung. 1.
t. 71.*pannonicus* Willd. Enum. Suppl. Hungar. &*lanuginosus* Willd. Enum. Suppl.*filiformis* H. kew. Hisp. Temp. &*Zygis* L. Clus. Hist. 1. p. 358. Ic. infer. Hisp. Temp. &*Mastichina* L. Rivin. Irreg. Monop. t. 40. Alger. Temp. &{ *marifolius* Willd. Enum. Hisp. Temp. &{ *Nepeta marifolia* Cav. Ic. t. 576.*alpinus* L. Jacq. Austr. t. 97. Alpes &*patavinus* Jacq. Obs. t. 87. Europ. m. Temp. &*Acinos* L. Fl. Dan. t. 814. Bull. Herb. t. 318. Engl. Bot.

411. Gall. ⊙

graveolens Marsch. Cauc. Tauria. ⊙{ *virginicus* Syst. Veg. Herm. Parad. t. 218. Pluk. t. 54.

{ f. 2. Virgin. Temp. &

{ *Brachystemum virginicum* Mich. Fl.

L. Dod. Pemp. 91. Ic. Rivin. Irreg. Monop.
iall. & Med.

a &

grandiflora L. Rivin. Irreg. Monop. t. 46. f. inter. Bot.
Mag. 208. Alpes &

{ Nepeta L. Rivin. Irreg. Monop. t. 47. Gall. & Med.

{ Thymus Nepeta Engl. Bot. 1414.

{ Calamintha L. Rivin. Irreg. Monop. t. 46. f. exter. Gall.
& Med.

{ Thymus Calamintha. Engl. Bot. 1676.

cretica L. Gall. m. Temp. 5

DRACOCEPHALUM Lin.

virginicum L. Dodart. Acad. 1666-1699. p. 271. Ic. Breyn.

Prodr. t. 27. Bot. Mag. 467. Virgin. Temp. &

canariense L. Wolkam. Norib. 145. Ic. Canar. Temp. &

peregrinum L. Bot. Mag. 1084. Siber. &

austriacum L. Jacq. Rar. t. 112. Austr. &

{ altaicense Willd. Sp. Laxm. N. Com. Petrop. 1770.

{ t. 29. f. 3. Altaic. &

{ grandiflorum L. Suppl. (non Willd.)

Ruyschiana L. Fl. Dan. t. 121. Siber. &

sibiricum L. Bot. Mag. 2185. Siber. &

moldavica L. Camer. Epit. 576. Ic. Siber. ☉

canescens L. Com. Rar. t. 28. Oriens. ☉

peltatum L. Oriens. ☉

nutans Gmel. Sib. 3 t. 49. Siber. ☉

thymiflorum L. Schk. Handb. 2. t. 105. Siber. ☉

MELISSITIS Lin.

Melissophyllum L. Jacq. Austr. t. 26. Engl. Bot. 577.

Gall. &

HORMINUM Lin.

{ pyrenaicum L. Pyren. &

{ Melissa pyrenaica Willd. Sp. Jacq. Hort. t. 185.

virginicum L. Dill. Elth. t. 175. f. 216. Virgin. &

{ caulescens Ortega. Dec. t. 8. Mexico. Cald. &

{ Lepechinia spicata Willd. Enum. H. berol. t. 21.

PLECTRANTHUS L'her.

{ pectinatus L'her. Stirp. t. 41. Cap. Temp. 5

{ Germanea urticæfolia Lamk. Encycl.

{ punctatus L'her. Stirp. t. 42. Afr. Cald. ♂

{ Ocimum punctatum L. Suppl.

paniculatus Jacq. Fragn. 91. Temp. &

parviflorus Willd. Enum. H. berol. t. 65. Peruv. Cald. &

ternatus Bot. Mag. 2460. Madag. Cald. &

Ocimum Lin.

- gratissimum* L. Jacq. Rar. t. 495. Ind. Cald. ♀
micranthum Willd. Enum. ☉
tenuiflorum L. Rumph. Amb. 5. t. 92. f. 2.
Basilicum L. Camer. Epit. 308. Ic. Ind. ☉ Orn.
 — *fimbriatum*.
 — *bullatum*.
minimum. Camer. Epit. 310. Ic. Rivin. Irreg. Monop.
 t. 18. Ind. ☉ Orn.

Scutellaria Lin.

- orientalis* L. Tournef. Itin. 2. p. 306. Ic. Armen. Temp. ♀
lupulina L. Schmid. Ic. t. 73. Siber. ♀
Alpina L. All. Ped. t. 26. f. 3. Wald. et Kit. Hung. t. 137.
 Alpes ♀
lateriflora L. Am. s. ♀
scordiifolia Fischer Cat. Russ. ♀
galericulata Bull. Herb. t. 275. Engl. Bot. 525. Gall. ♀
minor L. Engl. Bot. 524. Gall. ♀
integrifolia L. Am. s. ♀
peregrina L. Wald. et Kit. Hung. 2. t. 125. Hungar. ♀
altissima L. Oriens. ♀
albida L. Mant. Oriens. ♀

Prunella Lin.

- vulgaris* L. Fuchs. Hist. 621. Gall. ♀
grandiflora Willd. Sp. Jacq. Austr. t. 377. Bot. Mag.
 337. Gall. ♀
laciniata L. Vaill. Bot. t. 5. f. 1. Gall. ♀
hyssopifolia L. Gall. ♀

Cleonia Lin.

- lusitanica* L. Mill. Ic. t. 70. Lusit. ☉

Prostranthera Labill.

- lasianthos* Labill. H. Holl. t. 157. Bot. Reg. 143. N. Holl.
 Temp. ♀

Prasium Lin.

- majus* L. Barrel. t. 895. Gall. m. Temp. ♀
minus L. Sicil. Temp. ♀

ORDO VIII.**SCROPHULARIÆ** Juss.**Buddleia** Lin.

- globosa* Lamk. Ill. Jacq. Rar. t. 307. Chili. Temp. ♀
salvifolia H. kew. Jacq. H. schœn. t. 28. Cap. Temp. ♀

- lia Jacq. H. schœn. t. 29. Cap. Temp. ♀
 errima H. p. Cap. Temp. ♀
 aria lanceolata L. Suppl. Link. H. berol. t. 4.
 rsifolia Vahl. Symb. Ind. Cald. ♀
 { indica Lamk. Encycl.
 madagascariensis Lamk. Encycl. Madag. Cald. ♀
 * thapsoides H. p. Temp. ♀

SCOPARIA Lin.

- dulcis L. Herm. Parad. 241. Ic. mala. Antill. ☉

RUSSELIA Jacq.

- multiflora Bot. Mag. 1528. Mexico. Cald. ♀

CAPRARIA Lin.

- biflora L. Jacq. Amer. t. 115. Am. m. Cald. ♀
 undulata L. Suppl. Bot. Mag. 1556. Cap. Temp. ♀
 { lucida Willd. Sp. Jacq. Fragm. t. 48. f. 1. Cap. Temp.
 ♀
 { Teedia lucida Pers. Syn. Bot. Reg. 209.

HALLERIA Lin.

- lucida L. Burm. Afr. t. 89. Bot. Mag. 1744. Cap. Temp. ♀

SCROPHULARIA Lin.

- nodosa L. Engl. Bot. 1544. Gall. & Med.
 aquatica L. Engl. Bot. 854. Gall. & Med.
 betonicaefolia L. Mant. Hisp. Temp. &
 auriculata L. Lobel. Ic. t. 533. f. inter. Hisp. Temp. &
 altaica Murray. Com. Gott. 1781. t. 2. Altaic. &
 Scorodonia L. Engl. Bot. 2209. Angl. &
 Scopolii Pers. Syn. Carniol. &
 glandulosa Wald. et Kit. Hung. t. 214. Hungar. &
 sambucifolia L. Mill. Ic. t. 231. Hisp. Temp. &
 { trifoliata L. Bocc. Mus. t. 60. Alger. Temp. &
 { appendiculata Jacq. H. schœn. t. 286.
 orientalis L. Oriens. &
 vernalis L. Fl. Dan. t. 411. Gall. ♂
 peregrina L. Camer. Hort. t. 43. Ital. Temp. ♂
 glabrata H. kew. Jacq. H. schœn. t. 209. Canar. Temp.
 &
 lucida L. Willd. H. berol. t. 57. Oriens. Temp. &
 { canina L. Gall. &
 { Chrysanthemifolia Willd. H. berol. t. 59.
 * humilis. H. p. Temp. &

GERARDIA.

- flava L. Pluk. t. 389. f. 3. Florid. Temp. &

DODARTIA Lin.*orientalis* L. Tournef. Itin. 2. p. 350. Ic. Orien.**STEMODIA** L.*senegalensis* H. p. Seneg. ☉ ?**LINARIA** Tournef.1. *Foliis angulatis.*

Cymbalaria Willd. Enum. Camer. Epit. 860. Bull.
Herb. 306. Gall. & Med.

Antirrhinum Cymbalaria L. Rivin. Irreg. Monop. t. 86.
f. infer.

pilosa Willd. Enum. Pyren. ? &

Antirrhinum pilosum L. Jacq. Obs. t. 48.

Elatine H. kew. Gall. ☉

Antirrhinum Elatine L. Fl. Dan. t. 426. Bull. Herb.
t. 245.

spuria H. kew. Gall. ☉

Antirrhinum spurium L. Fl. Dan. t. 913.

cirrrosa Willd. Enum. Egypt. ☉

Antirrhinum cirrhosum L. Jacq. Hort. t. 82.

2. *Foliorum inferioribus oppositis.*

triphylla Willd. Enum. Bocc. Sic. t. 22. Bot. Mag. 324.
Sicil. ☉

triornithophora Willd. Enum. Rivin. Irreg. Monop.
t. 84. f. inter. Lusit. Temp. &

Antirrhinum L. Vent. Malm. t. 11. Bot. Mag. 525.

purpurea Willd. Enum. Rivin. Irreg. Monop. t. 85. f.
inter. Ital. &

Antirrhinum purpureum L. Bot. Mag. 99.

bipartita Willd. Enum. Maroc. ☉

Antirrhinum bipartitum Vent. H. Cels. t. 82.

versicolor Willd. Enum. Gall. m. ☉

Antirrhinum versicolor Vent. Encycl. Jacq. Rar. t. 116.
mala.

repens Willd. Enum. Gall. &

Antirrhinum repens L. Dill. Elth. t. 163. f. 197.

monsperulatum L.

marginata Desf. Atl. Maurit. Temp. &

Antirrhinum marginatum Desf. Soc. Nat. Paris. t. 7.

supina Willd. Enum. Gall. ☉

Antirrhinum supinum L. Clus. Hist. 321. Ic.

arvensis. Gall. ☉

Antirrhinum arvense L. Dill. Elth. t. 163. f. 198.

simplex Willd. Enum. Gall. ☉

Antirrhinum parviflorum Jacq. Rar. t. 499.

sseriana H. kew. Gall. ☉

irrhinum pelisserianum L.

sticauhis Sicil. ☉

irrhinum multicaule L.

{ juncea H. kew. Hisp. ☉

{ Antirrhinum junceum Vent. Encycl.

{ sparteum Cav. Ic. t. 32.

{ heterophylla Desf. Alt. t. 140. (non Schousb.) Maurit.

☉

{ Antirrhinum pinifolium Poiret.

{ alpina Willd. Enum. Clus. Hist. 322. Ic. inter. Alpes

☉

{ Antirrhinum alpinum L. Jacq. Austr. t. 58.

{ organifolia Willd. Enum. Pyren. ☉

{ Antirrhinum organifolium L. Barrel. t. 1313.

3. Foliis alternis.

{ minor Willd. Enum. Gall. ☉

{ Antirrhinum minus L. Fl. Dan. t. 502.

Linaria littoralis Willd. Enum. Austr. ☉

{ hirta. Hisp. ☉

{ Antirrhinum hirtum Jacq. Rar. t. 117.

{ viscosum L. Bot. Mag. 368.

{ genistifolia Willd. Enum. Gall. ☉

{ Antirrhinum genistifolium L. Jacq. Aust. t. 244.

{ vulgaris Willd. Enum. Fuchs. Hist. 545. Ic. Gall. ☉

{ Antirrhinum Linaria. L. Bull. Herb. t. 261.

{ chalepensis Willd. Enum. Gall. m. ☉

{ Antirrhinum chalepense L.

ANTIRRHINUM Lin.

majus L. Bull. Herb. t. 277. Gall. ☉ Orn.

Orontium L. Fl. Dan. t. 941. Engl. Bot. 1155. Gall.

☉

angustifolium Poiret. Encycl. Suppl. Temp. ☉

molle L. Hisp. Temp. ☉

serpervirens Lapeyr. Pyren. t. 4. Pyren. Temp. ☉

Asarina L. Bot. Mag. 902. Ital. Temp. ☉

ANARRHINUM Desf.

{ bellidifolium Bot. Mag. 2056. Hoffm. et Link. Fl. Port

t. 32. Gall. ☉

{ Antirrhinum bellidifolium L.

NEMESIA Vent.

foetens Vent. Malm. t. 41. Cap. Temp. ☉

{ chamædryfolia Vent. Malm. Cap. Temp. ☉

{ Antirrhinum macrocarpum Vahl. Symb.

HORNEMANNIA Willd.**bicolor Willd. Enum. Ind. ☉****DIGITALIS Lin.****canariensis L. Bot. Reg. 48. Canar. Temp. 5 Orn.****Sceptrum L. Suppl. L'her. Sert. t. 24. Smith. Exot. Bot. t. 73. Canar. Temp. 5 Orn.****purpurea L. Fl. Dan. t. 74. Gall. 2 ♂ Med. Orn.****purpurascens Roth. Catal. Germ. 2****minor L. Mant. Hisp. Temp. 2**{ **ambigua L. Suppl. Bot. Reg. 64. Gall. 2**{ **ochroleuca Jacq. Austr. t. 57.****lutea L. Jacq. Hort. t. 105. Bot. Reg. 251. Gall. 2***** aurea H. p. 2****ferruginea L. Rivin. Irreg. Monop. t. 105. fig. inter. Bot. Mag. 1828. Ital. 2****parviflora Jacq. Hort. t. 17. Bot. Reg. 257. 2****orientalis Lamk. Encycl. Armen. Temp. 2 ?****lanata Willd. Sp. Wald. et Kit. Hung. t. 74. Bot. Mag.****1159. Hungar. 2****obscura L. Mant. Jacq. Hort. t. 91. Hisp. Temp. 5****USTERIA Cav.**{ **scandens Cav. Ic. t. 116. Mexico. Cald. 2**{ **Maurandia semperflorens. Jacq. H. schoen. t. 288. Bot. Mag. 460.**{ **antirrhiniflora. Mexico. Cald. 2**{ **Maurandia antirrhiniflora Willd. H. berol. t. 83. Bot. Mag. 1643.****SCHIZANTHUS Ruiz et Pavon.****pinnatus Fl. Peruv. t. 17. Bot. Mag. 2404. Bot. Reg. 725. Chili ☉****WULFENIA Jacq.**{ **carinthiaca Jacq. Miscell. 2. t. 8. f. 1. Rar. t. 251.**{ **Carinth. 2**{ **Pæderota nudicaulis Lamk. Ill.****ANGELONIA Humb. et Bonpl.****salicariæfolia Humb. et Bonpl. Æquin. 2. t. 108. Bot. Mag. 2478. Bot. Reg. 415. Caracas ☉****CALCEOLARIA Lin.****pinnata L. Mant. Bot. Mag. 41. Peruv. ☉****scabiosæfolia Bot. Mag. 2405. Chili. Cald. 2****rugosa Fl. Peruv. t. 28. Bot. Mag. 2523. Chili. Cald. 2**

Lin.

cta Lamk. Encycl. Jamaic. Cald. & Orn.

illa pulchella L'her. Stirp. t. 71.

hnera coccinea Scop. Insub. 2. t. 5.

{ Gesneria pulchella Swartz. Fl. Ind.

{ Achimenes coccinea Pers. Syn.

{ Trevirana coccinea Willd. Enum.

scandens L. Bot. Reg. 805. Bot. Mag. 1614. Antill. Cald. &

BESLERIA Lin.

cristata L. Jacq. Amer. t. 119. Antill. Cald. &

serrulata Jacq. H. schœn. t. 290. Antill. Cald. &

incarnata Aublet Guian. t. 256. Guian. Cald. &

mellitifolia L. Plum. Ic. t. 48. Smith. Exot. Bot. t. 54.

Antill. Cald. &

GRATIOLA Lin.

officinalis Rivin. Irreg. Monop. t. 106. L. Fl. Dan. t. 363.

Gall. & Med.

Monniera L. Roxb. Corom. 2. t. 178. Ind. Cald. &

MIMULUS Lin.

ringens L. H. ups. t. 1. Bot. Mag. 283. Am. s. &

{ glutinosus Willd. Sp. Jacq. H. schœn. t. 364. Califora.

Cald. &

{ aurantiacus Bot. Mag. 354.

luteus L. Suppl. Bot. Reg. 1030. Chili. Cald. &

{ guttatus DC. Cat. Monsp. Cald. &

{ luteus Bot. Mag. 1501. (non Lin.) Am. m. ☉

parviflorus Bot. Reg. 874.

BROWALLIA Lin.

elata L. Bot. Mag. 34. Peruv. ☉

ORDO IX.**SOLANEEÆ** Juss.**CELSIA** Lin.

orientalis L. H. ups. t. 2. Armen. ☉

Arcturus Syst. Veg. Jacq. Hort. t. 117. Bot. Mag. 1962.

Creta. Temp. ♂

cretica L. Suppl. Jacq. H. schœn. 474. Bot. Mag. 64.

Creta. Temp. ♂.

HEMITOMUS L'her.

{ fruticosus L'her. Mss. Peruv. Cald. &

{ Celsia linearis Jacq. Rar. t. 497. Bot. Mag. 210.

{ Hemimeris coccinea Willd. Sp.

{ Alonzoa linearis Ruiz et Pavon. Syst.

- { urticæfolia. Chili. Cald. ♀
- { *Celsia urticæfolia* Bot. Mag. 417.
- { *Hemimeris urticæfolia* Willd. Sp.
- { *Alonzoa incisifolia* Ruiz et Pavon. Syst.

VERBASCUM Lin.

- Thapsus* L. Fl. Dan. t. 631. Gall. ♂ Med.
- elongatum* Willd. Enum. ♂
- thapsoides* L. Gall. ♂
- phlomisoides* L. Gall. ♂
- lychnitis* L. Engl. Bot. 58. Gall. ♂
- { *Chaixii* Vill. Hist. 2. t. 13. Alpes ♂
- { *gallicum* Willd. Sp.
- nigrum* L. Fl. Dan. t. 1088. Gall. ♂
- rugulosum* Willd. Enum. ♂
- floccosum* Wald. et Kit. Hung. t. 71. Hungar. ♂
- pulverulentum* Smith Fl. Engl. Bot. t. 487. Angl. ♂
- pyramidatum* Marsch. Cauc. Caucas. ♂
- sinuatum* L. Tabern. t. 565. f. inter. Gall. m. ♂
- undulatum* Lamk. Encycl. Tournef. Itin. 1, p. 335. Ic.
- Græcia. Temp. ♀
- * *sulcatum* H. p. ♂
- { *ferrugineum* H. kew. Andr. Rep 162. Europ. m. ♀
- { *triste* Schrad. Monogr. Verbasci.
- rubiginosum* Wald. et Kit. Hung. t. 197. Hungar. ♂
- phoeniceum* L. Bot. Mag. 885. Gall. ✕
- Blattaria* L. Engl. Bot. 593. Gall. ♂
- { *blattarioides* Lamk. Encycl. Gall. ♂
- { *glabrum* Willd. Enum.
- pinnatifidum* Marsch. Cauc. Bot. Mag. 1777. Tauria. ♂

RAMONDA Pers.

- { *pyrenaica* Pers. Syn. Pyren. ✕
- { *Verbascum Myconi* L. Trew. Sel. t. 57. Bot. Mag. 236.

HYOSCYAMUS Lin.

- niger* L. Bull. Herb. 93. Gall. ♂ Med.
- pallidus* Willd. Enum. Hungar. ☉
- reticulatus* L. Camer. Hort. t. 22. Ægypt. ☉
- albus* L. Camer. Epit. 808. Bull. Herb. t. 99. Europ.
- m. ☉
- { *betæfolius* Lamk. Encycl. Ægypt. Temp. ♂
- { *Datura* Forsk. Fl.
- { *muticus* L. Mant.
- aureus* L. Bull. Herb. t. 20. Bot. Mag. 87. Oriens. ♂
- pusillus* L. Pluk. t. 37. f. 5. Persia. ☉
- physaloides* L. Amœn. Acad. 7. t. 6. Bot. Mag. 852.
- Siber. ✕

olia L. Mant. Bot. Mag. 1126. Carniol. &
olia carniolica Jacq. Obs. t. 20.

NICOTIANA Lin.

- Tabacum* L. Camer. Epit. 810. Ic. Bull. Herb. t. 285. Am.
 m. ☉ Med. Econ.
glutinosa L. Act. Holm. 1753. t. 2. Andr. Rep. 484.
rustica L. Camer. Epit. 809. Ic. Bull. Herb. t. 289. Am. m.
 ☉ Econ.
 { *Langsdorffii* Bot. Mag. 2221. Brasil. ☉
 { *decurrens* H. p.
paniculata L. Act. Holm. 1753. t. 1. Peruv. ☉
 { *plumbaginifolia* Willd. Enum. Am. m. Cald. &
 { *crispa* H. p.
undulata Vent. Malm. t. 10. N. Holl. Temp. ♂
 { *nyctaginiflora* H. p. Brasil. ☉
 { *Petunia nyctaginifolia* Juss. Ann. du Mus. 2. t. 47.
quadrivalvis Pursch. Fl. Lehman. Nic. t. 4. Bot. Mag. 1778.
 Missouri ☉
nana Bot. Reg. 833. Am. s. ☉

DATURA Lin.

- Stramonium* L. Fl. Dan. t. 436. Gall. ☉ Venen.
ferox L. Zanoni. Hist. t. 162. Barrel. t. 1172. China. ☉
Tatula L. ☉
fastuosa L. Egypt. ☉ Orn.
Metel L. Asia ☉
 * *humilis* H. p. ☉
ceratocaula Jacq. H. schœn. t. 339. Cuba. ☉
lævis L. Suppl. Africa. ☉
inermis Jacq. Hort. 3. t. 82.
 { *arborea* H. p. Peruv. Temp. ♀ Orn.
 { *suaveolens* Willd. Enum.

SOLANDRA Swartz.

- { *grandiflora* Swartz. Fl. Ind. Jacq. H. schœn. t. 45. Bot.
 Mag. 1874. Antill. Cald. ♀
 { *Datura sarmentosa* Lamk. Encycl.

ATROPA Lin.

- Mandragora* L. Bull. Herb. t. 146. Cald. & Med.
Belladonna L. Jacq. Austr. t. 309. Bull. Herb. t. 29. Cald.
 & Med. Venen.
 { *solanacea* L. Mant. Cap. Temp. ♀
 { *Solanum aggregatum* Jacq. Rar. t. 323.
 { *arborescens* L. Plum. Ic. t. 46. f. 1. Antill. Cald. ♀
 { *Cestrum campanulatum* Lamk. Encycl. ?
 { *frutescens* L. Barrel. t. 1173. Hisp. Temp. ♀
 { *Physalis tuberosa* Cav. Ic. t. 102.

- { *organifolia* H. p. Brasil. Cald. 5
- { *Physalis organifolia* Lamk. Ill.

NICANDRA Adans.

- { *physalodes*. Bot. Mag. 2458. Peruv. ☉
- { *Atropa physalodes* L.

PHYSALIS Lin.

1. *Perennes.*

- somnifera* L. Barrel. t. 149. Cav. Ic. t. 103. *Hisp.*
Temp. 5
- arborescens* L. Mill. Ic. t. 206. f. 2. Ind. Cald. 5
- aristata* H. kew. Canar. Temp. 5
- { *incana* H. p. Peruv. Cald. 7
- { *chenopodifolia* Lamk. Ill. (non Willd.)
- curassavica* L. Pluk. t. 111. f. 5. Mala. Antill. Cald. 5
- pensylvanica* L. Pensylv. 7.
- Alkekengi* L. Dod. Pempt. 454. Ic. infer. Gall. 7 Med.

2. *Annue.*

- { *barbadensis* L. Jacq. Rar. t. 39. Antill. ☉ Econ.
- { *edulis* Bot. Mag. 1068. an eadem?
- prostrata* L'her. Sturp. t. 22. Peruv. ☉
- angulata* L. Dill. Elth. t. 12. f. 12. Ind. ☉
- pubescens* L. Moris. S 13. t. 3. f. 24. Am. m. ☉
- { *micrantha* Link. Enum. ☉
- { *parviflora* Willd. Enum. Suppl.
- foetens* H. p. Poiret Encycl. Suppl. N. *Hisp.* ☉
- philadelphica* Lamk. Ill. Am. s. ☉

SARACHA Ruiz et Pav.

- { *procumbens* Fl. peruv. t. 180. Peruv. Cald. 7
- { *Atropa procumbens* Cav. Ic. t. 72.
- { *umbellata* DC. Cat. monsp. Peruv. Cald. 7
- { *Atropa umbellata* Jacq. H. schoen. t. 493.

LYCOPERSICUM Dunal.

- { *esculentum* Dunal. Solan. Camer. Epit. 821. Ic. Am. m.
☉ Econ.
- { *Solanum Lycopersicum* L.
- { *cerasiforme* Dunal. Solan. Peruv. ☉
- { *Pseudo-Lycopersicum* Jacq. Hort. t. 11.
- { *Humboldtii* Dunal. Solan. Am. m. ☉
- { *Solanum Humboldtii* Willd. Hort. t. 27.
- { *peruvianum* Dunal. Solan. Peruv. Cald. 5
- { *Solanum peruvianum* L. Jacq. Rar. t. 327.

1. *Inermia*.

- ra* L. Bull. Herb. t. 23. Gall. ♀ Med.
anum Dunal. Solan. Syn. Bot. Mag. 1982. Am.
 m. Cald. ♀
triquetrum Cav. Ic. t. 259. N. Hisp. Cald. ♀
 { *crassifolium* Lamk. Ill. Dill. Elth. t. 273. f. 352. Cap.
 Temp. ♀
 { *Witheringia crassifolia* Dunal. Solan.
quercifolium L. Feuil. obs. 2. t. 15. Chili. Cald. ✕
radicans L. Dec. 1. t. 10. Peruv. Cald. ✕
corymbosum Jacq. Rar. t. 40. Peruv. Cald. ✕
nigrum L. Fl. Dan. t. 460. Bull. Herb. t. 67. Gall. ♂
 Med.
villosum Lamk. Ill. Dill. Elth. t. 274. f. 353. Gall. ♂
miniatum Willd. Enum. Europa. ♂
suffruticosum Dunal. Solan. Maurit. ✕?
guineense L. Dill. Elth. t. 274. f. 354 Guin. ♂
nodiflorum Jacq. Rar. t. 326. Ind. Cald. ♀
tuberosum L. Clus. Hist. 2. p. 79. Ic. Chili. ✕ Econ.
retrofractum Vahl. Eclog. Dunal. Solan. t. 5. Am. m.
 Cald. ♀
 { *reclinatum* L'her. Stirp. ined. Peruv. Cald. ✕
 { *pinnatifidum* Lamk. Ill. t. 115. f. 4.
laciniatum H. kew. Bot. Mag. 349. N. Zeland. Temp. ♀
macrocarpon L. Mant. Mill. Ic. t. 294. Peruv. Cald. ✕
æthiopicum L. Jacq. Hort. t. 12. Æthiop. ♂
zucchagnianum Dunal. Solan. t. 11. ♂
diphyllum L. Jacq. Rar. t. 322. Am. m. Cald. ♀
pseudo-capsicum L. Dod. Pempt. 718. Madera. Temp. ♀
 Orn.
 { *muricatum* H. kew. Peruv. Cald. ✕
 { *scabrum* Lamk. Ill.
 { *variegatum* Fl. peruv. 2. t. 162.
pubigerum Dunal. Solan. t. 6. Cald. ♀
argenteum Dunal. Solan. Syn. Brasil. Cald. ♀
 * *glaucophyllum* H. p. Cald. ♀
lanceolatum Cav. Ic. t. 245. Mexico. Cald. ♀
 { *macrophyllum* Dunal. Solan. t. 17. Mexico. Cald. ♀
 { *grandiflorum* H. p.
verbascifolium L. Jacq. Hort. t. 13. Am. m. Cald. ♀
 { *auriculatum* Lamk. Ill. I. Franciæ. Cald. ♀
 { *mauritianum* Scop. Insub. 3. t. 8.
bonariense L. Dill. Elth. t. 272. f. 351. Bonaria. Cald. ♀
betaceum Cav. Ic. t. 524. Cald. ♀

2. Aculeata.

- esculentum Dunal. Solan. ☉ Econ.
 ovigerum Dunal. Solan. ☉
 fuscum L. Jacq. Rar. 1. 42. Am. m. Cald. x
 *serpentinum H. p. ☉
 mammosum L. Merian. Surin. t. 27. Am. m. ☉ Ven.
 ciliatum Lamk. Ill. Dunal. Solan. t. 18. Cald. x
 aculeatissimum Jacq. Rar. 1. 41. Zeylan. Cald. y
 coagulans Forsk. Fl. ægypt. Jacq. H. schœn. t. 469. Arabia.
 Cald. y.
 { decurrens Balbis. Icones, Fascic. 1. t. 1. Bot. Reg. 140.
 { Willd. Hort. t. 102. I. Franciæ. Temp. Cald. y
 { Balbisii Dunal. Solan. Bot. Mag. 2568.
 fontanesianum Dunal. Solan. Syn. Bot. Reg. 177. ☉
 virginianum L. Dill. Elth. t. 267. f. 346. Virgin. ☉
 { Jacquinii Willd. Sp. (an variet. præced.) Ind.? ☉
 { virginianum Jacq. Rar. t. 332.
 sodomæum L. Lamk. Ill. t. 115. f. 1. Cap. Cald. y
 rostratum Dunal. Solan. t. 24. ☉
 heterodoxum Dunal. Solan. t. 25. ☉
 { sarmentosum Lamk. Ill. Am. m. Cald. y
 { lanceæfolium Jacq. Rar. t. 329.
 { Vespertilio H. kew. Canar. Temp. y
 { Nycterium cordifolium Vent. Malm. t. 85.
 giganteum Jacq. Rar. t. 328. Bot. Mag. 1921. Cap.
 Temp. y
 marginatum L. Suppl. Jacq. Rar. t. 45. Bot. Mag. 1928.
 Palæstin. Cald. y
 tomentosum L. Am. m. Cald. y
 coccineum Jacq. Rar. t. 43. Cald. y
 polygamum Vahl. Symb. t. 55. I. S.-Crucis. Cald. y
 elæagnifolium Gay. Ic. t. 243. Am. m. Cald. y
 leprosum Ortega Dec. Dunal. Solan. t. 12. Chili. Cald. y
 bahamense L. Dill. Elth. t. 271. f. 350. Am. m. Cald. y
 igneum L. Jacq. Hort. t. 14. Guian. Cald. y
 pyracanthos Lamk. Ill. Jacq. H. schœn. t. 470. Smith.
 Exot. Bot. t. 64. Madag. Cald. y
 { polyacanthos Lamk. Ill. Plum. Ic. t. 244. f. 2. Antill.
 { Cald. y
 { parviflorum Cav. Ic. 236. ex Dunal.
 carolinense L. Dill. Elth. t. 269. f. 348. Jacq. Rar. t. 331.
 Carolin. Temp. y
 Milleri Jacq. Rar. t. 330. Cap. Temp. y
 ? cinereum Brown. Prodr. N. Holl. Temp. x
 pungetium Brown. Prodr. N. Holl. Temp. y
 { ferrugineum Jacq. H. schœn. t. 334. Antill. Cald. y
 { stramonifolium Lamk. Ill.

Swartz. Fl. Ind. Cald. ♀

n Ortega Dec.

Dunal. Solan. Syn. Cald. ♀

1 Dunal. Solan. t. 22. Guian. Cald. ♀

Mant. Jacq. Rar. t. 46. Peruv. Cald. ♀

CAPSICUM Lin.

grossum L. Mant. Ind. Cald. & Econ.

— deflexum.

annuum L. Clus. Cur. post. 103. Ic. Ind. ☉ Econ.

frutescens L. Rumph. Ind. Cald. ♀ Econ.

{ violaceum H. p. Am. m. Cald. ♂

{ bicolor Jacq. Fragm. t. 99. f. 1. Bot. Mag. 1835.

cerasiforme Willd. Enum.

baccatum L. Mant. Ind. Cald. ♀ Econ.

LYCIUM Lin.afrum L. Trew. Sel. t. 24. f. 2. Bot. Reg. 354. Cap.
Temp. ♀europæum L. Mant. Mich. Gen. t. 105. f. 1. Gall. m. Temp.
♀

{ ruthenicum Murray. Com. Gott. 1779. t. 2. Siber. ♀

{ tataricum Pallas Ross. t. 49. f. A.

* carnosum H. p. Temp. ♀

barbarum Syst. Veg. Gall. ♀

chinense Lamk. Encycl. Gall. ♀

{ boerhaaviæfolium L. Suppl. Peruv. Temp. ♀

{ Ehretia halimifolia L'her. Stirp. t. 23.

CESTRUM Lin.

nocturnum L. Dill. Elth. t. 153. f. 185. Chili. Cald. ♀

diurnum L. Dill. Elth. t. 154. f. 186. Chili. Cald. ♀

laurifolium L'her. Stirp. t. 34. Ant. m. Cald. ♀

* macrophyllum H. p. Antill. Cald. ♀

foetidissimum Jacq. H. schœn. t. 329. Antill. Cald. ♀

auriculatum L'her. Stirp. t. 35. Peruv. Cald. ♀

salicifolium Jacq. H. schœn. t. 326. Caracas. Cald. ♀

vespertinum L. Jacq. H. schœn. t. 328. Antill. Cald. ♀

alaternoides H. p. Poiret. Encycl. Suppl. Antill. Cald. ♀

Parqui L'her. Stirp. t. 36. Chili. Temp. ♀

ANTHOCERCIS Labill.littorea Labill. N. Holl. t. 158. Bot. Reg. 212. N. Holl.
Temp. ♀**BONTIA** Lin.

daphnoides L. Dill. Elth. t. 49. f. 57. Antill. Cald. ♀

CRESCENTIA Lin.

Cujete L. Jacq. Am. t. 111. Antill. Cald. ♀

BRUNSFELSIA Lin.*americana* L. Bot. Mag. 393. Antill. Cald. ♪**ORDO X.****BORRAGINEÆ** Juss.**CORDIA** Lin.{ *officinalis* Lamk. Ill. Egypt. Cald. ♪ Med.{ *Mixa* L.*crenata* Delile Fl. ægypt. t. 20. f. 1. Egypt. Cald. ♪*dentata* Vahl. Mss. Poiret. Encycl. Suppl. Curass. Cald. ♪*Gerascanthus* Brown. Jam. t. 29. f. 3. (Flos.) Antill. Cald. ♪*macrophylla* L. Antill. Cald. ♪*nitida* Vahl. Mss. Antill. Cald. ♪*parviflora* Ortega Dec. N. Hisp. Cald. ♪*Sebestena* L. Dill. Elth. t. 255. f. 331. Andr. Rep. 157. Ind. Cald. ♪*Patagonula* H. kew. Dill. Elth. t. 226. f. 293. Am. m. Cald. ♪**EBRETIA** Lin.*tinifolia* L. Trew. Sel. t. 25. Jamaic. Cald. ♪*Beurreria* Brown. Jam. t. 15. f. 2. Jamaic. Cald. ♪**VARRONIA** Lin.*ferruginea* Lamk. Ill. Desvaux Journ. 1. t. 9. Am. m. Cald. ♪*bullata* L. Antill. Cald. ♪*mirabilioides* Jacq. Amer. t. 33. Antill. Cald. ♪{ *corymbosa* Desvaux. Journ. Caracas. Cald. ♪{ *monosperma* Jacq. H. schoen. t. 39.**TOURNEFORTIA** Lin.* *lucida* H. p. Antill. Cald. ♪*volubilis* L. Sloan. Hist. 1. t. 145. f. 2. Jamaic. Cald. ♪*humilis* L. Plum. Ic. t. 227. f. 2. Am. m. Cald. ♪*scabra* Lamk. Ill. Antill. Cald. ♪*hirsutissima* Swartz. Obs. Plum. Ic. t. 229. Am. m. Cald. ♪*cymosa* L. Jacq. Rar. t. 31. Jamaic. Cald. ♪*lævigata* Lamk. Ill. Antill. Cald. ♪*laurifolia* Vent. Choix de Pl. t. 2. Antill. Cald. ♪*mutabilis* Vent. Choix de Pl. t. 3. Java. Cald. ♪**MESSERSCHMIDIA** Lin. Suppl.*Arguzia* L. Suppl. N. Act. Petrop. 8. t. 11. Siber. ♪{ *fruticosa* L. Suppl. Canar. Temp. ♪{ *Tournefortia fruticosa* Bot. Reg. 464.*angustifolia* Lamk. Ill. Canar. Temp. ♪

L. Mant. Lamk. Ill. t. 97. Virgin. ☉

☿ Lin.

virginianum L. Lamk. Ill. t. 97. f. 1. Bot. Reg. 331.

Virgin. ☿

canadense L. Lamk. Ill. t. 97. f. 2. Bot. Reg. 242. Canad.

☿

magellanicum Lamk. Ill. Journ. d'Hist. Nat. t. 19.

Magell. ☿

DICHONDRA Forst.

caroliniensis Mich. Fl. Carolin. Temp. ☿

argentea Willd. Hort. t. 81. Am. m. Cald. ☿

CERINTHE Lin.

{ major L. Bot. Mag. 335. Gall. ☉

{ glabra DC. Syn.

aspera Roth. Catal. Gall. ☉

minor L. Jacq. Austr. t. 124. Gall. ♂

HELIOTROPIMUM Lin.

peruvianum L. Bot. Mag. 141. Peruv. Temp. ☿ Orn.

{ grandiflorum H. p. Peruv. Temp. ☿

{ corymbosum Bot. Mag. 1609. Bonpland. Navar. t. 32.

indicum L. Dodard. Acad. 1666, 1699. p. 175. Ic. Bot.

Mag. 1837. Ind. ☉

europæum L. Jacq. Austr. t. 207. Gall. ☉ Med.

parviflorum L. Mant. Dill. Elth. t. 146. f. 175. Ind. ☉

supinum L. Clus. Hist. 2. p. 47. Ic. super. Gall. ☉

curassavicum L. Mant. Herm. Parad. 183. Ic. Alger.

Temp. ♂

ECHINUM Lin.

1. Herbacea.

vulgare L. Fl. Dan. t. 445. Gall. ♂ Med.

{ pyrenaicum Desf. Atl. Gall. ♂

{ italicum L. Var. B.

australe Lamk. Ill. ☉

violaceum L. Mant. Gall. ☉

calicinum DC. Fl. Suppl. Vivian. Fragm. t. 4. Gall. m. ♂

{ parviflorum Willd. Enum. Maroc. ☉

{ micranthum Schousb. Maroc.

prostratum Delile Fl. ægypt. t. 17. f. 1. Egypt. Temp. ♂

salmanticum Link. Enum. Hisp. Temp. ♂

2. Fruticosa.

grandiflorum Vent. Malm. t. 97. Bot. Reg. 124. Cap.

Temp. ☿

giganteum L. Suppl. Vent. Malm. t. 71. Can.

fruticosum L. Jacq. H. schœn. 1. t. 34. Bo

Cap. Temp. 5

candicans Jacq. Rar. t. 30. Canar. Temp. 5

virescens DC. Cat. Monsp. Canar. Temp. 5

strictum L. Suppl. Jacq. H. schœn. t. 35. Canar. Temp. 5

cynoglossoides H. p. Poiret. Encycl. Suppl. Canar. Temp.

5

LITHOSPERMUM Lin.

arvense L. Fl. Dan. t. 456. Engl. Bot. 123. Gall. ☉

officinale L. Fl. Dan. t. 1084. Engl. Bot. 134. Gall. ☉ Med.

latifolium Mich. Fl. Am. s. 7

purpureo-cœruleum L. Jacq. Austr. t. 14. Engl. Bot. 117.

Gall. 7

distichum Jacq. Fragm. t. 48. f. 3. Cuba. Cald. 2

dispermum L. Dec. t. 7. Hisp. ☉

{ *tinctorium* DC. Fl. Gall. m. Temp. 2

{ *Anchusa tinctoria* Lamk. Ill. (non Lin.)

fruticosum L. Garid. t. 15. Gall. m. Temp. 5

tenuiflorum L. Suppl. Jacq. Rar. t. 313. Egypt. ☉

PULMONARIA Lin.

officinalis L. Fl. Dan. t. 482. Gall. 7 Med.

angustifolia L. Fl. Dan. t. 483. Gall. 7

mollis DC. Fl. Bot. Mag. 2422. (varietas). Gall. 7

virginica L. Trew. Sel. t. 42. Virgin. 7

sibirica L. Gmel. Sib. 4. t. 39. Siber. 2

maritima L. Fl. Dan. t. 25. Gall. 2

OROSMA Lin.

echioides L. Jacq. Austr. t. 295. Gall. 5

simplicissima L. Bot. Mag. 2248. Siber. 2

sericea Willd. Sp. Oriens. Temp. 7

SYMPHYTUM Lin.

officinale L. Fl. Dan. t. 661. Gall. 7 Med.

{ *tauricum* Willd. Enum. Bot. Mag. 1912. Tauria. 7

{ *orientale* Marsch. Cauc.

bullatum Horn. Hort. Tauria. 2

asperinum Marsch. Cauc. Bot. Mag. 929. Caucas. 7

LYCOPSIS Lin.

arvensis L. Fl. Dan. t. 455. Gall. ☉

ECHIODES Desf.

{ *nigricans* Desf. Atl. Zan. Hist. t. 38. Gall. ☉

{ *Nonea nigricans* DC. Fl.

{ *violacea* Desf. Atl. Gall. ☉

{ *Nonea violacea* DC. Fl.

flora. H. p. ☉

grandiflora.

sa versicolor Steven.

{ ----- H. p. Gall. m. ☉

{ *Nonea lutea* DC. Fl. Suppl.

MYOSOTIS Lin.

arvensis L. Engl. Bot. 2558. Gall. ☉

palustris Engl. Bot. 1973. Gall. ☉

{ *Lappula* L. Gall. ☉

{ *Echinospermum Lappula* Lehm. Asperif.

ANCHUSA Lin.

italica Retz. Obs. Bot. Reg. 483. Gall. ♂ Med.

* altissima H. p. ♂

angustifolia L. Bot. Mag. 1897. Europa. Occid. ♀

capensis Thunb. Prodr. Andr. Rep. 336. Bot. Mag. 1822.

Cap. Temp. ♂

ochroleuca Marsch. Cauc. Bot. Mag. 1608. Caucas. ♀

{ *Barrelieri* DC. Fl. Bot. Mag. 2349. Gall. m. ☉

{ *Buglossum Barrelieri* All. Ped.

undulata L. Bot. Mag. 2119. Gall. m. Temp. ♀

stylosa Marsch. Cauc. Tauria ☉

zeylanica Jacq. f. Ecl. t. 29. Zeylan. ☉

Milleri Willd. Enum. ☉

sempervirens L. Engl. Bot. 45. Gall. ♀

{ *verrucosa* Lamk. Ill. Egypt. ☉

{ *Asperugo ægyptia* L.

{ *laxiflora* DC. Fl. Suppl. Corsia. ♀

{ *Borago laxiflora* Bot. Mag. 1798.

BORAGO Lin.

officinalis L. Fuchs. Hist. 142. Ic. Gall. ☉ Med.

orientalis L. Tournef. Itin. 1. p. 524. Ic. Bot. Reg. 288.

Constantinop. ♀

{ *indica* L. Ind. ☉

{ *Trichodesma indica* Brown. Prodr.

{ *zeylanica* L. Mant. Isnard. Acad. 1718. t. 10. Zeylan.

☉

{ *Trichodesma zeylanica* Brown. Prodr.

{ *africana* L. Isnard. Acad. par. 1718. t. 11. Æthiop. ☉

{ *Trichodesma africana* Brown. Prodr.

ASPERUGO Lin.

procumbens L. Fl. Dan. t. 552. Gall. ☉

CYNOGLOSSUM Lin.

officinale Camer. Epit. 917. Engl. Bot. 921. Gall. ♂ Med.

apenninum L. Col. Ecphr. 170. Ic. Alpes. ♂

- clandestinum* Desf. Atl. t. 42. Alger. ♂
pictum Vahl. Symb. Bot. Mag. 2134. Europa.
lanceolatum Vahl. Symb. Arabia. ♂
bicolor Willd. Enum. German. ♂
montanum Lamk. Ill. Alpes x
 { *hirsutum* Jacq. H. schœn. t. 489. Cap. ☉
 canescens Willd. Enum.
 parviflorum Poiret. Encycl. Suppl.
cheirifolium L. Clus. Hist. 2. p. 162. Ic. exter. Oriens. ♂
linifolium L. Gall. m. ☉
nitidum Hoffm. et Link. Fl. lusit. 1. t. 25. Bot. Mag. 2529.
 Lusit. Temp. x
Omphalodes L. Bot. Mag. 7. Gall. x

RINDERA Pallas.

- { *tetraspis* Pallas. Itin. 1. t. 10. Ed. gall. Russ. x
 Cynoglossum Rindera L. Suppl.

NOLANA Lin.

- prostrata* L. Bot. Mag. 731. Peruv. ☉

ORDO XI.

CONVOLVULACEÆ Juss.

CONVOLVULUS Lin.

1. *Caule volubili.*

- arvensis* L. Fl. Dan. t. 459. Engl. Bot. 312. Gall. x
sepium L. Fl. Dan. t. 458. Engl. Bot. 313. Gall. x
panduratus L. Dill. Elth. t. 85. f. 99. Bot. Mag. 1939.
 Am. s. x
farinosus L. Mant. Salisb. Par. 45. Madera. Temp. x
Batatas L. H. malab. 7. t. 50. Ind. Cald. x Econ.
 { *nervosus* Lamk. Ill. Ind. Cald. x
 Ipomœa speciosa Bot. Mag. 2446.
canariensis L. Bot. Mag. 1228. Canar. Temp. y
 { *Jalapa* L. Mant. Desf. Ann. du Mus. 2. t. 40, 41.
 Vera-Cruz. Cald. x Med.
 Ipomœa Jalapa Bot. Reg. 621. Variet. rosea.
 Ipomœa macrorhiza Mich. Fl.
althæoides L. Clus. Hist. 2. p. 49. Ic. infer. Gall. m.
 Temp. x
 { *pentaphyllus* L. Antill. ☉
 Ipomœa pentaphylla Jacq. Bar. t. 519.
cairicus L. Bot. Mag. 699. Egypt. Temp. x
dissectus L. Mant. Jacq. Obs. t. 28. Antill. ☉

- anniae* L'her. Stirp. t. 33. Peruv. Cald. &
atus Jacq. Rar. t. 315.
ens Bot. Mag. 1067. N. Holl. Temp. &
truticulosus Lamk. Ill. Canar. Temp. &
 { *sibiricus* L. Mant. Siber. &
 { *rupestris* Pallas. Itin. 4. t. 17. Ed. gall.
ebracteatus Lamk. Ill. ☉
pentanthus? Jacq. Rar. t. 316. Bot. Reg. 439. Ind.
 Cald. &
siculus L. Bocc. Sic. t. 48. Sicil. ☉
 { *pseudo-siculus* Broussonet. Canar. ? ☉
 { *elongatus* Willd. Enum. Bot. Reg. 498.

2. Caule non volubili.

- pentapetaloides* Syst. Veg. Cav. Ic. t. 123. f. 1. Majorca. ☉
 { *evolvuloides* Desf. Atl. t. 49. Alger. ☉
 { *undulatus* Cav. Ic. t. 277.
lineatus L. Triump. Obs. 91. Ic. Gall. m. Temp. &
Cneorum L. Bot. Mag. t. 459. Oriens. Temp. &
oleæfolius Lamk. Ill. Alpin. Exot. 73. Ic. Oriens. Temp. &
floridus L. Suppl. Jacq. Rar. t. 34. Canar. Temp. &
scoparius L. Suppl. Vent. Choix de pl. t. 24. Canar. Temp.
 &
cantabrica L. Jacq. Aust. t. 296. Gall. &
pilosellæfolius Lamk. Ill. Oriens. Temp. &
spicæfolius Lamk. Ill. Barrel. t. 311. Hisp. Temp. &
Dorycnium L. Oriens. Temp. &
tricolor L. Bot. Mag. 27. Maurit. ☉
 { *Pes-capræ* L. H. malab. vol. 11. t. 57. Ind. Cald. &
 { *Ipomæa maritima* Bot. Reg. 319.
Soldanella L. Camer. Epit. 253. Ic. Engl. Bot. 314.
 Gall. &
 { *Falkia* Thunb. Prodr. (non Jacq. H. schœn.) Cap.
 Temp. &
 { *Falkia repens* Andr. Rep. 257. Bot. Mag. 2228.

IPOMÆA LIN.

- Quamoclit* L. Bot. Mag. 244. Ind. ☉ Orn.
coccinea L. Bot. Mag. 221. Ind. ☉
luteola Jacq. Rar. t. 35. Am. m. ☉
leucantha Jacq. Rar. t. 318. Am. m. ☉
Bona-nox L. Jacq. H. schœn. t. 36. Bot. Mag. 752. Ind. ☉
 { *tuberculosa* H. p. I. Franciæ. Cald. &
 { *stipulacea* Jacq. H. schœn. t. 199.
 { *Convolvulus tuberculosus* Lamk. Ill.
 { *splendens* Bot. Mag. 2628. Ind. Cald. &
 { *Convolvulus elegans* Choisi. Convolv. Mss.
 { *Lettsonia elegans* Hortul.

insignis Andr. Rep. 636 Bot. Reg. 75. Ind. Cal

heterophylla Jacq. Fragn. t. 42. f. 4. Mexico

pendula Brown. Prodr. Andr. Rep. 613. Bot.

N. Holl. Temp. &

triloba L. Am. ☉

hederacea Jacq. Rar. t. 36. Bot. Reg. 85. Am. m. ☉

{ Nil. Am. ☉

{ *Convolvulus* Nil. Syst. veg. Bot. Mag. 188. an variet.
præced. ?

bicolor Lamk. Ill. ☉

{ *purpurea* Lamk. Ill. Am. m. ☉ Orn.

{ *Convolvulus purpureus* L. Bot. Mag. 113, 1005 (Variet.)

Evolvulus Lin.

alsinoides L. H. malab. vol. 11. t. 64. Ind. ☉

linifolius L. Brown. Jam. t. 10. f. 2. Jamaic. ☉

latifolius Bot. Reg. 401. Brasil. Cald. &

Cuscuta Lin.

europæa L. Engl. Bot. 378. Gall. ☉

Epithymum Smith. Fl. Engl. Bot. 55. (europæa). Gall. ☉

ORDO XII.

POLEMONIACEÆ Juss.

Phlox Lin.

suavolens H. kew. Am. s. & Orn.

glaberrima L. Dill. Elth. t. 166. f. 202. Am. s. & Orn.

paniculata L. Mill. Ic. t. 205. f. 2. Am. s. & Orn.

divaricata L. Bot. Mag. 163. Am. s. & Orn.

{ *acuminata* Pursh. Fl. Suppl. Bot. Mag. 1880. Am. s.
& Orn.

{ *decussata* Hortul.

amœna Bot. Mag. 1508. Am. s. & Orn.

maculata L. Mant. Jacq. Hort. t. 127. Am. s. & Orn.

suffruticosa Willd. Enum. Bot. Reg. 68. Am. s. & Orn.

ovata Bot. Mag. 528. Am. s. & Orn.

subulata L. Bot. Mag. 411. Am. s. &

setacea L. Bot. Mag. 415. Am. s. &

{ *reptans* Mich. Fl. Vent. Malm. t. 107. Am. s. &

{ *stolonifera* Bot. Mag. 563.

Polemonium Lin.

cœruleum L. Fl. Dan. t. 255. Europa. & Orn.

reptans L. Bot. Mag. 1887. Am. s. &

mexicanum Bot. Reg. 460. Mexico. Temp. ♂

- nopifolia* Willd. Sp. Carolin. Temp. ♂
nopsis elegans Mich. Fl. Smith. Exot. Bot. t. 13
 { *Polemonium rubrum* L. Sp.
 { *ligustrifolia* Juss. Ann. du Mus. vol. 5. Chili. Cald. ♀
 { *Periphragmos foetidus* Fl. peruv. t. 152.
 { *Vestia lycioides* Willd. Enum. Bot. Mag. 2412. Bot.
 Reg. 299.

BONPLANDIA Cav.

- { *geminiflora* Cav. Ic. t. 532. N. Hisp. ☉
 { *Caldasia heterophylla* Willd. Hort. t. 71. Bot. Reg.
 92.

CORÆA Cav.

- scandens* Cav. Ic. t. 16. Bot. Mag. 851. Mexico. Temp. ♀
 Orn.

ORDO XIII.**BIGNONIACEÆ** Juss.**CHELONE** Lin.

- glabra* L. Trew. Sel. t. 88. Virgin. ♀
obliqua Syst. Veg. Mill. Ic. t. 95. Bot. Reg. 175. Am. s. ♀
barbata Cav. Ic. t. 242. Bot. Reg. 116. Mexico. Temp. ♀
 Orn.

PENTSTEMON Gen. pl. Ed. Schreb.

- laevigata* Willd. Sp. Bot. Mag. 1425. Am. s. ♀
 { *pubescens* H. kew. Bot. Mag. 1424. Am. s. ♀
 { *Chelone Pentstemon* L. Mant.
 { *campanulata* Willd. Sp. Jacq. H. schoen. t. 362. Bot.
 Mag. 1878. Mexico. Cald. ♀ Orn.
 { *Chelone campanulata* Cav. Ic. t. 29.

SESAMUM Lin.

- orientale* L. Rivin. Irreg. Monop. t. 114. Ind. ☉
indicum L. Rumph. Amb. 5, t. 76. Ind. ☉

BIGNONIA Lin.1. *Folijs simplicibus.*

- { *Catalpa* L. Catesby. Car. 1. t. 49. Am. s. ♀ Orn.
 { *Catalpa syringifolia* H. kew. Bot. Mag. 1094.
 { *Quercus* Lamk. Encycl. Plum. Ic. t. 57. Antill. Cald. ♀
 { *longissima* Swartz. Fl.
 { *Catalpa longissima* H. kew.

2. Foliis conjugatis, ternisve.

- alliacea* Lamk. Encycl. Guian. Cald. ♪
grandifolia Jacq. H. schœn. t. 287. Bot. Reg. 418. Caracas.
 Cald. ♪
unguis L. Plum. Amer. t. 94. Antill. Cald. ♪
lactiflora Vahl. Symb. t. 66. S.-Crux. Cald. ♪
uncata Andr. Rep. 530. Bot. Mag. 1511. Ind. occ. Cald. ♪
equinoctialis L. Plum. Ic. t. 55. f. 1. Bot. Reg. 741 Brasil.
 ♪
 * *pseudo-unguis* H. p. Cald. ♪
capreolata L. Bot. Mag. 864. Jacq. H. schœn. t. 363.
 Florid. Temp. ♪ Orn.
incarnata Aublet. Guian. t. 261. Guian. Cald. ♪
crucigera L. Plum. Ic. t. 58. Carolin. Temp. ♪
paniculata Vahl. Symb. Plum. Ic. t. 56. f. 1. Am. m.
 Cald. ♪
variabilis Jacq. H. schœn. t. 210. Caracas. Cald. ♪
spectabilis Vahl. Symb. ? Brasil. Cald. ♪

3. Foliis digitatis.

- Leucoxylon* L. Andr. Rep. 43. Jamaic. Cald. ♪
pentaphylla L. Antill. Cald. ♪
 * *Esculus* H. p. Brasil. Cald. ♪

4. Foliis pinnatis.

- jasminifolia* Kunth. N. gen. Am. m. Cald. ♪
 { *grandiflora* Thunb. Jap. Bot. Mag. 1398. Jacq. H. schœn.
 t. 287. China. Cald. ♪
 { *chinensis* Lamk. Encycl.
indica L. H. malab. 1. t. 43. Ind. Cald. ♪
radicans L. Bot. Mag. 485. Am. s. ♪ Orn.
stans L. Plum. Ic. t. 54. Antill. Cald. ♪
 { *capensis* Thunb. Prodr. Cap. Temp. ♪
 { *Tecoma capensis* Bot. Reg. 1117.
 { *pandorana* Andr. Rep. 86. Bot. Mag. 865. N. Holl.
 Temp. ♪
 { *australis* Brown. Prodr.
chelonoides L. Suppl. H. malab. vol. 6. t. 26. Ind.
 Cald. ♪

JACARANDA JUSS.

- { *mimosæfolia* Bot. Reg. 631. Brasil. Cald. ♪
 { *Bignonia cœrulea* L.

Lin.

scidea H. kew. Bot. Mag. 1056. Antill. ☉

Bot. Reg. 934. Brasil. ☉

{ *gulosa* Lamk. Encycl. N. Hisp. ☉{ *diandra* Jacq. H. schœn. t. 289.{ *perennis* L. Hort. cliff. t. 18. Am. m. Cald. &{ *Gloxinia maculata* L'her. Stirp. Bot. Mag. 1191.{ *speciosa*. Brasil. Cald. & Orn.{ *Gloxinia speciosa* Bot. Mag. 1937. Bot. Reg. 215.

ORDO XIV.

GENTIANEÆ Juss.

GENTIANA Lin.

lutea L. Clus. Hist. 311. Ic. Alpes. & Med.{ *Burseri* DC. Fl. Suppl. Alpes. &{ *punctata* Vill. Hist. variet.*purpurea* L. Fl. Dan. t. 50. Alpes. &*macrophylla* Pallas. Ross. 2. t. 96. Siber. &*asclepiadea* L. Jacq. Austr. t. 328. Bot. Mag. 1078. Alpes.*septemfida* Froel. Gent. Bot. Mag. 1229. Mare casp. &*saponaria* L. Bot. Mag. 1039. Am. s. &*Pneumonanthe* L. Fl. Dan. t. 269. Gall. &*ochroleuca* Froel. Gent. Bot. Mag. 1551. Virgin. &*acaulis* L. Jacq. Austr. t. 135. Alpes. & Orn.*Amarella* L. Fl. Dan. t. 328. Gall. ☉*campestris* L. Fl. Dan. t. 367. Gall. ☉*cruciata* Jacq. Austr. t. 372. Gall. &

SWERTIA Lin.

perennis L. Jacq. Austr. t. 243. Gall. &

CHLORA Lin.

perfoliata L. Camer. Epit. 427. Engl. Bot. 60. Gall. ☉

CHIRONIA Lin.

decussata Vent. H. Cels. t. 31. Bot. Mag. 707. Cap. Temp.
& Orn.*frutescens* L. Bot. Mag. 37. Cap. Temp. & Orn.*linoides* L. Bot. Mag. 511. Cap. Temp. &*baccifera* L. Bot. Mag. 233. Cap. Temp. &{ *Centaurium* Engl. Bot. 417. Gall. ☉ Med.{ *Gentiana Centaurium* L. Bull. Herb. t. 253.{ *minor* Gall. ☉{ *Chironia pulchella* Smith. Fl. Vaill. Bot. t. 6. f. 1.

- filiformis* Gall. ☉
- Gentiana filiformis* L. Vaill. Bot. t. 6 f. 3.
- Exacum filiforme* Smith. Fl.
- pusilla* Lamk. Encycl. Vaill. Bot. t. 6. f. 2. G
- Exacum pusillum* DC. Fl.

EXACUM Lin.

- viscosum* Smith. Ic. pictæ. t. 18. Canar. Temp. ♂
- Gentiana viscosa* Bot. Mag. 2135.

VILLARSIA Vent.

- ovata* Vent. Choix de pl. t. 9. Cap. Temp. ♀
- Menyanthes ovata* L. Suppl.
- reniformis* Brown. Prodr. N. Holl. Temp. ♀
- Nymphoides* Vent. Choix de pl. Gall. 2
- Menyanthes Nymphoides* L. Fl. Dan. t. 539.

SMGELIA Lin.

- Anthelmia* L. Amœn. Acad. 5. t. 2. Bot. Mag. 2359. Am. m. ☉
- marylandica* Syst. Veg. Bot. Mag. 80. Am. s. ♀
- Lonicera marylandica* L.

POTALIA Aublet.

- amara* Aubl. Guian. t. 151. Guian. Cald. ♀

ORDO XV.**APOCINEÆ** Juss.**VINCA** Lin.

- major* L. Clus. Hist. 121. Ic. infer. Engl. Bot. 514. Gall. ♀ Med.
- minor* L. Engl. Bot. 917. Gall. ♀
- herbacea* Wald. et Kit. Hung. 1. t. 9. Bot. Reg. 301. Hungar. ♀
- rosea* L. Bot. Mag. 248. Ind. Cald. ♀ Orn.

OCHROSIA Juss.

- borbonica* I. Borbon. Cald. ♀
- Rauvolfia striata* Poir. Encycl.
- Ophioxylon Ochrosia* Pers. Syn.

TABERNÆMONTANA Lin.

- angustifolia* Willd. Sp. Am. s. ♀
- Amsonia angustifolia* Mich. Fl. Vent. Choix de pl. 29.
- Amsonia* L. Pluk. t. 115. f. 3. Am. s. ♀
- Amsonia latifolia* Mich. Fl. Bot. Reg. 151.

lia L. Plum. Ic. t. 248. f. 2. Antill. Cald. ♀
 onaria H. kew. Bot. Reg. 1064. Ind. Cald. ♀
 ium coronarium Willd. Sp. Jacq. Rar. t. 52. Bot.
 Mag. 1865.

{ Nerium divaricatum L.

laurifolia L. Bot. Reg. 716. Antill. Cald. ♀

amygdalifolia Jacq. Am. t. 181. f. 15. Flos. Bot. Reg. 338.
 Am. m. Cald. ♀

* nervosa H. p. Cald. ♀

CAMERARIA Lin.

latifolia L. Plum. Ic. t. 72. f. 1. Andr. Rep. 261. Antill.
 Cald. ♀

PLUMIERA Lin.

rubra L. Trew. Sel. t. 41. Bot. Reg. 780. Antill. Cald. ♀
 Orn.

alba L. Plum. Ic. t. 231. Antill. Cald. ♀

CRYPTOSTEGIA Brown. Mss. Bot. Reg.

grandiflora Brown. Mss. Bot. Reg. 435. Ind. Cald. ♀

CRYPTOLEPIS Brown.

reticulata Wall. Nepaul. Cald. ♀

NERIUM Lin.

Oleander L. Camer. Epit. 843. Mill. Ill. Ic. Maurit. Temp.
 ♀

— album.

odorum H. kew. Bot. Mag. 2032. Ind. Cald. ♀

{ grandiflorum H. p. Ind. Cald. ♀

{ odorum Bot. Mag. 1799. Bot. Reg. 74.

coccineum Wall. Ind. Cald. ♀

ECHITES Lin.

caryophyllata Bot. Mag. 1919. Ind. Cald. ♀

nutans Bot. Mag. 2473. Ind. Cald. ♀

umbellata Jacq. Am. t. 22. Antill. Cald. ♀

{ grandiflora Roxb. H. bengh. Ind. Cald. ♀

{ Beaumontia grandiflora Bot. Reg. 911.

STROPHANTHUS DC.

dichotomus DC. Ann. du Mus. vol. 1. Bot. Reg. 469. Ind.
 Cald. ♀

WRIGHTIA Brown.

{ antidysenterica Ind. Cald. ♀ Med.

{ Nerium antidysentericum L.

- tinctoria* Brown. Asclep. Bot. Reg. 933. In
Econ.
Nerium tinctorium Roxb. H. bengh.

STAPELIA Lin.

- hirsuta* L. Jacq. Miscell. 1. t. 3. Stap. t. 19. Cap. Cald. ♀
grandiflora Mass. Stap. t. 11. Cap. Cald. ♀
Asterias Mass. Stap. t. 14. Jacq. Stap. t. 28. Cap. Cald. ♀
cespitosa Mass. Stap. t. 29. Cap. Cald. ♀
papillosa DC. Pl. gr.
variegata L. Jacq. Miscell. 1. t. 4. Stap. t. 14. Cap. Cald.
♀
reticulata Mass. Stap. t. 2. Jacq. Stap. t. 1. Cap. Cald. ♀
divaricata Mass. Stap. t. 22. Cap. Cald. ♀
glauca Jacq. Stap. t. 21. Cap. Cald. ♀
planiflora Jacq. Stap. t. 7. Cap. Cald. ♀
rugosa Jacq. Stap. t. 9. Cap. Cald. ♀
sororia Jacq. Stap. t. 15. Cap. Cald. ♀

PEPLOCA Lin.

- græca* L. Clus. Hist. 125. Ic. super. Bot. Mag. 2289. Bot.
Reg. 803. Syria. ♀
{ *angustifolia* Labill. Dec. 2. t. 7. Tunis. Temp. ♀
{ *punicifolia* Cav. Ic. t. 217.
{ *esculenta* L. Suppl. Roxb. Corom. t. 11. Ind. Cald. ♀
Econ.
{ *Oxystelma esculenta* Brown. Prodr.

APOCYNUM Lin.

- androsæmifolium* L. Dodart. Acad. 1666, 1699. p. 251.
Ic. Bot. Mag. 280. Am. s. ✕
cannabinum L. Moris. S. 15. t. 3. f. 14. Am. s. ✕
{ *hypericifolium* H. kew. Am. s. ✕
{ *sibiricum* Jacq. Hort. 3. t. 66.
venetum L. Lob. Ic. 372. f. inter. Ital. ✕

VAHEA Lamarck.

- gummifera* Poiret. Encycl. Suppl. Ill. 1. 169. Madag. Cald.
♀ Econ.

URCEOLA Roxb.

- elastica* Roxb. Ind. Cald. ♀ Econ.

PENGULARIA Lin.

- sanguinolenta* Lindl. Hort. Trans. Bot. Mag. 2532. Sierra-
Leon. Cald. ♀

CYNANCHUM Lin.

- prostratum* Cav. Ic. t. 7. Mexico ✕
acutum L. Clus. Hist. 125. Ic. infer. Gall. ✕
monspeliacum L. Clus. Hist. 126. Ic. super. Jacq. Rar.
t. 340. Gall. m. ✕

niense Jacq. Rar. t. 342. Carolin. Temp. x
 ophyllum (an generis) Cald. y
 ciliatum L. Jacq. Hort. t. 38. Oriens. x
 mauritianum Lamk. Encycl. I. Franciæ. Cald. y

GONOLOBUS Brown.

diadematus Bot. Reg. 252. Mexico. Cald. x

THENARDIA Kunth.

floribunda Humb. et Kunth. N. Gen. t. 240. Mexico.
 Cald. x

ASCLEPIAS Lin.

{ Vince-toxicum L. Fl. Dan. t. 849. Gall. x Med.
 { Cynanchum Vince-toxicum Brown. Asclep.
 { nigra L. Camer. Epit. 560. Gall. x
 { Cynanchum nigrum. Bot. Mag. 2390.
 nivea L. Dill. Elth. t. 29. f. 32. Am. s. x
 quadrifolia Jacq. Obs. t. 33. Am. s. x
 curassavica L. Dill. Elth. t. 30. f. 33. Bot. Reg. 81. Am.
 m. Cald. y
 incarnata L. Jacq. Hort. t. 107. Bot. Reg. t. 250. Am. s. x
 amœna L. Dill. Elth. t. 27. f. 30. Am. s. x
 tuberosa L. Dill. Elth. t. 30. f. 34. Bot. Reg. 76. Am. s.
 Temp. x
 asthmatica L. Suppl. Pluk. t. 336. pl. 7. Zeylan. Cald. x
 Med.
 linaria Cav. Ic. t. 57. Cald. y
 angustifolia Willd. Hort. t. 104. Mexico? Cald. y
 parviflora H. kew. Willd. Hort. t. 103. Carolin. Temp. y
 mexicana Cav. Ic. t. 58. Mexico. Cald. x
 { fruticosa L. Herm. Parad. t. 24. Tunis. Temp. y
 { Gomphocarpus fruticosus H. kew. Bot. Mag. 1628.
 syriaca L. Cornuti. Canad. 90. Ic. Virgin. x
 phytolaccoides Pursch. Fl. Virgin. x
 { gigantea L. Ind. Cald. y
 { Calotropis procera H. kew. Bot. Reg. 58.
 { arborescens L. Mant. Jacq. H. schœn. t. 50. Cap. Temp. y
 { Gomphocarpus arborescens H. kew.

HOYA Brown.

{ carnosa H. kew. Asia. Cald. y
 { Asclepias carnosa L. Suppl. Bot. Mag 788. Smith. Exot.
 t. 70.
 pallida Bot. Reg. 951. Cald. y

ALIAMANDA Lin.

cathartica L. Mant. Bot. Mag. 338. Guian. Cald. y
 verticillata H. p. Spreng. Syst. Cald. y

DISCHIDIA Collebr.

benghalensis Collebr. Soc. Lin. Lond. vol. 12. t. 1
Cald. ♀

RAUWOLFIA Lin.

nitida L. H. cliff. t. 9. Plum. Ic. t. 236. f. 1. Antill.
Cald. ♀
glabra Cav. Ic. t. 297. N. Hisp. Cald. ♀
canescens L. Plum. Ic. t. 236. f. 2. Antill. Cald. ♀

CARISSA Lin.

spinarum L. Mant. Lod. Bot. Cab. 162. Ind. Cald. ♀
Carandas L. Mant. Rumph. Amb. Auct. t. 25. Ind. Cald. ♀
* *myrtoides* H. p. Cald. ♀

OPHIOXYLON Lin.

serpentinum L. Bot. Mag. 784. Jacq. H. schoen. t. 389. Ind.
Cald. ♀ Med.

MELODINUS Forst.

monogynus Roxb. H. bengh. Bot. Reg. 834. Bot. Mag.
2527. Ind. Cald. ♀

CERBERA Lin.

Thevetia L. Jacq. Am. t. 34. Bot. Mag. 2309. Am. m.
Cald. ♀
Manghas L. Bot. Mag. 1845. Ind. Cald. ♀
Ahouai L. Bot. Mag. 737. Brasil. Cald. ♀
laurifolia Lodd. Bot. Cab. 987. Cald. ♀
fruticosa Carey. Hort. bengh. Bot. Reg. 391. Ind. Cald. ♀

ARDUINIA Lin.

bispinosa L. Mant. Mill. Ic. t. 300. Cap. Cald. ♀

STRYCHNOS Lin.

Nux-vomica L. Roxb. Corom. 1. t. 4. Ind. Cald. ♀ Med.

GELSEMIUM Juss.

{ *sempervirens* Carolin. Temp. ♀ Orn.
 nitidum Mich. Fl.
 Bignonia semper-virens L. Catesby. Carol. 1. t. 53.

THEOPHASTA Lin.

Jussiaei Lindl. Collect. t. 26. Antill. Cald. ♀
longifolia Jacq. H. schen. t. 116. Caracas. Cald. ♀

ORDO XVI.

SAPOTÆ Juss.

SIDEROXYLUM Lin.

- { melanophleum L. Mant. Jacq. Hort. t. 71. Cap. Temp.
- { laurifolium Lamk. Encycl.
- atrovirens Lamk. Encycl. Am. m.? Cald. ♀
- { mastichodendrum Jacq. Collect. 2. t. 17. f. 5. Fl. et
- { Fruct. Antill. Cald. ♀
- { Bumelia salicifolia Swartz Fl. Ind.
- mite Jacq. Collect. Bot. Mag. 1858. Cap. Temp. ♀
- lycioides L. Duham. Arb. 2. t. 68. Am. s. ♀
- { tenax L. Mant. Carolin. Temp. ♀
- { Chrysophyllum caroliniense Jacq. Obs. t. 54.
- { Bumelia tenax Willd. Sp.

CHRYSOPHYLLUM Lin.

- glabrum L. Jacq. Am. t. 38. f. 2. mala. Antill. Cald. ♀
- Cainito L. Plum. Ic. t. 69. Antill. Cald. ♀
- argenteum Jacq. Am. t. 38. f. 1. Antill. Cald. ♀
- * macrophyllum H. p. Philipp. Cald. ♀
- { pyriforme Willd. Sp. Guian. Cald. ♀
- { Macoucou Aubl. Guian. t. 92.

MIMOSOPS Lin.

- Elengi L. Roxb. Corom. t. 14. Ind. Cald. ♀

ACHRAS Lin.

- Sapota L. Jacq. Amer. t. 41. Am. m. Cald. ♀ Econ.

ORDO XVII.

MYRSINÆ Brown.

MYRSINE Lin.

- africana L. Com. Hort. 1. t. 64. Cap. Temp. ♀
- retusa Vent. H. Cels. t. 86. Açores. Temp. ♀
- capitellata Wall. Fl. Nepaul. t. 25. Ind. Cald. ♀

ANDISIA Swartz.

- { acuminata Willd. Sp. Bot. Mag. 1678. Guian. Cald. ♀
- { Icacourea guianensis Aublet. t. 368.
- erenata Bot. Mag. 1950. China. Cald. ♀
- crenulata Vent. Choix de pl. t. 5. Antill. Cald. ♀

solanacea Roxb. Corom. 1. t. 27. Bot. Mag. 1677.
 Cald. ♀
paniculata Bot. Reg. 638. Bot. Mag. 2364. Ind. Cald. ♀

JACQUINIA Lin.

aurantiaca H. kew. Bot. Mag. 1639. N. Holl. Temp. ♀
armillaris Vahl. Ecl. Jacq. Am. t. 39. Am. m. Cald. ♀
ruscifolia L. Dill. Elth. t. 123. f. 149. Am. m. Cald. ♀

CLASSIS X.

DICOTYLEDONES MONOPETALÆ, COROLLA PERIGYNÆ.

ORDO I.**GUAIACANÆ Juss.****EMBRYOPTERIS** Gaertn.

{ *glutinifera* Roxb. Corom. t. 70. Ind. Cald. ♀
 { *Diospyros Embryopteris* Pers. Syn. Bot. Reg. 499.

DIOSPYROS Lin.

? *Ebenum* Lamk. Encycl. Ind. Cald. ♀ Econ.
 * *Mabolo* H. p. Philipp. Cald. ♀ Econ.
virginiana L. Poit. et Turp. Arb. fruit. t. 37. Virgin. ♀
Lotus L. Poit. et Turp. Arb. fruit. t. 36. Ital. ♀
Kaki L. Suppl. Kæmpf. Amœn. Exot. 806. Ic. ♀ Econ.
 { *hirsuta* Desf. Ann. du Mus. vol. 6. t. 62. f. 2. Cap.
 { Temp. ♀
 { *Royena hirsuta* L. (Excl. Jacq. Collect. t. 13. f. 1.)
lycioides Desf. Ann. du Mus. 6. t. 62. f. 1. Cap. Temp.
 ♀

ROYENA Lin.

lucida L. Com. Hort. 1. t. 96. Desf. Ann. du Mus. 6. t. 3.
 Cap. Temp. ♀
 { *pubescens* Willd. Enum. Bot. Reg. 500. Cap. Temp. ♀
 { *hirsuta* Jacq. Collect. Suppl. t. 13. f. 1 (exclus. syn.) Cap.

ISNEA Lin. Suppl.

Mocanera L. Suppl. Canar. Temp. ♀

MYRAX Lin.

officinale L. Cav. Diss. t. 188. f. 2. Gall. m. ♀ Med.

- { lævigatum H. kew. Bot. Mag. 921. Am. s. ♪
- { octandrum L'her. Stirp. 2. t. 17.
- { glabrum Cav. Diss. t. 188. f. 1.
- pulverulentum Mich. Fl. Carolin. Temp. ♪
- grandifolium H. kew. Carolin. Temp. ♪

HALESIA Lin.

- tetraptera L. Cav. Diss. t. 186. Bot. Mag. t. 910. Carolin.
- ♪ Orn.

HOPEA Lin.

- { tinctoria L. Mant., Catesby Carol. 1. t. 54. Carolin. ♪
- { Econ.
- { Symplocos tinctoria Willd. Sp.

ORDO II.**RHODODENDREÆ** Juss.**KALMIA** Lin.

- latifolia L. Trew. Sel. t. 38. f. 1. Am. s. ♪ Orn. Ven.
- angustifolia L. Trew. Sel. t. 38. f. 2. Am. s. ♪ Orn.
- glauca H. kew. Bot. Mag. 177. Am. s. ♪

RHODODENDRON Lin.

- ferrugineum L. Jacq. Austr. t. 255. Alpes ♪ Orn.
- hirsutum L. Jacq. Austr. t. 98. Alpes. ♪ Orn.
- Chamæcistus L. Jacq. Austr. t. 217. Bot. Mag. 488. Caucas.
- ♪ Orn.
- dauricum L. Bot. Mag. 1888. Siber. ♪ Orn.
- { punctatum Vent. H. Cels. t. 15. Am. s. ♪ Orn.
- { minus Mich. Fl.
- caucasicum Pallas Ross. 1. t. 31. Bot. Mag. 1145. Caucas.
- ♪ Orn.
- maximum L. Tournef. Acad. 1704. t. 10. Trew. Sel. t. 66.
- Am. s. ♪
- arboreum Smith. Exot. t. 6. Bot. Reg. 890. Ind. Temp. ♪
- Orn.
- ponticum L. Jacq. Rar. t. 78. Asia m. ♪ Orn.

AZALEA Lin.

- arborescens Pursch. Fl. Pensyl. ♪ Orn.
- indica L. Kœmpf. Amœn. 846. Ic. Bot. Mag. 1480. China.
- Temp. ♪ Orn.
- viscosa L. Am. s. ♪ Orn.
- glauca H. kew. Am. s. ♪ Orn.
- nudiflora L. Trew. Sel. t. 48. Am. s. ♪ Orn.
- bicolor Pursch. Fl.
- calendulacea Mich. Fl. Bot. Reg. 145. Am. s. ♪ Orn.

pontica L. Tournef. Acad. 1704. t. 11. Bot. Mag. 433. Asia.
 ↳ Orn.
procumbens L. Fl. lapp. t. 6. f. 2. Alpes. ↳

RHODORA Lin.

canadensis L. L'her. Stirp. t. 68. Bot. Mag. 474. Canad. ↳

LEDUM Lin.

palustre L. Fl. Dan. t. 1031. Alpes. ↳ Econ.
latifolium Lamk. Encycl. Jacq. Rar. t. 464. Am. s. ↳
{ *thymifolium* Lamk. Ill. t. 363. f. 2. Am. s. ↳
 buxifolium Berg. Act. Petrop. 1777. I. t. 3. f. 2.
{ *Ammyrsine buxifolia* Pursch. Fl. Bot. Reg. 531.

MENZIEZIA Smith.

{ *polifolia* Juss. Ann. du Mus. vol. 1. Gall. ↳
 Erica Daboecii L. Engl. Bot. 35.

ITEA Lin.

virginiana L. Trew. Sel. t. 98. Am. s. ↳ Orn.

ORDO III.

ERICEÆ Juss.

ERICA Lin.

1. *Antheris aristatis.*

a. Foliis ternis.

viridi-purpurea L. Clus. Hist. 42. f. sup. inter. Lusit.
 Temp. ↳

b. Foliis quaternis.

arborea L. Clus. Hist. 41. Ic. Gall. m. Temp. ↳
Tetralix L. Fl. Dan. t. 81. Engl. Bot. 1014. Gall. ↳
abietina L. Buxb. Cent. 4. t. 42. mala. Cap. Temp. ↳

c. Foliis senis.

mammosa L. Andr. Eric. 1. t. 33. (fol. quaterna Andr.) Cap.
 Temp. ↳

2. *Antheris cristatis.*

a. Foliis oppositis.

vulgaris L. Fl. Dan. t. 677. Bull. Herb. t. 341. Gall. ↳
 Econ.

b. Foliis ternis.

scoparia L. Clus. Hist. 42. f. infer. Gall. 5
 cinerea L. Bull. Herb. t. 237. Gall. 5
 australis L. Mant. Andr. Eric. t. 150. Hisp. 5

c. Foliis quaternis.

baccans L. Mant. Andr. Eric. 1. t. 4. Cap. Temp. 5

3. Antheris muticis.

a. Foliis ternis.

ciliaris L. Bot. Mag. 484. Gall. 5
 versicolor Andr. Eric. 1. t. 67. Cap. Temp. 5

b. Foliis quaternis aut pluribus.

curviflora L. Andr. Eric. 1. t. 19. et 3. t. 161. rubra. Cap.
 Temp. 5
 tubiflora L. Andr. Eric. 1. t. 64. Cap. Temp. 5
 cerinthoides L. Andr. Eric. 1. t. 11. Cap. Temp. 5
 conspicua H. kew. Andr. Eric. 1. t. 14. Cap. Temp. 5
 mediterranea L. Bot. Mag. 471. Gall. 5
 multiflora L. Gall. m. 5
 vagans L. Mant. Engl. Bot. 3. Alger. Temp. 5
 { herbacea Syst. Veg. Europ. m. 5
 { carnea Jacq. Austr. t. 32.

CYRILLA Lin.

{ racemi-flora L. Mant. Bot. Mag. 2456. Carolin. 5
 { Itea racemiflora L'her. Stirp. t. 66.

ANDROMEDA Lin.

mariana L. Bot. Mag. 1579. Duham. Ed. Nov. t. 37. Am.
 s. 5 Orn.
 { nitida Mich. Fl. Am. s. 5
 { lucida Lamk. Encycl.
 { coriacea H. kew. Bot. Mag. 1095.
 axillaris H. kew. Duham. Ed. Nov. t. 39. Am. s. 5
 { acuminata H. kew. Smith. Exot. Bot. t. 89. Am. s. 5
 { lucida Jacq. Rar. t. 79.
 { cassinaefolia Vent. H. Cels. t. 60. Bot. Mag. 970. Am.
 s. 5
 { speciosa Mich. Fl.
 pulverulenta Vent. Malm. t. 79. Bot. Mag. 667. Am. s. 5
 * lanceolata H. p. Am. s. ? 5

- paniculata L. Am. s. ♀
 racemosa L. Am. s. ♀
 arborea L. Bot. Mag. 905. Am. s. ♀
 caliculata L. Pallas. Ross. t. 72. f. 1. Bot. Mag. 1286.
 Russ. ♀
 * crispa H. p. Link. Enum. Am. s. ♀
 ferruginea L. Suppl. Vent. Malm. t. 80. Am. s. ♀
 polifolia L. Fl. Dan. t. 54. Alpes. ♀
 — latifolia H. kew.

ARBUTUS Lin.

- Unedo L. Duham. Arb. 1. t. 26. Gall. m. Temp. ♀ Orn.
 Andrachne L. Bot. Mag. 2024. Oriens. Temp. ♀ Orn.
 canariensis Lamk. Encycl. Bot. Mag. 1577. Canar. Temp. ♀
 Uva-ursi L. Fl. Dan. t. 33. Alpes. ♀ Med.
 alpina L. Clus. Hist. 61. Ic. Engl. Bot. 2030. Alpes. ♀

ENCKIANTHUS Loureir. Coch.

- quinqueflora Bot. Mag. 1649. Bot. Reg. 884. China.
 Cald. ♀

CLETHRA Lin.

- alnifolia L. Duham. Arb. 1. t. 71. Virgin. ♀ Orn.
 — pubescens.
 acuminata Mich. Fl. Am. s. ♀
 arborea L. Vent. Malm. t. 40. Bot. Mag. 1057. Madera
 Temp. ♀

PYROLA Lin.

- rotundifolia L. Fl. Dan. t. 110. Gall. ♂
 minor L. Fl. Dan. t. 55. Gall. ♂
 maculata L. Bot. Mag. 897. Am. s. ♂
 umbellata L. Bot. Mag. 778. Am. s. ♂
 uniflora L. Engl. Bot. 146. Alpes. ♂

EPIGEA Lin.

- repens L. Bot. Reg. 201. Am. s. ♀

GAULTHERIA Lin.

- procumbens L. Bot. Mag. 1966.

VACCINIUM Lin.

- Myrtillus L. Duham. Arb. 2. t. 107. Fl. Dan. t. 974. Gall.
 ♀ Econ.
 pensylvanicum Lamk. Encycl. Am. s. ♀
 uliginosum L. Fl. Dan. t. 231. Gall. ♀
 Vitis-idaea L. Fl. Dan. t. 40. Alpes. ♀ Med.
 stamineum L. Andr. Rep. 263. Am. s. ♀
 amœnum H. kew. Andr. Rep. 138. Bot. Reg. 400. Am.
 s. ♀

frondosum L. Andr. Rep. 140. Am. s. ♪
 macrocarpon H. kew. Bot. Mag. 2586. Am. s. ♪
 Oxycoccus L. Fl. Dan. t. 80. Engl. Bot. 319. Gall. ♪

BÆOBOTHRYS Roxb. Mss.

indica Bot. Mag. 2052. Ind. Cald. ♪

ORDO IV.

EPACRIDEÆ Brown.

EPACRIS Smith.

pulchella Cav. Ic. t. 345. Bot. Mag. 1170. N. Holl. Temp. ♪

microphylla Brown. Prodr. N. Holl. Temp. ♪

{ grandiflora Smith. Exot. Bot. t. 39. Bot. Mag. 982. N.
 Holl. Temp. ♪

{ longiflora Cav. Ic. t. 344.

{ purpurascens Brown Prodr. N. Holl. Temp. ♪

{ pungens Bot. Mag. 844.

SPRENGELIA Brown.

incarnata Brown. Prodr. Bot. Mag. 1719. N. Holl. Temp. ♪

ANDERSONIA Brown.

sprengelioides Brown. Prodr. Bot. Mag. 1645. N. Holl.
 Temp. ♪

LYSINEMA Brown.

{ pungens Brown. Prodr. Bot. Mag. 1199. Variet. rubra.
 N. Holl. Temp. ♪

{ Epacris pungens Cav. Ic. t. 346.

STYPHELIA Smith.

{ daphnoides Smith. N. Holl. t. 48. N. Holl. Temp. ♪

{ Lyssanthe daphnoides Brown. Prodr. N. Holl. Temp. ♪

{ Gnidium Vent. Malm. t. 23. N. Holl. Temp. ♪

{ Leucopogon lanceolatus Brown. Prodr.

ASTROLOMA Brown.

{ humifusum Brown. Prodr.

{ Vintenatia humifusa Cav. Ic. t. 348. N. Holl. Temp. ♪

STENNANTHERA Brown.

pinifolia Brown. Prodr. Bot. Reg. 218. N. Holl. Temp. ♪

EMPETRUM Lin.

nigrum L. Fl. Dan. t. 975. Alpes. ♪

ORDO V.

CAMPANULEÆ Juss.

MICHAUXIA L'her.

campanuloides L'her. N. Gen. Ic. Bot. Mag. 219. Asia. m.
Temp. ♀

CANARINA LIN.

campanulata L. Mant. H. cliſ. t. 8. Bot. Mag. 444.
Canar. Temp. ♂

CAMPANULA Lin.

1. Foliis levioribus.

cenisia L. All. Ped. t. 6. f. 2. Alpes. ♀

pulla L. Jacq. Austr. t. 285. Bot. Mag. 2492. Austr. ♀

Zoyzii Jacq. Rar. t. 334. Carniol. ♀

linifolia Lamk. Encycl. Magn. Bot. 46. Ic. Alpes. ♀

{ valdensis All. Ped. t. 6. f. 1. Alpes. ♀

{ uniflora Vill. Hist. t. 10. (non Lin.)

rotundifolia L. Lobel. Ic. 328. exter. Engl. Bot. 866.

Gall. ♀

hederacea L. Moris. S. 5. t. 2. f. 18. Engl. Bot. 73. Gall. ♂

{ vincaeflora Vent. Malin. t. 12. N. Holl. Temp. ♀

{ gracilis Forst. Prodr. Smith. Exot. t. 45. Bot. Mag. 691.

carpatica L. Suppl. Jacq. Hort. t. 57. Bot. Mag. 117.

Hungar. ♀

Rapunculus L. Fuchs. Hist. 214. Ic. Gall. ♂ Econ.

marsupiiiflora Fischer. Russ. ♂

{ acuminata Mich. Fl. Am. s. ♂

{ obliqua Jacq. H. schœn. t. 336.

persicifolia L. Fl. Dan. t. 1087. Gall. ♀

pyramidalis L. Gall. ♀ Orn.

lilifolia L. Jacq. H. schœn. t. 335. Bot. Reg. 236. Siber. ♂

stylosa Lamk. Encycl. Gmel. Sib. 3. t. 27. Siber. ♂

{ grandiflora L. Suppl. Jacq. Hort. 3. t. 2. Siber. ♂

{ gentianoides Lamk. Ill.

versicolor Fl. græca. 1. t. 138. Andr. Rep. 396. Oriens.

Temp. ♀

rhomboidalis L. Barr. t. 567. Alpes. ♀

verticillata L. Suppl. Dauria. ♀

2. Foliis scabris.

latifolia L. Fl. Dan. t. 782. Engl. Bot. 302. Alpes. ♀

macrantha Fischer. Hort. gor. Russ. ♂

- eriocarpa* Marsch. Cauc. Caucas. ✕
lactiflora Marsch. Cauc. Bot. Mag. 1973. Bot. Reg. 241.
 Caucas. ✕
Trachelium L. Fl. Dan. t. 1026. Gall. ✕
urticæfolia Willd. Sp. German. ✕
azurea Bot. Mag. t. 551. Swiserland. ✕
rapunculoides L. Engl. Bot. 1369. Gall. ✕
bononiensis L. Moris. S. 5. t. 4. f. 38. Ital. ✕
rhutenica Marsch. Cauc. Buxb. Cent. 5. t. 19. an variet.
 præced. *Tauria* ✕
glomerata L. Engl. Bot. 90. Gall. ✕.
aggregata Horn. Hort. Suppl. ✕
collina Marsch. Cauc. Bot. Mag. 927. Caucas. ✕
speciosa Horn. Hort. Siber. ✕
obliquifolia Tenore Catal. Ital. ✕
thyrsoides L. Jacq. Austr. t. 411. Alpes ✕
tomentosa Lamk. Ill. Oriens. ✕
 { *peregrina* L. Mant. Hoffm. et Link. Fl. lusit. t. 83.
 Lusit. ✕
 { *lanuginosa* Lamk. Ill.
Cervicaria L. C. B. Prodr. 36. Ic. inter. Alpes. ✕
Erinus. L. Col. Phyt. t. 37. Gall. ☉

3. Sinubus calicis deflexis.

- laciniata* L. Andr. Rep. 385. Oriens. Temp. ✕
caucasica Marsch. Cauc. Caucas. ✕
pendula Marsch. Cauc. Caucas. ✕
lamiifolia Marsch. Cauc. Buxb. Cent. 5. t. 18. Caucas. ✕
 { *betonicifolia* Marsch. Cauc. Caucas. ✕
 { *sarmatica* Bot. Reg. 237.
lingulata Wald. et Kit. Hung. t. 64. Hungar. ♂
Medium L. Dod. Pempt. 163. Ic. Jaum. St.-Hil. Pl. de Fr.
 1. t. 72. Gall. ♂
longifolia Lapeyr. Fl. t. 6. Pyren. ✕
barbata L. Jacq. Obs. t. 37. Alpes. ✕
spicata L. All. Ped. t. 46. f. 2 et 47. f. 1. Alpes ♂
sibirica L. Jacq. Austr. t. 200. Siber. ♂

4. Capsulis columniferis aut prismaticis.

- Speculum* L. Bot. Mag. t. 102. Gall. ☉
hybrida L. Engl. Bot. 375. Gall. ☉
perfoliata L. Barrel. t. 1133. Gall. ☉

5. Caule fruticoso.

- aurea* L. Suppl. Vent. Malm. t. 116. Jacq. H. schœn.
 t. 472. Canar. Temp. ♀

TRACHELIUM Lin.

cœruleum L. Lamk. Ill. t. 126. Bot. Reg. 72. Alger.
Temp. π

ROELLA Lin.

ciliata L. Bot. Mag. 378. Maurit. Temp. η

GESNERIA Lin.

aggregata Bot. Reg. 329. Brasil. Cald. π
grandis Swartz. Fl. Ind. Plum. Ic. t. 134. Antill. Cald. η
pendulina Bot. Reg. 1032. Brasil. Cald. η
bulbosa Bot. Reg. 343. Brasil. Cald. π

PHYTEUMA Lin.

canescens Wald. et Kit. Hung. t. 14. Hungar. π
spicata L. Bot. Mag. 2347. Gall. π
scorzonerifolia Vill. Hist. Bot. Mag. 2271. Alpes. π
orbicularis L. Jacq. Austr. t. 437. Alpes. π
hemisphærica L. Jacq. Rar. t. 333. Alpes. π
{ virgata Liban. Temp. π
{ Campanula virgata Labill. Dec. 2. t. 6.
pinnata L. Vent. H. Cels. t. 52. Creta. Temp. π

LOBELIA Lin.

gigantea Bot. Mag. 1325. Am. m. Cald. η
Tupa L. Bot. Mag. 2550. Peruv. Temp. π Ven.
fulgens Willd. Enum. Hort. t. 85. Bot. Reg. 165. Mexico.
Temp. π Orn.
surinamensis L. Andr. Rep. 502. Bonpl. Nav. t. 39. Ind.
Cald. η
longiflora L. Jacq. Hort. t. 27. Bot. Mag. 2563. Antill.
Cald. π Ven.
Cardinalis L. Riv. Irreg. Monop. t. 108. Bot. Mag. 320.
Virgin. Temp. π Orn.
syphilitica L. Dodart. Acad. 1666, 1699. p. 297. Ic. Jacq.
Rar. t. 597. Virgin. Temp. π Med.
inflata L. Acta Ups. 1741. t. 1. Am. s. ☉
cliffortiana L. H. cliff. t. 26. Virgin. Temp. π
urens L. Engl. Bot. 953. Gall. π
triquetra L. Mant. Cap. ☉
Laurentia L. Mich. Gen. t. 14. Ital. ☉
alata L. Labill. N. Holl. t. 72. N. Holl. Temp. π
lutea L. Burm. Afr. t. 39. f. 1. Bot. Mag. 1319. Cap.
Temp. π
canariensis Juss. Canar. ☉?
Erinus L. Bot. Mag. 901. (an Lin.) Cap. Temp. π
bicolor Bot. Mag. 514. π ?
pubescens Jacq. H. schœn. t. 178. Cap. Temp. π
ilicifolia Bot. Mag. 1896. Cap. Temp. π

decumbens Bot. Mag. 2277. Cap. Temp. ʒ
 rhizophyta Spreng. Syst. Bot. Mag. 2519. Cap. Temp. ʒ
 minuta L. Mant. Bot. Mag. 2590. Cap. Temp. ʒ
 campanuloides Thunb. Soc. Lin. Lond. Bot. Reg. 733.
 Japon. Temp. ʒ
 Dortmanna L. Fl. Dan. t. 39. Gall. ʒ

GOODENIA Smith.

ovata Smith. Soc. Lin. Lond. Andr. Rep. 68. Vent. H. Cels.
 t. 3. N. Holl. Temp. ʒ
 grandiflora Bot. Mag. 890. N. Holl. Temp. ♂
 lævigata Bot. Mag. 287. N. Holl. Temp. ʒ?
 ? paniculata Cav. Ic. t. 507. N. Holl. Temp. ʒ

ISOTOMA Bot. Reg.

axillaris Bot. Reg. 964. N. Holl. Temp. ♂

SCÆVOLA Lin.

{ suaveolens Brown. Prodr.
 { Goodenia calendulacea Andr. Rep. 22. N. Holl. Temp. ʒ

LECHENAULTIA Brown.

formosa Brown. Prodr. Bot. Mag. 2600. Bot. Reg. 916.
 N. Holl. Temp. ʒ

STYLIDIUM Swartz.

{ graminifolium Labill. N. Holl. t. 215. Bot. Reg. 90. N.
 Holl. Temp. ʒ
 { Ventenatia major Smith. Exot. Bot. t. 66.
 { tenuifolium Brown. Prodr. Bot. Mag. 2249. N. Holl.
 Temp. ʒ
 { laricifolium Bot. Reg. 550. Juss. Ann. du Mus. 18. t. 3.
 Hook. Exot. Fl. 32.
 adnatum Brown. Prodr. Bot. Reg. 914. N. Holl. Temp.

JASIONE Lin.

montana L. Fl. Dan. t. 319. Gall. ☉
 perennis L. Suppl. B. Gall. ʒ

CLASSIS XI. (1)

DYCOTYLEDONES MONOPETALÆ,

COROLLA EPIGYNA, ANTHERÆ CONNATÆ.

ORDO I.

SEMIFLOSCULÆ.

LAMPSANA Lin.

communis L. Fl. Dan. t. 500. Gall. ☉

— crispa.

{ lyrata Willd. Enum. Mare Casp. 24

{ glandulifera H. Cass. Dict. v. 25. p. 211.

RHAGADIOLUS Tournef.

{ stellatus H. p. Gall. ☉

{ Lampsana stellata L.

{ lamsanoides H. p. (variet. præced.) Gall. ☉ Econ.

{ edulis Willd. Sp.

{ Lampsana Rhagadiolus L.

KOELPINIA Pallas.

{ linearis Pallas. Itin. 5. t. 19. Ed. Gall. Dauria. ☉

{ Lampsana Koelpinîa L. Suppl.

PRÆNANTHES Lin.

{ muralis L. Fl. Dan. t. 509. Gall. ☉

{ Mycelis angulosa H. Cass. Dict. v. 33. p. 484.

(1) Nous indiquons, comme synonymes, les nombreux genres ou sous-genres proposés dans dans cette classe par M. Henri Cassini. L'auteur déclare lui-même qu'en proposant ces genres, son but n'a été que d'appeler l'attention des botanistes sur les espèces qui offrent dans leurs caractères génériques quelque particularité remarquable. Tous ces genres sont décrits dans le *Dictionnaire des Sciences naturelles*, dont nous sommes obligés de citer les tomes et les pages, parce que l'auteur s'est écarté le plus souvent de l'ordre alphabétique.

- { *virinea* L. Jacq. Austr. t. 9. Gall. ✕
- { *Phœnixopus decurrens* H. Cass. Dict. v. 39. p. 391.
- purpurea* L. Jacq. Austr. t. 317. Alpes. ✕
- { *pinnata* L. Suppl. Canar. Temp. ♀
- { *Sonchus leptcephalus* H. Cass. Dict. v. 43. p. 281.
- { *alba* L. Bot. Mag. 1079. Am. s. ✕
- { *Nabalus integrifolius* H. Cass. Dict. v. 34. p. 96.

CHONDRILLA Lin.

- junceæ* L. Jacq. Austr. t. 427. Gall. ✕
- { *hispida* Siber. ✕ Ch. *junceæ* varietas H. Cass. Dict. v. 43.
- { p. 281.
- { *Prænanthes hispida* Willd. Enum. Suppl.

LACTUCA Lin.

- perennis* L. Mill. Ic. t. 157. Gall. ✕
- tenerrima* Willd. Sp. Hisp. Temp. ✕
- saligna* L. Hall. Ien. t. 4. Jacq. Austr. t. 250. Gall. ♂
- { *virgata* H. p. Am. s. ☉?
- { *Prænanthes virgata* Mich. Fl.
- { *stricta* Wald. et Kit. Hung. 1. t. 48. Hungar. ♂
- { *Cicerbita corymbosa* Wallroth.
- elongata* Willd. Sp. Am. s.
- sagittata* Wald. et Kit. Hung. 1. t. 1. Hungar. ♂
- virosa* L. Engl. Bot. 1957. Gall. ♂
- maculata* Horn. Hort. ♂
- Scariola* L. Engl. Bot. 268. Gall. ♂
- sativa* L. Lob. Ic. 241. f. exter. ☉ Econ.
- *romana*.
- *capitata*.
- *crispa*.
- intybacea* Jacq. Rar. t. 162. Am. m. ☉
- { *spinosæ* Lamk. Encycl. Park. Theat. 804. Ic. Alger.
- { Temp. ♀
- { *Phœnixopus spinosus* H. Cass. Dict. v. 48. p. 426.
- { *Prænanthes spinosa* Willd. Sp.

SONCHUS Lin.

- fruticosus* L'her. Stirp. t. 81. Canar. Temp. ♀
- pinnatus* H. kew. Canar. Temp. ♀
- { *congestus* DC. Cat. Monsp. Canar. Temp. ♀
- { *Broussonetii* H. p.
- { *macranthos* Encycl. Suppl.
- { *tataricus* L. Mant. Tartar. ✕
- { *Mulgedium runcinatum* H. Cass. Dict. v. 33. p. 296.
- macrophyllus* Willd. Sp. Am. s. ✕
- Plumieri* L. Alpes. ✕
- alpinus* L. Fl. Dan. t. 182. (Excl. Smith. Ic. Ined.) Alpes. ✕

- { floridanus L. Am. s. ♂
- { Mulgedium lyratum H. Cass. Dict. v. 33. p. 297.
- { leucophæus Willd. Sp. Am. s. ♂
- { spicatus Lamk. Encycl.
- acuminatus Willd. Sp. Am. s. ♂
- { multiflorus H. p. ☉
- { racemosus Lamk. Encycl.?
- oleraceus L. Fl. Dan. t. 682. Engl. Bot. 843. Gall. ☉
- asper.
- lacerus Willd. Sp. ☉
- tenerrimus L. Pluk. t. 93. f. 3. Gall. ☉
- palustris L. Fl. Dan. t. 1109. Gall. ✕
- arvensis L. Fl. Dan. t. 606. Gall. ✕
- maritimus L. Cav. Ic. t. 51. Gall. ✕

HIERACIUM Lin.

1. Caule folioso.

- { fruticosum Willd. Sp. Canar. Temp. 5
- { Schmidtia fruticosa (Moench.) H. Cass. Dict. v. 48. p. 92.
- umbellatum L. Fl. Dan. t. 680. Gall. ✕
- sabaudum L. All. Ped. t. 27. f. 2. Gall. ✕
- maculatum.
- latifolium.
- { Blattarioides L. Alpes. ✕
- { Catonia Blattarioides H. Cass. Dict. v. 26. p. 9.
- amplexicaule L. All. Ped. t. 15. f. 1. et t. 30 f. 2. Alpes. ✕
- cydoniæfolium Vill. Hist. Alpes. ✕
- villosum L. Jacq. Austr. t. 87. Alpes. ✕
- * ceratophyllum H. p. ✕
- { grandiflorum Wald. et Kit. Hung. 1. t. 99. All. Ped.
- { t. 29. f. 2. Alpes. ✕
- { pappo-leucum Vill. Hist.
- foliosum Wald. et Kit. Hung. 2. t. 145. Hungar. ✕
- andryaloides Vill. Hist. t. 29. Alpes. ✕
- prostratum DC. Fl. Suppl. Gall. m. ✕
- eriophorum DC. Fl. Suppl. Gall. m. ✕
- lanatum Wald. et Kit. Hung. 2. t. 127. Hungar. ✕
- glaucum All. Ped. t. 28. f. 3. et t. 81. f. 1. Alpes. ✕
- lævigatum Willd. H. berol. t. 16. ✕
- nigrescens Willd. H. berol. t. 10. ✕
- { intybaceum Jacq. Austr. App. t. 43. Mala. Alpes. ✕
- { albidum Vill. Hist.
- { tubulosum DC. Fl.
- croaticum Wald. et Kit. Hung. t. 218. Croat. ✕
- { scabrum H. p.
- { verruculatum Link. Enum. ✕
- paludosum L. Engl. Bot. 1094. Gall. ✕

- lampsanoides Gouan. Ill. t. 21. f. 3. Pyren. ✕
 prænanthoides All. Ped. t. 27. f. 3. Alpes. ✕
 * globosum H. p. 5
 { Jacquini Vill. Hist. Alpes. ✕
 { pumilum Jacq. Austr. t. 189.
 { humile Willd. Sp.
 { murorum L. Tabern. Ic. 194. f. inter. Gall. ✕
 { maculatum Engl. Bot. 2121.
 sylvaticum Willd. Sp. Engl. Bot. 2031. Gall. ✕
 ramosum Willd. Sp. Wald. et Kit. Hung. t. 216. Hun-
 gar. ✕
 { prunellæfolium Gouan. Ill. t. 22. f. 3. All. Ped. t. 15.
 { f. 2. Alpes. ✕
 { pumilum L. Mant.
 porrifolium L. Jacq. Austr. t. 286. Alpes. ✕
 echioides Wald. et Kit. Hung. 1. t. 85. Hungar. ✕

2. Caule nudo multifloro.

- aurantiacum L. Jacq. Austr. t. 410. Alpes. ✕ Orn.
 Lawsoni Vill. Hist. 3. t. 29. (mala. Excl. Syn.) Engl. Bot.
 2083.
 { florentinum Willd. Sp. Alpes. ✕
 { piloselloides Vill. Hist. 3. t. 27.
 cymosum L. Col. Ecphr. 249. Ic. Alpes. ✕
 { * stoloniferum H. p. ✕
 { an flagellare Sprengel. Syst.?
 repens Willd. Sp. ✕
 { Auricula L. Gall. ✕
 { dubium L. Fl. Dan. t. 1044. eadem. ex Vahl.

3. Caule nudo unifloro.

- Pilosella L. Fuchs. Hist. 605. Ic. Bull. Herb. t. 279.
 Gall. ✕
 { aureum Willd. Sp. Alpes. ✕
 { Crepis aurea H. Cass. Dict. v. 27. p. 4.
 { Leontodon aureum L. Jacq. Austr. t. 297.
 { bulbosum Willd. Sp. Col. Phyt. t. 4. Gall. ✕
 { Ætheorhiza bulbosa H. Cass. Dict. v. 48. p. 425.
 { Leontodon bulbosum L. Clus. Hist. 2. 145. ie. exter.
 alpinum L. Engl. Bot. 1110. Alpes. ✕

CREPIS Lin.

- { sibirica L. Gmel. Sib. 2. t. 10. Siber. ✕
 { Hieracium sibiricum Willd. Sp.
 * parviflora H. p. Pers. Syn. Orien. ☉
 coronopifolia Desf. Atl. Soc. Hist. Nat. Par. t. 9. Alger. ☉

- { *albida* Vill. Hist. Jacq. Rar. t. 164. Alpes. ♀
- { *Paleyia albida* H. Cass. Dict. v. 39. p. 393.
- pauciflora* H. p. Delile Fl. Egypt. Poiret. Encycl. Egypt. ☉
- bursifolia* L. Bocc. Mus. t. 106 et 112. Sicil. Temp. v
- { *nemausensis* Gouan. Ill. All. Ped. t. 75. f. 1. Gall. m. ☉
- { *Pterotheca nemausensis* H. Cass. Dict. v. 44. p. 56.
- { *Lagoseris nemausensis* Marsch. Cauc.
- { *Andryala nemausensis* Vill. Hist.
- { *Hieracium sanctum* L.
- { *pulchra* L. Engl. Bot. 2325. Gall. ☉
- { *Phæcasium lampsanoides* H. Cass. Dict. v. 39. p. 387.
- { *Prænanthes hieracifolia* Willd. Sp.
- hispidula* Wald. et Kit. Hung. 1. t. 43. Hungar. ☉
- Dioscoridis* Thuil. Fl. (non Lin.) Gall. ☉
- { *tectorum* L. Engl. Bot. 1111. Gall. ♂
- { *wirens* Vill. Hist.
- biennis* L. Engl. Bot. 149. Gall. ♂
- { *rigida* Wald. et Kit. 1. t. 19. Hungar. ♀
- { *Brachyderea rigida* H. Cass. Dict. v. 48. p. 430.
- { *aspera* L. Oriens. ☉
- { *Nemauchenes aculeata* H. Cass. Dict. v. 34. p. 362.

BARCHAUSIA Moench. DC.

- { *alpina* DC. Fl. Alpes. ☉
- { *Crepis alpina* L. Gmel. Siber. 2. t. 5.
- { *rubra* DC. Fl. Gall. m. ☉
- { *Anisoderis rubra* H. Cass. Dict. v. 48. p. 429.
- { *Crepis rubra* L.
- { *foetida* DC. Fl. Magn. Bot. 128. Ic. Gall. ♂
- { *Anisoderis foetida* H. Cass. Dict. v. 48. p. 429.
- { *Crepis foetida* L. Engl. Bot. 406.
- { *taraxacifolia* DC. Fl. Gall. ♂
- { *Crepis taurinensis* Willd. Sp.
- { *tectorum* Vill. Hist.
- { *purpurea* H. p. Ital.
- { *Crepis purpurea* Tenore Catal.
- { *lacera* H. p. Ital.
- { *Crepis lacera* Tenore Catal.

LACOSERIS Marsch.

- { *taurica* Marsch. Cauc. Suppl. Tauria ♀
- { *Crepis purpurea* Marsch. Cauc.
- { *Intybellia rosea* H. Cass. Dict. v. 23. p. 548.
- { *Hieracium purpureum* Willd. Sp.

NIA Juss.

- { barbata H. p. Gall. ☉
- { Tolpis barbata Gærtn. Fruct.
- { Crepis barbata L. Bot. Mag. 35.

HYOSERIS Lin.

1. Caule ramoso.

- { Hedypnois L. Gall. ☉
- { Hedypnois Tournefortii H. Cass. Dict. v. 20. p. 337.
- { Hedypnois monspeliensis Willd. Sp.
- { Rhagadioloides L. Gall. ☉
- { Hedypnois Rhagadioloides H. Cass. Dict. v. 20. p. 338.
- { cretica Cav. Ic. t. 43.

2. Caule nudo simplici.

- { radiata L. Pluk. t. 37. f. 2. Gall. m. ☉
- { radiatifolia H. Cass. Dict. v. 22. p. 338.
- { lucida L. Mant. Schmid. Ic. t. 39. 41. Oriens. ☉
- { scabra L. Bocc. Mus. t. 106. Gall. m. ☉
- { microcephala H. Cass. Dict. v. 22. p. 338.
- { foetida L. Wald. et Kit. Hung. t. 49. Alpes. x
- { Aposeris foetida H. Cass. Dict. v. 48. p. 427.
- { Lampsana foetida Willd. Sp. Mich. Gen. t. 28.
- { minima L. Fl. Dan. t. 201. Gall. ☉
- { Arnoseris pusilla Gærtn. Fruct.
- { Lampsana minima DC. Fl.
- { taraxacoides Vill. Hist. 3. t. 25. Gall. ☉
- { Thrincia hispida Willd. Sp.

ZACINTHA Tournef.

- { verrucosa Willd. Sp. Camer. Epit. 287. Ic. Gall. ☉
- { Lampsana Zacintha L.

TARAXACUM Haller.

- { Dens-leonis H. p. Gall. x Econ.
- { Leontodon Taraxacum L. Fl. Dan. t. 574.
- { obovatum H. p. Gall. m. x
- { Leontodon obovatum Willd. Sp. H. berol. t. 47;
- { palustre H. p. Gall. x
- { Leontodon palustre Smith. Fl. Engl. Bot. 553.

APARGIA Gen. Pl. Ed. Schreb.

- { autumnalis Willd. Sp. Gall. x
- { Leontodon autumnale L. Fl. Dan. t. 501.
- { hastilis Gall. x
- { Leontodon hastile L. Jacq. Austr. t. 164.

- { hispida Engl. Bot. 554. Gall. ✕
- { Leontodon hispidum L.
- { crispa Alpes. ✕
- { Leontodon crispum Vill. Hist. 3. t. 25.

PICRIS Lin.

- Hieracioides L. Tabern. Ic. 184. Ic. inter. Engl. Bot. 196. Gall. ✕
- { sprengeriana H. p. Gall. ☉
- { pauciflora Willd. Sp. DC. Ic. t. 20.
- { Hieracium sprengerianum L.
- altissima Delile Fl. Egypt. t. 41. Egypt.
- * virens H. p. ☉
- { globulifera H. p. Gall. ☉
- { Crepis Dioscoridis DC. Ic. t. 18.
- { Gatyona globulifera H. Cass. Dict. v. 18. p. 185.

HELMINTIA JUSS.

- { Echioides Willd. Sp. Lob. Ic. 577. f. exter. Gall. ☉
- { Picris Echioides L. Engl. Bot. 972.

SCORZONERA Lin.

- hispanica L. Clus. Hist. 2. p. 137. Ic. Hisp. ♂ Econ.
- angustifolia L. Wald. et Kit. Hung. 2. t. 122. Gall. ✕
- parviflora Jacq. Austr. t. 305. Austr. ✕
- humilis L. Clus. Hist. 2. p. 138. f. sup. inter. Fl. Dan. t. 816. Gall. ✕
- { laciniata L. Jacq. Austr. t. 356. Gall. ♂
- { Podospermum laciniatum DC. Fl.
- { calcitrapifolia Vahl. Symb. Buxb. Cent. 2. t. 22. Gall.
- { m. ✕
- { Podospermum calcitrapifolium DC. Fl. Suppl.
- { villosa Scop. Carn. t. 46. Carniol. ☉?
- { Gelasia villosa H. Cass. Dict. v. 18. p. 286.
- { eriosperma Marsch. Cauc. Gall. m.
- { Lasiospora angustifolia H. Cass. Dict. v. 25. p. 306.

PICRIDIVM Desf.

- { vulgare Desf. Atl. Lob. Ic. 236. f. inter. Gall. ☉
- { Scorzonera Picroides L.
- { Sonchus Picroides All. Ped. t. 16. f. 1.
- { tingitanum Desf. Atl. Alger. ☉
- { Scorzonera tingitana L. Bot. Mag. 142.
- { Sonchus tingitanus Willd. Sp.

TRAGOPOGON Lin.

- pratense L. Fl. Dan. t. 906. Gall. ♂ Econ
- orientale L. Oriens. ♂
- hirsutum DC. Fl. Gall. m. ♂

jus Jacq. Austr. t. 29. Gall. ♂
mutabile Jacq. Rar. t. 157. Siber. ♂
porrifolium L. Jacq. Rar. t. 159. Gall. ♂
crocifolium L. Col. Ecphr. 280. Ic. Gall. ♂

TRIXIMON Gærtner.

glaucom Nuttall. Gen. Bot. Mag. 1667. Am. s. ♂

UROSPERMUM Scop.

{ *Dalechampii* J. B. Hist. 2. p. 1036. Ic. Gall. m. ♀
 { *Tragopogon Dalechampii* L.
 { *Arnopogon Dalechampii* Willd. Sp. Bot. Mag. 1623.
 { *Picroides* C. B. Prodr. 60. Ic. inter. Gall. m. ☉
 { *Tragopogon Picroides* L.
 { *Arnopogon Picroides* Willd. Sp.

GEROPOGON Lin.

glabrum L. Jacq. Hort. t. 33. Ital. ☉

HYPOCHÆRIS Lin.

{ *maculata* L. Clus. Hist. 2. p. 129. Ic. f. infer. Gall. ♀
 { *Porcellites maculata* H. Cass. Dict. v. 43. p. 43.
 { *helvetica* Syst. veg. Jacq. Rar. t. 165. All. t. 30. f. 1.
 { *Alpes.* ♀
 { *Porcellites helvetica* H. Cass. Dict. v. 43. p. 43.
glabra L. Fl. Dan. t. 424. Gall. ☉
minima Desf. Atl. Alger. ☉
 { *radicata* L. Engl. Bot. 831.
 { *Porcellites radicata* H. Cass. Dict. v. 43. p. 43

SERIOLO Lin.

æthnensis L. Jacq. Obs. t. 79. Ital. ☉
 { *cretensis* L. Creta. ☉
 { *Porcellites cretensis* H. Cass. Dict. v. 43. p. 45.
albicans Tineo Spreng Syst. Sicil. ♂?
alliata Biv. Cent. 2. t. 7. Sicil. ♂?
urens L. Schmid. Ic. t. 32. Sicil. ☉

ANDRYALA Lin.

{ *integrifolia* L. Gall. ☉
 { *Rothia runcinata* Willd. Sp.
 { *sinuata* L. Gall. ☉
 { *Rothia cheiranthifolia* Willd. Sp.
lanata L. Dill. Elth. t. 150. f. 180. Europ. m. Temp. ♀
ragusina L. Mill. Ic. t. 146. f. 2. Græcia Temp. ♀
cheiranthifolia L'her Stirp. t. 18. Madera. Temp. ♀
 * *candidissima* H p. Temp. ♀

CATANANCHE Lin.

cœrulea L. Bot. Mag. 293. Gall. ♂ Orn.
lutea L. Barrel. t. 1135. Gall. ☉

CICHORIUM Lin.

Intybus L. Fuchs. Hist. 679. Ic. Engl. Bot. 539 Gal

Endivia L. Ind. ♂ Med. Econ.

— crispa.

pumilum Jacq. Obs. t. 80. ☉

spinosum L. Clus. Hist. 2. p. 145. Ic. inter. Oriens. Temp.

♂

SCOLYMUS Lin.

{ maculatus L. Dodart. Acad. 1666-1699. p. 303. Ic.

{ Clus. Hist. 2. p. 153. Ic. exter. Gall. m. ☉

{ pectinatus H. Cass. Dict. v. 34. p. 87.

{ hispanicus L. Clus. Hist. 2. p. 153. Ic. inter. Gall. m. ♂

{ Myscolus microcephalus H. Cass. Dict. v. 34. p. 85.

{ grandiflorus Desf. Atl. t. 218. Maurit. Temp. ♀

{ Myscolus megacephalus H. Cass. Dict. v. 34. p. 84.

MUTISSA Lin. Suppl.

speciosa Bot. Mag. 2705. Brasil. Cald. ♀

ORDO II.**FLOSCULOSÆ.****CNICUS** Gen. Pl. Ed. Schreb.

1. Foliis sessilibus vel amplexicaulibus.

{ centauroides Willd. Sp. Moris. s. 7. t. 25. f. 2. Pyren. ♀

{ Stemmacanthe cynaroides H. Cass. Dict. v. 50. p. 461.

{ Serratula cynaroides DC. Fl.

{ cernuus Willd. Sp. Gmel. Sib. 2. t. 19. Siber. ♀

{ Alfredia cernua H. Cass. Dict. v. 1. Suppl. p. 116.

{ oleraceus Willd. Sp. Fl. Dan. t. 860. Gall. ♀ Econ.

{ Onotrophe oleracea H. Cass. Dict. v. 36. p. 147.

{ tataricus Willd. Sp. Alpes. ♀

{ Carduus tataricus Jacq. Austr. t. 90.

{ ochroleucus Willd. Sp. Gall. ♀

{ * pubigerus H. p. ♂

{ rivularis Willd. Sp. Alpes. ♀

{ Carduus rivularis Jacq. Austr. 91.

{ uliginosus Marsch. Cauc. Caucas. ♀

{ Erisithales Willd. Sp. Alpes. ♀

{ Carduus Erisithales Jacq. Obs. t. 17.

{ semi-pectinatus Lamk. Encycl. (carduus) ♀

- pratensis* Willd. Engl. Bot. 177. Gall. ♀
Carduus anglicus Lamk. Encycl.
tuberosus Willd. Sp. Moris. S. 7. t. 29. f. 27, 28. Engl. Bot. 2562. Gall. ♀
 { *autareticus* Willd. Sp. Alpes. ♀
 { *Carduus autareticus* Vill. Hist. t. 19.
serratuloides Willd. Sp. Jacq. Austr. t. 127. Gall. ♀
munitus Marsch. Cauc. Caucas. ♂
obvallatus Marsch. Cauc. Caucas. ♂
helenioides Willd. Sp. Siber. ♀
heterophyllus Willd. Sp. Hall. Hist. t. 7. Alpes. ♀
arachnoideus Marsch. Cauc. Caucas. ♀
spinosissimus Willd. Sp. Hall. Hist. t. 5. Alpes. ♀
ferox Willd. Sp. All. Ped. t. 50. Alpes. ♂
giganteus Desf. Atl. t. 221. Maurit. ♂
 { *ciliatus* Willd. Sp.
 { *Lophiolepis calocephala* H. Cass. Dict. v. 27. p. 181.
 { *Carduus ciliatus* Murr. Com. Gott. 1783. t. 5. Siber. ♀
 { *eriophorus* Willd. Sp. Jacq. Austr. t. 171. Gall. ♂
 { *Eriolepis lanigera* H. Cass. Dict. v. 41. p. 331.
 { *diacantha* Labill. Dec. 2. t. 3. (carduus) Syria. ♂
 { *Platyraphium* Jacquini H. Cass. Dict. v. 41. p. 306.
 { *Carduus Afer*. Jacq. H. schœn. t. 145.
 { *Casabonœ* Willd. Sp. Smid. Ic. t. 51, 52. Gall. ♂
 { *Lamyra triacantha* H. Cass. Dict. v. 25. p. 220.
 { *rectus* Tenore Ital. ♀
 { *Lamyra alata* H. Cass. Dict. v. 25. p. 222.
 { *stellatus* Willd. Sp. Dodart. Acad. 1666, 1699. p. 261.
 { - Ic. Gall. ☉
 { *Lamyra stipulacea* H. Cass. Dict. v. 25. p. 222.
 { *syriacus* Willd. Sp. Camer. Hort. t. 10. Maurit. ☉
 { *Notobasis syriaca* H. Cass. Dict. v. 35. p. 171.
 { *acaulis* Willd. Sp. Jacq. Rar. t. 579. Engl. Bot. 161.
 { Gall. ♀
 { *Onotrophe acaulis* H. Cass. Dict. v. 36. p. 148.

2. Foliis decurrentibus.

- { *arvensis*. Gall. ♂
 { *Carduus arvensis* Engl. Bot. 975.
 { *Cirsium arvense* H. Cass. Dict. v. 41. p. 333.
 { *Serratula arvensis* L.
 { *lanceolatus* Willd. Sp. Fl. Dan. t. 1173. Engl. Bot. 107.
 { Gall. ♂
 { *Eriolepis lanceolata* H. Cass. Dict. v. 41. p. 331.
 { *Acarna* Willd. Sp. Hisp. ☉
 { *Picnomon Acarna* H. Cass. Dict. v. 40. p. 188.
 { *Carduus Acarna* Cav. Ic. t. 53.

- { palustris Willd. Sp. Engl. Bot. 974. Gall. ♂
- { Onotrophe palustris H. Cass. Dict. v. 36. p. 147.
- { pungens Willd. Sp. Armen. ♂?
- { Orthocentron glomeratum H. Cass. Dict. v. 36. p. 181.
- monspesulanus Willd. Sp. Gall. m. ♀
- pyrenaicus Willd. Sp. Jacq. Obs. t. 95. Pyren. ♀
- { canus Willd. Sp. Austr. ♀
- { Carduus canus Jacq. Austr. t. 42, 45.

CARDUUS Gen. Plant. Ed. Schreb.

- { leucographus L. Jacq. Hort. 3. t. 23. Ital. ☉
- { Tyrinnus leucographus H. Cass. Dict. v. 41. p. 335.
- arabicus Jacq. Rar. t. 166. Arab. ☉
- argentatus L. Mant. Jacq. Hort. t. 192. Egypt. ☉
- candicans Wald. et Kit. Hung. 1. t. 83. Hungar. ♂
- crispus L. Fl. Dan. t. 621. Gall. ☉
- tenuiflorus Smith. Fl. Engl. Bot. 412. Gall. ☉
- { personata Willd. Sp. Alpes. ♂
- { Arctium personata L.
- acanthoides L. Engl. Bot. 973. Gall. ☉
- pycnocephalus Jacq. Hort. t. 44. Gall. ☉
- carlinoides Gouan. Ill. t. 23. Gall. m. ♀
- medius Gouan. Ill. t. 24. Gall. m. ♀
- defloratus L. Jacq. Austr. t. 89. Gall. m. ♀
- nutans L. Engl. Bot. 1112. Gall. ♂
- { glaucophyllus ♀
- { crassifolius Horn. Hort.
- { Marianus L. Engl. Bot. 976. Jaum St. Hil. pl. de Fr. 1.
- { t. 84. Gall. ☉ Med.
- { Silybum marianum Gærtn. Fruct.

ONOPORDON Lin.

- Acanthium L. Fl. Dan. t. 909. Gall. ♂
- virens DC. Fl. Suppl. Barrel. t. 501. Gall. m. ♂
- illyricum L. Jacq. Hort. t. 148. Europ. m. ♂
- arabicum L. Jacq. Hort. t. 149. Lusit. ♂
- acaule L. Jacq. Rar. t. 167. Pyren. ♀

CYNARA Lin.

- Scolymus L. Clus. Hist. 2. p. 153. Ic. infer. Gall. ♀ Econ.
- Cardunculus L. Alger. ♀ Econ.
- humilis L. Pluk. t. 19. Alger. Temp. ♀

LEUZEA DC.

- { conifera DC. Fl. Ann. du Mus. vol. 16. t. 14. Alpes. ♀
- { Centaurea conifera L.

Lin.

- sub-acaulis DC. Fl. Clus. Hist. 2. p. 155. Ic. exter
 Alpes. &
 Chamæleon Vill. Hist.
 caulescens Lamk. Encycl.
 acanthifolia All. Ped. t. 51. Alpes. & Econ.
 lanata L. Robert. Icones. Gall. m. ☉
 Mitina lanata H. Cass. Dict. v. 47. p. 507.
 corymbosa L. Col. Ecphr. 27. Ic. Gall. m. &
 aggregata Willd. Sp. Hungar. &
 vulgaris L. Fuchs. Hist. t. 121. Ic. Gall. ♂
 sicula Tenore. Sicil. Temp. &

ECHENAIS H. Cass.

- nutans H. Cass. Dict. v. 25. p. 226. Caucas. ♂
 Carlina echinus Marsch. Cauc.

ATRACTYLIS Lin.

- cancellata L. Gall. m. ☉
 Acarna cancellata Willd. Sp.

CARTHAMUS Lin.

- tinctorius L. Clus. Hist. 2. p. 152. Ic. exter. Bot. Reg. 17.
 Egypt. ☉ Econ.
 lanatus L. Camer. Epit. 561. Gall. ☉
 Kentrophyllum luteum H. Cass. Dict. v. 24. p. 382.
 creticus L. Creta. ☉
 Kentrophyllum album H. Cass. Dict. v. 24. p. 383.
 cœruleus L. Clus. Hist. 2. p. 152. Ic. inter. Hisp. Temp
 mitissimus L. Gall. &
 corymbosus L. Dod. Pempt. 729. Ic. inter. Maurit
 Temp. &
 Cardopatiun corymbosum H. Cass. Dict. v. 7. p. 93.
 Brotera corymbosa Willd. Sp.
 salicifolius L. Suppl. Madera. Temp. ♀
 Carlowizia salicifolia DC Ann. du Mus. 16. t. 15.

ARCTIUM Lin.

- Lappa L. Engl. Bot. 1228. Gall. & Med.
 — tomentosa.
 — Bardana Engl. Bot. 2478.
 grandiflora DC. Fl. Suppl. Gall. &

STENELINA Lin.

- dubia L. Barrel. t. 406. Gall. m. Temp. ♀
 rosmarinifolia H. Cass. Dict. v. 50. p. 439
 Chamæpeuce Syst. Veg. Alpin. Exot. 76. Ic. Creta.
 Temp. ♀
 Ptilostemon muticum H. Cass. Dict. v. 44. p. 59.
 Serratula Chamæpeuce L.

SERRATULA Lin.

- { *centauroides* L. Gmel. Sib. 2. t. 17. Siber. 2
- { *Klasea centauroides* H. Cass. Dict. v. 41. p. 321.
- tinctoria* L. Engl. Bot. 38. Gall. & Econ.
- { *quinquefolia* Marsch. Cauc. Bot. Mag. 1871. Persia 2
- { *Klasea quinquefolia* H. Cass. Dict. v. 41. p. 321.
- { *gigantea* H. p. Russ. 2
- { *Cirsium præaltum* H. Cass. Dict. v. 41. p. 333.
- { *Cirsium rhutenicum* Fischer.
- alpina* L. Engl. Bot. 599. Alpes 2
- { *coronata* L. Gmel. Sib. 2. t. 20. Siber. 2
- { *Mastrucium pinnatifidum* H. Cass. Dict. v. 41. p. 323.
- { *heterophylla* H. p. Alpes 2
- { *Klasea heterophylla* H. Cass. Dict. v. 41. p. 321.
- { *pinnatifida* H. p. Hungar. 2
- { *Klasea pinnatifida* H. Cass. Dict. v. 41. p. 321.
- { *Carduus radiatus* Wald. et Kit. Hung. t. 11.
- { *alata* H. p. 2
- { *Jurinea alata* H. Cass. Dict. v. 24. p. 288.

ZOEGERA Lin.

- leptaurea* L. Mant. L'her. Stirp. t. 29. Oriens. ☉

CENTAUREA Lin.1. *Squamis calicinis lævibus, nec ciliatis, nec spinosis*

- { *Crupina* L. Col. Ecphr. 34. Ic. Gall. m. ☉
- { *Crupina vulgaris* H. Cass. Dict. v. 50. p. 239.
- { *Lippii* L. Isnard. Acad. 1719. t. 10. Oriens. ☉
- { *Volutarella Lippii* H. Cass. Dict. v. 44. p. 39.
- { *Amberboi* Lamk. Encycl. Dodart. Acad. 1666, 1699. p. 267. Ic. Oriens. ☉ Orn.
- { *Chryseis odorata* H. Cass. Dict. v. 9. p. 154.
- { *suaveolens* L.
- { *moschata* L. Oriens ☉ Orn.
- { *Chryseis calva* H. Cass.
- rhutenica* Lamk. Encycl. Gmel. Sib. 2. t. 41. Siber. 2
- { *Centaurium* L. Clus. Hist. 2. p. 10. Ic. infer Ital. 2
- { *Centaurium officinale* H. Cass. Dict. v. 7. p. 378.
- alpina* L. Cornuti. Canad. 70. Ic. Ital. 2
- africana* Lamk. Encycl. Breyn. Cent. t. 72. Alger. Temp. 2

2. *Squamis calicinis serrato-ciliatis.*

- { *phrygia* L. Fl. Dan. t. 520. Alpes 2
- { *Stenolophus phrygius* H. Cass. Dict. v. 50. p. 499.
- { *Jacea* L. Engl. Bot. 1678. Gall. ☉ Bull. Herb. t. 227.
- { *Jacea pratensis* H. Cass. Dict. v. 44. p. 36.

- nigra* L. Engl. Bot. 278. Gall. &
Platylophus niger H. Cass. Dict. v. 44. p. 36.
nigrescens Willd. Sp. Austr. &
uniflora L. Mant. Bocc. Mus. t. 2. f. exter. an. Cent.
phrygiæ variet. ? Alpes &
{ *pullata* L. Mill. Ic. t. 152. f. 2. Gall. ☉
{ *Melanoloma humilis* H. Cass. Dict. v. 29. p. 473.
montana L. Jacq. Austr. t. 371. Alpes &
{ *ochroleuca* Willd. Sp. Bot. Mag. 1175. Caucas. &
{ *caucasia* Marsch. Cauc.
{ *axillaris* Willd. Sp. Barrel. t. 389. Alpes &
{ *seusana* Vill. Hist.
{ *variegata* Lamk. Encycl.
{ *Cyanus* L. Fl. Dan. t. 993. Bull. Herb. t. 221. Gall. ☉
{ Med. Orn.
{ *Cyanus vulgaris* H. Cass. Dict. v. 44. p. 37.
{ *paniculata* Jacq. Austr. t. 320. Gall. ☉
{ *Acrolophus paniculatus* H. Cass. Dict. v. 50. p. 253.
spinosa L. Bot. Mag. 2493. Oriens. Temp. &
ragusina Bot. Mag. t. 494. Oriens. Temp. &
candidissima Lamk. Encycl. Barrel. t. 348. Ital. Temp. &
cinerea Lamk. Encycl. Jacq. Hort. t. 92. Ital. Temp. &
{ *sempervirens* L. Lusit. Temp. &
{ *Cheirolophus lanceolatus* H. Cass. Dict. v. 51. p. 56.
{ *dealbata* Willd. Sp. Iberia &
{ *Psephellus calocephalus* H. Cass. Dict. v. 43. p. 488.
decumbens Pers. Syn. Alpes &
{ *Scabiosa* L. Engl. Bot. 56. Gall. &
{ *Lopholoma Scabiosa* H. Cass. Dict. v. 44. p. 37.

3. *Squamis calicinis aridis, scariosis, serrato-ciliatis.*

- atropurpurea* Wald et Kit. Hung. 2. t. 116. Hungar. &
orientalis L. Hall. Phil. Trans. vol. 43. t. 4. Siber. &
{ *Balsamita* Lamk. Encycl. Oriens. ☉
{ *Stizolophus balsamitæfolius* H. Cass. Dict. v. 51. p. 50.

4. *Squamis calicinis integris vel laceris.*

- { *glastifolia* L. Bot. Mag. 62. Oriens. &
{ *Chartolepis glastifolia* H. Cass. Dict. v. 44. p. 36.
{ *alata* Lamk. Encycl. Vent. H. Cels. t. 80. Armen. &
{ *Microlophus alatus* H. Cass. Dict. v. 50. p. 248.
{ *alba* L. Alpes &
{ *Phatolepis alba* H. Cass. Dict. v. 50. p. 248.
{ *Picris* Willd. Sp. mar. Casp. &
{ *Acroptilon obtusifolium* H. Cass. Dict. v. 50. p. 465.

- { splendens L. Clus. Hist. 2. p. 10. Ic. super. Alpes
- { Phalolepis splendens H. Cass. Dict. v. 50. p. 248.
- { Rhapontica L. Lob. Ic. 288. f. exter. Bot. Mag.
- Alpes v
- { Rhaponticum scarosum DC. Ann. du Mus. v. 16.
- { rhaponticoides v
- { Centaurea altaica Fischer. (1813) Spreng. Pugill. 1. p. 59.
- { Leuzea altaica Fischer. (1822) Link. Enum. Altaic.
- { Fornicium rhaponticoides H. Cass. (1819) Dict. v. 17.
- p. 250.
- macrocephala Willd. Sp. Bot. Mag. 1248. Iberia v

5. Spinis calicinis palmatis.

- sonchifolia L. Herm. Lugdb. 675. Ic. Gall. v
- { Seridia sonchifolia H. Cass. Dict. v. 48. p. 499.
- ferox Desf. Atl. t. 242. Alger Temp. x
- { Philostizus fontanesianus H. Cass. Dict. v. 39. p. 499.
- aspera L. Bocc. Mus. t. 26. Gall. x
- { Seridia microcephala H. Cass. Dict. v. 48. p. 499.
- napifolia L. Herm. Parad. 189. Ic. Gall. m. v.
- { Pectinastrum napifolium H. Cass. Dict. v. 48. p. 500.
- { sphærocephala L. Maurit. Temp. ☉
- cæspitosa Cyrillo Fasc. 1. t. 8.
- { prolifera Vent. H. Cels. t. 16. Egypt. ☉
- straminea Willd. Sp.
- { Seridia glomerata H. Cass. Dict. v. 48. p. 499.
- melitensis L. Bocc. Sic. t. 35. I. Melit. ☉
- { Triplocentron melitense H. Cass. Dict. v. 44. p. 38.
- sacula L. Dodart. Acad. 1666, 1699. p. 279. Ic. Sicil. ☉
- solstitialis L. Engl. Bot. 243. Gall. ☉

6. Spinis calicinis compositis.

- { verutum L. Jacq. Rar. t. 178. Oriens. ☉
- { Verutina orientalis H. Cass. Dict. v. 44. p. 38.
- apula Lamk. Encycl. Col. Ecphr. 31. Ic.
- { eriophora L. Maurit. ☉
- { Mesocentron eriophorum H. Cass. Dict. v. 44. p. 38.
- { benedicta L. Camer. Epit. 562. Ic. Gall. m. ☉ Med.
- Coicus benedictus Gært. Fruct.
- { Calcitrapa L. Clus. Hist. 2. p. 7. Ic. infer. Gall. v
- { Calcitrapa hippophæstum Gært. Fruct.

7. Squamis calicinis ciliatis, spinâ terminatis.

- diffusa Lamk. Encycl. Oriens. Temp. v
- { multifida Pers. Syn. x
- { pubescens Willd. H. berol. t. 42.

- collina* L. Clus. Hist. 2. p. 8. Ic. infer. Gall. m. v
Acrocentron collinum H. Cass. Dict. v. 44. p. 37.
diluta Pers. Syn. v
 { *Hymenocentron dilutum* H. Cass. Dict. v. 44. p. 37.
penicillata Delile. Gall. m. Temp. x

8. *Squamis calicinis integris, spinis simplicibus.*

- { *salmantica* L. Jacq. Hort. t. 64. Gall. m. x
 { *Mantisalca elegans* H. Cass. Dict. v. 29. p. 81.
 { *pumila* L. Desf. Ann. 1. t. 19. Vent. Malin. t. 9. Egypt.
 Temp. x
 { *Crocodylium pumilum* H. Cass. Dict. v. 44. p. 37.
 { *Crocodylium* L. Barrel. t. 505. Oriens. ☉
 { *Crocodylium syriacum* H. Cass. Dict. v. 12. p. 19.
 { *muricata* L. Clus. Hist. 2. p. 9. Ic. exter. Hisp. ☉
 { *Cyanopsis radiatissima* H. Cass. Dict. v. 12. p. 268.
 { *Galactites* L. Gall. m. ☉
 { *Galactites tomentosa* DC. Ann. du Mus. v. 16. t. 9.

ELEPHANTOPUS Lin.

- scaber* L. Breyn. Prodr. t. 24. Ind. Cald. x
carolinianus Willd. Sp. Dill. Elth. t. 106. f. 126. Lous.
 Temp. x

SPHÆRANTHUS Lin.

- indicus* L. Burm. Zeyl. t. 94. f. 3. Ind. Cald. v

LAGASCEA Willd. Enum.

- { *mollis* Willd. Enum. Bot. Mag. 1804. I. Cuba ☉
 { *Noccea mollis* H. Cass. Dict. v. 25. p. 103.

OEDEIRA Lin.

- prolifera* L. Lamk. Ill. t. 720. Bot. Mag. 1637. Cap.
 Temp. y

ECHINOPS Lin.

- sphærocephalus* L. Mill. Ill. Ic. Gall. v
ruthenicus Marsch. Cauc. Suppl. Russ. v
 { *paniculatus* Jacq. f. Ecl. t. 79. Russ. x
 { *strictus* Fischer. Bot. Mag. 2457.
lanuginosus Lamk. Encycl. Oriens. Temp. v
Ritro L. Bot. Mag. 932. Gall. x
strigosus L. Bot. Mag. 2109. Hisp. ☉

BALSAMITA Desf.

- { *ageratifolia* Alpin. Exot. 326. Ic. Oriens. Temp. x
 { *Chrysanthemum flosculosum* L.
 { *suaveolens* Dod. Pempt. 295. Ic. inter. Gall. x Med
 { *Tanacetum Balsamita* L.

- { annua Clus. Hist. 326. Ic. super. Gall. ☉
 { Tanacetum annuum L.

FLAYERIA Willd. Enum.

- { Contra-herba Willd. Enum. Bot. Mag. 2400. Peruv. ☉
 { Milleria Contra-herba Cav. Ic. t. 4.

HAVENBURGIA Willd.

- { trinervata Willd. Sp. Schrad. Journal. 1810. 2. t. 5.
 { Am. m. ☉
 { Brotera Sprengelii H. Cass. Dict. v. 34. p. 306.

ETHOLIA Lin.

- conyzoides L. Dec. t. 1. Bot. Reg. 695. Ind. ☉

CAUOMERIA Vent.

- { amaranthoides Vent. Malm. t. 73. N. Holl. Temp. 7
 { Humea elegans Smith. Exot. Bot. t. 1.

HIPPIA Lin.

- frutescens L. Suppl. Com. Hort. 2. t. 101. Bot. Mag. 1855.
 Cap. Temp. 2

GYMNOSTYLES Juss. Ann.

- anthemifolia Juss. Ann. du Mus. 4. t. 61. f. 1. N. Holl. ☉

TANACETUM Lin.

- suffruticosum L. Com. Hort. 2. t. 100. Cap. Temp. 2
 vulgare L. Fl. Dan. t. 871. Gall. 2 Med.
 { canariense DC. Cat. monsp. Canar. Temp. 2
 { Hymenolepis elegans H. Cass. Dict. v. 33. p. 61.

CARPESIUM Lin.

- cernuum L. Jacq. Austr. t. 204. Gall. 2
 abrotanoides L. Osbek. Itin. t. 10. China. 2.

GRANCEA Adans.

- { latifolia Encycl. Suppl. Lamk. Ill. t. 699. f. 1. Ind. ☉
 { Centipeda latifolia H. Cass. Dict. v. 19. p. 306.
 { maderaspatana Encycl. Suppl. Lamk. Ill. t. 699. f. 3.
 { Ind. ☉
 { Adansonii H. Cass. Dict. v. 19. p. 304.
 { Artemisia maderaspatana L.
 { Cotula maderaspatana Willd. Sp.
 cuneifolia Encycl. Suppl. Lamk. Ill. t. 699. f. 2. China ☉
 minima Encycl. Suppl.
 { Centipeda minima H. Cass. Dict. v. 19. p. 306.
 { Artemisia minima L. Burm. Ind. t. 58. f. 3. Ind. ☉
 { Cotula minima Willd. Sp.

sta Lin.

1. *Herbaceæ, calicibus oblongis.*

- { capillifolia Lamk. Encycl. Dill. Elth. t. 33. f. 37. Ind.
- { Temp. v
- { tenuifolia Willd. Sp.
- vulgaris L. Bull. Herb. t. 350. Engl. Bot. 978. Gall. t
- Med.
- palmata Lamk. Encycl. Hisp. Temp. v
- maritima L. Engl. Bot. 1706. Gall. v
- suaveolens Lamk. Encycl. Oriens. v Med.
- monogyna Wald et Kit. Hung. 1. t. 75. Hungar. v

2. *Herbaceæ, floribus hemisphericis.*

- austriaca Jacq. Austr. t. 100. Austr. v
- annua L. Siber. ☉
- hololeuca Marsch.
- { leucanthemifolia H. p. v
- { desertorum Sprengel (ex Fischer).
- { campestris L. Engl. Bot. 338. Gall. v
- { Oligosporus campestris H. Cass. Dict. v. 36. p. 25.
- scoparia Wald. et Kit. Hung. 1. t. 65. Hungar. v
- { Dracunculus L. Gmel. Sib. 2. t. 59. Siber. v Med.
- { Econ.
- { Oligosporus condimentarius H. Cass. Dict. v. 36. p. 26.
- inodora Willd. Enum. Daour. v
- { biennis Willd. Sp. Bot. Mag. 2472. N. Zeland. ? ♂
- { zelandica Lamk. Encycl.
- { hispanica Jacq. Rar. t. 172.
- pectinata Pallas Itin. 4. t. 22. Ed. gallica. Daour. v
- sivertiana Willd. Sp. Siber. ♂
- { violacea H. p. v
- { coarctata Aghard.
- altaica Fischer. v
- laciniata Willd. Sp. Gmel. Sib. 2. t. 57. Siber. v
- tanacetifolia L. All. Ped. t. 10. f. 3. Alpes v
- glacialis L. All. Ped. t. 8. f. 3. Jacq. Austr. Suppl. t. 35.
- Alpes v
- rupestris L. It. Gott. 285. Ic. Siber. v
- { mutellina Vill. Hist. 3. t. 35. Alpes v
- { glacialis Jacq. Coll. 2. t. 7. Ead. ex Willd.
- insipida Vill. Hist. 3. t. 25. Alpes v
- Absinthium L. Engl. Bot. 1230. Gall. v Med.
- chamæmelifolia Vill. Hist. t. 35. Alpes v
- pontica L. Jacq. Austr. t. 99. Ital. v Med.
- { mollissima H. p. Siber. ♂ ?
- { glauca Willd. Sp.

3. Fruticosæ.

- * trifurcata H. p. ♀
 cœrulescens L. Moris. S. G. t. 1. f. 5. Engl. Bot. 2426. Ital.
 Temp. ♀
 corymbosa Lamk. Encycl. Ital. Temp. ♀
 valentina Lamk. Encycl. Barrel. t. 485. Hisp. Temp. ♀
 Abrotanum L. Gall. ♀ Med.
 { procera Willd. Sp. Ital. Temp. ♀
 { paniculata Lamk. Encycl.
 afra Willd. Sp. Cap. ? Temp. ♀
 chinensis L. Gmel. Siber. 2. t. 61. China. Temp. ♀
 argentea L'her. Sert. t. 28. Madera. Temp. ♀
 arborescens L. Lob. Ic. 753. f. inter. Gall. Temp. ♀

IXODIA Hort. kew.

- achillæoides H. kew. Bot. Mag. 1534. N. Holl. Temp. ♀

MICRORUS Lin.

- erectus L. Clus. Hist. 329. Ic. exter. Gall. ☉
 supinus L. Lamk. Ill. t. 694. f. 1. Gall. ☉
 { pygmæus Desf. Atl. Gall. ☉
 { Filago pygmæa L. Cav. Ic. t. 36.
 { Evax umbellata Gærtn. Fruct. t. 165. Lamk. Ill. t. 694.

FILAGO Lin.

- { montana L.
 { Logfia lanceolata H. Cass. Dict. v. 27. p. 118.
 { Gnaphalium minimum Smith. Fl. Engl. Bot. 1157.
 { germanica L. Fl. Dan. t. 997. Gall. ☉
 { Gifola vulgaris H. Cass. Dict. v. 18. p. 531.
 { Gnaphalium germanicum Smith. Fl. Engl. Bot. 948.
 { gallica L. Gall. ☉
 { Logfia subulata H. Cass. Dict. v. 27. p. 117.
 { Gnaphalium gallicum Smith. Fl. Engl. Bot. 2369.
 { pyramidata L. Gall. ☉
 { Gnaphalium pyramidatum Willd. Sp.
 { Leontopodium L. Alpes ✕
 { Leontopodium alpinum H. Cass. Dict. v. 25. p. 474.
 { Gnaphalium Leontopodium Jacq. Austr. t. 86. Bot. Mag.
 1958.

CASSINIA Brown. Soc. Lin. Lond.

- { spectabilis Bot. Reg. 678.
 { Calea spectabilis Labill. N. Holl. t. 186. N. Holl.
 { Temp. ✕ ?
 aurea Brown. Soc. Lin. Lond. v. 12. Bot. Reg. 764. N.
 Holl. Temp. ♀

in Browni. Mss.

um Bot. Mag. 2459. N. Holl. Temp. v

XERANTHEMUM Lin.

annuum L. Jacq. Austr. t. 388. Gall. ☉

inapertum L. Moris. S. 6. t. 12. f. 1. Gall. ☉

LEYSERA Lin.

gnaphalodes L. Jacq. Rar. t. 588. Cap. Temp. v

ELICHRYSUM Willd.

fulgidum Willd. Sp. Cap. Temp. v Orn.

Xeranthemum fulgidum L. Jacq. Rar. t. 173. Bot. Mag. 414.

speciosissimum Willd. Sp. Burm. Afr. t. 66. f. 2. Andr. Rep. 51. Temp. v Orn.

Xeranthemum speciosissimum L.

retortum Willd. Sp. Cap. Temp. v

Argyrocome retorta Gærtn. Fruct.

Xeranthemum retortum. L. Dill. Elth. t. 322. f. 415.

sesamoides Willd. Sp. Cap. Temp. v Orn.

Edmondia splendens H. Cass. Dict. v. 14. p. 253

Xeranthemum sesamoides L. Bot. Mag. 425.

proliferum Willd. Sp. Bot. Mag. 2365. Bot. Reg. 21. Cap. Temp. v Orn.

Xeranthemum proliferum L. Andr. Rep. 374.

bracteatum Willd. Enum. N. Holl. ☉ Orn.

Argyrocome bracteata H. Cass. Dict. v. 34. p. 40.

Xeranthemum bracteatum Vent. Malm. t. 2.

GNAPHALIUM Lin.

Stæchas L. Clus. Hist. 326. Ic. infer. Gall. m. Temp. v Med.

Elichrysum Stæchas H. Cass. Dict. v. 20. p. 452. minor.

eximium L.

Astelma eximium Bot. Reg. 532. Cap. Temp. v Orn.

ovatum H. p. Cap. Temp. v

crassifolium L. Mant.

crassifolium Lamk. Encycl. (non Lin.) Temp. v

grandiflorum Andr. Rep. 489. Cap. Temp. v

fruticans L. Mant. Bot. Mag. 1802.

Astelma fruticans Bot. Reg. 726.

cymosum L. Dill. Elth. t. 107. f. 128. Cap. Temp. v

Lepidocline cymosa H. Cass. Dict. v. 26. p. 49.

orientale L. Com. Hort. 2. t. 55. Cap. Temp. v

Elichrysum orientale H. Cass. Dict. v. 20. p. 452.

arenarium L. Fl. Dan. t. 641. Bot. Mag. 2159. Gall. v

congestum Lamk. Encycl. Bot. Reg. 243. Cap. Temp. v

- luteo-album* L. Engl. Bot. 1002. Gall. ☉
flaccidum Weim. Spreng. Syst. Brasil. Cald. ☿
 { *foetidum* L. Wolk. Norib. 194. Ic. Bot. Mag. 19
 Temp. ♂
 { *Elichrysium foetidum* H. Cass. Dict. v. 25. p. 469.
patulum L. Cap. Temp. ☿

2. *Argyrocoma*.

- diosmaefolium* Vent. Mahm. t. 74. Cap. Temp. ☿
teretifolium L. Burm. Afr. t. 77. f. 3. Cap. Temp. ☿
undulatum L. Dill. Elth. t. 108. f. 130. Cap. ☉
obtusifolium L. Dill. Elth. t. 108. f. 131. Virgin. ☉
coarctatum Willd. Sp. Brasil. ☉
spathulatum Lamk. Encycl. (non Thunb.) ☉
helianthemifolium L. Wolk. Norib. 194. Ic. altera. Cap.
 Temp. ☿
 * *globosum* H. p. N. Holl. Temp. ☿
serpyllifolium Lamk. Encycl. Cap. Temp. ☿
 { *margaritaceum* L. Clus. Hist. 527. Ic. infer. Engl. Bot.
 2018. Am. s. ☿ Orn.
 Antennaria margaritacea Brown.
 { *dioicum* L. Bull. Herb. t. 325. Engl. Bot. 267. Gall. ☿
 Med.
 Antennaria dioica Gært. Fruct.
 { *leyseroides* Desf. Atl. Maurit. ☉
 { *Leptophytus leyseroides* H. Cass. Dict. v. 26. p. 78.
capinum Smith. Fl. Engl. Bot. 1193. Alpes ☿
 { *alpinum* L. Fl. Dan. t. 332. Alpes. ☿
 { *Antennaria alpina* Gært. Fruct.
sylvaticum L. Engl. Bot. 913. Gall. ☿
uliginosum L. Fl. Dan. t. 859. Gall. ☉
 { *contortum*. H. p. ind. Cald. ☿
 { *Antennaria contorta* Bot. Reg. 605.
 { *triplinerve*. H. p. Nepaul. Cald. ☿
 { *Antennaria triplinervis* Bot. Mag. 2468.

BACCHARIS Lin.

- { *neriifolia* L. Cap. Temp. ☿
 { *Oligocarpa neriifolia* H. Cass. Dict. v. 36. p. 22.
 { *ivæfolia* L. Fenil. Obs. 2. t. 37. Peruv. Cald. ☿
 { *Fimbrillaria baccharoides* H. Cass. Dict. v. 17. p. 54.
halimifolia L. Pluk. t. 27. f. 2. Virgin. ☿
Dioscoridis L. Egypt. Cald. ☿
 { *angustifolia*. I. Franciæ. Cald. ☿
 { *Pingræa angustifolia* H. Cass. Dict. v. 41. p. 58.
 { *junceæ*. Senegal. Cald. ☿
 { *Arrhenachne juncea* H. Cass. Dict. v. 52. p. 254.

in.

- odorata L. Plum. Ic. t. 97. Antill. Cald. ♀
- Pluchea odorata H. Cass. Dict. v. 42. p. 3.
- candida L. Creta. Temp. ♀
- Inula candida H. Cass. Dict. v. 23. p. 554.
- asteroides. H. p.
- Pluchea subdecurrens H. Cass. Dict. v. 42. p. 4.
- Gouani Willd. Canar. ♂
- Dimorphanthes Gouani. H. Cass. Dict. v. 13. p. 255.
- Erigeron Gouani Jacq. Hort. 3. t. 79.
- thapsoides Marsch. Cauc. Caucas. ♀
- longifolia H. p. ♀
- Dimorphanthes procera H. Cass. Dict. v. 25. p. 93.
- * laxiflora H. p. ☉
- ægyptiaca Willd. Sp. Ægypt. ☉
- Dimorphanthes ægyptiaca H. Cass. Dict. v. 13. p. 256.
- Erigeron ægyptiacum L. Mant. Jacq. Hort. 3. t. 19.
- marylandica Michx. Dill. Elth. t. 88. f. 104. Am. s. ♀
- Pluchea petiolata H. Cass. Dict. v. 42. p. 2.
- stipulacea H. p. I. Franciæ. Cald. ♀
- Dimorphanthes stipulacea H. Cass. Dict. v. 25. p. 94.
- squarrosa L. Fl. Dan. t. 622. Bull. Herb. t. 342. Gall. ♂
- rupestris L. Mant. Smid. Ic. t. 36. Maurit. Temp. ♀
- Phagnalon spathulatum H. Cass. Dict. v. 39. p. 401.
- sordida L. Mant. Barrel. t. 277 et 368. Gall. m. Temp. ♀
- Phagnalon tricephalum H. Cass. Dict. v. 39. p. 401.
- saxatilis L. C. B. Prodr. 123. Ic. exter. Gall. m. Temp. ♀
- Phagnalon subdentatum H. Cass. Dict. v. 39. p. 400.

TUSSILAGO Lin.

- Anandria L. Amœn. Acad. t. t. 11. Siber. ♀
- Leibnitzia cryptogama H. Cass. Dict. v. 25. p. 421
- Perdicium Anandria H. kew.
- alpina L. Jacq. Austr. t. 246. Alpes ♀
- Homogyne alpina H. Cass. Dict. v. 21. p. 412.
- Farfara L. Fl. Dan. t. 595. Bull. Herb. t. 329. Gall. ♀
- Med.
- alba L. Fl. Dan. t. 524. Gall. ♀ Med.
- Petasites albus Gærtn. Fruct.
- Petasites L. Bull. Herb. t. 391. Gall. ♀ Med.
- Petasites vulgaris Desf. Fl. Atl.
- fragrans Vill. Hist. Bot. Mag. 1388. Alpes ♀ Orn.
- Nardosmia denticulata H. Cass. Dict. v. 34. p. 187.

CHAPTALIA Vent.

- tomentosa Vent. H. Cels. t. 61. Carolin. Temp. ♀

CAGALIA Lin.

1. Fruticosa.

- { laciniata Jacq. Rar. t. 168. DC. pl. gr. t. 18. Cap. Temp. ♀
- { articulata L. Suppl. L'her. Stirp. t. 83.
- papillaris L. Dill. Elth. t. 55. f. 63. Cap. Temp. ♀
- Anteuphorbium L. Moris. S. 7. t. 37. Cap. Temp. ♀
- Kleinia L. Dill. Elth. t. 54. f. 62. Cap. Temp. ♀
- Ficoides L. Com. Rar. t. 40. DC. pl. gr. t. 90. Cap. Temp. ♀
- cylindrica Lamk. Encycl. DC. pl. gr. t. 48. Temp. ♀
- repens L. Mant. DC. pl. gr. t. 42. Cap. Temp. ♀
- radicans H. kew. Temp. ♀
- * odorata H. p. N. Holl. Temp. ♀
- reticulata Vahl. Symb. I. Borbon. Cald. ♀
- salicina Labill. N. Holl. t. 179. Bot. Reg. 923. N. Holl. Temp. ♀

2. Herbacea.

- { suffruticosa L. Mant. Arduin. specim. 2. t. 19.
- { Linaria Cav. Ic. t. 257. N. Hisp. Cald. ✕
- { Porophyllum suffruticosum H. Cass. Dict. v. 43. p. 57.
- { Porophyllum L. Cav. Ic. t. 222. Peruv. ☉
- { Porophyllum ellipticum H. Cass. Dict. v. 43. p. 56.
- { Kleinia Porophyllum Willd. Sp.
- suaveolens L. Am. s. ✕
- { senecioides H. p. ✕
- { Eudorus senecioides H. Cass. Dict. v. 15. p. 525.
- { villosa Jacq. Rar. t. 580. Cap. Temp. ✕
- { Senecio purpureus Willd. Sp.
- { Petasites Lamk. Encycl. Alpes ✕
- { Adenostyles albida H. Cass. Dict. v. 1. Suppl. p. 60.
- { cordifolia Kunth. N. Gen. t. 360. Mexico. Cald. ✕
- { Pericalia cordifolia H. Cass. Dict. v. 48. p. 459.
- { tomentosa Lamk. Encycl. Alpes ✕
- { Adenostyles candidissima H. Cass. Dict. v. 1. Suppl. p. 60.
- { alliarisefolia Lamk. Encycl. Alpes ✕
- { Adenostyles viridis H. Cass. Dict. v. 1. Suppl. p. 60.
- atriplicifolia L. Pluk. t. 101. f. 2. Am. s. ✕
- { sagittata Willd. Sp. Java. ☉ Orn.
- { coccinea Bot. Mag. 564.
- { Emilia flammea H. Cass. Dict. v. 14. p. 406.

CHRYSOCOMA Lin.

- dichotoma L. Suppl. Madera. Temp. ♀
- Coma-aurea L. Wolk. Norib. 148. Ic. Cap. Temp. ♀

mus L. Com. Hort. 2. t. 45. an Variet. preced. Cap. Temp. ♀

- { *biflora* L. Gmel. Siber. 2. t. 82. f. 1. Siber. &
- { *dracunculoides* Lamk. Encycl.
- { *Crinitaria punctata* H. Cass. Dict. v. 37. p. 476.
- { *Linosyris* L. Clus. Hist. 325. Ic. infer. Gall. ♀
- { *Linosyris foliosa* H. Cass. Dict. v. 37. p. 476.
- { *graminifolia* L. Am. s. &
- { *Euthamia graminifolia* Nutt. Gen.
- { *Solidago lanceolata* L. Mant.

ISONEMA H. Cass.

- { *ovata* H. Cass. Dict. v. 24. p. 25. Ind. Cald. ♀
- { *Conyza chinensis* Lamk. Encycl.

VERNONIA Gen. pl. Ed. Schreb.

- { *noveboracensis* Willd. Sp. Am. s. & Orn.
- { *Serratula noveboracensis* L. Dill. Elth. t. 263. f. 342.
- { *præalta* Willd. Sp. Am. s. & Orn.
- { *Serratula præalta* L. Dill. Elth. t. 264. f. 343.
- { *anthelmintica* Willd. Sp. Ind. Cald. ♂
- { *Ascaricida indica* H. Cass. Dict. v. 5. Suppl. p. 38.
- { *Conyza anthelmintica* L. Burm. Zeyl. t. 95.
- { *senegalensis* H. p. ♂ ?

LIATIS Gen. pl. Ed. Schreb.

- { *spicata* Willd. Sp. Bot. Mag. 1411. Am. s. &
- { *Suprago spicata* H. Cass. Dict. v. 51. p. 385.
- { *Serratula spicata* L. Dill. Elth. t. 73. f. 83.
- { *scariosa* Willd. Sp. Pluk. t. 177. f. 4. Am. s. &
- { *squarrosa* Mich. Fl.
- { *Serratula scariosa* L.
- { *squarrosa* Willd. Sp. Am. s. &
- { *Serratula squarrosa* L. Dill. Elth. t. 71. f. 82.

AMPHIREPHIS Kunth. N. Gen. (*Centratherum* H. Cass. 1817.)
intermedia Link. Enum. Hort. t. 5. Brasil. Temp. &

EUPATORIUM Lin.

- { *Houstonis* L. Antill. Cald. ♀
- { *Mikania Houstonis* Willd. Sp.
- { *Dalea* L. Jacq. H. schœn. t. 146. Antill. Cald. &
- { *volubile* Vahl. Symb. Burm. Ind. t. 58. f. 2. Ind
- { Cald. ♀
- { *Mikania volubilis* Willd. Sp.
- { *scandens* L. Jacq. Rar. t. 169. Virgin. Temp. &
- { *Mikania scandens* Willd. Sp.
- { *Aya-pana* Vent. Malm. t. 5. Brasil. Cald. & Med.
- { *altissimum* L. Jacq. Hort. t. 164. Am. s. &

- cannabinum* L. Fl. Dan. t. 745. Gall. & Med.
sessilifolium L. Am. s. ✕
purpureum L. Cornuti. Canad. t. 191. Ic. Am. s. &
maculatum L. Herm. Parad. 158. Ic. Am. s. ✕
atriplicifolium Vahl. Symb. Antill. Cald. ♀
deltoideum Jacq. H. schœn. t. 369. Cald. ♀
perfoliatum L. Pluk. t. 87. f. 6. Am. s. Temp. &
aromaticum L. Pluk. t. 88. f. 3. Am. s. Temp. &
urticæfolium L. Suppl. Smith. Ic. ined. t. 68. N. Gren.
 Cald. &
serotinum Mich. Fl. Carolin. Temp. &
cœlestium L. Dill. Elth. t. 114. f. 139. Carolin. Temp. &
microstemon H. Cass. Dict. v. 25. p. 432. ☉

STEVIA Cav.

- serrata* Cav. Ic. t. 355. Mexico. Temp. &
Ageratum punctatum Ortega Dec. Jacq. H. schœn.
 t. 300.
ivæfolia Willd. Enum. Mexico. Temp. ✕
purpurea Willd. Enum. Mexico. Temp. ✕
eupatoria Willd. Enum. Spreng. Soc. Lin. Lond. v. 6.
 t. 13. Bot. Mag. 1849. Mexico Temp. &
ovata Willd. Enum. Mexico. Temp. ✕
pedata Cav. Ic. t. 356. Bot. Mag. 2040. Mexico. Temp.
 ✕
Hymenopappus pedatus Lagasca. Gen. et Sp. pl. p. 28.
Florestina pedata H. Cass. Dict. v. 17. p. 156.
Ageratum pedatum Ortega Dec.

PALEOLARIA H. Cass.

- carnea* H. Cass. Dict. v. 37. p. 256. N. Hisp. Cald. ♀
Palafoxia linearis Lagasca Gen. et Sp.
Stevia linearis Cav. Prælect.
Ageratum lineare Cav. Ic. t. 205.

PIQUERIA Cav.

- trinervia* Cav. Ic. t. 235. Mexico. Cald. &

AGERATUM Lin.

- conyzoides* L. Schk. Hook. Exot. Fl. 15. Am. m. ☉
cœruleum H. p. Variet. præced. Am. m. ☉
cœlestium Bot. Mag. 1730. Temp. ✕ Orn.
corymbosum Pers. Syn. Cald. ✕
Cœlestina cœrulea H. Cass. Dict. v. 6. Suppl. p. 8. Atl.
 cah. 3. pl. 4.

CEPHALOPHORA Cav.

- glauca* Cav. Ic. t. 599. Chili Temp. &

ANTHUS Lin.

phoratus L. Herm. Hort. 229. Ic. Cap. Temp. ♀

ATHANASIA Lin.

- { *annua* L. Schk. Handb. 3. t. 259. Maurit. ☉
- { *lonas umbellata* H. Cass. Dict. v. 27. p. 167.
- trifurcata* L. Com. Hort. 2. t. 49. Cap. Temp. ♀
- crithmifolia* L. Com. Hort. 2. t. 50. Cap. Temp. ♀
- { *parviflora* L. Mant. Jacq. H. schœn. t. 149. Cap. Temp. ♀
- { *Hymenolepis leptcephala* H. Cass. Dict. v. 22. p. 315.
- tricuspis* Poiret. Encycl. Suppl. Burm. Afr. t. 69. f. 2. Cap. Temp. ♀
- { *dentata* L. Com. Rar. t. 41. Cap. Temp. ♀
- { *Morysia diversifolia* H. Cass. Dict. v. 33. p. 59.

DIOTIS Desf.

- { *maritima* Desf. Atl. Mill. Ic. t. 135. Gall. m. Temp. ♀
- { *Athanasia maritima* L.
- { *Santolina maritima* Willd. Sp.

SANTOLINA Lin.

- Chamæcyparissus* Willd. Sp. Clus. Hist. 342. Ic. Hisp. Temp. ♀ Med. Econ.
- viridis* Willd. Sp. Hisp. Temp. ♀
- rosmarinifolia* L. Hisp. Temp. ♀
- tomentosa* Pers. Syn. Hisp. Temp. ♀
- { *eriosperma* Pers. Syn. Ital. Temp. ♀
- { *Lasiospermum pedunculare* Lagasca.
- { *pinnata* Viviani Fragm. t. 1.

ANACYCLUS Lin.

- { *aureus* L. Mant. Gall. ☉
- { *Marcelia aurea* H. Cass. Dict. v. 34. p. 107.

ORDO III.**RADIATÆ.****COTULA Lin.**

- { *aurea* L. Hisp. ☉
- { *Lyonnetia pusilla* H. Cass. Dict. v. 34. p. 106.
- coronopifolia* L. Dill. Elth. t. 23. f. 26. Cap. ☉
- anthemoides* L. Dill. Elth. t. 23. f. 25. Hisp. ☉
- { *turbinata* L. Breyn. Cent. t. 73. Cap. ☉
- { *Cenia turbinata* Pers. Syn.
- { *Lidbeckia turbinata* Willd. Sp.

BELLIS Lin.

annua L. Bot. Mag. 2174. Gall. ☉

perennis L. Fl. Dan. t. 503. Bull. Herb. t. 173. Gall. & Orn.

sylvestris Cyrillo Fasc. Bot. Mag. 2511. Ital. &

MATHICARIA Lin.

Parthenium L. Fl. Dan. t. 674. Bull. Herb. t. 203. Gall. & Med.

* *parthenioides* H. p. &

Chamomilla L. Engl. Bot. 1232. Gall. ☉ Med.

suaveolens L. Gall. ☉

capensis L. Mant. Cap. Temp. ♂

CHRYSANTHEMUM Lin.1. *Leucanthema*.A. *Fruticosa*.

{ *frutescens* L. Walt. Hort. t. 24. Canar. Temp. ♀

{ *Pyrethrum frutescens* Willd. Sp.

pinnatifidum L. Suppl. Canar. Temp. ♀

{ *grandiflorum* H. p. Canar. Temp. ♀

{ *Pyrethrum grandiflorum* Willd. Enum. •

{ *Broussonetii* Pers. Syn.

foeniculaceum Willd. Enum. Bot. Reg. 272. Canar. Temp. ♀

B. *Herbacea*.

inodorum L. Fl. Dan. t. 696. Engl. Bot. 676. Gall. ☉

{ *praetium* Vent. H. Cels. t. 43. Caucas. &

{ *Pyrethrum partheniifolium* Willd. Enum.

{ *pulverulentum* H. p. Iberia. &

{ *Pyrethrum pulverulentum* Willd. Enum.

{ *corymbosum* L. Jacq. Austr. t. 579. Gall. &

{ *Pyrethrum corymbosum* Willd. Sp.

{ *roseum* H. p. Caucas. & Orn.

{ *Pyrethrum roseum* Marsch. Cauc. Bot. Reg. 1024.

{ *serotinum* L. Jacq. Obs. t. 90. Am. s. &

{ *Pyrethrum serotinum* Willd. Sp.

Leucanthemum L. Fl. Dan. t. 994. Bull. Herb. t. 211. Gall. &

{ *maximum* Ramond. Soc. Philom. Pyren. &

{ *grandiflorum* Lapeyr. Pyren.

{ *Pyrethrum latifolium* Willd. Enum.

ceratophylloides All. Ped. t. 37. f. 1. Alpes. &

arcticum L. Willd. H. berol. t. 33. Kamtch. &

- sericeum H. p. Iberia. Temp. &
 Pyrethrum sericeum Marsch. Cauc.
 montanum L. Jacq. Obs. t. 91. Alpes &
 { Balsamita L. Jacq. Obs. t. 89. Oriens &
 { Pyrethrum Balsamita Willd. Sp.
 { mutifidum H. p.
 { Matricaria tanacetifolia Lamk. Encycl. Excl. Syn.
 Tournéf.
 monspeliense L. Jacq. Obs. t. 93. Monsp. Temp. &
 { alpinum L. Barrel. t. 458. f. 3. Alpes &
 { Pyrethrum alpinum Willd. Sp.
 { carinatum Schousb. Maroc. t. 6. Maroc. ☉ Orn.
 { Ismelia versicolor H. Cass. Dict. v. 41. p. 41.
 { tricolor Andr. Rep. 109.

2. *Chrysanthema*.

- { viscosum H. p. Hisp. ☉
 { Pinardia anisocephala H. Cass. Dict. v. 41. p. 39.
 { Centrospermum Chrysanthemum Sprengel. syst.
 { myconis L. Barrel. t. 1244. Gall. ☉
 { Coleostephus aureus H. Cass. Dict. v. 41. p. 43.
 segetum L. Fl. Dan. t. 995. Bull. Herb. t. 339. Gall. ☉
 coronarium L. Clus. Hist. 335. Ic. super. Gall. ☉ Orn.
 { Roxburghii H. p. Ind. ☉
 { Glebionis Roxburghii H. Cass. Dict. v. 41. p. 41.
 { Pyrethrum indicum H. kew. Bot. Mag. 1521.

CALENDULA LID.

- arvensis L. Bull. Herb. t. 239. Gall. ☉ Med.
 officinalis L. Mill. Ill. Ic. Gall. ☉ Med. Econ.
 stellata Cav. Ic. t. 5. Hisp. ☉
 tomentosa Desf. Atl. t. 245. Alger. ☉
 { hybrida L. Breyn. Prodr. t. 14. f. 2. Cap. ☉
 { Meteorina crassipes H. Cass. Dict. v. 30. p. 322.
 { pluvialis L. Breyn. Prodr. t. 14. f. 1. Cap. Temp. &
 { Meteorina gracilipes. H. Cass. Dict. v. 30. p. 320.
 { fruticosa L. Mill. Ic. t. 283. Cap. Temp. ☉
 { Blaxium decumbens H. Cass. Dict. v. 30. p. 328.
 { chrysanthemifolia Vent. Malm. t. 56. Bot. Mag. 2218.
 Cap. Temp. &
 { Arnoldia aurea H. Cass. Dict. v. 30. p. 331.
 { flaccida Vent. Malm. t. 20. Cap. Temp. &
 { Tragus Bot. Reg. 28. Jacq. H. schœn. t. 153.
 { Castalis Ventenati H. Cass. Dict. v. 30. p. 332.
 graminifolia L. Com. Hort. 2. t. 34. Bot. Reg. 289. Cap.
 Temp. &

MADIA Molina Hist.

- { viscosa Cav. Ic. t. 298. Bot. Mag. 2574. Chili ☉
- { mellosa Jacq. H. schœn. t. 302.
- { Biotia viscosa H. Cass. Dict. v. 34. p. 308.

OSTEOSPERMUM Lin.

- moniliferum. L. Dill. Elth. t. 68. f. 79. Cap. Temp. ♀
- polygaloides L. Pluk. t. 382. f. 2. Cap. Temp. ♀
- { spinosum L. Com. Hort. 2. t. 43. Cap. Temp. ♀
- { Eriocline obovata H. Cass. Dict. v. 15. p. 191.
- { spinescens Thunb. Prodr. Cap. Temp. ♀
- { spinosum Jacq. H. schœn. t. 377.
- { pinnatifidum L'her. Stirp. t. 6. Cap. Temp. ♀
- { cœruleum Jacq. Rar. t. 179.
- { Garuleum viscosum H. Cass. Dict. v. 18. p. 163.

MILLERIA Lin.

- { quinqueflora L. Mexico. ☉
- { dichotoma Cav. Ic. t. 82.

EMOCEPHALUS Lin.

- africanus L. Dill. Elth. t. 110. f. 134. Cap. Temp. ♀

BELLUM Lin.

- bellidioides L. Mant. Bocc. Mus. t. 107. Viviani Fragn. t. 10. f. 1. Ital. Temp. ♂

HELENIUM Lin.

- autumnale L. Cornuti. Canad. 63. Ic. Am. s. ♀
- { quadridentatum Labill. Soc. nat. par. t. 4. Bot. Reg. 508. Louisian. ☉
- { Rudbeckia alata Jacq. Rar. t. 593.

SCHKUHRIA Roth.

- { abrotanoides Roth. Cat. Mexico. ☉
- { Pectis multifida Ortega Dec.
- { Pectis pinnata Lamk. Journ. d'Hist. nat. 2. t. 31.

TAGETES Lin.

- erecta L. Mexico. ☉ Orn.
- patula L. Bot. Mag. 150. Mexico. ☉ Orn.
- lucida Cav. Ic. t. 264. Bot. Mag. 740. Mexico. ☉
- tenuifolia Cav. Ic. t. 169. Bot. Mag. 2045. Peruv. ☉
- minuta L. Dill. Elth. t. 280. f. 362. Chili. ☉
- { fœniculacea ☉
- { Enalcida fœniculifolia H. Cass. Dict. v. 14. p. 443.
- micrantha Cav. Ic. t. 352. N. Hisp. ☉

Willd.

chrysanthemoides Willd. Sp. Florid. ☉

Tagetes papposa Vent. H. Cels. t. 36.

DORONICUM Lin.

pardalianches L. Jacq. Austr. t. 350. Alpes &

plantagineum L. Gall. & Med.

caucasicum Marsch. Cauc. Caucas. &

{ Arnica Alpes. & Med.

{ Arnica montana L. Fl. Dan. t. 63.

{ Bellidiastrum L. Jacq Austr. t. 400. Alpes &

{ Bellidiastrum Micheli. H. Cass. Dict. v. 37. p. 494.

{ Arnica Bellidiastrum. Willd. Sp.

GAZANIA BROWN. (non Gärtn. ex H. Cass.)

{ uniflora Bot. Mag. 2270.

{ Gorteria uniflora L. Suppl. Cap. Temp. &

{ rigens H. kew. (non Gärtn. ex H. Cass.) Cap. Temp. & Orn.

{ Melanchrysum rigens H. Cass. Dict. v. 29. p. 442.

{ Gorteria rigens L. Bot. Mag. 90. Cap. Temp. &

{ Pavonia H. kew. Bot. Reg. 35. Cap. Temp. & Orn.

{ Gorteria Pavonia Andr. Rep. 523.

{ pectinata H. p. Cap. Temp. & Orn.

{ Gorteria pectinata Thunb. Prodr.

GRINDELIA Willd.

{ inuloides Willd. Enum. Bot. Reg. 248. Mexico. Temp.

{ &

{ Inula serrata Pers. Syn.

{ Donia squarrosa Bot. Mag. 1706?

DONIA Hort. kew.

{ glutinosa H. kew. Bot. Reg. 187. Mexico. Temp. &

{ Aurelia glutinosa H. Cass. Dict. v. 3. Suppl. p. 130.

{ Aster glutinosus Cav. Ic. t. 168.

{ Doronicum glutinosum Willd. Sp.

SCALIA Sims. Bot. Mag.

{ jaceoides Bot. Mag. 956. H. Holl. Temp. &

{ Podolepis acuminata H. kew.

HETEROTRECA H. Cass.

inuloides H. Cass. Dict v. 51. p. 460. Cald. &

INULA Lin.

Helenium L. Fl. Dan. t. 728. Gall. & Med.

verbascifolia H. p. Poir. Encycl. Suppl. &

bifrons L. Garid. Aix. t. 23. Gall. m. &

- Oculus-christi* Lamk. Encycl. (non Lin.) Gall. ✕
britannica L. Fl. Dan. t. 413. Gall. ✕
dysenterica L. Bull. Herb. t. 299. Engl. Bot. 1115.
 Gall. ✕
Pulicaria dysenterica H. Cass. Dict. v. 44. p. 93.
Pulicaria L. Fl. Dan. t. 613. Gall. ☉
Pulicaria vulgaris Gærtn. Fruct.
arabica L. Mant. Maurit. Temp. ✕
Pulicaria arabica H. Cass. Dict. v. 44. p. 94.
crispa Delile Egypt. t. 45. f. 2. Egypt. ☉
gnaphalodes Vent. H. Cels. t. 75?
Francoëuria crispa H. Cass. Dict. v. 38. p. 375.
Aster crispus Forsk. Fl.
squarrosa L. Pluk. t. 16. f. 1. Gall. ✕
spiræifolia Lamk. Encycl.
salicina L. Fl. Dan. t. 786. Gall. ✕
ensifolia L. Jacq. Austr. t. 162. Gall. ✕
crithmoides L. Moris. S. 7. t. 21. f. 16. Engl. Bot. 68.
 Gall. ✕
Limbarda tricuspis H. Cass. Dict. v. 26. p. 437.
hirta L. Jacq. Austr. t. 358. Gall. ✕
montana L. Gall. ✕
grandiflora Willd. Sp. Iberia. ✕
glandulosa Willd. Sp. Bot. Reg. 334. Georgia. Temp. ☉
cinerea Lamk. Encycl. Hall. Hist. t. 2. Alpes ✕.
Vaillantii Vill. Hist.
viscosa Desf. Atl. Gall. ✕
Erigeron viscosum L. Jacq. Hort. t. 165?
graveolens Desf. Atl. Barrel. t. 370. (flores majores)
 Gall. ☉
Erigeron graveolens L. Mant.
tuberosa Lamk. Encycl. Moris. S. 7. t. 20. f. 15. Gall.
 m. ✕
Jasonia radiata H. Cass. Dict. v. 24. p. 201.
Erigeron tuberosum L.

Erigeron Lin.

- canadense* L. Bocc. Sic. t. 46. Gall. ☉
linifolium Willd. Sp. ☉
Dimorphantes angustifolia H. Cass. Dict. v. 25. p. 95.
bonariense L. Dill. Elth. t. 257. f. 334. Am. m. ☉
 * *longifolium* H. p. ☉
annuum Am. s. ☉
Phalacrolooma acutifolia H. Cass. Dict. v. 39. p. 405.
Aster annuus L. Fl. Dan. t. 486.
delphinifolium Willd. H. berol. t. 90. Am. m. Temp. ☉
Stenactis delphinifolia H. Cass. Dict. v. 50. p. 483.
philadelphicum L. Am. s. ✕

- amplexicaule H. p.
- missiflorum L. Fl. lapp. t. 9. f. 3. Engl. Bot. 2416. Alpes x
- alpinum L. Engl. Bot. 464. Alpes x
- Stenactis alpina H. Cass. Dict. v. 50. p. 485.
- bellidifolium Willd. Sp. Am. s. x
- Villarsii Bellardi. App. t. 9. Bot. Reg. 583. Alpes x
- atticum Vill. Hist.
- murale Lapeyr. Fl. Pyren. x
- acre L. Engl. Bot. 1168. Gall. x
- Trimorphæa vulgaris H. Cass. Dict. v. 37. p. 462.
- foetidum L. Pluk. t. 223. f. 4. Cap. Temp. x
- Nidorella foliosa H. Cass. Dict. v. 37. p. 470.
- Coniza foetida Willd. Sp. Mill. le. t. 233.
- glutinosum H. p. I. Franciæ. Cald. y
- Psiadia glutinosa Jacq. H. schœn. t. 152.

BOLTONIA L'her.

- asteroides L'her. Sert. t. 36. Bot. Mag. 2554. Am s. z
- Matricaria asteroides L. Mant.
- glastifolia L'her. Sert. t. 35. Bot. Mag. 2381. Am. s. x

CHARIEIS H. Cass.

- heterophylla H. Cass. Dict. v. 8. p. 192. Cap. ©
- Kaulfussia amelloides. Nées.

ASTER Lin.

- liratus Bot. Mag. 1509. N. Holl. Temp. y
- Eurybia lirata H. Cass. Dict. v. 37. p. 487.
- argophyllus Labill. N. Holl. 2. t. 201. Bot. Mag. 1565.
- N. Holl. Temp. y
- Eurybia argophylla H. Cass. Dict. v. 37. p. 487.
- carolinianus Mich. Fl. Carolin. Temp. y
- reflexus Com. Hort. 2. t. 28. Bot. Mag. 884. Cap. Temp. y
- tomentosus Willd. Sp. N. Holl. Temp. y
- dentatus Andr. Rep. 61.
- cymbalariae Willd. Sp. Cap. Temp. y
- Munychia cymbalariae H. Cass. Dict. v. 37. p. 483.
- Gineraria hirsuta Vent. Mahn. t. 95.
- aculeatus Labill. N. Holl. t. 200. (folia paululum longiora)
- N. Holl. Temp. y
- fruticulosus Jacq. Fragm. t. 5. f. 4. Bot. Mag. 2286. Cap.
- Temp. y
- argenteus Mich. Fl. Am. s. Temp. y Orn.
- sericeus Vent. H. Cels. t. 33.
- lithospermifolius H. p. Siber. x
- altaicus Willd. Enum.
- tenellus L. Jacq. Obs. t. 88. Cap. ©
- Felicia fragilis H. Cass. Dict. v. 16. p. 315.



- * conyzoides H. p. Temp. 9
- { an Conyza chrysocomoides Desf. Atl. 9
- { linifolius L. Am. s. 7
- { Galatella albiflora H. Cass. Dict. v. 18. p. 58.
- { acris L. Barrel t. 606. Gall. m. 7
- { Galatella intermedia H. Cass. dict. v. 18. p. 58.
- { trinervis Pluk. t. 271. f. 3. an Variet. Præced.?
- { Gall. 7
- { Galatella rigida H. Cass. Dict. v. 18. p. 58.
- { dracunculoides Lamk. Encycl. 7
- { Galatella pauciflora H. Cass. Dict. v. 18. p. 56.
- { punctatus Willd. Sp. Wald. et Kit. Hung. t. 109.
- { Hungar. 7
- { Galatella punctata H. Cass. Dict. v. 18. p. 57.
- { canus Wald. et Kit. Hung. 1. t. 30. Hungar. 7
- { Galatella canescens H. Cass. Dict. v. 18. p. 57.
- { glaucus H. p. Am. m. Cald. 9
- { Erigeron glaucum Bot. Reg. 10.
- alpinus L. Jacq. Austr. t. 88. Bot. Mag. t. 199. Alpes 7
- { pyrenæus DC. Fl. Dodart. Acad. 1666, 1699. p. 255. Ic.
- { Pyren. 7
- { sibiricus Lamk. Encycl. non Lin.
- { incisus Fischer. Russ. 7
- { Kalimeris platycephala H. Cass. Dict. v. 24. p. 325.
- Amellus L. Bot. Reg. 340. Gall. m. 7 Orn.
- Tripolium L. Fl. Dan. t. 615. Engl. Bot. 87. Gall. 7
- æstivus H. kew. Am. s. 7
- tardiflorus L. Am. s. 7
- { amplexicaulis Lamk. Encycl. Am. s. 7 Orif.
- { spurius Willd. Sp.
- adulterinus Willd. Enum. Am. s. 7
- patulus Lamk. Encycl. Am. s. 7
- novæ-angliæ L. Bot. Reg. 183. Am. s. 7 Orn.
- rubricaulis Lamk. Encycl. Am. s. 7
- lævigatus Lamk. Encycl. Am. s. 7
- longifolius Lamk. Encycl. Am. s. 7
- amœnus Lamk. Encycl. Am. s. 7
- { novi-belgii L. Herm. Hort. Lugdb. 67. Ic. Am. s. 7
- { paniculatus Lamk. Encycl.
- * confertus H. p. 7
- versicolor Willd. Sp. Am. s. 7 Orn.
- floribundus Willd. Sp. Am. s. 7
- spectabilis Willd. Sp. Am. s. 7
- salignus L. Willd. Sp. German. 7
- simplex Willd. Enum. Am. s. 7
- mutabilis L. Herm. Hort. Lugdb. 67. Ic. Am. s. 7
- * leucanthemus H. p. 7
- bellidiflorus Willd. Enum. Am. s. 7

- laxus* Willd. Enum. Am. s. ☞
lanceolatus Willd. Sp. Am. s. ☞
grandiflorus L. Dill. Elth. t. 36. f. 41. Bot. Reg. 273. Am.
 s. ☞ Orn.
fragilis Willd. Sp. Am. s. ☞
tenuifolius L. Pluk. t. 78. f. 5. Am. s. ☞
rigidus L. Am. s. ☞
 { *multiflorus* Willd. Sp. Dill. Elth. t. 36. f. 40. Am. s. ☞
 Orn.
 { *ericoides* Mich. Fl.
vimineus Lamk. Encycl. Am. s. ☞
subulatus Mich. Fl. Am. s. ☞
umbellatus Willd. Sp. Am. s. ☞
cordifolius L. Am. s. ☞
 { *amygdalinus* Lamk. Encycl. Am. s. ☞
 { *Diplostephium amygdalinum* H. Cass. Dict. v. 37.
 p. 486.
miser L. Am. s. ☞
paniculatus Willd. Sp. Am. s. ☞
heterophyllus Willd. Enum. Am. s. ☞
 { *corymbosus* H. kew. Am. s. ☞
 { *Eurybia corymbosa* H. Cass. Dict. v. 37. p. 487.
latifolius Am. s. ☞
 { *macrophyllus* L. Am. s. ☞
 { *Eurybia macrophylla* H. Cass. Dict. v. 37. p. 487.
 { *chinensis* L. Dill. Elth. t. 34. t. 38. China ☉ Orn.
 { *Callistephus hortensis* H. Cass. Dict. v. 37. p. 464.

SOLIDAGO Lin.

1. Ramulis secundis patulis.

- sempervirens* L. Cornuti. Canad. 169. Ic. Am. s. ☞
laevigata H. kew. Am. s. ☞
canadensis L. Am. s. ☞ Orn.
 * *glabra* H. p. Am. s. ☞ Orn.
 * *nutans* H. p. Am. s. ☞ Orn.
procera H. kew. Am. s. ☞ Orn.
aspera H. kew. Dill. Elth. t. 305. f. 392. Am. s. ☞
conferta H. p. Poiret. Encycl. ☞
odora H. kew. Pluk. t. 116. f. 6. Am. s. ☞

2. Racemis erectis.

- * *integrifolia* H. p. Am. s. ☞
 * *multiflora* H. p. ☞
mexicana L. Dodart. Icones. Am. s. ☞
latifolia L. Pluk. t. 235. f. 4. Am. s. ☞
bicolor L. Mant. Am. s. ☞

flexicaulis L. Herm. Parad. 244. Ic. Am. s. ✕
virga-aurea L. Fl. Dan. t. 663. Engl. Bot. 301. Gall.
alpestris Wald. et Kit. Hung. t. 208. Hungar. ✕
 * *plantaginea* H. p. ✕
minuta L. Herm. Parad. 245. Ic. Gall. ✕
rigida L. Herm. Parad. 243. Ic. Am. s. ✕
 * *grandiflora* H. p. ✕
hirta Willd. Enum. ?
gracilis Poiret. Encycl. ✕

CINERARIA Lin.

geifolia L. Com. Hort. 2. t. 73. Cap. Temp. ♀
lobata L'her. Sert. t. 34. Cap. Temp. ♀
 { *campestris* Willd. Sp. Gall. ✕
 integrifolia Engl. Bot. 152.
alpina Willd. Sp. Jacq. Austr. t. 180. Gall. ✕
aurantiaca Willd. Sp. Jacq. Miscell. 1. t. 17. f. 4. Alpes ✕
 { *sibirica* L. Wald. et Kit. Hung. 1. t. 16. Bot. Mag. 1869.
 Siber. ✕
 Ligularia sibirica H. Cass. Dict. v. 26. p. 403.
cordifolia L. Suppl. Jacq. Austr. t. 176. Alpes ✕
palustris L. Engl. Bot. 151. Gall. ✕
 { *amelloides* L. Bot. Mag. t. 249. Cap. Temp. ♀
 Agathæa cœlestis H. Cass. Dict. v. 1. Suppl. p. 78.
maritima L. Jaume St. Hil. pl. de Fr. 1. t. 93. Gall. ✕
bicolor Willd. Sp. Ital. Temp. ✕
 { *populifolia* L'her. Sert. Vent. Malm. t. 100. Canar.
 Temp. ♀
 appendiculata L. Suppl.
aurita L'her. Sert. t. 31. Canar. Temp. ♀
lanata L'her. Sert. t. 30. Canar. Temp. ♀
cruenta L'her. Sert. t. 33. Vent. Malm. t. 99. Bot. Mag.
 406. Canar. Temp. ♀
Petasites Bot. Mag. 1556. Mexico. Temp. ✕
 * *alliarizifolia* H. p.
præcox Cav. Ic. t. 244. DC. H. genev. t. 7. Mexico.
 Temp. ♀

SENECIO Lin.

1. Flores flocculosi.

{ *cernuus* L. Suppl. Ind. ☉
 rubens Jacq. Hort. 3. t. 98.
 { *Cremocephalum cernuum* H. Cass. Dict. v. 34. p. 390.
 hieracifolius L. Herm. Parad. 226. Ic. Am. s. ☉
 Neoceis hieracifolia H. Cass. Dict. v. 34. p. 387.
 { *carduifolius* ☉
 Neoceis carduifolia H. Cass. Dict. v. 34. p. 386.

- { *reclinatus* L'her. Stirp. t. 5. Cap. Temp. x
- { *Carderina reclinata* H. Cass. Dict. v. 35. p. 272.
- vulgaris* L. Engl. Bot. 47. Bull. Herb. t. 197. Gall. ☉
- { *glomeratus* H. p. N. Holl. ☉
- { *Neoceis microcephala* H. Cass. Dict. v. 34. p. 388.
- arabicus* L. Mant. Egypt. ☉
- hæmatophyllus* Willd. Enum. Cald. v
- * *valerianæfolius* H. p. ☉

2. Flores radiati, ligulis revolutis.

- ægyptius* L. Egypt. ☉
- { *sylvaticus* L. Dill. Elth. t. 258. f. 337. Fl. Dan. t. 869.
- { Gall. ☉
- { *Obæjaca sylvatica* H. Cass. Dict. v. 35. p. 271.
- { *viscosus* L. Dill. Elth. t. 258. f. 336. Gall. ☉
- { *Obæjaca viscosa* H. Cass. Dict. v. 35. p. 270.
- coronopifolius* Desf. Atl. Barbar. ☉
- trilobus* L. Hisp ☉

3 Flores radiati, radio patente.

- chrysanthemifolius* Poir. Encycl. Bocc. Sic. t. 36. Ital. ☉
- { *elegans* L. Bot. Mag. t. 238. Cap. ☉ Orn.
- { *Jacobæa elegans* H. Cass. Dict. v. 24. p. 112.
- { *Jacobæa* L. Fl. Dan. t. 944. Engl. Bot. 1130. Gall. x
- { *Jacobæa vulgaris* Gært. Fruct.
- aquaticus* L. Engl. Bot. 1131. Gall. x
- { *discolor* H. p. China. Cald. x
- { *speciosus* Willd. Sp.
- { *pseudo-china* Andr. Rep. 291. (non Lin.)
- erucifolius* L. Gall. x
- tenuifolius* Syst. Veg. Jacq. Austr. t. 278. Gall. x
- parviflorus* All. Ped. t. 38. f. 3. Alpes x
- incanus* L. Clus. Hist. 333. Ic. infer. Alpes x
- nebrodensis* L. Barrel. t. 401. Hisp. ☉

4. Flores radiati, radio patente, foliis indivisis.

- paludosus* L. Fl. Dan. t. 385. Gall. x
- sarracenicus* L. Jacq. Austr. t. 186. Gall. x
- nemorensis* L. Jacq. Austr. t. 184. Gall. x
- Doria* L. Jacq. Austr. t. 185. Gall. m. x
- coriaceus* H. kew. Dill. Elth. t. 105. f. 125. Oriens x
- Doronicum* L. Jacq. Austr. App. t. 45. Alpes x
- longifolius* L. Com. Hort. 2. t. 71. Cap. Temp. y
- halimifolius* L. Dill. Elth. t. 104. f. 124. Cap. Temp. y
- rigidus* L. Com. Hort. 2. t. 75. Cap. Temp. y

OTHORNA Lin.

- cheirifolia L. Mill. Ic. t. 245. f. 1. Bot. Reg. 266. T
 coronopifolia L. Com. Hort. 2. t. 70. Cap. Temp. 5
 { pectinata L. Com. Hort. 2. t. 69. Bot. Mag. 508. Cap.
 Temp. 5
 { Euryops pectinatus H. Cass. Dict. v. 16. p. 51.
 abrotanifolia L. Bot. Reg. 108. Cap. Temp. 5

ANTHEMIS Lin.

1. Radio albo.

- altissima L. Gall. ☉
 rigescens Willd. Enum. Hort. t. 62. Caucas. 7
 maritima L. Engl. Bot. 2370. Gall. 7
 { mixta L. Mich. Gen. t. 30. f. 1. Gall. ☉
 { Ormenis bicolor H. Cass. Dict. v. 36. p. 356.
 montana L. Ger. Gallop. t. 8. Alpes 7
 arvensis L. Engl. Bot. 602. Gall. 7
 { Cotula L. Engl. Bot. 1772. Gall. ☉
 { Maruta foetida H. Cass. Dict. v. 29. p. 174.
 nobilis L. Engl. Bot. 980. Gall. 2 Med.
 apiifolia Bot. Reg. 527. China. Temp. 2
 austriaca Jacq. Austr. t. 444. (Variet. A. tinctoriae.) Austr. 7

2. Radio luteo aut violaceo.

- tinctoria L. Engl. Bot. 1472. Gall.
 { Pyrethrum L. Bot. Mag. 462. Maurit. Temp. 2 Med.
 { Anacyclus Pyrethrum H. Cass. Dict. v. 34. p. 105.
 { valentina L. Breyn. Cent. t. 75. Gall. ☉
 { Anacyclus radiatus DC. Fl. Suppl.
 { arabica L. H. cliff. t. 24. Smith. Spicil. t. 10. Alger.
 ☉
 { Cladanthus arabicus H. Cass. Dict. v. 9. p. 543.
 { grandiflora Ramat. Journ. d'Hist. nat. China. 5
 { artemisiæfolia Willd. Sp.
 { Pyrethrum indicum H. Cass. Dict. v. 44. p. 149.
 { Chrysanthemum indicum L. Bot. Mag. t. 327. Bot. Reg.
 455, 616.
 { ovalifolia Ortega Dec. Peruv. ☉?
 { buphthalmoides Willd. Sp. Jacq. H. schoen. t. 151.
 { Kallias ovata H. Cass. Dict. v. 24. p. 327.
 { globosa Ortega Dec. Jacq. H. schoen. t. 372. Mexico.
 Temp. 2
 { Hybridella globosa H. Cass. Dict. v. 22. p. 86.
 { trilobata Ortega Dec. Mexico. Temp. 2
 { Zaluzania triloba Pers. Syn.

ACHILLEA Lin.

1. Radio luteo.

Santolina L. Oriens. Temp. & Med.

falcata L. Oriens. Temp. &

tenuifolia Lamk. Encycl. Oriens. Temp. &

Ageratum L. Mill. Ic. t. 10. Gall. m. Temp. & Méd.

ægyptiaca L. Tournef. Itin. 1. 228. Ic. Archip. Temp. &

{ bipinnata L. Oriens. &

{ Tanacetum myriophyllum Willd. Sp.

{ pubescens L. Oriens. Temp. &

{ Gymnocline Vaillantii H. Cass. Dict. v. 20. p. 121.

{ pauciflora Lamk. Encycl. Oriens. Temp. &

{ Gymnocline xanthocephala H. Cass. Dict. v. 20. p. 121.

decumbens Lamk. Encycl. Temp. &

abrotanifolia L. Oriens. Temp. &

* semipectinata H. p. &

filipendulina Lamk. Encycl. &

{ velutina H. p. &

{ compacta Willd. Sp.

{ pectinata Willd. Sp. Hungar. &

{ ochroleuca Wald. et Kit. Hung. t. 34.

tomentosa L. Bot. Mag. 498. Alpes &

flosculosa Pers. Syn. .

2. Radio albo aut purpureo.

macrophylla L. Triumf. Obs. 83. Ic. Alpes. &

{ sambucifolia H. p. Hungar. &

{ Gymnocline leucocephala H. Cass. Dict. v. 20. p. 120.

{ Chrysanthemum macrophyllum Wald. et Kit. Hung. t. 94.

{ dracunculoides H. p. Caucas. &

{ grandiflora Marsch. Cauc.

{ leucanthema Pers. Syn.

Clavennæ L. Clus. Hist. 340. Ic. super. Bot. Mag. 1287. Alpes. &

moschata Syst. Veg. Jacq. Austr. App. t. 33. Alpes &

{ Herba-rota All. Ped. t. 9. f. 3. Alpes &

{ cuneifolia Lamk. Encycl.

serrata Retz. Obs. Engl. Bot. 2531. Alpes &

decolorans Schrad. Cat. Willd. Enum. &

speciosa Willd. Enum. &

Ptarmica L. Engl. Bot. 757. Gall. &

alpina L. Bocc. Mus. t. 101. Alpes &

impatiens L. Gmel. Sib. 2: t. 83. f. 1. Siber. &

mongolica Fischer. &

- { magna L. All. Ped. t. 53. f. 1. Gall. m. π
- { compacta Lamk. Encycl. non Willd.
- { nana L. All. Ped. t. 9. f. 2. Alpes π
- { lanata Lamk. Encycl.
- nobilis L. Trag. Hist. 476. Ic. Gall. π
- ligustica All. Ped. t. 53. f. 2. Alpes π
- setacea Wald. et Kit. Hung. t. 80. Hungar. π
- Millefolium L. Bull. Herb. t. 163. Gall. π Med.
- purpureum.
- { rosea H. p. Am. s. π
- { asplenifolia Vent. H. Cels. t. 95.

PARTHENIUM Lin.

- { Hysterophorus L. Antill. ☉
- { Villanova bipinnatifida Ortega Dec. t. 6.
- { Argyrocheta bipinnatifida Cav. Ic. t. 378.
- integrifolium L. Dill. Elth. t. 225. f. 292. Willd. H. berol.
- t. 4. Virgin. Temp. π

BUPHTHALMUM Lin.

- { frutescens L. Dill. Elth. t. 38. f. 44. Antill. Cald. π
- { Diomedella bidentata H. Cass. Dict. v. 13. p. 283.
- { arborescens L. Dill. Elth. t. 38. f. 43. Antill. Cald. π
- { Diomedella indentata H. Cass. Dict. v. 13. p. 284.
- { sericeum L. Suppl. Bot. Mag. 1836. Canar. Temp. π
- { Nauplius sericeus H. Cass. Dict. v. 34. p. 275.
- { cordifolium Wald. et Kit. Hung. 2. t. 113. Oriens π
- { Molpadia suaveolens H. Cass. Dict. v. 32. p. 401.
- { Inula caucasica Pers. Syn.
- { aquaticum L. Breyn. Cent. t. 77. Gall. ☉
- { Nauplius aquaticus H. Cass. Dict. v. 34. p. 273.
- { maritimum L. Clus. Hist. 2. p. 13. Ic. inter. Gall. π
- { Nauplius maritimus H. Cass. Dict. v. 34. p. 274.
- { spinosum L. Clus. Hist. 2. p. 13. Ic. inter. Gall. ☉
- { Pallenis spinosa H. Cass. Dict. v. 37. p. 276.
- grandiflorum L. Mich. Hort. t. 5. Gall. π
- { procumbens H. p. π
- { Acemella spilanthoides H. Cass. Dict. v. 24. p. 329.

SIGESBECKIA Lin.

- orientalis L. H. cliff. t. 23. Ind. ☉
- { flosculosa L'her. Stirp. t. 19. Peruv. ☉
- { Trimeranthes dichotoma H. Cass. Dict. v. 49. p. 115.
- { Sckuhria dichotoma Moench.

ECLIPTA Lin.

- erecta Syst. Veg. Dill. Elth. t. 113. f. 137. Virgin. ☉
- prostrata Syst. Veg. Dill. Elth. t. 113. f. 138. Ind. ☉

BALTIMORA Lin.*erecta* L. Mant. Mariland. ☉**DYSODIUM** Pers.

- { *divaricatum* Pers. Syn. Mexico ☉
- { *Melampodium longifolium* Willd. Enum.
- { *radiatum* ☉
- { *Wedelia minor* Horn. Hort.?

ALCINA Cav.

- { *perfoliata* Cav. Ic. t. 15. Mexico ☉
- { *Wedelia perfoliata* Willd. Sp.

POLYMNIA Lin.

- { *Uvedalia* L. Virgin. ☉
- { *maculata* Cav. Ic. t. 227.

DAHLIA Cav.

- { *variabilis*. Mexico. ♀ Orn.
- { *pinnata* Cav. Ic. t. 80.
- { *Georgina superflua* DC.
- { *Georgina variabilis* Willd. Enum.
- { *Coreopsis Georgina nuda* H. Cass. Dict. v. 18. p. 442.
- { *coccinea* Cav. Ic. t. 266. Bot. Mag. 762. Mexico. ♀ Orn.
- { *Georgina frustranea* DC.
- { *Georgina coccinea* Willd. Enum.
- { *Coreopsis Georgina pruinosa* H. Cass. Dict. v. 18. p. 443.

ENCELIA Adans.

- { *canescens* Cav. Ic. t. 61. Bot. Reg. 909. Mexico. Temp. ♀
- { *Pallasia halimifolia* Willd. Sp.
- { *Coreopsis limensis* Jacq. Rar. t. 594.
- { *halimifolia* Cav. Ic. t. 210. Mexico. Cald. ♀
- { *Pallasia grandiflora* Willd. Sp.

XIMENESIA Cav.*encelioides* Cav. Ic. t. 178. Mexico. ☉**SCLEROCARPUS** Jacq.*africanus* Syst. Veg. Jacq. Rar. t. 176. Guinea ☉**SILPHIUM** Lin.

- laciniatum* L. Fasc. t. 3. Am. s. ♀ Orn.
- terebinthinaceum* L. Suppl. Jacq. Hort. t. 43. Am. s. ♀ Orn.
- perfoliatum* L. Am. s. ♀ Orn.
- connatum* L. Mant. Am. s. ♀
- trifoliatum* L. Moris. S. 6. t. 3. f. 68. Am. s. ♀
- * *ternatum* H. p. Am. s. ♀
- * *scabrum* H. p. Am. s. ♀

COREOPSIS Lin.

- { auriculata L. Schk. Handb. t. 260. Am. s. π
- { Leachia trifoliata H. Cass. Dict. v. 25. p. 389.
- senifolia Mich. Fl. Carolin. π
- tripteris L. Moris. S. 6. t. 3. f. 44. Am. s. π
- { verticillata L. Bot. Mag. 156. Am. s. π
- { delphinifolia Lamk. Encycl.
- { ferulæfolia Jacq. H. schœn. t. 373. Bot. Mag. 2059.
- { Mexico. Temp. π .
- { Kerneria ferulæfolia H. Cass. Dict. v. 51. p. 473.
- tinctoria Link. H. berol. t. 33. Bot. Mag. 2512. Am. s.
- ☉ Orn.
- { alternifolia L. Jacq. Hort. t. 110. Am. s. π
- { Pterophyton alternifolium H. Cass. Dict. v. 44. p. 49.

COSMOS Cav.

- bipinnata Cav. Ic. t. 14. Mexico. ☉

RUDBECKIA Lin.

- laciniata L. Moris. S. 6. t. 6. f. 53. Am. s. π
- angustifolia.
- { pinnata Vent. H. Cels. t. 71. Am. s. π
- { digitata H. kew.
- { Obeliscaria pinnata H. Cass. Dict. v. 35. p. 273.
- { aspera H. p. Am. s. π
- { chrysomela Mich. Fl.
- { fulgida Bot. Mag. 1996.
- triloba L. Bot. Reg. 525. Am. s. ♂
- hirta L. Miller. Ic. t. 224. f. 1. Am. s. π
- { purpurea L. Catesby. Car. 2. t. 59. Bot. Mag. 2. Carolin.
- { Temp. π Orn.
- { Echinacea purpurea Moench.
- { amplexicaulis Bosc. Mexico. Temp. π
- { amplexifolia Jacq. Rar. t. 593.
- { perfoliata Cav. Ic. t. 252.
- { Dracopis amplexicaulis H. Cass. Dict. v. 35. p. 273.

SANVITALIA Lamk.

- { villosa Cav. Ic. t. 351. N. Hisp. ☉
- { Lorantea atropurpurea Ortega Dec. t. 5.

HELIANTHUS Lin.

- annuus L. Miller. Ill. Ic. Peruv. ☉ Orn.
- multiflorus L. Bot. Mag. 227. Virgin. π Orn.
- tuberosus L. Jacq. Hort. t. 161. Brasil. π Econ.
- { tubæformis Jacq. H. schœn. t. 375. Mexico. ☉
- { Tithonia tubæformis H. Cass. Dict. v. 54.
- atrorubens Lamk. Encycl. (non Lin.) Bot. Reg. 508. Am.
- s. π

- { altissimus L. Moris. S. 6. t. 7. f. 67. Jacq. Hort. t. 160.
Am. s. ∞
- { virgatus Lamk. Encycl.
- giganteus L. Moris. S. 6. t. 7. f. 66. Am. s. ∞
- trachelifolius Willd. Sp. Am. s. ∞
- decapetalus L. Am. s. ∞
- * petiolaris H. p. ∞
 - { angustifolius L. Am. s. ∞
 - { Leighia bicolor H. Cass. Dict. v. 25. p. 436.
 - { linearis Cav. Ic. t. 218. Bot. Reg. 523. Mexico. Temp. ∞
 - { squarrosus Kunth. Nov. Gen. t. 377.
 - { Leighia elegans H. Cass. Dict. v. 25. p. 435.
- strumosus Lamk. Encycl. an Lin.?
- divaricatus L. Am. s. ∞
 - { rigidus Am. s. ∞
 - { diffusus? Bot. Mag.
 - { Harpalium rigidum. H. Cass. Dict. v. 20 p. 300.
- procumbens Pers. Syn. Peruv. Temp. ∞
- dentatus Cav. Ic. t. 220. Mexico. Temp. ∞
 - { pubescens Vahl. Symb. Bot. Reg. 524. Am. s. ∞
 - { canescens Mich. Fl.

HELIOPSIS Pers.

- { lævis Pers. Syn. Am. s. ∞
- { Helianthus lævis L.
- { Buphthalmum helianthoides L'her. Stirp. t. 45.
- { scabra Dunal. Mém. du Mus., 5. t. 8.
- { rugosa H. berol. Mss.
- { canescens Kunth. N. Gen. Bot. Reg. 592.
- { platyglossa H. Cass. Dict. v. 24. p. 332.
- { Polymnia abyssinica L.?
- { Parthenium luteum Spreng. N. Prov.

GAILLARDIA Fougeroux. Acad.

- { rustica H. Cass. Dict. v. 18. p. 20. Temp. ∞ Orn.
- { bicolor Bot. Mag. 1602. non Lamk.; nec aliorum.

GALINSOGA Cav.

- parviflora Cav. Ic. t. 281. Peruv. \odot
- { trilobata Cav. Ic. t. 282. Bot. Mag. 1895. N. Hisp. \odot
- { Sogalgina trilobata H. Cass. Dict. v. 49. p. 397.

TITHONIA Desf.

- tagetiflora Desf. Ann. du Mus. 1. t. 4. Vera-Cruz. \odot Orn.

PASCALIA Ortega.

- glauca Ortega Dec. t. 4. Chili. Cald. ∞

BALBISIA Willd.

- { elongata Willd. Sp. Mexico. ☉
- { Amellus pedunculatus Ortega.

ZINNIA Lin.

- pauciflora L. Miller. Ic. t. 64. Peruv. ☉ Orn.
- multiflora L. Bot. Mag. 149. Louisian. ☉ Orn.
- verticillata Andr. Rep. 189 (Monstruositas). Mexico. ☉
- { violacea Cav. Ic. t. 81. Mexico. ☉ Orn.
- { elegans Jacq. Rar. t. 590.
- { revoluta Cav. Ic. t. 251. Mexico. ☉ Orn.
- { tenuiflora Jacq. Rar. t. 589.

FERDINANDA Lagasca.

- { augusta Lagasca. N. Hisp. Cald. ♀
- { velutina H. Cass. Dict. v. 16. p. 430.

WEDELIA Jacq.

- { hispida Kunth. N. Gen. t. 371. N. Hisp. Cald. ♀
- { Stemmodontia scaberrima. H. Cass. Dict. v. 46. p. 407.

MELANANTHERA Mich.

- { hastata Mich. Fl. Carolin. ☉
- { panduriformis et trilobata. H. Cass. Dict. v. 29. p. 485.
- { nivea H. p. Am. s. ♂
- { deltoidea Mich. Fl.
- { Linnæi Kunth. Nov. Gen.
- { urticifolia H. Cass. Dict. v. 29. p. 484.
- { Calea aspera Jacq. Rar. t. 583.
- { Bidens nivea Swartz. Obs. p. 296.
- { Bidentis nivæ Var. α. Lin.

BLAINVILLEA H. Cass.

- { rhomboidea H. Cass. Dict. v. 29. p. 494. Senegal. ☉
- { Bidens dichotoma H. p.

VERBESINA Lin.

- gigantea Jacq. Rar. t. 175. Antill. Cald. ♀
- atriplicifolia Poiret. Encycl. Cald. ♀
- { Sigesbeckia Mich. Fl. Pluk. t. 342. f. 6. Virgin. ♀
- { Sigesbeckia occidentalis. L.
- { Phaethusa americana Gært. Fruct. t. 169. f. 3.
- fruticosa L. Plum. Ic. t. 52. Antill. Cald. ♀
- virgata Cav. Ic. t. 275. N. Hisp. Cald. ♀
- serrata Cav. Ic. t. 214. N. Hisp. Cald. ♀
- { alata L. Com. Hort. 1. t. 3.
- { Hamulium alatum H. Cass. Dict. v. 20. p. 261.
- { nodiflora L. Dill. Elth. t. 45. f. 53. Antill. ☉
- { Synedrella nodiflora Gært. Fruct. t. 171.

HETEROSPERMA Cav.

pinnata Cav. Ic. t. 267. N. Hisp. ☉

BIDENS Lin.

tripartita L. Engl. Bot. 1113. Gall. ☉

cernua L. Fl. Dan. t. 841. Gall. ☉

frondosa L. Am. s. ☉

{ pilosa L. Dill. Elth. t. 43. f. 51. Am. s. ☉

{ Kerneria dubia H. Cass. Dict. v. 24. p. 398.

{ crocata Cav. Ic. t. 99.

{ Spilanthus crocata Bot. Mag. 1627. Mexico. Cald. ♀

{ Platypteris crocata Kunth. N. Gen.

{ Platypteris longiflora H. Cass. Dict. v. 50. p. 260.

bullata L. Arduini Spec. 2. t. 18. Am. s. ☉

bipinnata L. Herm. Parad. 123. Ic. Virgin. ☉

{ multifida H. p.

{ pauciflora Poiret. Encycl. Suppl. ☉

{ serrulata H. p. Mexico. ☉

{ Kerneria serrulata H. Cass. Dict. v. 51. p. 474.

{ Coreopsis serrulata Poiret. Encycl.

{ Cosmea lutea Bot. Mag. 1689.

heterophylla Ortega Dec. t. 12. N. Hisp. Temp. ♂

SPILANTHUS Lin.

oleracea Syst. Veg. Jacq. Hort. t. 135. Antill. ☉ Med.

fusca H. p. ☉

{ Acmea L. Mant. Breyn. Prodr. t. 48. f. 4. Zeylan. ☉

{ Acmea Linnæi H. Cass. Dict. v. 24. p. 330.

{ an Acmea brachyglossa? H. Cass. Dict. v. 50. p. 258.

ACMELLA Pers.

{ repens Pers. Syn. H. Cass. Dict. v. 24. p. 330. Carolin.
Temp. ♂

{ Spilanthus repens Mich. Fl.

RELHANIA L'her.

{ pungens Bot. Reg. 587. Cap. Temp. ♀

{ Eclopes subpungens H. Cass. Dict. v. 45. p. 31.

AGRIPHYLLUM Juss.

{ grandiflorum Cap. Temp. ♀

{ Rohria grandiflora Thunb. Prodr.

{ Berckheya grandiflora Willd. Sp. Bot. Mag. 1844.

{ incanum Cap. Temp. ♀

{ Berckheya incana Willd. Sp.

{ Rohria incana Thunb. Prodr.

{ ciliare Cap. Temp. ♀

{ Berckheya ciliaris Willd. Sp.

{ Rohria ciliaris Thunb. Prodr.

{ Cullumia ciliaris Bot. Mag. 2095. Bot. Reg. 384.

ARCTOTIS Lin.

- { tristis L. Breyn. Prodr. t. 15. f. 1. Cap. ☉
- { *Cryptostemma hypochondriaca* Brown.
- plantaginea* L. Cap. Temp. ♀
- { reptans Jacq. H. schœn. t. 382. Cap. Temp. ♀
- { *Arctotheca repens* Wendl. Cap. Temp. ♀
- chrysanthemoides* Jacq. H. schœn. t. 155, 156. Cap. Temp.
- grandiflora* Jacq. H. schœn. t. 378. Cap. Temp. ♀
- { aspera L. Bot. Reg. 34. Cap. Temp. ♀
- { arborescens Jacq. H. schœn. t. 171.
- revoluta* Jacq. H. schœn. t. 173. Cap. ☉
- elatio*r Jacq. H. schœn. t. 172. Cap. Temp.
- { anthemoides L. Burm. Afr. t. 63. f. 2. Cap. ☉
- { *Sphenogyne anthemoides*. Brown.
- { *Ursinia anthemoides* Gærtn. Spreng.

IVA Lin.

- frutescens* L. Pluk. t. 27. f. 1 (mala). Am. s. ♀

AMBROSIA Lin.

- bidentata* Mich. Fl. Am. s. ☉
- artemisifolia* L. Lamk. Ill. t. 765. Am. s. ☉
- maritima* L. Barrel. t. 1144. Gall. m. ☉
- paniculata* Mich. Fl. Pluk. t. 10. f. 5. Am. s. ♂
- trifida* L. Moris. S. 6. t. 1. f. 4. Am. s. ♂
- { arborescens Lamk. Encycl. Mexico. Cald. ♀
- { *Xanthium fruticosum* L. Suppl.
- { *Franseria artemisioides* Willd. Sp. H. Cass. Dict. v. 17. p. 365.

XANTHIUM Lin.

- strumarium* L. Fuchs. Hist. 579. Ic. Gall. ☉
- orientale* L. Dec. t. 17. Lamk. Ill. t. 765. f. 3. Oriens. ☉
- spinosum* L. Herm. Parad. 246. Ic. Lamk. Ill. t. 765. f. 4. Gall. ☉

CLASSIS XII.

DICOTYLEDONES MONOPETALÆ,

COROLLA EPIGYNA , ANTHERÆ DISTINCTÆ.

ORDO I.

DIPSACEÆ Juss.

MORINA Tournef.

persica L. Tournef. Itin. 2. p. 282. Ic. Persia. ♀

DIPSACUS Lin.

sylvestris Willd. Sp. Fl. Dan. t. 965. Gall. ♂

fullonum Willd. Sp. Engl. Bot. 2080. Gall. ♂ Econ.

ferox Lois. Fl. Suppl. t. 3. Corsia. ♂

laciniatus L. Jacq. Austr. t. 403. Gall. ♂

pilosus L. Jacq. Austr. t. 248. Gall. ♂

SCABIOSA Lin.

1. Corollis quadrifidis.

alpina L. Hort. Eyst. Æst. ordo 9. t. 8. f. 1. Alpes. ♀

transylvanica L. Jacq. Hort. t. 111. Transylv. ☉

tatarica L. Act. ups. 1754. t. 1. Tartar. ♀

rigida L. Com. Hort. 2. t. 93. Cap. Temp. ♂

{ *syriaca* L. Syria. ☉

{ *dichotoma* Lamk. Ill.

centauroides Lamk. Ill. Gall. m. ♀

corniculata Wald. et Kit. Hung. t. 13. Hungar. ♂

leucantha L. Gall. ♀

australis Coulter. Dips. Styria. ♂

Succisa L. Fl. Dan. t. 270. Gall. ♂ Med.

arvensis L. Fl. Dan. t. 447. Gall. ♀ Med.

sylvatica Jacq. Austr. t. 362. Gall. ♀

montana Marsch. Cauc. Jacq. f. Eclog. t. 60. Caucas. ♀

{ *hybrida* Coulter. Dips. Europ. Austr. ☉

{ *integrifolia* H. p.

2. Corollis quinquefidis.

- columbaria* L. Fl. Dan. t. 314. Gall. π
ochroleuca L. Jacq. Austr. t. 439. (Variet. *S. columbariæ* Coulter. Gall. ♂
amœna Jacq. f. Eclog. t. 39. (Variet. *S. columbariæ* Coulter.) Hungar. ♂
lucida Vill. Hist. (Variet. *S. columbariæ* Coulter.) Alpes. ♂
banatica Wald. et Kit. Hung. t. 12. Hungar. ♂
suaveolens DC. Fl. Tabern. Ic. 160. f. inter. Gall. π
{ *urceolata* Desf. Atl. Bocc. Sic. t. 40 et 52. Tunis. Temp. ♂
{ *rutæfolia* Vahl. Symb.
{ *divaricata* Lamk. Ill.
argentea L. Desf. Ann. du Mus. 11. t. 24. Oriens. Temp. ♂
{ *sicula* L. Mant. Sicil. ☉
{ *divaricata* Jacq. Hort. t. 15.
Biberstenii Roem. Syst. Caucas. ☉
stellata L. Clus. Hist. 2. p. 1. Ic. Gall. ☉
monspeliensis Jacq. Rar. t. 24. Gall. m. ☉.
{ *parviflora* Desf. Atl. Bocc. Mus. t. 120. Alger. ♂
{ *dichotoma* Cyrillo Dec.
prolifera L. Dodart. Acad. 1666-1699. p. 301. Ic. 11.
Herm. Parad. 223. Ic. Alger. ☉
atropurpurea L. Bot. Mag. 247. Ind. ☉ Orn.
setigera Lamk. Ill. (Variet. *S. atro-purpureæ* Coulter.)
Alger. ☉
africana L. Herm. Parad. 219. Ic. Breyn. Prodr. t. 26. Afr.
Temp. π
caucasica Marsch. Cauc. Bot. Mag. t. 886. Caucas. π Orn.
cretica L. Moris. S. 6. t. 15. f. 31. Creta. Temp. π
graminifolia L. C. B. Prodr. 127. Ic. Bot. Reg. 835. Gall.
m. Temp. π
palæstina L. Mant. Jacq. Hort. t. 96. Oriens. ☉

KNAUTIA Lin.

- orientalis* L. Oriens. ☉
plumosa L. Mant. Oriens. ☉

ORDO II.**VALERIANEÆ** DC.**VALERIANA.**

- rubra* L. Bergeret. Phyt. 141. Ic. Gall. ☉ Orn.
angustifolia All. Ped. Moris. S. 7. t. 14. f. 16. Fl. Græca.
t. 29. Gall. π

Calcitrapa L. Clus. Hist. 2. p. 54. Ic. infer. Fl. Græca. t. 30. Gall. ☉

dioica L. Fl. Dan. t. 687. Gall. ✕

officinalis Fuchs. Hist. 857. Ic. Gall. ✕ Med.

sambucifolia Fischer. Russ. ✕

Phu L. Fuchs. Hist. 856. Ic. Gall. ✕ Med.

tripteris L. Jacq. Austr. t. 268. Alpes. ✕

montana L. Jacq. Austr. t. 269. Alpes. ✕

tuberosa L. Camer. Epit. 16. Ic. Alpes. ✕

celtica L. Jacq. Collect. 1. t. 1. Alpes. ✕ Med.

saxatilis L. Jacq. Austr. t. 267. Alpes. ✕

pyrenaica L. Engl. Bot. 1591. Pyren. ✕

FEDIA Gärtn.

cornucopiæ Vahl. Sp. Clus. Hist. 2. p. 54. Ic. super. Bot. Reg. 155. Gall. ☉

olitoria Vahl. Sp. Fl. Dan. t. 738. Gall. ☉

vesicaria Vahl. Sp. Fl. Græca. t. 34. Oriens. ☉

coronata Vahl. Sp. Col. Ecphr. Ic. Gall. ☉ Econ.

echinata Vahl. Sp. Col. Ecphr. 206. Ic. Gall. ☉

{ *exscapa* Roem. et Schult. Syst. Caucas. ✕

{ *Valerianella exscapa* Stev. Act. Mosq. Caucas. v

{ *rupestris* Vahl. Enum. Siber. ✕

{ *Valeriana sibirica* Willd. Sp.

{ *sibirica* Vahl. Enum. Siber. ✕

{ *Valeriana ruthenica* Willd. Sp.

ORDO III.

RUBIACEÆ Juss.

SHERARDIA Lin.

arvensis L. Fl. Dan. t. 439. Engl. Bot. 891. Gall. ☉

{ *muralis* L. Col. Ecphr. 300. Ic. Gall. ☉

{ *Galium murale* DC. Fl. All. Ped. t. 77. f. 1.

ASPERULA Lin.

arvensis L. Gall. ☉

odorata L. Fl. Dan. t. 562. Gall. ☉

galioides Marsch. Cauc. Russ. ✕

taurina L. Lob. Ic. 800. f. exter. Alpes. ✕

tomentosa Tenore. Ital. ✕

aristata L. Suppl. Europ. Austr. ✕

cynanchica L. Engl. Bot. 33. Gall. ✕

tinctoria L. Tabern. Ic. 151. f. inter. Gall. ✕ Econ.

calabrica L. Suppl. L'her. Stirp. t. 32. Alger. Temp. v

GALIUM Lin.**1. Fructu glabro.**

- palustre L. Engl. Bot. 1857. Gall. π
 uliginosum L. Engl. Bot. 1972. Gall. π
 { laeve DC. Fl. Gall. π
 { umbellatum Lamk. Encycl.
 { Bocconi All. Ped. Gall. π
 { nitidulum Thuil. Fl.
 verum L. Engl. Bot. 660. Gall. π Med.
 { rubrum L. Clus. Hist. 2. p. 75. Ic. inter. Gall. π
 { purpureum DC. Fl.
 { purpureum L. Gall. π
 { rubrum DC. Fl.
 Mollugo L. Fl. Dan. t. 455. Engl. Bot. 1673. Gall. π
 provinciale Lamk. Encycl. Gall. m. π
 lucidum Pers. Syn. (Excl. Syn.) Gall. π
 megalospermum DC. Fl. Suppl. Gall. π
 arenarium DC. Fl. Suppl. Gall. π
 tyrolense Willd. Enum. Tyrol. π
 spurium DC. Fl. (non Roth. et Willd.) Gall. \odot
 glaucum L. Jacq. Austr. t. 81. Gall. \odot
 rubioides L. Gall. π
 valantioides Marsch. Cauc. Caucas. π
 sylvaticum L. Gall. π
 linifolium Willd. Sp. Barrel. t. 583. Alpes π
 { pumilum Lamk. Encycl. Ill. t. 60. f. 2. Alpes \odot
 { trichophyllum All. Auct.
 anglicum Smith. Fl. Engl. Bot. 284. Gall. \odot
 divaricatum Lamk. Encycl. DC. Ic. t. 24. Gall. \odot
 tricorne Smith. Fl. Vaill. Bot. t. 4. f. 3.

2. Fructu hispido aut aspero.

- rotundifolium L. Moris. S. 9. t. 21. f. 5. Gall. π
 Aparine L. Fl. Dan. t. 495. Engl. Bot. 816. Gall. \odot
 { hispidum Willd. Enum. Egypt. \odot
 { scaberrimum Horn. Hort.
 { Vaillantii DC. Fl. Vaill. Bot. t. 4. f. 4. Gall. \odot
 { infestum Wald. et Kit. Hung. t. 202.
 { parisiense L. Gall. \odot
 { litigiosum DC. Fl. Ic. Gall. t. 26.
 { setaceum Lamk. Encycl. Gall. m. \odot
 { microcarpon Vahl. Symb.
 { capillare Cav. Ic. t. 191.
 maritimum L. Mant. Gall. m. π
 villosum Lamk. Encycl. Barrel. t. 81. Hisp. π
 boreale L. Engl. Bot. 105. Gall. π

CRUCIANELLA Lin.

molluginoides Marsch. Cauc. Caucas. ʒ

patula L. Hisp. ☉

angustifolia L. Barrel. t. 550. Smith. Exot. Fl. t. 109.
Gall. m. ☉

latifolia L. Schmid. Ic. t. 23, 24. Gall. ☉

ciliata Lamk. Encycl. Oriens. ☉

maritima L. Clus. Hist. 2. p. 176. Ic. infer. Gall. m.
Temp. ʒ

VALANTIA Lin.

hispida L. Ital. ☉

muralis L. Col. Ecphr. 297. Ic. exter. Gall. ☉

glabra L. Wald. et Kit. Hung. 1. t. 32. Ital. Temp. ʒ

cucullata L. Buxb. Cent. 1. t. 19. f. 2. Oriens. ☉

articulata L. Oriens. ☉

{ *Aparine* L. Gall. ☉

{ *Galium saccharatum* DC. Fl.

{ *Galium verrucosum* Engl. Bot. 2173.

{ *cruciata* L.

{ *Galium Cruciata* DC. Fl. Engl. Bot. 143. Gall. ʒ

{ *pedemontana* Bellardi App. t. 7. Wald. et Kit. Hung.
t. 33. Alpes ☉

{ *Galium pedemontanum* All. Auct.

RUBIA Lin.

tinctorum L. Fuchs. Hist. 280. Ic. Gall. ʒ Econ.

lucida Syst. Veg. Gall. ʒ

angustifolia L. Mant. Minorca. Temp. ʒ

cordifolia L. Mant. Pallas. Itin. 4. Ed. Gall. t. 15. Siber. ʒ

PHYLLIS Lin.

Nobla L. Dill. Elth. t. 299. f. 386. Canar. Temp. ʒ

ANTHOSPERMUM Lin.

æthiopicum L. H. cliff. t. 27. Cap. Temp. ʒ

PLOCAMA Gen. pl. Ed. Schreb.

pendula H. kew. Canar. Temp. ʒ

RICHARDIA Lin.

scabra L. Aug. St. Hil. Pl. us. t. 8. Brasil. Temp. ʒ

HOUSTONIA

cœrulea Syst. Veg. Bot. Mag. 370. Am. s. ʒ

SPERMACOCE Lin.

verticillata L. Dill. Elth. t. 277. f. 358. Antill. Cald. ʒ

tenuior L. Dill. Elth. t. 277. f. 359. Carolin. Temp. ʒ

rubra Jacq. H. schœn. t. 256. ☉

MITCHELLA Lin.

repens L. Pluk. t. 444. f. 2. Am. s. ♪

COCCOIPSILUM. Brown. Jam.

{ violaceum H. p. Brasil. Cald. ♪
{ heydotis campanuliflora Bot. Mag. 2840.

IXORA Lin.

{ grandiflora Bot. Reg. 154. Ind. Cald. ♪ Orn.
{ coccinea L. Sp. ex Bot. Reg.
coccinea Syst. Veg. Bot. Mag. 169. Ind. Cald. Orn.
crocata Bot. Reg. 782. China. Cald. ♪ Orn.
rosea Wallich. Fl. Ind. Bot. Reg. 540. Ind. Cald. ♪ Orn.
cuneifolia Bot. Reg. 648. Ind. Cald. ♪ Orn.
{ blanda Bot. Reg. 100. Ind. Cald. ♪ Orn.
{ alba Roxb. Fl. Ind. (non Lin.)
bandhuca Roxb. Fl. Ind. Bot. Reg. 513. Ind. Cald. ♪

PAVETTA Lin.

indica L. Suppl. H. malab. 5. t. 10. Bot. Reg. 198. Ind.
Cald. ♪

CHIOCECCA Lin.

racemosa L. Dill. Elth. t. 228. f. 295. Hook. Exot. Fl. 93.
Antill. Cald. ♪

COFFEA Lin.

arabica L. Bot. Mag. 1303. Arab. Cald. ♪ Econ. Med.

PSYCHOTRIA Lin.

undulata Jacq. H. schœn. t. 260. Am. m. Cald. ♪
? elliptica Bot. Reg. 607. Am. m. Cald. ♪

PÆDERIA Lin.

fœtida L. Mant. Kæmpf. Ic. Sel. t. 9. Ind. Cald. ♪

BOUVARDIA Salisb.

{ triphylla H. kew. Bot. Reg. 107. Mexico. Cald. ♪
{ Houstonia coccinea Andr. Rep. 106.

BURCHELLIA Brown. Mss. Bot. Reg. 466.

{ bubalina Bot. Mag. 2339. Cap. Cald. ♪
{ Lonocera bubalina L. Suppl.

RONDELETIA Lin.

triflora Vahl. Symb. 3. t. 54. Antill. Cald. ♪
americana L. Plum. Ic. t. 242. f. 1. Antill. Cald. ♪
{ asiatica L. Ind. Cald. ♪
{ Webera corymbosa Bot. Reg. 119.

PINKNEYA Mich.

pubens Mich. Fl. t. 13. Georg. 5 Med.

EXOSTEMMA Humb. et Bonpl.

- { floribunda Antill. Cald. 5
- { Cinchona floribunda Vahl. Soc. hafn.
- { Cinchona montana Badier. Journ. de Phys. 1789. t. 1.
- { caribæa Antill. Cald. 5 Med.
- { Cinchona caribæa L. Andr. Rep. 481.

PORTLANDIA Lin.

grandiflora L. Bot. Mag. 286. Antill. Cald. 5 Orn.

COUTAREA Aublet.

- { speciosa Aublet. Guian. t. 122. Guian. Cald. 5 Orn.
- { Portlandia hexandra Swartz. Fl. Ind.

HILLIA Lin.

- { longiflora Swartz. Obs. t. 5. f. 1. Bot. Mag. 721.
- { parasitica L.

GARDENIA Lin.**1. Inermes.**

- florida L. Bot. Reg. 449. Bot. Mag. 2627. Variet. Ind. Temp. 5 Orn.
- { Thunbergia Thunb. Diss. Bot. Mag. 1004. Cap. Temp. 5 Orn.
- { verticillata Lamk. Encycl.
- latifolia Roxb. Corom. 2. t. 134. Ind. Cald. 5
- radicans Thunb. Fl. jap. t. 20. Bot. Mag. 1842. Bot. Reg. 73. Ind. Cald. 5
- Tubiflora Andr. Rep. 183. Sierra-Leon. Cald. 5
- Rothmannia Thunb. Act. Stockolm. 1776. t. 2. Bot. Mag. 690. Cap. Temp. 5 Orn.

2. Spinosæ.

- dumetorum Roxb. Corom. 2. t. 136. Ind. Cald. 5
- amœna Bot. Mag. 1904. Bot. Reg. 735. China. Cald. 5 Orn.
- propinqua Bot. Reg. 975. Cald. 5
- { Randia Swartz. Fl. Ind. Bot. Mag. 1841. Antill. Cald. 5
- { Randia aculeata L.

FERNELIA Lamark.

buxifolia Lamk. Encycl. I. Borbon. Cald. 5

SERISSA Juss.

- { *foetida* Ind. Cald. ♀
- { *Lycium foetidum* L. Suppl.
- { *Lycium indicum* Retz. Obs.
- { *Buchosia coprosmoides* L'her. Gen. t. 1.

VANGUERIA Juss.

- { *edulis* Lamk. Ill. t. 159. Madag. Cald. ♀ Econ.
- { *Cominersonii* Jacq. H. schœn. t. 44.

GUETTARDA Lin.

- { *scabra* Vent. Choix de pl. t. 1. Antill. Cald. ♀
- { *Matthiola scabra* L.
- argentea* Willd. Sp. Cald. ♀
- * *hirsuta* H. p. Cald. ♀

HAMELIA Lin.

- patens* L. Bot. Mag. 2533. Am. m. Cald. ♀

NACINEA Aublet.

- coccinea* Aublet. Guian. t. 37. f. 1. Guian. Cald. ♀

ISERTIA Vahl.

- { *coccinea* Vahl. Ecl. Guian. Cald. ♀ Orn.
- { *Guettarda coccinea* Aublet. Guian. t. 123.

MORINDA Lin.

- * *macrophylla* H. p. Cald. ♀

CEPHALANTHUS Lin.

- occidentalis* L. Duham. Arb. 1. t. 54. Am. s. ♀ Orn.

ORDO IV.**CAPRIFOLIEÆ Juss.****LYNÆA Lin.**

- borealis* L. Fl. Lapp. t. 12. f. 4. Fl. Dan. t. 3. Alpes ♀ Orn.

TRIOSTEUM Lin.

- perfoliatum* L. Dill. Elth. t. 293. f. 378. Am. s. ♀

SYMPHORICARPOS Juss.

- { *parviflora*. Dill. Elth. t. 278. f. 360. Am. s. ♀
- { Orn.
- { *Lonicera Symphoricarpos* L.
- racemosa* Mich. Fl. Bot. Mag. 2211. Am. s. ♀ Orn.

DIERVILLA Tournef.

- { *lutea* Am. s. ♀ Orn.
- { *Tournefortii*. Mich. Fl.
- { *Lonicera Diervilla* L. H. cliff. t. 7.

LONICERA Lin.

1. Caule volubili.

- { parviflora Lamk. Encycl. Am. s. ♪
- { dioica H. kew. Bot. Reg. 138.
- Caprifolium L. Jacq. Austr. t. 357. Gall. m. ♪ Orn.
- { implexa H. kew. Bot. Mag. 640. Minorca. ♪
- { balearica H. p.
- Periclymenum L. Fl. Dan. t. 908. Gall. ♪ Orn.
- flexuosa Thunb. Soc. Lin. Lond. v. 2. Bot. Reg. 712.
- China. Temp. ♪ Orn.
- punicea Bot. Mag. 2469. Temp. ♪ Orn.
- { flava Bot. Mag. 1318. Carolin. ♪ Orn.
- { Caprifolium Fraseri Pursh. Fl.
- sempervirens L. Bot. Mag. 781. Bot. Reg. 556. Am. s. ♪ Orn.
- { pubescens H. p. Orn.
- { Caprifolium pubescens Hook. Exot. Fl. 27.
- japonica Thunb. Jap. Andr. Rep. 583. Bot. Reg. 70. Japon. Temp. ♪
- biflora Desf. Atl. t. 52. Alger. Temp. ♪

2. Caule recto , pedunculis bifloris.

- tatarica L. Jacq. Rar. t. 37. Bot. Reg. 31. Tartar. ♪ Orn.
- pyrenaica L. Duham. Arb. Ed. n. 1. t. 15. Pyren. ♪
- nigra L. Jacq. Austr. t. 314. Alpes. ♪
- iberica Marsch. Cauc. Iber. ♪
- altaica Pallas. Siber. ♪
- coerulea L. Jacq. Austr. App. t. 17. Alpes. ♪
- Xylosteum L. Fl. Dan. t. 808. Alpes ♪
- alpigena L. Jacq. Austr. t. 274. Alpes. ♪

VISCUM Lin.

- album L. Rich. Ann. du Mus. v. 12. t. 27. Gall. ♪ Med.

VIBURNUM Lin.

- Tinus L. Clus. Hist. 49. Ic. Bot. Mag. 38. Gall. m. ♪ Orn.
- latifolium.
- rigidum Vent. Malm. t. 98. Madera. Temp. ♪
- rugosum Bot. Reg. 376. Bot. Mag. 2082. Canar. Temp. ♪
- nudum L. Mill. Ic. t. 274. Am. s. ♪ Orn.
- Lentago L. Am. s. ♪ Orn.
- prunifolium L. Am. s. Orn.
- pyrifolium H. p. Poiret. Encycl. Am. s. ♪ Orn.
- Cassinoides L. Carolin. ♪

- punicifolium H. p. Schultes. Syst.
- molle Mich. Fl. Am. s. 5
- Lantana L. Jacq. Austr. t. 341. Gall. 5
- dentatum L. Jacq. Hort. t. 36. Am. s. 5
- longifolium.
- acerifolium L. Vent. H. Cels. t. 72. Am. s. 5
- edule Mich. Fl. Am. s. 5
- oxycoccos Pursh. Fl.
- Opulus L. Fl. Dan. t. 661. Gall. 5
- sterilis. Orn.

SAMBUCUS Lin.

- Ebulus L. Fuchs. Hist. 65. Ic. Gall. 7 Med.
- canadensis L. Am. s. 5
- nigra L. Fl. Dan. t. 545. Gall. 5 Med.
- virens.
- laciniata.
- racemosa L. Jacq. Rar. t. 59. Gall. 5 Orn.
- pubens Mich. Fl. Am. s. 5

CORNUS Lin.

- sanguinea L. Fl. Dan. t. 481. Gall. 5 Econ.
- alba L. Mant. Pallas, Ross. t. 34. Siber. 5 Orn.
- stricta L'her. Corn. t. 4. Am. s. 5
- { paniculata L'her. Corn. t. 5. Am. s. 5
- { racemosa Lamk. Encycl.
- { sericea L'her. Corn. t. 2. Carolin. 5
- { amomum Miller.
- { cœrulea Lamk. Encycl.
- { circinata L'her. Corn. t. 3. Am. s. 5
- { rugosa Lamk. Encycl.
- florida L. Bot. Mag. 526. Am. s. 5 Orn.
- mas L. Duham. Arb. 1. t. 74. Gall. 5 Econ.
- flava.
- alternifolia L. Suppl. L'her. Corn. t. 6. Am. s. 5
- canadensis L. L'her. Corn. t. 1. Bot. Mag. 880. Canada. 7
- suecica L. Fl. Lap. t. 5. f. 3. Fl. Dan. t. 5. Suec. 7

HEDERA Lin.

- Helix L. Fl. Dan. t. 1027. Gall. 5 Med. Econ.
- hibernica Noisette. (an Variet.?)

CLASSIS XIII.

DICOTYLEDONES POLYPETALÆ,

STAMINA EPIGYNA.

ORDO I.

ARALIACEÆ Juss.

CUSSONIA Lin. Suppl.

thyrsiflora Thunb. Diss. Jacq. f. Ecl. t. 61. Cap. Temp. 5

ARALIA Lin.

{ capitata Jacq. Am. t. 61. Antill. Cald. 5

{ Hedera capitata Smith. Ic. Pict. t. 4.

arborea L. Plum. Ic. t. 148. H. schoen. t. 51. Antill.
Cald. 5

?umbraculifera Lamk. Encycl. Rumph. Amb. 2. t. 12.
Amboin. Cald.

spinosa L. Com. Hort. 1. t. 47. Virgin. 5

racemosa L. Cornuti, Canad. 75. Ic. Am. s. 7

hispida Mich. Fl. Vent. H. Cels. t. 41. Bot. Mag. 1085. Am.
s. 5

nudicaulis L.-Pluk. t. 238. f. 5. mala. Am. s. 7

pubescens DC. Cat. monsp. N. Hisp. Cald. 5

PANAX Lin.

{ trifolium L. Trew. Sel. t. 6. f. 2. Am. s. 7

{ pusilla Bot. Mag. 1334.

quinquefolium Trew. Sel. t. 6. f. 1. Bot. Mag. 1333. Am.
s. 7

{ aculeatum H. kew. Jacq. Rar. t. 634. China. Temp. 5

{ Zanthoxylum trifoliatum L.

fruticosum L. Andr. Rep. 595. I. Ternat. Cald. 5

chrysophyllum Vahl. Ecl.? Antill. Cald. 5

ORDO II.

UMBELLIFERÆ Juss.

ÆGOPodium Lin.

Podagraria L. Fl. Dan. t. 670. Engl. Bot. 940. Gall. ♀

PIMPINELLA Lin.

saxifraga L. Jacq. Austr. t. 395. Gall. ♀

nigra Willd. Sp. Gall. ♂

tragium Vill. Hist. Alpes. ♀

magna L. Mant. Jacq. Austr. t. 396. Engl. Bot. 408. Gall. ♀

— rubens.

dissecta Retz. Obs. 3. t. 2. German. ♂

rotundifolia Marsch. Cauc. Caucas. ♂

{ villosa Schousb. Maroc. Maroc. Temp. ♂

{ bubonoides Brot. Fl.

peregrina L. Jacq. Hort. t. 131. Ital. ♂

dioica L. Mant. Jacq. Austr. 28. Gall. ♂

glauca L. Gall. ♀ ?

Anisum L. Clus. Hist. 2. p. 202. Ic. inter. Oriens ☉ Med. Econ.

CARUM Lin.

Carvi L. Fl. Dan. t. 1091. Gall. ♂ Econ.

APIUM Lin.

Petroselinum L. Camer. Epit. 526. Ic. ♂ Med. Econ.

graveolens L. Fl. Dan. t. 790. Engl. Bot. 1210. Gall. ♂ Med. Econ.

prostratum Labill. N. Holl. Vent. Malm. t. 81. N. Holl. Temp. ♀

ANETHUM Lin.

segetum L. Mant. Jacq. Hort. t. 132. Ital. ☉ Med. Econ.

graveolens L. Hisp. ☉

Fœniculum L. Riv. Irreg. Pentap. t. 62, Engl. Bot. 1208. Gall. m. ♂ Med. Econ.

SMYRNIUM Lin.

Olusatrum L. Camer. Epit. 530. Engl. Bot. 230. Gall. ♂

perfoliatum L. Wald. et Kit. Hung. 1. t. 25. Oriens. ♂

integerrimum L. Am. s. ♂

PASTINACA Lin.

sativa L. Fuchs. Hist. 753. Ic. Engl. Bot. 556. Gall. ♂ Med. Econ.

* *divaricata* H. p.

Opopanax L. Gouan. Ill. t. 13, 14. Wald. et Kit. Hung. t. 211. Gall. m. ♀. Med.

lucida L. Mant. Jacq. Hort. t. 199. Gouan. Ill. t. 12. Eur. m. ♂

THAPSIA Lin.

villosa L. Clus. Hist. 2. p. 192. Ic. Hisp. Temp. ♂

garganica L. Gouan. Ill. t. 10. Alger. Temp. ♀

SESELI Lin.

{ *montanum* L. Gall. ♂

{ *multicaule* Jacq. Hort. t. 129.

annuum L. Vaill. Bot. t. 9. f. 4. Gall. ♂

verticillatum Desf. Atl. Dalech. Hist. 695. Ic. Maurit. ☉

elatum L. Gouan. Ill. t. 8. Gall. ♂

leucospermum Wald. et Kit. Hung. t. 89. Hungar. ♂

gummiferum Smith. Exot. Bot. 120. Bot. Mag. 2259.

Crimée. Temp. ♀

dichotomum Marsch. Cauc. Bot. Mag. 2073. Tauria. ♀

petraeum Marsch. Cauc. Caucas. ♀

tortuosum L. Regn. Bot. Ic. Gall. m. Temp. ♀

IMPERATORIA Lin.

Ostruthium L. Fuchs. Hist. 763. Riv. Irreg. Pentap. t. 7. Alpes. ♀ Med.

{ *sylvestris* Lamk. Encycl. Gall. ♀

{ *Angelica sylvestris* L. Engl. Bot. 1128.

{ *verticillata* Lamk. Encycl. Ital. ♂

{ *Angelica verticillaris* L. Mant. Jacq. Hort. t. 130

CHÆROPHYLLUM Lin.

sylvestre L. Jacq. Austr. t. 149. Engl. Bot. 752. Gall. ♀

bulbosum L. Jacq. Austr. t. 63. Gall. ♂

temulum L. Fl. Dan. t. 918. Gall. ♂

aromaticum L. Jacq. Austr. t. 150. ♂

aureum L. Jacq. Austr. t. 64. Gall. ♀

* *daucifolium* H. p. ♀

* *lucidum* H. p. ♂

caucasicum Fischer. Caucas. ♂

hirsutum L. Jacq. Austr. t. 148. Gall. ♀

coloratum L. Mant. Jacq. Hort. t. 51. Illyria. ♂

nemorosum Marsch. Cauc. Caucas. ♂

SCANDIX Lin.

odorata L. Jacq. Austr. App. t. 37. Alpes. ♀ Econ.

Pecten L. Jacq. Austr. t. 263. Gall. ☉

australis L. Col. Ecphr. 90. Ic. Gall. m. ☉

pinnatifida Vent. H. Cels. t. 14. Persia ☉

Cerefolium L. Jacq. Austr. t. 390. Gall. ☉ Med. Econ.

{ *Anthriscus* L. Jacq. Austr. t. 154. Gall. ☉

{ *Anthriscus vulgaris* Pers. Syn.

CORIANDRUM Lin.

sativum L. Engl. Bot. 67. Oriens. ☉ Med. Econ.

{ *testiculatum* L. Lamk. Ill. t. 196. f. 2. Gall. ☉

{ *Bifora flosculosa* Marsch. Cauc.

ÆTHUSA Lin.

Cynapium L. Riv. Irreg. Pentap. t. 76. Engl. Bot. 1192. Gall. ☉ Ven.

{ *Meum* Syst. Veg. Riv. Irreg. Pentap. t. 63. Alpes. ♀

{ *Meum athamanticum* Jacq. Austr. t. 303. Engl. Bot. 2249.

{ *Athamanta Meum*. L.

{ *Bunius* Syst. Veg. Gall. ♂

{ *Carum Bunius* Jacq. Hort. t. 198.

CICUTA Lin.

virosa L. Fl. Dan. t. 208. Engl. Bot. 479. Gall. ♀ Ven.

maculata L. Pluk. t. 76. f. 1. Am. s. ♂ Ven.

PHELLANDRIUM Lin.

{ *aquaticum* L. Riv. Irreg. Pentap. t. 65. Engl. Bot. 684. Gall. ♂

{ *Oenanthe aquatica* Lamk. Encycl.

Mutellina L. Jacq. Austr. t. 56. Alpes. ♂

OENANTHE Lin.

fistulosa L. Fl. Dan. t. 846. Engl. Bot. 363. Gall. ♂

crocata L. Jacq. Hort. 3. t. 55. Gall. ♀

prolifera L. Jacq. Hort. 3. t. 62. Sicil. ♂

globulosa L. Gouan. Ill. t. 9. Gall. ♂

pimpinelloides L. Jacq. Austr. t. 394. Gall. ♀

CUMINUM Lin.

Cyminum L. Camer. Epit. 518. Ic Riv. Irreg. Pentap. t. 40. Oriens. ☉ Med.

BUBON Lin.

macedonicum L. Riv. Irreg. Pentap. t. 42. Maurit. Temp. ♂

Galbanum L. Bot. Mag. 2489. Cap. Temp. ♀

buctornense Horn. Hort. Siber. ♂

ANISON Lin.

segetum L. Jacq. Hort. t. 134. Engl. Bot. 228. Gall. ♂

Amomum L. Jacq. Hort. 3. t. 17. Gall. ☉

canadense L. Moris. S. 9. t. 11. f. 4. Am. s. ♀

Ammi Jacq. Hort. t. 200. Oriens. ☉
inundatum L. Fl. Dan. t. 89. Engl. Bot. 227. Gall. ☉
verticillatum L. Moris. Umb. t. 6. f. 3. Engl. Bot. 395
 Gall. ✕

Sium Lin.

angustifolium Jacq. Austr. t. 67. Engl. Bot. 139. Gall. ✕
latifolium L. Jacq. Austr. t. 66. Engl. Bot. 204. Gall. ✕
nodiflorum L. Engl. Bot. 639. Gall. ✕
repens L. Suppl. Jacq. Austr. t. 260. Engl. Bot. 1431.
 Gall. ✕
Sisarum L. Dod. Pempt. 681. Gall. ✕
Falcaria L. Jacq. Austr. t. 257. Gall. ✕
siculum L. Jacq. Hort. t. 133. Alger. Temp. ✕

Angelica Lin.

Archangelica L. Riv. Irreg. Pentap. t. 15. Fl. Dan. t. 206.
 mala. Gall. ♂ Med. Econ.
lucida L. Jacq. Hort. 3. t. 24. Canada. ♂
 { *aquilegifolia* Lamk. Encycl.
 Laserpitium aquilegifolium Jacq. Austr. t. 147. Austr.
 ✕

Ligusticum Lin.

Levisticum L. Moris. S. 9. t. 3. f. 1. Alpes. ✕ Med. Econ.
peloponense L. Jacq. Austr. App. t. 13. Carniol. ♀
pyrenæum Gouan. Ill. t. 10. f. 2. Pyren. ✕
 { *apiifolium* Lamk. Encycl. Alpes. ✕
 cicutæfolium Vill. Hist.
scoticum L. Engl. Bot. 1207. Angl. ✕
austriacum L. Jacq. Austr. t. 151. Austr. ✕
peregrinum Syst. Veg. Jacq. Hort. 3. t. 18. Lusit. Temp. ✕

Heracleum Lin.

Sphondylium L. Engl. Bot. 939. Gall. ✕ Med.
longifolium Jacq. Austr. t. 174. Austr. ✕
alpinum L. C. B. Prodr. 83. Ic. Alpes. ✕
 { *flavescens* Will. Sp.
 angustifolium Jacq. Austr. t. 173. Austr. ✕
sibiricum L. Mant. Gmel. Sib. 1. t. 50. Siber. ✕
verrucosum Stevens. Crimée. ✕
 { *amplifolium* Lapeyr. Fl. Pyren. ✕
 pyrenaicum DC. Fl.

Laserpitium Lin.

latifolium L. Jacq. Austr. t. 146. Gall. ✕
gallicum L. Pluk. t. 198. f. 5, 6. Gall. ✕
Siler L. Jacq. Austr. t. 145. Gall. ✕

- { Halleri All. Ped. Hall. Hist. t. 19. Alpes. π
- { hirsutum Lamk. Encycl.
- { triquetrum Vent. H. Cels. t. 97. Asia. π
- { Cachrys triquetra Sprengel. Syst.

FERULA Lin.

- communis L. Moris. S. 9. t. 15. f. 3. Maurit. ψ Econ. Orn.
- Ferulago L. Moris. S. 9. t. 15. f. 1. Riv. Irreg. Pentap. t. 10. Maurit. ψ Econ. Orn.
- tingitana L. Moris. S. 9. t. 15. f. ultima. Maurit. ψ
- nodiflora L. Jacq. Austr. App. t. 5. Europ. Austr. π
- { sibirica. Hungar. ψ
- { Peucedanum sibiricum Wald. et Kit. Hung. 1. t. 60.

PEUCEDANUM Lin.

- rhutenicum Marsch. Cauc. Russ. π
- officinale L. Engl. Bot. 1767. Gall. π
- italicum L. Variet. B. Ital. ψ
- { gallicum. Gall. ψ
- { parisiense DC. Fl.
- { album H. p. Russ. ψ
- { minus Encycl.
- { Athamanta denudata Fischer. Hort. Gor.
- { Crithmum mediterraneum Marsch. Cauc. Suppl.
- tenuifolium. H. p. Poiret. Encycl. π
- Silaus L. Jacq. Austr. t. 15. Gall. π
- tauricum Marsch. Cauc. Tauria. π
- alsaticum L. Jacq. Austr. t. 70. Gall. ψ

CACHRYS Lin.

- { tomentosa Desf. Atl. Bocc. Sic. t. 1. Alger. Temp. ψ
- { panacifolia Vahl. Symb.
- Libanotis L. Moris. Umb. t. 3. f. 3. Sicil. Temp. ψ
- sicula L. Moris. Umb. t. 3. f. 2. Sicil. Temp. ψ

CRITHMUM Lin.

- maritimum L. Jacq. Hort. t. 187. Engl. Bot. 819. Gall. ψ

ATHAMANTA Lin.

- Libanotis L. Jacq. Austr. t. 392. German. ψ
- condensata L. Siber. π
- sibirica L. Mant. Gmel. Sib. 1. t. 40. f. 1 et 2. Siber. ψ
- Cervaria L. Jacq. Austr. t. 69. Gall. π
- alata Marsch. Cauc. Caucas. π
- Oreoselinum L. Jacq. Austr. t. 68. Gall. π
- Matthioli Jacq. Rar. t. 57. Carniol. ψ
- sicula L. Zan. Hist. t. 48. Sicil. Temp. π
- cretensis L. Jacq. Austr. t. 62. Alpes. π

SELINUM Lin.

Chabræi Jacq. Austr. t. 72. Gall. ⚔

{ sylvestre DC. Fl. Gall. ⚔

{ Athamanta flexuosa H. p.

{ palustre L. Gall. ⚔

{ sylvestre Jacq. Austr. t. 152.

{ pyrenæum Gouan. Ill. t. 5- Pyren. ⚔

{ Seseli pyrenæum L.

peregrinum Willd. Enum. ⚔

* peucedanoides H. p. ⚔

austriacum Jacq. Austr. t. 71. Austr. ⚔

carvifolia Jacq. Austr. t. 16. Gall. ⚔

Monnieri L. Jacq. Hort. t. 62. mala. Gall. ☉

elegans Balbis. ⚔

latifolium Marsch. Cauc. Caucas. ⚔

{ decipiens Schrad. Sert. t. 13. Madera. Temp. ⚔

{ Megaloselinum Hoffm.

CONIUM Lin.

maculatum L. Jacq. Austr. t. 156. Gall. ♂ Med. Ven.

africanum L. Jacq. Hort. t. 194. Afr. ☉

dichotomum Desf. Atl. t. 66. Alger. ☉

BUNIUM Lin.

Bulbocastanum L. Fl. Dan. t. 220. Gall. ⚔

acaule Marsch. Cauc. Caucas. ⚔

AMMI Lin.

majus L. Fuchs. Hist. 67. Ic. Gall. ☉

{ Visnaga Gall. ☉ Med.

{ Daucus Visnaga L. Jacq. Hort. 3. t. 26.

DAUCUS Lin.

{ meoides H. p. Temp. ⚔

{ Ammi meoides Pers. Syn.

{ Ammi anethifolium Lamk. Encycl.

Carota L. Fl. Dan. t. 723. Gall. ♂ Med. Econ.

crinitus Desf. Atl. t. 62. Alger. Temp. ♂

grandiflorus Desf. Atl. t. 59. Alger. Temp. ♂

hispidus Desf. Atl. t. 63. Alger. Temp. ♂

maritimus Engl, Bot. 2560. Gall. ♂

CAUCALIS Lin.

grandiflora L. Jacq. Austr. t. 54. Gall. ☉

daucoides L. Jacq. Austr. t. 157. Engl. Bot. 197. Gall. ☉

latifolia Syst. Veg. Jacq. Hort. t. 128. Gall. ☉

platicarpus L. Jacq. Hort. 3. t. 10. Gall. ☉

humilis Jacq. Hort. t. 195. Gall. ☉

- { *maritima* Cav. Ic. t. 101. Ger. Gallop. t. 10. Gall. m. ☉
- { *pumila* Vahl. Symb.
- { *Daucus maritimus* L. ex Synon.
- { *hispida* H. p. Tauria. ☉
- { *Laserpitium hispidum* Marsch. Cauc.
- orientalis* L. Oriens. Temp. ♂
- { *Anthriscus* H. kew. Engl. Bot. 987. Gall. ☉
- { *Tordylium Anthriscus* L. Jacq. Austr. t. 261.
- { *arvensis* Willd. Sp. Gall. ☉
- { *infesta* Smith. Fl. Engl. Bot. 1314.
- { *nodosa* H. kew. Engl. Bot. 199. Gall. ☉
- { *Tordylium nodosum* L. Jacq. Austr. App. t. 24.

TORDYLIUM Lin.

- syriacum* L. Jacq. Hort. t. 54. Syria. ☉ •
- officinale* L. Engl. Bot. 2440. Gall. ☉
- apulium* L. Jacq. Hort. t. 53. Ital. ☉
- maximum* L. Jacq. Austr. t. 142. Gall. ☉

HASSELQUISTIA Lin.

- ægyptiaca* L. Jacq. Hort. t. 87. Ægypt. ☉
- cordata* Jacq. Hort. t. 193. Oriens. ☉

ARTEDIA Lin.

- squamata* L. Camer. Hort. t. 16. Oriens. ☉

BUPLEVRUM Lin.

1. Herbacea.

- rotundifolium* L. Fuchs, Hist. 632. Ic. Riv. Irreg. Pentap. t. 46. Gall. ☉
- longifolium* L. Camer. Hort. t. 38. Alpes. ✕
- aureum* Fischer. Link. Enum. Siber. ✕
- stellatum* L. Hall. Hist. t. 18. Alpes. ✕
- petræum* L. Alpes. ✕
- ranunculoides* L. Alpes. ✕
- falcatum* L. Jacq. Austr. t. 158. Gall.
- semi-compositum* L. Gouan. Ill. t. 7. f. 1. Gall. ☉
- odontites* L. Jacq. Hort. 3. t. 91. Gall. ☉
- junceum* L. Gall. ☉
- tenuissimum* L. Fl. Dan. t. 1090. Engl. Bot. 478. Gall. ☉
- rigidum* L. Gall. m. Temp. ✕

2. Fruticosa.

- spinosum* L. Suppl. Gouan. Ill. t. 2. f. 3. Maurit. Temp. ♀
- fruticosum* L. Moris. S. 9. t. 6. f. 1. Gall. m. ♀ Orn.

- coriaceum L'her. Stirp. t. 67. Maurit. Temp. 5
 - gibraltaricum Lamk. Encycl.
 - obliquum Vahl. Symb.
 - arborescens Jacq. Rar. t. 351.

ECHINOPHORA Lin.

- spinosa L. Lamk. Ill. t. 190. f. 1. Cav. Ic. t. 127. Gall. n.
- Temp. 2
- tenuifolia L. Col. Ecphr. 101. Ic. Ital. 2

ASTRANTIA Lin.

- major L. Smith. Exot. Bot. t. 76. Alpes. 2 Orn.
- minor L. Smith. Exot. Bot. t. 77. Alpes. 2
- helleborifolia Salisb. Parad. t. 40. Caucas. 2
- carniolica Syst. Veg. Jacq. Austr. App. t. 10. Carniol. 2
- heterophylla Marsch. Cauc. Caucas. 2
 - grandiflora Bot. Mag. 1553.

SANICULA Lin.

- europæa L. Fl. Dan. t. 283. Engl. Bot. 98. Gall. 2 Med.
- marilandica L. Jacq. Rar. t. 348. Am. s. 2

ERYNGIUM Lin.

- planum L. Jacq. Austr. t. 391. Gall. 2
- aquaticum L. Jacq. Rar. t. 347. Bot. Reg. 372. Am. s. 2
- foetidum L. Herm. Hort. 236. Ic. Am. m. Cald. 2
- dichotomum Desf. Atl. t. 55. Alger. ☉
- pusillum L. Clus. Hist. 2. p. 158. Ic. inter. Alger. 2
- alpinum L. Jacq. Rar. t. 55. Bot. Mag. 922. Alpes 2 Orn.
- giganteum Marsch. Cauc. Armen. Temp. 2
- aquifolium Delaroche. Eryng. t. 10. Hisp. Temp. 2
- * tripartitum H. p. 2
- asperifolium Delaroche, Eryng. t. 11. Temp. 2
- oliverianum Delaroche, Eryng. t. 12. Persia. Temp. 2
- spina-alba Vill. Hist. Delaroche, Eryng. t. 3. Alpes 2
 - rigidum Lamk. Encycl.
- campestre L. Jacq. Austr. t. 155. Gall. 2 Med.
- amethystinum L. Hort. Eyst. Æst. t. 8. f. 1. Styria. 2
- dilatatum Encycl. Delaroche, Eryng. t. 4. Lusit. Temp. 2
- Bourgati Gouan. Ill. t. 3. Gall. m. 2
- maritimum L. Fl. Dan. t. 875. Gall. 2
- tenue Desf. Atl. Clus. Hist. 2. p. 159. f. inter. Hisp. ☉
- corniculatum Lamk. Encycl. Delaroche, Eryng. t. 15. Lusit.
- Temp. 2

HYDROCOTYLE Lin.

- vulgaris L. Fl. Dan. t. 90. Engl. Bot. 751. Gall. 2
- asiatica L. Herm. Parad. t. 23. Richard, Monogr. t. f. 11.

sibthorpioides Lamk. Encycl. I. Franc. Cald. 2

{ Spananthe Willd. Sp. Am. m. ☉
 { Spananthe paniculata Jacq. Rar. t. 350.

LAGOECIA Lin.

cuminoides L. Camer. Epit. 519. Gall. m. ☉

CLASSIS XIV.

DICOTYLEDONES POLYPETALÆ, STAMINA HYPOGYNA.

ORDO I.

RANUNCULÆ Juss.

I. Capsulis monospermis non dehiscentibus.

LEMATIS Lin.

1. Scandentes.

Viorna L. Dill. Elth. t. 118. f. 144. Am. s. 5 Orn.

{ cylindrica Bot. Mag. 1160. Am. s. 5
 { divaricata Jacq. f. Ecl. t. 33. 5

Viticella L. Bot. Mag. 565. Hisp. 5 Orn.

florida Thunb. Jap. Bot. Mag. 834. Japon. Temp. 5 Orn.

orientalis L. Dill. Elth. t. 119. f. 145. Oriens. 5

Vitalba L. Jacq. Austr. t. 308. Bull. Herb. t. 89. Gall. 5
 Ven.

virginiana L. Virgin. 5

Flammula L. Dod. Pempt. 404. Ic. infer. Gall. m. 5 Orn.

cirrhusa L. Clus. Hist. 123. Ic. super. Alger. 5

aristata DC. Prodr. Bot. Reg. 238. N. Holl. Temp. 5

{ revoluta H. p. 5

{ parviflora DC. H. genev. t. 12.

triternata DC. Syst. 5

{ calicina H. kew. Bot. Mag. 959. Minorca. 5

{ balearica Lamk. Encycl.

2. Erectæ.

angustifolia Jacq. Rar. t. 104. Gall. 5

erecta L. Jacq. Austr. t. 291. Gall. m. 2

integrifolia L. Bot. Mag. 65. Austr. 2

TRAGENE Lin.

- alpina L. Jacq. Austr. t. 241. Alpes. ♀
 { sibirica Bot. Mag. 1951. Siber. ♀
 { Alpina Pallas, Ross. 2. t. 76. (non Lin)
 capensis L. Bot. Mag. 716. Cap. Temp. ♀

THALICTRUM Lin.

- foetidum DC. Lamk. Ill. t. 497. f. 3. Wald. et Kit. Hung.
 t. 174. Alpes. ♀
 alpinum L. Fl. Dan. t. 11. Bot. Mag. 2237. Alpes. ♀
 sibiricum L. ? Siber. ♀
 purpurescens L. Am. s. ♀
 minus L. Jacq. Austr. t. 419. Engl. Bot. 11. Gall. ♂
 majus Syst. Veg. Jacq. Austr. 420. Alpes. ♂
 nigricans Jacq. Austr. t. 421. Gall. m. ♂
 angustifolium L. Jacq. Hort. 3. t. 43. Gall. ♂
 galioides DC. Syst. C. B. Prodr. 146. Ic. Gall. ♀
 { crenatum H. p. Am. s. ♂
 { rugosum H. kew. DC. Syst.
 flavum L. Tabern. Ic. 55. f. inter. Engl. Bot. t. 367. Gall.
 ♀
 vaginatum H. p. Variet. præced. DC. Syst. Gall. ♂
 * angulosum H. p. ♀
 { glaucum H. p. DC. Syst. Pyren. ♂
 { speciosum Poiret. Encycl.
 * rugosum H. p. ♂
 elatum Jacq. Hort. 3. t. 95. Hungar. ♂
 cinereum DC. Syst. ♂
 medium Jacq. Hort. 3. t. 96. Hungar. ♂
 { atro-purpureum Jacq. Hort. 3. t. 61. Gall. ♂ Orn.
 { aquilegifolium L. Bot. Mag. 2025. Variet.

ANEMONE Lin.

- { Hepatica L. Bot. Mag. 10. Europ. s. ♂ Orn.
 { Hepatica triloba DC. Syst. Clus. Hist. 2. p. 247 et 248. Ic.
 vernalis L. Fl. Dan. t. 29. Haller. Hist. t. 21. Alpes ♂ Orn.
 Pulsatilla. L. Fl. Dan. t. 153. Bull. Herb. t. 49. Gall. ♂
 Orn. Ven.
 alpina L. Jacq. Austr. t. 85. Bot. Mag. 2007. Alpes ♂
 coronaria L. Bot. Mag. 841. Oriens. ♀ Orn.
 pavonina Lamk. Encycl. Clus. Hist. 262. Gall. m. Temp.
 ♂ Orn.
 { stellata Lamk. Encycl. Gall. m. ♂
 { hortensis L. Bot. Mag. 123.
 palmata L. Clus. Hist. 248. Ic. infer. Bot. Reg. 200
 Alger. Temp. ♂
 sylvestris L. Clus. Hist. 244. Ic. Bot. Mag. 54. Bull. Herb.
 t. 59. Gall. ♀

- virginiana L. Herm. Parad. 18. Ic. Am. s. π
 pensylvanica L. Mant. Am. s. π
 dichotoma L. Dec. t. 15. Am. s. π
 { parviflora Mich. Fl. Am. s. π
 { cuneifolia Juss. Ann. du Mus. v. 3. t. 21.
 trifolia L. Moris. S. 4. t. 25. f. 1. Gall. π
 nemorosa L. Fuchs. Hist. 161. Ic. Fl. Dan. t. 549. Gall. π
 ranunculoides L. Fl. Dan. t. 140. Gall. π
 apennina L. Clus. Hist. 254. Ic. infer. Alpes. π
 narcissiflora L. Jacq. Austr. t. 159. Bot. Mag. 1120. Alpes.
 π
 { Thalictroides L. Juss. Ann. 3. t. 21. Bot. Mag. 866. Am.
 { s. π
 { Thalictrum anemonoides DC. Syst.

ADONIS Lin.

- { æstivalis L. Gall. ☉
 { miniata Jacq. Austr. t. 354.
 autumnalis L. Clus. Hist. 336. Ic. super. Engl. Bot. 308.
 Gall. ☉
 { vernalis L. Gall. π
 { apennina Jacq. Austr. t. 44.

ANAMENIA Vent.

- { coriacea Vent. Malm. t. 22. Cap. Temp. π
 { Knowltonia rigida DC. Syst.
 { Adonis capensis L.

RANUNCULUS Lin.

1. Foliis simplicibus.

- Flammula L. Fl. Dan. t. 575. Bull. Herb. t. 15. Gall. π
 Lingua L. Fl. Dan. t. 755. Gall. π
 gramineus L. Bull. Herb. t. 123. Bot. Mag. 164. Gall. π
 nodiflorus L. Vaill. Acad. 1719. t. 4. f. 4. Bot. Mag. 2171.
 Gall. π
 ophioglossifolius Vill. Hist. 5. t. 49. Alpes. π
 pyrenæus L. Mant. Jacq. Miscell. 1. t. 18. f. 1. Pyren. π
 amplexicaulis L. Bot. Mag. 266. Alpes. π
 parnassifolius L. Bot. Mag. 386. Alpes. π
 { Ficaria L. Fl. Dan. t. 499. Bull. Herb. t. 43. Gall. π
 { Ficaria ranunculoides DC. Syst.
 Thora L. Jacq. Austr. t. 442. Alpes. π

2. Foliis dentatis et divisis.

- creticus L. Clus. Hist. 239. Ic. inter, Creta. π Orn.
 lacerus Bellardi. App. t. 8. Alpes. π

- auricomus L. Fl. Dan. t. 665. Engl. Bot. 624. Gall. &
 sceleratus L. Fl. Dan. t. 571. Bull. Herb. Ic. Gall. ☉ Ven.
 { pensylvanicus L. Suppl. Am. s. &
 { canadensis Jacq. Bar. t. 105.
 aconitifolius L. Bot. Mag. 204. Alpes. & Orn.
 platanifolius L. Mant. Fl. Dan. t. 111. Variet. præced. DC.
 Alpes. & Orn.
 cassubicus L. Bot. Mag. 2267. Siber. &
 asiaticus L. Clus. Hist. 241. Ic. inter. Oriens. & Orn.
 glacialis L. Fl. Dan. t. 19. Alpes. &
 rutæfolius L. Clus. Hist. 232. Ic. Jacq. Collect. 1. t. 6, 7.
 Alpes. &
 abortivus L. Am. s. &
 nivalis L. Fl. Lapp. t. 3. f. 2. Norweg. &
 alpestris L. Jacq. Austr. t. 110. Engl. Bot. 2390. Alpes. &
 pedatus Wald. et Kit. Hung. 2. t. 108. Bot. Mag. 2129.
 Hungar. &
 { hirsutus Curtis. Lond. Engl. Bot. 1504. Gall. &
 { pallidior Vill. Hist.
 { philonotis Retz. Obs.
 tuberosus Lapeyr. Fl. Pyren. & *
 bulbosus L. Fl. Dan. t. 551. Gall. & Med. Ven.
 repens L. Fl. Dan. t. 795. Bull. Herb. t. 77. Gall. & Ven.
 acris L. Bull. Herb. t. 109. Gall. & Ven.
 lanuginosus L. Fl. Dan. t. 397. Gall. &
 polyanthemus L. Suec. &
 chærophyllos L. Col. Ecphr. 311. Ic. Gall. &
 arvensis L. Bull. Herb. t. 117. Engl. Bot. 135. Gall. ☉
 tuberculatus DC. Syst. ☉
 muricatus L. J. B. Hist. 3. p. 858. Ic. infer. Gall. ☉
 trilobus Desf. Atl. t. 113. Alger. ☉
 parviflorus L. Engl. Bot. 120. Gall. ☉
 { falcatus L. Jacq. Austr. t. 48. Gall. ☉
 { Ceratocephalus falcatus DC. Syst.
 hederaceus L. Fl. Dan. t. 321. Engl. Bot. 2003. Gall. &
 aquatilis L. Moris. S. 4. t. 29. f. 3. Engl. Bot. 101.
 Gall. &
 { peucedanifolius Desf. Atl. Fl. Dan. t. 376. Gall. &
 { fluviatilis Willd. Sp.

MYOSURUS Lin.

- minimus L. Fl. Dan. t. 406. Gall. ☉

II. Capsulis polyspermis intus dehiscentibus.

TROLLIUS Lin.

- asiaticus L. Bot. Mag. 235. Siber. & Orn.
 europæus L. Fl. Dan. t. 133. Alpes. & Orn.

- { americanus Bot. Mag. 1988. Am. s. 2
 { laxus Pursh. Fl.

HELLEBORUS Lin.

- { hyemalis L. Jacq. Austr. t. 202. Bot. Mag. 3. Bull. Herb.
 { t. 35. Gall. 2 Orn.
 { Eranthis hyemalis DC. Syst.
 { trifolius L. Amœn. 2. t. 4. f. 18. Fl. Dan. t. 566. Siber. 2
 { Coptis trifolia Salisb. Soc. Lin. Lond. v. 8.
 odoratus Willd. Enum. Hungar. 2
 dumetorum Willd. Enum. Hungar. 2
 niger L. Jacq. Austr. t. 201. Bot. Mag. 8. Bull. Herb. t. 33.
 Gall. m. 2 Orn.
 atro-rubens Wald. et Kit. Hung. t. 271. Hungar. 2
 viridis L. Jacq. Austr. t. 106. Gall. 2
 purpurascens Wald. et Kit. Hung. t. 101. Hungar. 2
 foetidus L. Fuchs. Hist. 275. Ic. Bull. Herb. t. 71. Gall. 2
 Med.
 lividus H. kew. Aldini, Hort. Farn. 92. Ic. Bot. Mag. 72.
 Corsia. 2

ISOPYRUM Lin.

- thalictroides L. Jacq. Austr. t. 105. Alpes 2
 fumarioides L. Amm. Rhuth. t. 12. Siber. ☉

NIGELLA Lin.

- damascena L. Clus. Hist. 2. p. 208. Ic. super. Bot. Mag.
 22. Alger. ☉ Orn.
 sativa L. Camer. Epit. 551. Ic. Oriens. ☉ Econ.
 arvensis L. Fuchs. Hist. 505. Ic. Bull. Herb. t. 126.
 Gall. ☉
 hispanica L. Bot. Mag. 1265. Hisp. ☉
 orientalis L. Bot. Mag. 1264. Syria. ☉

GARIDELLA Lin.

- Nigellastrum L. Bot. Mag. 1266. Fl. Græca. t. 443. Gall.
 m. ☉

AQUILEGIA Lin.

- vulgaris L. Fl. Dan. t. 695. Gall. 2 Orn.
 alpina L. All. Ped. t. 66. Alpes. 2
 viridiflora Jacq. Rar. t. 102. Siber. 2
 canadensis L. Bot. Mag. 246. Am. s. 2 Orn.

DELPHINIUM Lin.

1. Unicapsularia.

- Consolida L. Fl. Dan. t. 683. Gall. ☉
 Ajacis L. Clus. Hist. 2. p. 206. Ic. Tauria. ☉ Orn.

2. Capsulis 3-5.

ambiguum L. Maurit. ☉
 peregrinum L. C. B. Prodr. 74. Ic. Maurit. ☉
 grandiflorum L. Bot. Mag. 1686. Siber. & Orn.
 chinense Fischer. Bot. Reg. 472. Variet. præced. China. &
 cheilanthum DC. Syst. Bot. Reg. 473. Daouria. & Orn.
 puniceum L. Suppl. Tartar. &
 revolutum H. p. DC. Syst. &
 { hirsutum H. p. Helvet. &
 { intermedium DC. Syst.
 elatum L. Helvet. & Orn.
 dyctiocarpum DC. Syst.? Siber. &
 pictum Willd. Enum.
 Staphisagria L. Camer. Epit. 947. Ic. Fuchs. Hist. 784. Ic.
 Gall. m. ♂ Med.

ACONITUM Lin.

1. Corolla flava aut rubra.

barbatum DC. Syst. Seringe. Acon. t. 10, 11. Siber. &
 Ven.
 lycoctonum L. Jacq. Austr. t. 380. Bull. Herb. t. 63. Alpes.
 & Ven.
 — altissimum Mill. Dict. DC. Syst. Alpes. &
 pyrenaicum Lamk. Encycl. Pyren. & Ven.
 septentrionale DC. Syst. Bot. Mag. 2196. Siber. & Ven.
 — rubicundum DC. Prodr. &
 Anthora L. Jacq. Austr. t. 382. Alpes. & Ven.

2. Corolla cœrulea.

{ Napellus L. Jacq. Austr. t. 381. Alpes. & Med. Ven.
 { neubergense DC. Syst.
 { hebegynum DC. Syst. Alpes. & Ven.
 { Cammarum Jacq. Austr. t. 424.
 rostratum DC. Syst. Seringe. Acon. f. 16, 17. Alpes. & Ven.
 uncinatum L. Bot. Mag. 1119. Am. s. & Ven.
 paniculatum Lamk. Encycl. Alpes. & Ven.

CALTHA Lin.

palustris L. Fl. Dan. t. 668. Gall. & Orn.
 radicans Forster. Soc. Lin. Lond. v. 8. t. 17. Scotia. &

PÆONIA Lin.

Moutan Bot. Mag. 2175. Bonpl. Malm. et Nav. t. 1. China.
 & Orn.

- { mascula H. p. Gall. ȳ Orn.
- { corallina Retz. Obs. Engl. Bot. 1513.
- { femina Fuchs. Hist. 202. Ic. Gall. ȳ Orn.
- { officinalis Retz. Obs.
- { villosa H. p. Russ. ȳ Orn.
- { mollis Bot. Reg. 474.
- lobata DC. Syst. Clus. Hist. 279. Ic. Lusit. ȳ Orn.
- albiflora Pallas. Ross. 2. t. 84. Bot. Reg. 42. Siber. ȳ Orn.
- edulis Bot. Mag. 1768.
- daurica H. kew. Andr. Rep. 486. Bot. Mag. 1441. Siber. ȳ Orn.
- { anomala L. Mant. Bot. Mag. 1754. Siber. ȳ Orn.
- { laciniata Pallas, Ross. 2. t. 85.
- tenuifolia L. Dec. t. 5. Bot. Mag. 926. Siber. ȳ Orn.

ZANTHORIZA L'her.

apiifolia L'her. Stirp. t. 38. Carolin. Temp. ȳ

CIMIFUGA Lin.

- { palmata Mich. Fl. Bot. Mag. 1630. Am. s. ȳ
- { *Actæa palmata* DC. Syst.

ACTÆA Lin.

- spicata L. Fl. Dan. t. 498. Bull. Herb. t. 83. Gall. ȳ Med.
- alba.
- rubra.
- racemosa L. Dill. Elth. t. 67. f. 78. Am. s. ȳ

ORDO II.**DILLENIEÆ** Juss.**HIBBERTIA** Andr.

- { volubilis H. kew. N. Holl. Temp. ȳ
- { *Dillenia volubilis* Vent. Choix de pl. t. 11.
- { *Dillenia speciosa* Bot. Mag. 449.
- dentata DC. Syst. Bot. Mag. 2338. Bot. Reg. 282. N. Holl. Temp. ȳ
- { grossulariæfolia, Bot. Mag. 1218. N. Holl. Temp. ȳ
- { crenata Andr. Rep. 472.

DILLENIA Lin.

- { indica L. Ind. Cald. ȳ Orn.
- { speciosa Thunb. Soc. Lin. Lond. v. 1. Smith. Exot. Bot. 2, 3.

ORDO III.

MAGNOLIEÆ Juss.

MICHELIA Lin.

Champaca L. H. malab. 1. t. 19. Ind. Cald. ♀

ILLICIUM Lin.

floridanum L. Mant. Bot. Mag. 439. Florid. Temp. ♀
Econ.

parviflorum Mich. Fl. Vent. H. Cels. t. 22. Florid. Temp. ♀

WINTERA Murr. Syst.

{ aromatica Syst. Veg. Magell. ♀ Med.

{ Drymis Winteri DC. Syst.

{ Drymis punctata Lamk. Ill. t. 494. f. 1.

MAGNOLIA Lin.

grandiflora L. Trew. Sel. t. 33, 35. Mich. Arb. 3. t. 1.
Carolin. Temp. ♀ Orn.

glaucula L. Trew. Sel. t. 9. Mich. Arb. 3. t. 2. Am. s. ♀
Orn.

acuminata L. Trew. Sel. t. 62, 63. Mich. Arb. 3. t. 3. Am.
s. ♀ Orn.

{ tripetala L. Mich. Arb. 3. t. 5. Am. s. ♀ Orn.

{ umbrella Lamk. Encycl.

cordata Mich. Fl. Mich. Arb. 3. t. 4. Am. s. ♀ Orn.

auriculata Lamk. Encycl. Mich. Arb. 3. t. 6. Bot. Mag.
1206. Am. s. ♀ Orn.

macrophylla Mich. Fl. Mich. Arb. t. 7. Bot. Mag. 2189.
Am. s. ♀ Orn.

{ Yulan DC. Syst. Bonpl. Malm. et Nav. t. 20. China. ♀
Orn.

{ purpurea Bot. Mag. 390. Japon. ♀ Orn.

{ obovata Thunb. Soc. Lin. Lond. v. 2.

{ discolor Vent. Malm. t. 24.

{ pumila Bot. Mag. 977. Vent. Malm. t. 37. Ind. Temp.
♀ Orn.

{ Liriodendron lilifera L.

fuscata Bot. Mag. 1008. China. Temp. ♀ Orn.

LIRIODENDRON Lin.

tulipifera L. Trew. Sel. t. 10. Am. s. ♀ Orn.

ORDO IV.

ANONEÆ Juss.

ANONA.

squamosa L. H. malab. 3. t. 29. Jacq. Obs. t. 6. Ind. Cald.
 ♪ Econ.

{ Cherimolia Lamk. Encycl. Trew. Sel. t. 49. Peruv. Cald.
 ♪ Econ.

{ tripetala H. kew. Bot. Mag. 2011.

hexapetala Willd. Sp.? Ind. Cald. ♪

glabra L. Catesby. Carol. 2. t. 64. Carolin. Temp. ♪

paludosa Aublet. Guian. t. 246. Guian. Cald. ♪

ASSIMINA.

{ triloba Dunal. Monogr. DC. Syst. Am. s. ♪ Econ.

{ Anona triloba L. Trew. Sel. t. 5.

{ Orchido-carpon arietinum Mich. Fl.

{ grandiflora Dunal. Monogr. DC. Syst. Georg. ♪

{ Orchido-carpon grandiflorum Mich. Fl.

{ Anona obovata Willd. Sp.

{ parviflora Dunal. Monogr. t. 9. DC. Syst. Carolin. ♪

{ Orchido-carpon parviflorum Mich. Fl.

{ pygmæa Dunal. Monogr. t. 10. DC. Syst. Florid. ♪

{ Orchido-carpon pygmæum Mich. Fl.

ORDO V.

MENISPERMEÆ Juss.

CISSAMPELOS Lin.

Pareira L. Plum. Amer. t. 93. Lamk. Ill. t. 830. Antill.
 Cald. 4 Med.

MENISPERMUM Lin.

canadense L. Lamk. Ill. t. 824. Bot. Mag. 1910. Canada. ♪

virginicum L. Am. s. ♪

{ laurifolium Roxb. Ined. Ind. Cald. ♪

{ Cocculus laurifolius DC. Syst.

SCHIZANDRA Mich.

coccinea Mich. Fl. 2. t. 47. Bot. Mag. 1413. Carolin.
 Temp. ♪

ORDO VI.

BERBERIDEÆ Juss.

BERBERIS Lin.

vulgaris L. Fl. Dan. t. 904. Gall. 5 Econ.
— violacea.

cretica L. Fl. Græca. t. 342. Creta. 5

{ altaica Pallas, Ross. 2. t. 67. Siber. 5
{ sibirica Bot. Reg. 487.

sinensis H. p. DC. Syst. China. 5

MAHONIA Nuttall.

{ fascicularis DC. Syst. N. Hisp. Temp. 5

{ Berberis fascicularis Bot. Mag. 2396.

{ Berberis pinnata Lagasca. Gen. et Sp.

nepaulensis DC. Syst. Nepaul. Temp. 5

BURSARIA.

spinosa Cav. Ic. t. 350. Bot. Mag. 1767. N. Holl. Temp. 5

NANDINA Thunb.

domestica Thunb. Jap. Kæmpf. Ic. Sel. t. 13, 14. Bot.
Mag. 1109.

LEONTICE.

{ thalictroides L. Am. s. 7

{ Caulophyllum thalictroides Mich. Fl. t. 21:

EPIMEDIUM Lin.

alpinum L. Lamk. Ill. t. 83. Engl. Bot. 438. Alpes. 7

ORDO VII.

PAPAVERACEÆ Juss.

PODOPHYLLUM Lin.

peltatum L. Trew. Sel. t. 29. Lamk. Ill. t. 449. Am.
s. 7

SANGUINARIA Lin.

canadensis L. Dill. Elth. t. 252. f. 325, 326, 327. Canada.
7

ARGEMONE Lin.

mexicana L. Lamk. Ill. t. 452. Bot. Mag. 243. Ind. utra-
que ☉

PAPAYER Lin.1. *Capsulis hirsutis.*

hybridum L. Engl. Bot. 43. Gall. ☉

Argemone L. Fl. Dan. t. 867. Engl. Bot. 643. Gall. ☉

alpinum L. Jacq. Austr. t. 83. Alpes. ✕

nudicaule L. Fl. Dan. t. 41. Bot. Mag. 1633, 2344.

Siber. ✕

2. *Capsulis glabris.*

caucasicum Marsch. Cauc. Bot. Mag. 1675. Caucas. ✕

Rhœas L. Fuchs. Hist. 515. Ic. Engl. Bot. 645. Gall. ☉
Med.

dubium L., Fl. Dan. t. 902. Gall. ☉

{ cambricum L. Dill. Elth. t. 223. f. 290. Gall. ✕

{ Meconopsis cambrica DC. Syst.

orientale L. Tournef. Itin. 2. p. 277. Ic. Oriens. ✕ Orn.

bracteatum Lindley. Collect. t. 23. Bot. Reg. 658. Asia.
✕ Orn.

somniferum L. Bull. Herb. t. 57. Gall. ☉ Med. Orn.

— nigrum.

CHELIDONIUM Lin.{ Glaucium L. Clus. Hist. 2. p. 91. Ic. inter. Fl. Dan. t. 585.
Gall. ♂

{ Glaucium flavum DC. Syst.

{ corniculatum L. Clus. Hist. 2. p. 91. Ic. exter. Gall. ☉

{ Glaucium corniculatum DC. Syst.

{ hybridum L. Clus. Hist. 2. p. 92. Ic. inter. Engl. Bot.
201. Gall. ☉

{ Roemeria hybrida DC. Syst.

majus L. Fl. Dan. t. 542. Bull. Herb. t. 61. Gall. ✕ Med.

— quercifolium Mill. Ic. t. 92. f. 2.

BOCCONIA Lin.

frutescens L. Trew. Sel. f. 4. Antill. Cald. ♀

cordata Willd. Sp. Bot. Mag. 1905. China. ✕ Orn.

HYPECOUM Lin.

procumbens L. Clus. Hist. 2. p. 93. Ic. infer. Gall. ☉

pendulum L. Gall. ☉

FUMARIA Lin.

{ formosa Bot. Mag. 1335. Am. s. ✕ Orn.

{ Diclytra formosa DC. Syst.

{ cucullaria L. Bot. Mag. 1127. Am. s. ✕ Orn.

{ Diclytra cucullaria DC. Syst.

{ solida L. Bot. Mag. 231. Gall. ✕ Orn.

{ Corydalis bulbosa DC. Syst.

- cava Bot. Mag. 232 et 2340. Variet. Gall. & Orn.
 { nobilis Syst. Veg. Bot. Mag. 1953. Bot. Reg. 395.
 Siber. &
 Corydalis nobilis DC. Syst.
 fungosa H. kew. Am. s. ♂
 Corydalis fungosa Vent. Choix de pl. t. 19.
 Adlumia cirrhosa DC. Syst.
 sempervirens L. Am. s. ☉
 glauca Bot. Mag. 179.
 Corydalis glauca DC. Syst.
 aurea Bot. Reg. 66. Am. s. ♂
 Corydalis aurea DC. Syst.
 lutea L. Mant. Mill. Ill. Ic. Engl. Bot. 588. Gall. &
 Corydalis lutea DC. Fl.
 Corydalis capnoides DC. Syst. Variet.
 vesicaria L. Pluk. t. 335. f. 3. Cap. ☉
 Cysticapnos africana Gærtn. Fruct. t. 115. DC. Syst.
 parviflora Lamk. Encycl. Engl. Bot. 590. Gall. ☉
 Vaillantii DC. Syst. Variet. Vaill. Bot. t. 10. f. 6. Gall. ☉
 officinalis L. Fuchs. Hist. 338. Ic. Bull. Herb. t. 189. Gall.
 ☉ Med.
 capreolata L. DC. Rar. t. 34. Gall. ☉
 { claviculata L. Fl. Dan. t. 340. Engl. Bot. 103. Gall. ☉
 Corydalis claviculata DC. Syst.
 spicata L. Clus. Hist. 2. p. 2c8. Ic. infer. Gall. ☉

ORDO VIII.

CRUCIFERÆ Juss.

I. Siliquosæ.

RAPHANUS Lin.

- sativus L. Lamk. Ill. t. 566. China, ☉ Econ.
 — rotundus.
 niger Lob. Ic. 202. f. exter. ☉ ♂ Econ.
 Raphanistrum L. Fl. Dan. t. 678. Gall. ☉

ENARTHROCARPUS Labill.

- { lyratus DC. Syst. Egypt. ☉
 { recurvatus Delile. Egypt. t. 36. f. 1.

SINAPIS Lin.

- arvensis L. Fl. Dan. t. 753. Gall. ☉ Med. Econ.
 alba L. Engl. Bot. 1677. Gall. ☉
 Allionii Jacq. Hort. 168. Egypt. ☉
 nigra L. Engl. Bot. 969. Gall. ☉ Med. Econ.

- { incana L. Jacq. Hort. t. 169. Gall. ♂
- { Myagrum hispanicum L. (ex DC.)
- pubescens L. Mant. Arduini. Sp. 1. t. 9. Ital. ♀
- { pyrenaica L. Jacq. Hort. 3. t. 97. Pyren. ♂
- { Sisymbrium acutangulum DC. Syst.
- hispida Schousb. Maroc. t. 4. Maroc. ☉
- dissecta Lagasca, Cat. DC. Syst. Hisp. ☉
- integrifolia Willd. Hort. t. 14. Ind. ☉
- { lævigata L. Hisp. ☉
- { cernua Poiret. Encycl. (ex DC.)
- junceae L. Jacq. Hort. t. 171. China. ☉
- { eruroides L. Jacq. Hort. t. 170. Gall. ☉
- { Diplotaxis eruroides DC. Syst.

BRASSICA Lin.

- cheiranthos Vill. Hist. 3. t. 36. Gall. m. ♀
- { Eruca L. Bull. Herb. t. 313. Gall. ☉ Econ.
- { Eruca sativa DC. Syst.
- Erucastrum L. Bull. Herb. t. 331. Gall. ☉
- { fruticulosa Cyril. Rar. 2. t. 1. Ital. Temp. ♀
- { Synapis radicata Desf. Atl. t. 167.?
- Tournefortii Gouan. Ill. t. 20. A. Gall. ☉
- { alpina L. Mant. Vill. Hist. 3. t. 36. Alpes. ♀
- { Erysimum alpinum DC. Syst.
- { vesicaria L. Hisp. ☉
- { Eruca vesicaria DC. Syst.
- { incana Tenore Corso. Ital. Temp. ♀
- { villosa Bivon. Manip. Sic.
- oleracea L. Engl. Bot. 637. Gall. ♂ Econ.
- sylvestris.
- sabellica.
- gonglyodes.
- botrytis.
- viridis.
- capitata.
- rubra.
- Rapa L. Engl. Bot. 2176. Gall. ♂ Econ.
- { Napus L. Fuchs. Hist. 177. Ic. Gall. ♂ Med. Econ.
- { asperifolia Lamk. Encycl.
- { Asperifolia sylvestris Lamk. Encycl. (navette.)
- { arvensis L. Gall. ♂
- { Moricandia arvensis DC. Syst.
- campestris L. Fl. Dan. t. 550. Gall. ☉
- colsat DC. Syst.
- { sabularia Brot. Phyt. t. 43. DC. Syst. Lusit. ☉
- { Sisymbrium parra L. Mant. (ex DC.)
- { orientalis L. Jacq. Austr. t. 282. Gall. ☉
- { Erysimum perfoliatum DC. Syst.

TURRITIS Lin.

glabra L. Fl. Dan. t. 809. Gall. ♂

ARABIS Lin.

hirsuta L. Jacq. Rar. t. 126. Fl. Dan. t. 1040. Gall. ♂

Allionii DC. Syst. Alpes. ♀

Turritis stricta All. Auct.

sagittata DC. Syst.

{ *hispida* L. Suppl. Dill. Elth. t. 61. f. 71. Alpes. ♀

{ *Cardamine petræa* Fl. Dan. t. 386.

bellidifolia L. Mant. Jacq. Austr. t. 280.

{ *caucasica* Willd. Enum. Suppl. Bot. Mag. 2046. Caucas.

{ ♀

{ *albida* DC. Syst. Jacq. f. Ecl. t. 71.

crispata Willd. Enum.

rhomboidea Pers. Syn. Am. s. ♀

collina Tenore Prodr. DC. Syst. Alpes. ♀

alpina L. Fl. Dan. t. 62. Bot. Mag. 226. Ital. ♀

procurrens Wald. et Kit. Hung. t. 144. Hungar. ♀

saxatilis All. Ped. Alpes. ♂

thaliana L. Fl. Dan. t. 1106. Gall. ☉

pendula L. Jacq. Hort. 3. t. 34. Siber. ☉

patriniana DC. Syst. Delessert, Ic. 2. t. 27. Siber. ☉

CHORISPORA DC.

{ *tenella* DC. Syst. Tauria: ☉

{ *Raphanus tenellus* Pallas, Itin. Ed. Gall. 5. t. 15.

{ *sibirica* DC. Syst. Siber. ♂

{ *Raphanus sibiricus* L. Murr. Comm. Gott. 1775. t. 11.

HESPERIS Lin.

matronalis L. Lamk. Ill. t. 564. f. 1. Gall. ♀ Orn.

tristis L. Jacq. Austr. t. 102. Ital. ♂

{ *bituminosa* Willd. Enum. Suppl.? Hungar. ♂

{ *runcinata* Wald. et Kit. Hung. t. 200.

{ *africana* L. Bocch. Sic. t. 42. f. 1. Gall. m. ☉

{ *Malcomia africana* DC. Syst.

{ *laxa* Lamk. Encycl. Siber. ☉

{ *Malcomia laxa* DC. Syst.

{ *verna* L. Barrel. t. 875. Gall. m. ☉

{ *Arabis verna* DC. Syst.

{ *maritima* Barrel. t. 1127. Gall. ☉ Orn.

{ *Cheiranthus maritimus* L. Bot. Mag. 166.

{ *Malcomia maritima* DC. Syst.

{ *chia* Dill. Elth. t. 148. f. 178. Oriens. ☉

{ *Cheiranthus chius* L.

{ *Malcomia chia* DC. Syst.

{ *linifolia* H. p. Hisp. Temp. ♀

{ *Cheiranthus linifolius* Pers. Syn.

HELIOPHILA Lin.

- { pendula Willd. Sp. Cap. ☉
- { pinnata Vent. Malm. t. 113.
- amplexicaulis L. Suppl. Jacq. Fragm. t. 64. f. 3. Cap. ☉
- { integrifolia L. Jacq. Rar. t. 506. Cap. ☉
- { pilosa Lamk. Encycl. DC. Syst.
- { arabioides Bot. Mag. 496.
- coronopifolia L. Herm. Hort. 367. Ic. Cap. ☉
- crithmifolia Willd. Enum. Cap. ☉

CHEIRANTHUS Lin.

- Cheiri L. Fuchs. Hist. 458. Ic. Bull. Herb. t. 349. Gall. ♂ Orn.
- mutabilis L'her. Stirp. Bot. Mag. 195. Madera. Temp. ♀
- longifolius Vent. Malm. t. 83. (an Variet. præced.?) Madera. Temp. ♀
- scoparius Willd. Enum. Tenerif. Temp. ♀
- semperflorens Schousb. Maroc. Maroc. Temp. ♀
- { fenestralis L. Dec. t. 16. Jacq. Hort. t. 179. Creta. ♂.
- { Matthiola fenestralis DC. Syst.
- { sinuatus L. Fl. Græca. t. 640. Gall. m. ♂
- { Matthiola sinuata DC. Syst.
- { incanus L. Mill. Ill. Ic. Gall. m. & Orn.
- { Matthiola incana DC. Syst.
- annuus L. Europa. Orn.
- { Hesperis æstiva Lamk. Encycl. Variet. A.
- { Matthiola annua DC. Syst.
- { græcus H. p. Oriens. ☉ Orn.
- { Matthiola græca DC. Syst.
- { littoreus L. Clus. Hist. 298. Ic. inter. Gall. m. ☉
- { Malcomia littorea DC. Syst.
- { tristis L. Bot. Mag. 729. Gall. m. Temp. &
- { Matthiola tristis DC. Syst.
- { cuspidatus Marsch. Cauc. Wald. et Kit. Hung. t. 231.
- { Tauria. ♂
- { Erysimum cuspidatum DC. Syst.
- { parviflorus Willd. Sp. Hisp. ☉
- { Matthiola parviflora DC. Syst.
- { tricuspidatus L. Camer. Hort. t. 24. Maurit. ☉
- { Matthiola tricuspidata DC. Syst.

ERYSIMUM Lin.

- { officinale L. Bull. Herb. t. 259. Gall. ☉ Med.
- { Sisymbrium officinale DC. Syst.
- { Barbarea L. Fuchs. Hist. 746. Engl. Bot. 443. Gall. & Med.
- { Barbarea vulgaris DC. Syst.
- { præcox Smith. Fl. Engl. Bot. 1129. Gall. & Econ.
- { Barbarea præcox DC. Syst.

- { *Alliaria* Fl. Dan. t. 935. Bull. Herb. t. 338. Gall. ♂
Med.
- { *Alliaria officinalis* DC. Syst.
- repandum* L. Jacq. Austr. t. 22. Gall. ☉
- cheiranthoides* L. Jacq. Austr. t. 23. Engl. Bot. 9½.
Gall. ☉
- hieracifolium* L. Gall. ♂
- { *murale* H. p. Gall. ♂
- { *lanceolatum* DC. Syst.
- { *Cheiranthus erysimoides* L. Jacq. Austr. t. 74.
- { *helveticum* DC. Syst. Alpes. ♂
- { *Cheiranthus helveticus* Jacq. Hort. 3. t. 9.
- { *alpinum*.
- { *Cheiranthus alpinus* L. Mant.
- { *quadrangulum* H. p. Siber. ♀
- { *Cheiranthus quadrangulus* L'her. Stirp. t. 44.
- { *Cheiranthus cornutus* Lamk. Encycl.
- { *sessiliflorum* H. kew.

SISYMBRIUM Lin.

1. Siliquis declinatis, brevibus.

- { *Nasturtium* L. Bull. Herb. t. 302. Gall. ♀ Med. Econ.
- { *Nasturtium officinale* DC. Syst.
- { *palustre* Willd. Sp. Gall. ☉
- { *terrestre* Smith. Fl. Engl. Bot. 1747.
- { *Nasturtium palustre* H. kew.
- { *sylvestre* L. Gall. ♀
- { *Nasturtium sylvestre* H. kew.
- { *amphibium* L. Fl. Dan. t. 984. Gall. ♀
- { *Nasturtium amphibium* H. kew.
- { *pyrenaicum* L. All. Ped. t. 18. f. 1. Gall. ♀
- { *Nasturtium pyrenaicum* H. kew.
- tanacetifolium* L. Alpes. ♀
- { *tenuifolium* L. Fusch. Hist. 262. Ic. Bull. Herb. t. 335.
Gall. ♀
- { *Diploaxis tenuifolia* DC. Syst.

2. Siliquis teretibus, axillaribus.

- polycerastium* L. Jacq. Hort. t. 79. Gall. ☉
- hirsutum* DC. Syst. Hisp. ☉
- supinum* L. Isnard. Acad. 1724. t. 18. Gall. ☉
- bursifolium* L. Dill. Elth. t. 148. f. 177. Ital. ☉

3. Caule nudo.

- { *murale* L. Gall. ☉
- { *Erucastrum* Gouan. Ill. t. 20.
- { *Diploaxis muralis* DC. Syst.

- { *vimineum* L. Bocc. Sic. t. 10. f. 2. Gall. ☉
- { *Diploaxis viminea* DC. Syst.
- { *arenosum* L. Barrel. t. 196. Gall. ☉
- { *Arabis arenosa* DC. Syst. Hook. Exot. Fl. 221.

4. Foliis pinnatis.

- nitidum* Zea. DC. Syst. ☉
- Sophia* L. Fl. Dan. t. 528. Bull. Herb. t. 271. Gall. ☉
- { *altissimum* L.
- { *Columnæ* Jacq. Austr. t. 323. Gall. ☉
- glabrum* Willd. Enum. Suppl. ☉
- fugax* Lagasca, Elench. DC. Prodr. Hisp. ☉
- asperum* L. Gall. m. ?
- Irio* L. Jacq. Austr. t. 322. Gall. ☉
- persicum* Spreng. N. Prov. DC. Syst. Pers. ☉
- { *Loeselii* L. Loes. Pruss. t. 14. Jacq. Austr. t. 324. Austr. ☉
- { *Leptocarpæa Loeselii* DC. Syst.
- obtusangulum* Willd. Sp. Gall. ☉

5. Foliis integris.

- strictissimum* L. Jacq. Austr. t. 194. Gall. ?
- { *junceum* DC. Syst. Hungar. ?
- { *Cheiranthus junceus* Wald. et Kit. Hung. 3. t. 234.
- { *Erysimum junceum* Willd. Sp.
- { *indicum* L. Mant. Ind. ☉
- { *Nasturtium indicum* DC. Syst.

CARDAMINE Lin.

1. Foliis simplicibus.

- alpina* Will. Sp. Alpes. ?
- bellidifolia* All. Ped. t. 18. f. 3. Jacq. Miscell. 1. t. 17. f. 2.
- asarifolia* L. Herm. Parad. 203. Ic. Bot. Mag. 1735.
- Alpes. ?

2. Foliis ternatis.

- resedifolia* L. Jacq. Austr. App. t. 21. Hook. Exot. Fl. 54.
- Alpes. ?
- trifolia* L. Bot. Mag. 452. Jacq. Austr. t. 27. Gall. ?

3. Foliis pinnatis.

- Chelidonia* L. Col. Phyt. t. 33. Wald. et Kit. Hung. t. 140.
- Ital. ?
- impatiens* L. Engl. Bot. 80. Gall. ☉

- { græca L. Lamk. Ill. t. 562. f. 2. Ital. ☉
- { Pteronevrum græcum DC. Syst.
- hirsuta L. Engl. Bot. 492. Gall. ☉
- parviflora L. Gall.
- pratensis L. Fl. Dan. t. 1039. Gall. ✕
- amara L. Engl. Bot. 1000. Alpes. ✕

DENTARIA Lin.

- enneaphyllos L. Jacq. Austr. t. 316. Alpes. ✕
- { pinnata Lamk. Ill. t. 562. f. 1. Clus. Hist. 2. p. 123. Ic.
- { Alpes. ✕
- { heptaphyllos Vill. Hist.
- quinquefolia Marsch. Cauc. Caucas. ✕
- { laciniata Willd. Sp.
- { concatenata Mich. Fl. Am. s. ✕

II. Siliculosæ.

RICOTIA Lin.

- { ægyptia L. Mill. Ic. t. 169. Bot. Reg. 49. Syria. ☉
- { Lunaria DC. Syst.

LUNARIA Lin.

- rediviva L. Clus. Hist. 297. Ic. Exter. Lamk. Ill. t. 261. f. 1.
- Alpes. ✕ Orn.
- { annua L. Lamk. Ill. t. 561. f. 2. Gall. m. ♂ Orn.
- { biennis DC. Syst.

BISCUTELLA Lin.

- auriculata L. Col. Ecphr. 2. p. 61. Ic. Gall. m. ☉
- lævigata L. Mant. Jacq. Austr. t. 339. Alpes. ✕
- apula L. Mant. Ital. ☉
- depressa Willd. Enum. Ægypt. ☉
- raphanifolia Desf. Atl. Boc. Sic. t. 23. Alger. ☉
- montana Cav. Ic. t. 177. Hisp. ✕
- Cichorifolia Lois. Fl. DC. Diss. 2. Pyren. ✕

CLYPEOLA Lin.

- Jonthlaspi Cav. Ic. t. 34. f. 2. Lamk. Ill. t. 560. f. 1.
- Gall. ☉
- { maritima L. Mant. Gall. ✕
- { Alyssum maritimum Willd. Sp. Berger. Phyt. 3. p.
- { 121. Ic.
- { Alyssum halimifolium L. (non Willd. ex DC.)
- { Alyssum minimum L. (non Willd. ex DC.)
- { Lobularia maritima Desvaux. Journ. de Bot.

PELTARIA Lin.

- alliacea L. Jacq. Austr. t. 123. Austr. ✕

ALYSSUM Lin.**1. Fruticulosa.**

spinosum L. Barrel. t. 808. Gall. m. Temp. ♀
 saxatile L. Bot. Mag. 159. Creta. ♀ Orn.
 alpestre L. Mant. All. Ped. t. 18. f. 2. Alpes. ♀

2. Herbacea.

montanum L. Jacq. Austr. t. 37. Alpes. ♀
 { argenteum Willd. Sp. Alpes. ♂
 { Lunaria argentea All. Ped. t. 54. f. 3.
 { incanum L. Fl. Dan. t. 1461. Gall. ♂
 { Berteroa incana DC. Syst.
 { Vesicaria incana Desvaux, Journ. de Bot.
 tortuosum Wald. et Kit. Hung. 1. t. 91. Hungar. ♀
 rostratum Stev. Mém. de l'Ac. de St.-Pétersb. v. 3. t. 15.
 f. 1. Tauria. m. ☉
 minimum DC. Syst. (non Lin.) Tauria. ☉
 campestre L. Fl. Græca. t. 626. Gall. ☉
 calicinum L. Camer. Epit. 558. f. 1. Gall. ☉
 hirsutum Marsch. Delessert. Ic. Sel. v. 2. t. 40. Tauria. ☉
 { clypeatum L. Dod. Pempt. 89. Ic. Gall. m. Temp. ♂
 { Farsetia clypeata DC. Syst.

3. Siliculis inflatis.

{ deltoideum L. Bot. Mag. 126. Ital. Temp. ♀
 { Aubrietia deltoidea DC. Syst.

VESICARIA Lamk. DC.

{ sinuata DC. Syst. Clus. Hist. 2. p. 134. Ic. super.
 { Hisp. ☉
 { Alyssum sinuatum L.
 { utriculata DC. Syst. Gall. ♀
 { Alyssum utriculatum L. Mant. Bot. Mag. 130.

DRABA Lin.**1. Caule nudo.**

Aizoides L. Mant. Jacq. Austr. t. 192. Bot. Mag. 170.
 Alpes. ♀
 alpina L. Fl. Dan. t. 56. Alpes. ♀
 { verna L. Engl. Bot. 586. Fl. Dan. t. 983. Gall. ☉
 { Erophila vulgaris DC. Syst.
 { pyrenaica L. Jacq. Austr. t. 228. Alpes. ♀
 { Petrocallis pyrenaica DC. Syst.

2. Caule folioso.

- muralis L. Col. Ecphr. 272. Ic. Lamk. Ill. t. 556. f. 2.
 Engl. Bot. 912. Gall. ☉
 hirta L. Wahlemb. Fl. Lap. t. 11. f. 1 et 3. Norweg. ♀
 { incana L. Engl. Bot. 388. Pyren. ♂
 { contorta DC. Syst.
 fladniziensis Jacq. Miscell. 1. t. 17. f. 1. Croat. ♀
 nemoralis DC. Syst. Tauria ☉

COCHLEARIA Lin.

- officinalis L. Fl. Dan. t. 135. Gall. ♂ Med.
 danica L. Fl. Dan. t. 100. Engl. Bot. 696. Gall. ☉
 anglica L. Engl. Bot. t. 552. Gall. ☉
 armoracia L. Fuchs. Hist. 660. Ic. Gall. ♀ Med. Econ.
 { saxatilis DC. Syst. Alpes. ♀
 { Myagrum saxatile L. Jacq. Austr. t. 128.
 { Draba L. Jacq. Austr. t. 315. Gall. ♀
 { Lepidium Draba DC. Syst.
 glastifolia L. Lob. Ic. 321. f. exter. Gall. m. ☉

CORONOPUS Haller.

- { vulgaris H. p. Gall. ☉ Med.
 { Cochlearia Coronopus L. Fl. Dan. t. 202.
 { Senebiera Coronopus DC. Syst.

SENEBIERA DC.

- { pinnatifida DC. Soc. Phil. An. 7. t. 9. Gall. ♂
 { Lepidium didymum L. Mant.

IBERIS Lin.

- semperflorens L. Sicil. Temp. ♀ Orn.
 sempervirens L. Creta. Temp. ♀
 saxatilis L. Col. Ecphr. 277. Ic. f. 1. Alpes. ♀
 garrexiana All. Ped. t. 40. f. 3 et 54. f. 2. Alpes. ♀
 gibraltarica L. Dill. Elth. t. 287. f. 371. Bot. Mag. 124.
 Gibralt. Temp. ♀
 amara L. Riv. Irreg. Tetrap. t. 112. Europ. ☉ Orn.
 umbellata L. Riv. Irreg. Tetrap. t. 111. Bot. Mag. 106.
 Hisp. ☉ Orn.
 pinnata L. Lob. Ic. 217. f. exter. Gall. m. ☉
 tenoreana DC. Syst. Ital. Temp. ♀
 linifolia L. Garid. Aix. t. 105. Gall. prov. ☉
 { nudicaulis L. Engl. Bot. 327. Gall. ☉
 { Teesdalia Iberis DC. Syst.

THLASPI Lin.

- { arabicum Vahl. Symb. Arab. ☉
 { Schouwia arabica DC. Syst.

- arvense L. Fl. Dan. t. 793. Engl. Bot. 1659. Gall. ☉ Med.
 { campestre L. Fl. Dan. t. 1221. Engl. Bot. 1585. Gall.
 ☉ Med.
 { Lepidium campestre DC. Syst.
 { saxatile L. Jacq. Austr. t. 236. Gall. m. ♀
 { Æthionema saxatilis DC. Syst.
 alliaceum L. Jacq. Rar. t. 121. Gall. ☉
 montanum L. Jacq. Austr. t. 237. Alpes. ♂
 perfoliatum L. Jacq. Austr. t. 337. Engl. Bot. 2354.
 Gall. ♂
 alpestre L. Engl. Bot. 81. Alpes. ♀
 { hirtum L. Engl. Bot. 1803. Gall. m. ♂
 { Lepidium hirtum DC. Syst.
 ceratocarpon Murr. N. Comm. Gott. 1774. t. 1. Siber. ☉
 { Bursa-pastoris L. Fl. Dan. t. 729. Bull. Herb. t. 223.
 Gall. ☉ Med.
 { Capsella Bursa-pastoris DC. Syst.
 { sativum H. p. Oriens. ☉. Econ.
 { Lepidium sativum L. Dod. Pempt. 711. Ic.
 — latifolium.
 — crispum.
 { nudicaule Bergeret. Phyt. v. 3. p. 27. Ic. Gall. ☉
 { Lepidium nudicaule L.
 { Teesdalia Lepidium DC. Syst.
 { ruderale Gall. ☉
 { Lepidium ruderale L. Fl. Dan. t. 184.

LEPIDIUM Lin.

- perfoliatum L. Jacq. Austr. t. 346. Oriens. ☉
 subulatum L. Hisp. Temp. ♀
 crassifolium Wald. et Kit. Hung. t. 4. Hungar. ♀
 { procumbens L. Magnol. Bot. 184. Ic. Gall. m. ☉
 { Hutchinsia procumbens Desvaux, Journ. v. 3. DC. Syst.
 { alpinum L. Jacq. Austr. t. 137. Alpes. ♀
 { Hutchinsia alpina H. kew.
 { petræum Jacq. Austr. t. 131. Engl. Bot. 111. Angl. ☉
 { Hutchinsia petræa H. kew.
 latifolium L. Fuchs. Hist. 484. Ic. Fl. Dan. t. 557. Gall.
 ♀ Econ.
 Iberis L. Dod. Pempt. 715. Ic. Gall. ♀
 Cardamines L. Arduini. Spec. 1. t. 8. Hisp. Temp. ♀
 vesicarium L. Buxb. Cent. 1. t. 26. Oriens. ☉

ANASTATICA Lin.

- Hieracium L. Jacq. Hort. t. 58. Barbar. ☉

VELLA Lin.

- Pseudo-Cytisus L. Cav. Ic. t. 42. Bot. Reg. 293. Hisp.
 Temp. ♀

- { annua L. *Hisp.* ☉
- { *Carrichtera Vellæ* DC. *Syst.*

RAPISTRUM DC.

- { perenne DC. *Syst. Gall.* ʒ
- { *Myagrum perenne* L. *Jacq. Austr.* t. 414.
- { rugosum DC. *Syst. Gall.* m. ☉
- { *Myagrum rugosum* L.
- { orientale DC. *Syst. Oriens.* ☉
- { *Myagrum orientale* L.

MYAGRUM Lin.

- perfoliatum* L. *Schk. Handb.* 2. t. 178. *Gall.* m. ☉

CAMELINA DC.

- { sativa DC. *Syst. Gall.* ☉ *Econ.*
- { *Myagrum sativum* L. *Fl. Dan.* t. 1038. *Cav. Ic.* t. 66.

NESLIA Desvaux. DC.

- { paniculata Desvaux. *Journ.* v. 3. DC. *Syst. Gall.* ☉
- { *Myagrum paniculatum* L. *Fl. Dan.* t. 204.

BUNIAS Lin.

- { spinosa L. *Mant. Vent. Malm.* t. 16. *Ægypt. Temp.* ʒ
- { *Zilla myagroides* DC. *Syst.*

Erucago L. *Jacq. Austr.* t. 340. *Gall.* ☉

- { ægyptiaca L. *Jacq. Hort.* t. 145. *Ægypt.* ☉
- { *Ochthodium ægyptiacum* DC. *Syst.*

- { balearica L. *Mant. Jacq. Hort.* t. 144. I. *Balear.* ☉
- { *Succowia balearica* DC. *Syst.*

orientalis L. *Schk. Handb.* 2. t. 189. *Russ.* ʒ

- { syriaca Willd. *Sp. Camer. Hort.* t. 42. *Syria.* ☉
- { *Anastatica syriaca* L. *Jacq. Austr.* t. 6.
- { *Euclidium syriacum* DC. *Syst.*

CAKILE Tournef.

- { maritima Desf. *Atl. Fl. Dan.* t. 1168. *Gall.* ☉
- { *Rapistrum maritimum* Bergeret. *Phyt.* v. 3. p. 175. *Ic.*
- { *Bunias Cakile* L.

CRAMBE Lin.

maritima L. *Fl. Dan.* t. 316. *Gall.* ʒ *Econ.*

tataria *Jacq. Rar.* t. 129. *Hungar.* ʒ

cordifolia Steven. *Soc. Nat. Mosc.* DC. *Syst. Caucas.* ʒ

- { pinnatifida H. *kew.* DC. *Syst. Hungar.* ʒ
- { *orientalis* *Jacq. Rar.* t. 128.
- { *laciniata* H. p.

aspera *Marsch. Cauc. Tauria.* ʒ

hispanica L. *Jacq. Obs.* t. 41. *Hisp.* ☉

filiformis *Jacq. Rar.* t. 504. *Patag.* ☉

ISATIS Lin.

tinctoria L. Fuchs. Hist. 332. Ic. Gall. ♂ Econ.
alepica DC. Syst. Scop. 2. t. 16. Oriens. ☉

ORDO IX.**CAPPARIDEÆ** Juss.**CLEOME** Lin.

gigantea L. Mant. Jacq. Obs. t. 76. Am. m. Cald. ♀
pentaphylla L. Jacq. Hort. t. 24. Ind. ☉
spinosa L. Bot. Mag. 1640. Antill. ☉
rosea DC. Prodr. Bot. Reg. 960. Brasil. ☉
dodecandra L. Burm. Zeyl. t. 100. f. 1. Zeylan. ☉
icosandra L. Burm. Zeyl. t. 99. Zeylan. ☉
arabica L. Fasc. t. 8. ☉
viscosa L. Martyn. Cent. t. 25. Ind. ☉
ornithopodioides L. Dill. Elth. t. 266. f. 345. Oriens. ☉

CRATÆVA Lin.

{ fragrans Bot. Mag. 596. Sierra-Leon. Cald. ♀
{ capparoides Andr. Rep. t. 176.
acuminata DC. Prodr. Guian. Cald. ♀

CAPPARIS Lin.

spinosa L. Duham. Arb. 1. t. 47. Bot. Mag. 291. Gall. m.
♂ Econ. Orn.
longifolia Swartz. Fl. Pluk. t. 327. f. 6. Jamaic. Cald. ♀
saligna Vahl. Symb. Antill. Cald. ♀
* glandulosa H. p. Cald. ♀
cynophallophora L. Jacq. Am. t. 98. Antill. Cald. ♀
frondosa Jacq. Am. t. 104. Antill. Cald. ♀

RESEDA Lin.

Luteola L. Fl. Dan. t. 864. Gall. ♂ Econ.
glauca L. Pluk. t. 107. f. 2. Gall. m. ♂
Sesamoides L. Gall. ☉
alba L. Lobel. Ic. 222. f. inter. (ead. ac undata Delile.)
Gall. ♂
lutea L. Jacq. Austr. t. 353. Engl. Bot. 321. Gall. ♂
undata L. Hisp. ♀
mediterranea L. Mant. Jacq. Rar. t. 475. Oriens. ☉
Phyteuma L. Jacq. Austr. t. 132. Gall. ☉
odorata L. Bot. Mag. 29. Bot. Reg. 227. Alger. ☉ Orn.
canescens Syst. Veg. Vahl. Symb. Egypt. Temp. ♀

ORDO X.

SAPINDEÆ Juss.

CARDIOSPERMUM Lin.

Halicacabum L. Bot. Mag. 1049. Ind. ☉

PAULLINIA Lin.

pinnata L. Plum. Am. t. 91. Antill. Cald. ♀

cauliflora Jacq. Rar. t. 458. Am. m. Cald. ♀

SERJANIA Plum.

{ triternata Willd. Sp. Antill. Cald. ♀

{ Paullinia triternata. L. Mant.

{ caracasana Willd. Sp. Am. m. Cald. ♀

{ Paullinia caracasana Jacq. H. schœn. t. 99.

KOELREUTERIA L'her.

{ paullinioides L'her. Sert. t. 19. China. ♀ Orn.

{ Koelreuteria paniculata Lamk. Encycl. Bot. Reg. 330.

SAPINDUS Lin.

Saponaria L. Com. Hort. 1. t. 94. Am. m. Cald. ♀ Econ.

rigida Vahl. Symb. Pluk. t. 217. f. 7. Am. m. Cald. ♀

ORNITROPHE Juss.

? serrata Roxb. Corom. t. 61. Ind. Cald. ♀

SCHMIDELIA Lin.

occidentalis Swartz. Fl. Antill. Cald. ♀

EUPHORIA Juss.

{ Lit-chi DC. Prodr. China. Cald. ♀ Econ.

{ punicea Lamk. Ill. t. 306.

{ Sapindus edulis Vahl. Symb.

{ Scytalia chinensis Gærtn. Fruct. t. 42.

{ Dimocarpus Lit-chi Willd. Sp.

Longana Lamk. Encycl. China. Cald. ♀ Econ.

COSSIGNIA Juss.

{ pinnata Lamk. Encycl. I. Borbon. Cald. ♀

{ triphylla Lamk. Encycl. (Variet.)

{ borbonica DC. Prodr.

AMIROLA Pers.

{ nitida Pers. Syn. Peruv. Cald. ♀

{ Lagunoa nitida Fl. Peruv. Prodr.

CUPANIA Lin.

glabra Swartz. Fl. Antill. Cald. ♪

DODONÆA Lin.

viscosa L. Mant. Plum. Ic. t. 247. f. 2. Am. m. Cald. ♪

angustifolia Lamk. Encycl. Temp. ♪

triquetra Andr. Rep. 230. N. Holl. Temp. ♪

* filiformis. Temp. ♪

cuneata Smith. Soc. Lin. Lond. v. 11. t. 19. N. Holl. ♪

ORDO XI.**ACERINEÆ** Juss.**ÆSCULUS** Lin.

Hippocastanum L. Clus. Hist. 8. Ic. Lamk. Ill. t. 273. Asia.

♪ Econ. Orn.

{ carnea Bot. Reg. 1056. ♪ Orn.

{ rubicunda Herb. Amat. t. 367.

oiotensis Mich. Arb. Am. s. ♪ Orn.

glabra Willd. Enum. Am. s. ♪

{ flava H. kew. Virgin. ♪ Orn.

{ Pavia lutea Mich. Arb. v. 3. t. 11.

{ Pavia L. Trew. Sel. t. 15. Am. s. ♪ Orn.

{ Pavia rubra Lamk. Ill. t. 273.

{ discolor Bot. Reg. 310. Am. s. ♪ Orn.

{ Pavia hybrida DC. Prodr.

{ macrostachya Mich. Fl. Bot. Mag. 2118. Jacq. f. Ecl. t. 9.

{ Carolin. ♪ Orn.

{ parviflora H. kew.

ACER Lin.

{ oblongum DC. Prodr. Nepaul. Temp. ♪

{ laurifolium Hamilt. Prodr.

{ pensylvanicum L. Am. s. ♪ Orn.

{ striatum Lamk. Encycl. Mich. Arb. v. 2. t. 17.

{ montanum H. kew. Am. s. ♪

{ spicatum Lamk. Encycl.

tataricum L. Pallas. Ross. t. 3. Tartar. ♪

rubrum L. Mich. Arb. v. 2. t. 14. Desf. Ann. du Mus. v. 7.

t. 25. f. 2. Am. s. ♪ Econ. Orn.

eriocarpon Mich. Fl. Arb. v. 2. t. 13. Desf. Ann. du Mus.

v. 7. t. 25. f. 1. Am. s. ♪ Econ. Orn.

saccharinum L. Mich. Arb. v. 2. t. 15. Am. s. ♪ Econ.

Platanoides L. Duham. Arb. v. 1. t. 10. f. 1. Gall. ♪

Econ. Orn.

— laciniatum.

Pseudo-Platanus L. Duham. Arb. v. 1. t. 9. Gall. ♪ Econ.
Orn.

nigrum Mich. Arb. v. 2. t. 16. Am. s. ♪

hybridum Bosc. Dict. DC. Prodr. ♪

napolitanum. Tenore Ital. ♪

campestre L. Engl. Bot. 304. Gall. ♪ Econ.

Opalus Willd. Sp. Ital. ♪ Econ.

opulifolium Vill. Hist. Alpes. ♪ Econ.

monspesulanum L. Gall. ♪ Orn.

creticum L. Creta. ♪

HIPPOCRATEA Lin.

volubilis L. Jacq. Am. t. 9. Antill. Cald. ♪

ORDO XII.

MALPIGHIEÆ.

BANISTERIA Lin.

purpurea Cav. Diss. t. 246. f. 1. Am. m. Cald. ♪

laurifolia L. Bot. Reg. 937. Antill. Cald. ♪

ciliata Lamk. Encycl. Cav. Diss. t. 254. Brasil. Cald. ♪

chrysophylla Cav. Diss. t. 245. Brasil. Cald. ♪

{ *tomentosa* H. p. DC. Prodr. Brasil. Cald. ♪

{ *emarginata* Cav. Diss. t. 249.

fulgens L. Antill. Cald. ♪

TRIOPTERIS Lin.

jamaicensis L. ? Antill. Cald. ♪ .

MALPIGHIA Lin.

glabra L. Cav. Diss. t. 234. f. 1. Bot. Mag. 813. Antill.
Cald. ♪

punicifolia L. Cav. Diss. t. 234. f. 2. Antill. Cald. ♪

* *myrtifolia* H. p. Cald. ♪

urens L. Cav. Diss. t. 235. f. 1. Bot. Reg. 96. Antill.
Cald. ♪

nitida Cav. Diss. t. 239. f. 1. Antill. Cald. ♪

volubilis Bot. Mag. 809. Ind. occid. Cald. ♪

{ *spicata* L. Cav. Diss. t. 237. Antill. Cald. ♪

{ *Byrsonima spicata* DC. Prodr.

{ *macrophylla* H. p. Am. m. Cald. ♪

{ *fucata* Bot. Reg. 189.

coccifera L. Cav. Diss. t. 235. f. 2. Bot. Reg. 568. Antill.
Cald. ♪

aquifolia L. Cav. Diss. t. 236. f. 2. Antill. Cald. ♪

- { glandulosa Cav. Diss. t. 239. f. 2. Jacq. Rar. t. 469.
Am. m. Cald. ♪
- { Bunchosia glandulosa DC. Prodr.

HYTHROXYLON Lin.

- hypericifolium Lamk. Encycl. Cav. Diss. t. 230. I. Borbon.
Cald. ♪
- sideroxyloides Lamk. Encycl. Cav. Diss. t. 228. I. Borbon.
Cald. ♪

MUS Desvaux.

- { pruriens Desvaux. Cald. ♪
- { Aspicarpa hirtella Rich. Mém. du Mus. v. 2. t. 13.

ORDO XIII.

HYPERICÆÆ Juss.

CYRUM.

- Crux-andræ L. Plum. Ic. t. 152. f. 2. Virgin. Temp. ♪
- Hypericoides Plum. Ic. t. 152. f. 1. Am. s. Temp. ♪

PERICUM Lin.

1. Trigyna.

- ægyptiacum L. Amœn. 8. t. 8. f. 3. Bot. Reg. 196. Ægyp.
Temp. ♪
- scabrum L. Oriens. Temp. ♪
- Coris L. Bot. Mag. 178. Alpes. ✕
- nummularium L. Lamk. Ill. t. 643. f. 3. Alpes. ✕
- pulchrum L. Fl. Dan. t. 75. Engl. Bot. 1227. Gall. ✕
- tomentosum L. Clus. Hist. 2. p. 181. f. exter. Gall. ✕
- elodes L. Engl. Bot. 109. Gall. ✕
- crispum L. Mant. Bocc. Mus. t. 12. Barbar. ☉
- humifusum L. Fl. Dan. t. 141. Gall. ☉
- montanum L. Fl. Dan. t. 173. Engl. Bot. 371. Gall. ✕
- hirsutum L. Fl. Dan. t. 802. Gall. ✕
- perforatum L. Fl. Dan. t. 1043. Gall. ✕ Med.
- quadrangulum L. Fl. Dan. t. 640. Engl. Bot. 370. Gall. ✕
- { delphiniense Vill. Hist. Gall. ✕
- { dubium Smith. Fl. Engl. Bot. 296.
- canariense L. Canar. Temp. ♪
- Androsæmum L. Engl. Bot. 1225. Gall. ✕ Med.
- olympicum L. Dill. Elth. t. 151. f. 183. Smith. Exot. Bot.
t. 96. Bot. Mag. 1867. Oriens. Temp. ♪
- hircinum L. Dill. Elth. t. 151. f. 182. Sicil. Temp. ♪
- elatum Juss. Ann. du Mus. v. 3. t. 17. Canar. Temp. ♪
- { prolificum L. Mant. Am. s. ♪
- { foliosum Jacq. H. schœn. t. 299.

2. Digyna.

- { Richeri Vill. Hist. Alpes. ♀
- { fimbriatum Desrous. Encycl.
- { amplexicaule Desrous. Encycl. Am. s. ♂
- { pyramidatum Vent. Malm. t. 118.
- calicinum L. Mant. Bot. Mag. 146. Engl. Bot. 201
- Oriens. ♂ Orn.
- { chinense Desrous. Encycl. China. Temp. ♂
- { monogynum L. Bot. Mag. 334.
- balearicum Syst. Veg. Bot. Mag. 137. Majorca. Temp. ♂

ORDO XIV.

GUTTIFERÆ Juss.

CLUSIA Lin.

- rosea L. Catesby. Carol. v. 2. t. 99. Carolin. Cald. ♀
- flava L. Andr. Rep. 223. Antill. Cald. ♀
- alba L. Plum. Ic. 87. f. 1. Am. m. Cald. ♀

MANMEA Lin.

- americana L. Plum. Ic. t. 170. Antill. Cald. ♀ Econ.

CALOPHYLLUM Lin.

- Inophyllum L. H. malab. 4. t. 58. Ind. Cald. ♀
- Calaba L. Jacq. Am. t. 165. Ind. utraque. Cald. ♀

XANTHOCHYMUS Roxb.

- tinctorius Roxb. Corom. t. 196. Ind. Cald. ♀

WINTERANA Lin.

- { Canella L. Swartz. Soc. Lin. Lond. 1. t. 8. Am. m. Cal
- { ♂ Med.
- { Canella alba Syst. Veg.

ORDO XV.

AURANTIÆ Juss.

BALANITES Delile.

- { ægyptiaca Delile. Ægypt. Ægypt. Cald. ♀
- { Ximenia ægyptiaca L.

COOKIA Sonner. DC.

- punctata Willd. Sp. Jacq. H. schoen. t. 101. China. Cald. 5
* anisata H. p. Manill. Cald. 5

MURRAYA Lin.

- { exotica L. Mant. Lamk. Ill. t. 352. Ind. Cald. 5 Orn.
Calchas paniculata L. Mant.
Marsana buxifolia Sonner. Itin. v. 2. t. 139.

FERONIA Correa. Soc. Lin. Lond.

- elephantum Roxb. Corom. t. 141. Ind. Cald. 5

EGLE Correa. Soc. Lin. Lond.

- Marmelos Roxb. Corom. t. 143. Ind. Cald. 5

CITRUS Lin.

- medica L. Asia. Temp. 5 Med.

— acida.

— Cedra.

— tuberosa.

— Balotina.

— Limon.

— florentina.

Aurantium L. Ind. Temp. 5 Med. Orn.

— amarum.

— olyssiponense.

— violaceum.

— multiflorum.

— lunatum.

— Bergamium.

Decumana L. Rumph. Amb. 2. t. 24. Ind. Temp. 5
Econ.

{ sinensis. China. Temp. 5

{ japonica Thunb.?

* triptera H. p. Temp. 5

hystrix DC. Syst. Ind. Temp. 5

* emarginata H. p. Temp. 5

LIMONIA Lin.

trifoliata L. Jacq. Rar. t. 463. Ind. Cald. 5

arborea Roxb. Corom. t. 85. Bot. Mag. 2074. Ind. Cald.

5

? citrifolia Willd. Enum. China. Cald. 5

parviflora Bot. Mag. 2416. China. Cald. 5

ORDO XVI.

TERNSTROEMIEÆ.

GORDONIA Lin.

Lasianthus L. Mant. Cav. Diss. t. 161. Bot. Mag. 668.
Florid. Temp. ♪ Orn.

TERNSTROEMIA Lin. Suppl.

elliptica Swartz. Fl. Antill. Cald. ♪
 { peduncularis DC. Prodr. Antill. Cald. ♪
 { meridionalis L. Suppl.?

STEWARTIA Lin.

{ Malacodendron L. L'her. Stirp. t. 73. Carolin. Temp. ♪
 Orn.
 { virginica Cav. Diss. t. 159. f. 2.
 { pentagyna L'her. Stirp. t. 74. Virgin. Temp. ♪ Orn.
 { Malacodendron ovatum Cav. Diss. t. 158. f. 2.

ORDO XVII.

CAMELLIEÆ DC.

THEA Lin.

{ Bohea L. Amœn. Acad. v. 7. t. 4. China. Temp. ♪ Econ.
 Med.
 { chinensis Bot. Mag. 998. Variet.

CAMELLIA Lin.

japonica L. Kæmpf. Amœn. 851. Ic. Bot. Reg. 353. Variet.
 Japon. Temp. ♪ Orn.
 Sesanqua Thunb. Jap. t. 29. Bot. Mag. 2080. Bot. Reg.
 547. China. Temp. ♪ Econ. Orn.
 axillaris Bot. Reg. 349. Bot. Mag. 2047. Ind. Cald. ♪
 Orn.
 oleifera Bot. Reg. 942. China. Cald. ♪

ORDO XVIII.

MELIACEÆ Juss.

AYTONIA Lin. Suppl. (an ordinis?)

capensis L. Bot. Mag. 173. Cap. Temp. ♪

PORTESIA Juss.

- { ovata Cav. Diss. t. 215. Lamk. Ill. t. 302. f. 1. Antill.
Cald. ♪
- { *Trichilia pallida* Swartz. Fl. Ind.

TRICHILIA Lin.

- Spondioides* Swartz. Fl. Ind. Jacq. H. schœn. t. 102.
Antill. Cald. ♪

EKEBERGIA Sparm.

- { capensis Sparm. Act. Holm. 1779. t. 9. Lamk. Ill. t.
358. Cap. Cald. ♪
- { *Trichilia capensis* Pers. Syn.

CARPA Aublet.

- { guianensis Aublet. t. 387. Guian. Cald. ♪
- { *Persoonia guareoides* Willd. Sp.

MELIA Lin.

- Azedarach* L. Camer. Epit. 181. Ic. Bot. Mag. 1066. Ind.
Temp. ♪ Orn.

LEEA Lin.

- { sambucina Willd. Sp. I. Franciæ. Cald. ♪
- { *Aquilicia sambucina* L. Mant. Cav. Diss. t. 218.
- { crispa L. Mant. Cap. Cald. ♪
- { pinnata Andr. Rep. 355.
- hirta Wall. Fl. DC. Prodr. Ind. Cald. ♪
- macrophylla Horn. Hort. DC. Prodr. Ind. Cald ♪

SWIETENIA Lin.

- Mahogoni* L. Cav. Diss. t. 209. Antill. Cald. ♪ Econ.

CEDRELA Lin.

- odorata L. Brown. Jam. t. 10. f. 1. Lamk. Ill. t. 137.
Antill. Cald. ♪ Econ.

ORDO XIX.**VITES** Juss.**CISSUS** Lin.

- orientalis Lamk. Ill. t. 84. f. 2. Oriens. Temp. ♪
- acida L. Plum. Ic. t. 259. f. 5. Jacq. H. schœn. t. 33.
- quadrangularis L. Mant. Forsk. Ægypt. t. 2. Arab. Cald.
♪
- sicyoides Jacq. Am. t. 15. Lamk. Ill. t. 84. f. 1. Antill.
Cald. ♪

- { quinquefolia Lamk. Ill. Cornuti. Canad. 100. Ic. Am. s.
 ↳ Orn.
- { Vitis hederacea Willd. Sp.
- { Hedera quinquefolia L.
- { Ampelopsis quinquefolia Mich. Fl.
- quipata H. kew. Cap. Temp. ↳
- pruinosa H. paw. Temp. ↳
- { antarctica Vent. Ch. de pl. t. 21. Bot. Mag. 2488. N.
- { Holl. Temp. ↳
- { glandulosa Poir. Encycl. Suppl.
- vitifolia L. Pluk. t. 337. f. 2. Ind. Cald. ↳

VITIS Lin.

- vinifera L. Jacq. Rar. t. 50. Asia. ↳ Econ.
- laciniosa L. Schmied. Ic. t. 8. ↳ Econ.
- vulpina L. ↳
- Labrusca L. Plum. Ic. t. 259. f. 1. Am. s. ↳
- cordifolia Mich. Fl. Am. s. ↳
- virginiana H. p. DC. Prodr. Am. s. ↳
- riparia Mich. Fl. Am. s. ↳
- { arborea L. Pluk. t. 412. f. 2. Carolin. Temp. ↳
- { Ampelopsis bipinnata Mich. Fl.

ORDO XX.**GERANIEÆ Juss.****PELARGONIUM L'her.**

- fulgidum Willd. Sp. Dill. Elth. t. 130. f. 157. Cap. Temp.
- ↳ Orn.
- ardens Colla H. Ripul. t. 14. Cap. Temp. ↳ Orn.
- inquinans Willd. Sp. Dill. Elth. t. 125. f. 151. Cap. Temp.
- ↳ Orn.
- roseum.
- { hybridum Willd. Sp. Cap. Temp. ↳
- { Geranium hybridum Cav. Diss. t. 105. f. 2.
- { zonale Willd. Sp. Cap. Temp. ↳ Orn.
- { Geranium zonale Cav. Diss. t. 98. f. 2.
- variegatum.
- { acetosum Willd. Sp. Cap. Temp. ↳
- { Geranium acetosum Cav. Diss. t. 104. f. 3.
- { glaucum L'her. Ger. t. 29. Cap. Temp. ↳
- { Geranium lanceolatum Cav. Diss. t. 102. f. 2.
- diversifolium Willd. Sp. Cap. Temp. ↳
- ovale L'her. Ger. t. 28. Cap. Temp. ↳

- { canum H. p. Cap. Temp. ♪
- { Geranium tomentosum Andr. Rep. 115.
- { peltatum Willd. Sp. Cap. Temp. ♪
- { Geranium peltatum Cav. Diss. t. 100. f. 1. Bot. Mag. 20.
- grandiflorum Andr. Rep. 12. Cap. Temp. ♪ Orn.
- cortusæfolium Willd. Sp. L'her. Ger. t. 25. Cap. Temp.
- ♪
- sanguineum Wendl. Collect. 2. t. 53. (non Willd.) Cap.
- Temp. ♪
- { hamatum Jacq. H. schœn. t. 138. Cap. Temp. ♪
- { echinatum Bot. Mag. 309.
- tetragonum L'her. Ger. t. 23. Bot. Mag. 136. Cap. Temp. . .
- ♪
- reniforme Bot. Mag. 493. Cap. Temp. ♪
- papilionaceum Willd. Sp. Dill. Elth. t. 128. f. 155. Cap.
- Temp. ♪
- australe Willd. Sp. Jacq. f. Ecl. t. 100. N. Holl. Temp.
- ♪
- vitifolium Willd. Sp. Dill. Elth. t. 126. f. 153. Cap. Temp. .
- ♪ Orn.
- acerifolium Willd. Sp. L'her. Ger. t. 21. Cap. Temp. ♪
- penicillatum Willd. H. berol. t. 37. Cap. Temp. ♪
- beaufortianum Pers. Syn. Cap. Temp. ♪ Orn.
- { cucullatum Willd. Sp. Cap. Temp. ♪ Orn.
- { Geranium cucullatum Cav. Diss. t. 106. f. 1.
- ribifolium Willd. Sp. Jacq. Rar. t. 538. Cap. Temp. ♪
- tomentosum Willd. Sp. Jacq. Rar. t. 537. Cap. Temp. ♪
- rigidum Willd. Sp. Cap. Temp. ♪
- cordatum Willd. Sp. L'her. Ger. t. 22. Cap. Temp. ♪
- blattarium Willd. Sp. Jacq. H. schœn t. 131. Cap. Temp.
- ♪
- { tricolor Willd. Sp. Bot. Mag. 240. Cap. Temp. ♪ Orn.
- { violaceum Jacq. Rar. t. 527. Cap. Temp. ♪
- betulinum Willd. Sp. Bot. Mag. 148. Cap. Temp. ♪
- formosissimum. Cap. Temp. ♪
- { capitatum Willd. Sp. Cap. Temp. ♪ Orn.
- { Geranium capitatum Cav. Diss. t. 105. f. 1.
- jatrophæfolium DC. Prodr. Cap. Temp. ♪
- { glutinosum L'her. Ger. t. 20. Cap. Temp. ♪
- { Geranium viscosum Cav. Diss. t. 108. f. 2.
- quercifolium Willd. Sp. L'her. Ger. t. 14, 15. Cap. Temp.
- ♪ Orn. .
- { terebinthinaceum Cav. Diss. t. 114. f. 1. Cap. Temp.
- { ♪ Orn.
- { graveolens L'her. Ger. t. 17.
- radula Willd. Sp. L'her. Ger. t. 16. Cap. Temp. ♪ .
- scabrum Willd. Sp. L'her. Ger. t. 31. Cap. Temp. ♪

- tricuspidatum L'her. Ger. t. 30. Cap. Temp. ♀
 { bicolor Willd. Sp. Bot. Mag. t. 201. Cap. Temp. ♀
 Orn.
 { Geranium bicolor Jacq. Hort. 3. t. 39.
 quinque-vulnerum Andr. Rep. 114. Cap. Temp. ♀
 carnosum Willd. Sp. Dill. Elth. t. 127. f. 154. Cap.
 Temp. ♀
 crassicaule H. kew. Bot. Mag. 477. L'her. Ger. t. 26. Cap.
 Temp. ♀
 { gibbosum Willd. Sp. Cap. Temp. ♀
 { Geranium nodosum Cav. Diss. t. 109. f. 1.
 ceratophyllum L'her. Ger. t. 13. Bot. Mag. 315. Cap.
 Temp. ♀
 exstipulatum Willd. Sp. L'her. Ger. t. 55. Cap. Temp. ♀
 crispum Willd. Sp. L'her. Ger. t. 32, 33. Cap. Temp. ♀
 { fragile Willd. Sp. Cap. Temp. ♀
 { Geranium fragile Andr. Rep. 37.
 tenuifolium L'her. Ger. t. 12. Cap. Temp. ♀
 ternatum Willd. Sp. Bot. Mag. 413. Jacq. Rar. t. 544.
 Cap. Temp. ♀
 { trifidum Jacq. H. schœn. t. 134. Cap. Temp. ♀
 { tripartitum Willd. Sp.
 adulterinum L'her. Ger. t. 34. Cap. Temp. ♀
 { incisum Willd. Sp. Cap. Temp. ♀
 { Geranium incisum Andr. Rep. 67.
 ciliatum Willd. Sp. L'her. Ger. t. 7. Cap. Temp. ♀
 { tabulare Willd. Sp. Cap. Temp. ♂
 { Geranium elongatum Cav. Diss. t. 101. f. 3.
 { alchemilloides Willd. Sp. Cap. Temp. ♂
 { Geranium alchemilloides Cav. Diss. t. 98. f. 1.
 odoratissimum Willd. Sp. Dill. Elth. t. 131. f. 158. Cap.
 Temp. ♂ Orn.
 melanthon Willd. Sp. Jacq. Rar. t. 514. Cap. Temp. ♂
 { astragalifolium Jacq. Rar. t. 511. Cap. Temp. ♂
 { pinnatum L'her. Ger. t. 8.
 multicaule Jacq. Rar. t. 534. Cap. Temp. ♂
 { pilosum H. kew. Cap. Temp. ♂
 { Geranium pilosum Andr. Rep. 259.
 { hirtum Willd. Sp. Cap. Temp. ♀
 { Geranium pilosum Cav. Diss. t. 199.
 coriandrifolium Willd. Sp. Jacq. Rar. t. 528. Cap. Temp.
 ♂
 { rapaceum Willd. Sp. Jacq. Rar. t. 510. Cap. Temp. ♂
 { Geranium selinum Andr. Rep. 239.
 { myrrhifolium Willd. Sp. Cap. Temp. ♂
 { betonicum Jacq. Rar. t. 531.
 lacerum Willd. Sp. Jacq. Rar. t. 132. Cap. Temp. ♂

- { grossularioides Willd. Sp. Cap. Temp. v
- { Geranium grossularioides Cav. Diss. t. 119. f. 2.
- carneum Willd. Sp. Jacq. Rar. t. 512. Cap. Temp. v
- lobatum Willd. Sp. Cav. Diss. t. 114. f. 2. Bot. Mag. 1986. Cap. Temp. v
- { daucifolium H. p. Cap. Temp. v Orn.
- { Geranium daucifolium Cav. Diss. t. 120. f. 2.
- { flavum Willd. Sp.
- abrotanifolium Willd. Sp. Jacq. H. schœn. t. 136. Cap. Temp. v
- { triste Willd. Sp. Cap. Temp. v Orn.
- { Geranium triste Cav. Diss. t. 107. f. 1.

ERODIUM L'her.

- alpinum Willd. Sp. L'her. Ger. t. 3. Alpes. v
- { petræum Willd. Sp. Pyren. v
- { Geranium petræum Gouan. Ill. t. 21. f. 1.
- lucidum Lapeyr. Fl. (Variet. præced. DC.) Pyren. v
- { cicutarium Willd. Sp. Engl. Bot. 1768. Gall. ☉
- { Geranium cicutarium L.
- { romanum Willd. Sp. Bot. Mag. 377. Gall. ☉
- { Geranium romanum L. Cav. Diss. t. 94. f. 2.
- { moschatum Willd. Sp. Gall. ☉
- { Geranium moschatum L. Jacq. Hort. t. 55. Cav. Diss. t. 94. f. 1.
- { hirtum Willd. Sp. Ægypt. Temp. v
- { Geranium hirtum Desf. Ann. du Mus. v. 2. t. 45.
- { laciniatum Willd. Sp. Maurit. ☉
- { Geranium laciniatum Cav. Diss. t. 113. f. 3.
- { maritimum Willd. Sp. Gall. v
- { Geranium maritimum Cav. Diss. t. 88. f. 1.
- { pulverulentum Willd. Sp. Maurit. Temp. v
- { Geranium pulverulentum Cav. Diss. t. 125. f. 1.
- { malacoides Willd. Sp. Gall. m. ☉
- { Geranium malacoides L. Cav. Diss. t. 91. f. 1.
- { glaucophyllum Willd. Sp. Dill. Elth. t. 124 f. 150. ☉
- { Geranium glaucophyllum L.
- Gussonii Tenore Cat. Suppl. Bot. Mag. 2445. Ital. Temp. v
- { ciconium Willd. Sp.
- { Geranium ciconium L. Jacq. Hort. t. 18. Cav. Diss. t. 95. f. 2. Gall. ☉
- { gruinum Willd. Sp. Gall. ☉
- { Geranium gruinum L. Cav. Diss. t. 88. f. 2.
- { geifolium Desf. Atl. Maurit. Temp. v
- { hymenodes L'her. Ger. t. 4. Bot. Mag. 1174.
- { Geranium trifolium Cav. Diss. t. 97. f. 3.
- { pusillum Vaill. Bot. t. 15. f. 1. Gall. ☉
- { Geranium pusillum L. Engl. Bot. 385.

- { chamædryoides Willd. Sp. L'her. Ger. t. 6. Corsia.
Temp. ƿ
- { Geranium Reichardi, Syst. Veg. Bot. Mag. t. 18. Cav.
Diss. t. 76. f. 2.
- { incarnatum L'her. Ger. t. 5. Bot. Mag. 261. Cap.
Temp. 5
- { Geranium incarnatum L. Suppl.

GERANIUM L'her.

- pyrenaicum L. Mant. Cav. Diss. t. 79. f. 2. Gall. ƿ
- tuberosum L. Cav. Diss. t. 78. f. 1. Ital. ƿ
- macrorhizum L. Mant. Jacq. Rar. t. 134. Bot. Mag. 2420.
Ital. ƿ
- { anemonæfolium L'her. Ger. t. 36. Madera. Temp. 5
- { palmatum Cav. Diss. t. 84. f. 2.
- phæum Syst. Veg. Cav. Diss. t. 89. f. 2. Engl. Bot. 321.
Alpes. ƿ
- roseum L'her. Mss. Alpes. ƿ
- reflexum L. Mant. Cav. Diss. t. 81. f. 1. Alpes. ƿ
- lividum L'her. Ger. t. 39. Alpes. ƿ
- ibericum Cav. Diss. t. 124. f. 1. Bot. Mag. 1386. Oriens. ƿ
- nodosum L. Cav. Diss. t. 80. f. 1. Gall. ƿ
- striatum L. Cav. Diss. t. 79. f. 1. Bot. Mag. 55. Ital. ƿ
- aconitifolium L'her. Ger. t. 40. Alpes. ƿ
- sylvaticum L. Engl. Bot. 121. Gall. ƿ
- maculatum L. Dill. Elth. t. 132. f. 159. Am. s. ƿ
- pratense L. Cav. Diss. t. 87. f. 1. Engl. Bot. 404. Gall. ƿ
- collinum Marsch. Cauc. Caucas. ƿ
- { varium L'her. Ger. t. 37. Pyren. ƿ
- { cineraceum Lapeyr. Fl. Ic. t. 2.
- incanum L. Cav. Diss. t. 82. f. 2. Cap. Temp. ƿ
- argenteum L. Bot. Mag. 504. Cav. Diss. t. 77. f. 3.
Alpes. ƿ
- robertianum L. Bull. Herb. t. 201. Cav. Diss. t. 86. f. 1.
Gall. ☉ Med.
- lucidum L. Fl. Dan. t. 218. Cav. Diss. t. 80. f. 2. Engl.
Bot. 75. Gall. ☉
- bohemicum L. Dill. Elth. t. 133. f. 160. Bohem. ☉
- divaricatum Willd. Sp. Wald. et Kit. Hung. t. 123.
Hungar. ☉
- carolinianum L. Dill. Elth. t. 135. f. 162. Carolin. ☉
- molle L. Vaill. Bot. t. 15. f. 3. Engl. Bot. 778. Gall. ☉
- columbinum L. Vaill. Bot. t. 15. f. 4. Cav. Diss. t. 82. f.
1. Gall. ☉
- dissectum L. Vaill. Bot. t. 15. f. 2. Cav. Diss. t. 78. f. 2.
Gall. ☉
- rotundifolium L. Cav. Diss. t. 93. f. 2. Engl. Bot. 157.
Gall. ☉

sibiricum. L. Jacq. Hort. t. 19. Cav. Diss. t. 77. f. 1.
 Siber. ☞
 sanguineum L. Fl. Dan. t. 1107. Bull. Herb. t. 12. Gall.
 ☞

MONSONIA Lin.

speciosa Syst. Veg. Breyn. Prodr. t. 21. f. 2. Bot. Mag. 73.
 Cap. Temp. ☞
 { lobata H. kew. Bot. Mag. 385. Cap. Temp. ☞
 { filia L. Suppl.
 { ovata H. kew. Cav. Diss. t. 113. f. 1. Cap. Temp. ☞
 { emarginata L'Her. Ger. t. 41?

TROPÆOLUM Lin.

majus L. Bot. Mag. 23. Peruv. ☉ Econ. Orn.
 — multiplex.
 minus L. Bot. Mag. 98. Peruv. ☉
 peregrinum L. Mant. Bot. Mag. 1351. Jacq. H. schoen.
 t. 98. Peruv. ☉ Orn.

IMPATIENS Lin.

Balsamina L. H. malab. 9. t. 52. Ind. ☉ Orn.
 Noli-mē tangere L. Fl. Dan. t. 582. Alpes. ☉

OXALIS Lin.

1. Foliis binatis.

crispa Jacq. Ox. t. 23. Cap. Temp. ☞
 asinina Jacq. Ox. t. 24. Cap. Temp. ☞
 leporina Jacq. Ox. t. 25. Cap. Temp. ☞

2. Foliis ternatis, scapo unifloro.

fabæfolia Jacq. Ox. t. 27. Cap. Temp. ☞
 Acetosella L. Fl. Dan. t. 980. Gall. ☞ Med.
 purpurea Jacq. Ox. t. 56. Cap. Temp. ☞
 — laxula Jacq. Ox. t. 57.
 breviscapa Jacq. Ox. t. 58. Cap. Temp. ☞
 speciosa Jacq. Ox. t. 60. Cap. Temp. ☞
 — suggillata Jacq. Ox. t. 61.
 — rigidula Jacq. Ox. t. 59.

3. Foliis ternatis, rarius quaternis, scapo multifloro.

compressa Jacq. Fragm. t. 37. Ox. t. 78. f. 3. Cap. Temp.
 ☞
 tetraphylla Cav. Ic. t. 237. Mexico. Temp. ☞
 violacea L. Jacq. Hort. t. 180. Virgin. ☞

4. *Caulescentes, foliis ternatis, pedunculis unifloris.*

versicolor Jacq. Ox. t. 36. Cap. Temp. & Orn.

— *gracilis* Jacq. Ox. t. 33.

elongata Jacq. Ox. t. 37. Cap. Temp. &

rubella Jacq. Ox. t. 16. Cap. Temp. & Orn.

polyphylla Jacq. Ox. t. 39. Cap. Temp. &

multiflora Jacq. Ox. t. 15. Cap. Temp. &

rosacea Jacq. Ox. t. 17. Cap. Temp. &

incarnata L. Jacq. Ox. t. 71. Cap. Temp. &

5. *Foliis ternatis, pedunculis multifloris.*

cernua Jacq. Ox. t. 6. Cap. Temp. &

corniculata L. Jacq. Ox. t. 5. Gall. &

stricta L. Jacq. Ox. t. 4. Gall. &

6. *Foliis digitatis.*

pectinata Jacq. Ox. t. 75. Cap. Temp. &

flava Jacq. Ox. t. 73. Bot. Reg. 117. Cap. Temp. &

flabellifolia Jacq. Ox. t. 74. Cap. Temp. &

{ *digitata*. Cap. Temp. &

{ *pentaphylla*. Bot. Mag. 1549.

ORDO XXI.

MALVACEÆ Juss.

PALAVIA Cav.

{ *malvifolia* Cav. Diss. t. 11. f. 4. Mala. Peruv. ☉

{ *Malope parviflora* L'Her. Stirp. t. 50.

MALOPE Lin.

Malacoides L. Cav. Diss. t. 27. f. 1. Hisp. ☉

trifida Cav. Diss. t. 27. f. 2. Lusit. ☉

KITAIBELIA Willd.

vitifolia Willd. Sp. Wald. et Kit. Hung. t. 31. Bot. Mag.

821. Hungar. ☉

MALVA Lin.

1. *Foliis indivisis.*

spicata L. Cav. Diss. t. 20. f. 4. Antill. Cald. ☿

— *ovata* Cav. Diss. t. 20. f. 2. Brasil. Cald. ☿

polystachya Cav. Diss. t. 138. f. 3. Peruv. Cald. ☿

scoparia L'Her. Stirp. t. 27. Peruv. Cald. ☿

{ scabra Cav. Diss. t. 138. f. 1. Peruv. Cald. ♪
 { scoparia Jacq. Rar. t. 139. (ex. DC.)
 americana L. Antill. ☉
 angustifolia Cav. Ic. t. 68. Mexico. Cald. ♪

2. Foliis angulatis.

asperrima Jacq. H. schœn. t. 139. Cap. Temp. ♪
 miniata Cav. Ic. t. 278. Cald. ♪ Orn.
 fragrans Cav. Diss. t. 23. f. 3. Bot. Reg. 296. Cap. Temp. ♪
 capensis Cav. Diss. t. 24. f. 3. Cap. Temp. ♪
 grossulariæfolia Cav. Diss. t. 24. f. 2. Bot. Reg. 561. Cap.
 Temp. ♪
 virgata Cav. Diss. t. 18. f. 2. Dill. Elth. t. 169. f. 206. Cap.
 Temp. ♪
 abutiloides L. Jacq. H. schœn. t. 293. Bahama. Cald. ♪
 vitifolia Cav. Ic. t. 20. Mexico. Cald. ♪
 umbellata Cav. Ic. t. 95. Mexico. Cald. ♪
 peruviana L. Jacq. Hort. t. 156. Peruv. ☉
 limensis L. Jacq. Hort. t. 141. Peruv. ☉
 caroliniana L. Dill. Elth. t. 4. f. 4. Carolin. ☉
 syherardiana L. Cav. Diss. t. 26. f. 4. Bithn. Temp. ♪
 parviflora L. Cav. Diss. t. 26. f. 1. Gall. ☉
 verticillata L. Cav. Diss. t. 25. f. 3. China. ☉
 mareotica Delile. Egypt. Egypt. ☉
 rotundifolia L. Bull. Herb. t. 161. Gall. ♪ Med.
 sylvestris L. Bull. Herb. t. 225. Gall. ♂ Med.
 crispa L. Cav. Diss. t. 23. f. 1. Syria. ☉ Orn.
 Alcea L. Cav. Diss. t. 17. f. 2. Bot. Mag. 2297. Gall. ♪
 moschata L. Engl. Bot. 754. Bot. Mag. 2298. Gall. ♪
 ægyptia L. Jacq. Hort. t. 65. Cav. Diss. t. 17. f. 1. Egypt. ☉

LAVATERA Lin.

1. Caule fruticoso.

arborea L. Cav. Diss. t. 139. f. 2. Engl. Bot. 1841. Gall. ♂
 micans L. Moris. S. 5. t. 17. f. 9. Hisp. Temp. ♪ Orn.
 olbia L. Jacq. Hort. t. 73. Cav. Diss. 32. f. 2. Gall. m.
 Temp. ♪ Orn.
 pseudo-olbia H. p. Poiret. Encycl. Suppl. Temp. ♪ Orn.
 unguiculata H. p. DC. Prodr. Oriens. Temp. ♪
 triloba L. Bot. Mag. 2226. Hisp. Temp. ♪
 lusitanica L.? Lusit. Temp. ♪
 maritima Gouan. Ill. t. 21. f. 2. Gall. m. ♪
 acerifolia DC. Prodr. Herb. Amat. t. 322. Tenerif. Temp.
 ♪
 phœnicea Vent. Malin. t. 120. Madera. Temp. ♪

2. Caule herbaceo.

punctata All. Auct. Ital. ☉
 cretica L. Jacq. Hort. t. 41. Creta. ☉
 { emarginata H. p. N. Holl.
 { plebeia Bot. Mag. 2269.
 thuringiaca L. Dill. Elth. t. 8. f. 8. German. ✕
 trimestris L. Jacq. Hort. t. 72. Gall. ☉ Orn.

ALCEA et ALTHÆA Lin.

rosea DC. Prodr. Oriens? ♂ Orn.
 sinensis Cav. Diss. t. 29. f. 3. Variet. China. ♂ Orn.
 ficifolia L. Cav. Diss. t. 28. f. 2. Siber. ♂ Orn.
 Althæa officinalis L. Fuchs. Hist. 15. Ic. Gall. ✕ Med.
 narbonensis Jacq. Rar. t. 138. Cav. Diss. t. 29. f. 2. Gall.
 m. ✕
 cannabina L. Jacq. Austr. t. 101. Cav. Diss. t. 30. f. 1.
 Gall. m. ✕
 Ludwigii L. Mant. Cav. Ic. t. 423. Egypt. ☉
 hirsuta L. Jacq. Austr. t. 170. Cav. Diss. t. 29. f. 1.
 Gall. ☉

MALACRA Lin.

{ capitata Syst. Veg. Cav. Diss. t. 33. f. 1. Antill. ☉
 { Sida capitata L. Act. ups. 1743. t. 2. ex DC.
 alceæfolia Jacq. Rar. t. 549. Caracas. ☉
 heptaphylla Link. H. berol. Ic. Brasil. ☉
 triloba H. p. DC. Prodr. Cav. Diss. t. 33. f. 2. ☉

PAVONIA Cav.

urens Cav. Diss. t. 49. f. 1. Jacq. Rar. t. 552. I. Franciæ.
 Cald. ♀
 hastata Cav. Diss. t. 47. f. 2. Brasil. Cald. ♀
 { cuneifolia Cav. Diss. t. 45. f. 1. Cap. Temp. ♀
 { Hibiscus præmorsus. L. Suppl. Jacq. Rar. t. 147.
 { spinifex Cav. Diss. t. 45. f. 2. Antill. Cald. ♀
 { Hibiscus spinifex L. Jacq. Hort. t. 103.
 aristata Cav. Diss. t. 45. f. 3.
 { zeylanica Willd. Sp. Cav. Diss. t. 48. f. 2.
 { Hibiscus zeylanicus. L.
 parviflora H. p. Poiret. Encycl. suppl. Cald. ♀
 Columella Jacq. H. schœn. t. 462. I. Borbon. Cald. ♀

URENA Lin.

lobata L. Dill. Elth. t. 319. f. 412. Cav. Diss. t. 185. f. 1.
 China. Cald. ♀
 sinuata L. Cav. Diss. t. 185. f. 2. Ind. Cald. ♀

NAPÆA Lin.

- { scabra L. Am. s. 2
- { Sida dioica Cav. Diss. t. 132. f. 2.
- { lævis L. Am. s. 2
- { Sida Napæa Cav. Diss. t. 132. f. 1.

SIDA Lin.

- spinosa L. Cav. Diss. t. 1. f. 9. Mala. Ind. ☉
- frutescens Cav. Diss. t. 10. f. 1. Cald. ♀
- carpinifolia L. Suppl. Cav. Diss. t. 134. f. 1. Madera. Temp. ♀
- rhombofolia L. Dill. Elth. t. 172. f. 212. Ind. Cald. ♀
- alnifolia L. Dill. Elth. t. 172. f. 211. Ind. ♂
- unilocularis L'her. Stirp. t. 56 bis. I. Borbon. ☉
- retusa L. Cav. Diss. t. 131. f. 2. Ind. ☉
- viscosa L'her. Stirp. t. 53 bis. Antill. Cald. ♀
- angustifolia L'her. Stirp. t. 52. Brasil. Cald. ♀
- umbellata L. Cav. Diss. t. 129. f. 2. Jacq. Hort. t. 56. Antill. ☉
- triquetra L. Jacq. Hort. t. 118. Am. m. Cald. ♀
- virgata Cav. Ic. t. 73. Peruv. Cald. ♀
- periplocifolia L. Dill. Elth. t. 3. f. 3. Antill. Cald. ♀
- formosa Fischer. Cald. ♀
- * amoena H. p. Brasil. ♀
- nutans L'her. Stirp. t. 57 bis. Peruv. Cald. ♀
- fragrans L'her. Stirp. t. 53. Antill. Cald. ♀
- pulchella Willd. Enum. Bonpl. Malm. et Nav. t. 2. N. Holl. Temp. ♀
- ricinoides L'her. Stirp. t. 55. Peruv. ☉
- { nudiflora L'her. Stirp. t. 59. Peruv. Cald. ♀
- { stellata Cav. Diss. t. 5. f. 4.
- crassifolia L'her. Stirp. t. 60. Antill. Cald. ♀
- glauca Cav. Ic. 11. Senegal. Cald. 2
- * tricuspis H. p. Cald. ♀
- { arborea L. Suppl. L'her. Stirp. t. 63. Peruv. Cald. ♀
- { peruviana Cav. Diss. t. 130.
- { reflexa Cav. Diss. t. 195. f. 1. Peruv. Cald. ♀
- { retrorsa L'her. Stirp. t. 64.
- gigantea Jacq. H. schœn. t. 141. Caracas. Cald. ♀
- { palmata Cav. Diss. t. 131. Peruv. ☉
- { jatrophioides L'her. Stirp. t. 56.
- Abutilon L. Camer. Epit. 668. Ic. Ind. ☉ Econ.
- tiliaefolia Fischer. Hort. gor. Jacq. f. Ecl. t. 35. China. ☉
- indica L. Camer. Hort. t. 1. Ind. ☉
- occidentalis L. Dill. Elth. t. 6. f. 6. Antill. ☉
- crispa L. Dill. Elth. t. 5. f. 5. Carolin. 2.
- asiatica L. Cav. Diss. t. 128. f. 1. Ind. ☉
- hirta Cav. Diss. t. 129. f. 1. Ind. ☉

- mollis Ortega Dec. Peruv. Cald. ♪
 mauritiana L'her. Stirp. t. 62. I. Borbon. Cald. ♪
 triloba Cav. Diss. t. 131. f. 1. Jacq. H. schœn. t. 142.
 Cap. Temp. ♪
 periptera Bot. Mag. 1644. Mexico. Cald. ♪
 { hastata Willd. sp. Peruv. ☉
 { Anoda hastata Cav. Diss. t. 11. f. 2.
 { cristata. Mexico. ☉
 { Anoda cristata. Cav. Diss. t. 10. f. 3.
 { incarnata H. p.
 { Anoda incarnata Kunth. N. Gen. Mexico. ☉
 { parviflora. N.-Hisp. ☉
 { Anoda parviflora Cav. Ic. t. 431.

HIBISCUS Lin.

- { Solandra L'her. Stirp. t. 49. I. Borbon. ☉
 { Solandra lobata. Syst. Veg.
 palustris L. Bot. Mag. 882. Am. s. & Orn.
 Moscheutos L. Cav. Diss. t. 65. f. 1. Am. s. & Orn.
 speciosus H. kew. Bot. Mag. 360. Carolin. Temp. & Orn.
 pentacarpos L. Jacq. Rar. t. 143. Venetiæ. Temp. &
 militaris Cav. Diss. t. 198. f. 2. Bot. Mag. 2385. Louisian. &
 macrophyllus Roxb. Mss. Ind. Cald. ♪
 populneus L. H. malab. 1. t. 29. Ind. Cald. ♪
 tiliaceus L. H. malab. 1. t. 30. Bot. Reg. 232. Ind. Cald. ♪
 * abutiloides H. p. Am. m. Cald. ♪
 mutabilis Cav. Diss. t. 62. f. 1. Bot. Reg. 589. Ind. Cald.
 ♪
 Rosa-sinensis L. H. malab. 2. t. 17. Bot. Mag. 158. Ind.
 Cald. ♪ Orn.
 phœniceus L. Suppl. Jacq. Hort. 3. t. 14. Bot. Reg. 230.
 Ind. Cald. ♪
 syriacus L. Bot. Mag. t. 83. Syria. ♪ Orn.
 { scaber Lamk. Encycl. Ind. Cald. ♪
 { ficulneus Cav. Diss. t. 51. f. 2. (non Lin.)
 { diversifolius Willd. Sp. Jacq. Rar. t. 551.
 Manihot L. Dill. Elth. t. 156. f. 189. China. Cald. ♪
 heterophyllus Vent. Malm. t. 103. N.-Holl. Temp. ♪
 cannabinus L. Ccm. Hort. 1. t. 18. Ind. Cald. ♂
 Abelmoschus L. H. malab. 2. t. 38. Ind. Cald. ♪
 esculentus L. Cav. Diss. t. 61. f. 2. Ind. ☉ Econ.
 Sabdariffa L. Cav. Diss. t. 198. f. 1. Ind. Cald. ♂ Econ.
 tubulosus Cav. Diss. t. 68. f. 2. Ind. Cald. ♂
 vitifolius L. Mant. H. malab. 6. t. 46. Ind. Cald. ♂
 pedunculatus L. Suppl. Cav. Diss. t. 66. f. 2. Bot. Reg. 231.
 Cap. Temp. ♪
 Trionum L. Bot. Mag. 209. Ital. ☉
 vesicarius Cav. Diss. t. 64. f. 2. Afr. ☉

MALVAVISCUS Dill. Cav.

- { arborea Cav. Diss. t. 48. f. 1. Antill. Cald. 5
- { Achania Malvaviscus H. kew. Bot. Mag. 2305.
- { Hibiscus Malvaviscus L. Dill. Elth. t. 170. f. 208.
- { mollis. Am. m. Cald. 5
- { Achania mollis H. kew. Andr. Rep. 452. Bot. Mag. 2374.

LAGUNÆA Vent.

- { squamea Vent. Malm. t. 42. I. Norfolk. Cald. 5
- { Hibiscus patersonius Andr. Rep. 286.

Gossypium Lin.

- herbaceum L. Cav. Diss. t. 164. f. 2. Maurit. Temp. 5
Econ.
- arboreum L. Cav. Diss. t. 165. Ind. Cald. 5 Econ.
- hirsutum L. Cav. Diss. t. 167. Am. m. Cald. 5
- vitifolium Lamk. Encycl. Cav. Diss. t. 166. Ind. Econ.

ORDO XXII.**BOMBACEÆ** Kunth.**BOMBAX** Lin.

- Ceiba. Am. m. Cald. 5 Econ.
- * serrata. H. p. Cald. 5

KLEINHOVIA Lin.

- Hospital Cav. Diss. t. 146. I. Franciæ. Cald. 5

CHEIROSTEMON Humb. et Bonpl.

- platanoides Bonpl. Equin. t. 24. Mexico. Cald. 5

OCHROMA Swartz.

- { Lagopus Swartz. Fl. Ind. Antill. Cald. 5
- { Bombax pyramidale Cav. Diss. t. 153.

CAROLINEA Lin. Suppl.

- { princeps L. Suppl. Guian. Cald. 5
- { Pachira aquatica Aublet. Guian. t. 291 et 292.
- { insignis Swartz. Fl. Ind. Am. m. Cald. 5
- { Bombax grandiflorum Cav. Diss. t. 154.
- minor Bot. Mag. t. 1412. Mexico. Cald. 5

ADANSONIA Lin.

- Baobab L. Cav. Diss. t. 157. Senegal. Cald. 5 Econ.

HELICTERES Lin.

- verbascifolia Bot. Reg. 903. Brasil. Cald. 5

ORDO XXIII.

BYTTNERIEÆ Kunth.

I. Sterculiæ.

STERCULIA Lin.

- monosperma Vent. Malm. 91. Ind. Cald. 5
- ? Balanghas L. Bot. Reg. 185. Ind. Cald. 5
- platanifolia L. Suppl. Cav. Diss. t. 145. China. Temp. 5
- foetida L. Cav. Diss. t. 141. Ind. Cald. 5
- ? heterophylla Beauv. Fl. owar. t. 40. Guinea. Cald. 5

HERITIERA H. kew.

- littoralis H. kew. H. malab. 6. t. 21. Zeylan. Cald. 5

II. Byttneriæ veræ. Kunth.

THEOBROMA Lin.

- { Cacao L. Am. m. Cald. 5 Med.
- { Cacao sativa Lamk. Encycl. Ill. t. 635.

GUAZUMA L. Plum.

- { ulmifolia Lamk. Encycl. Antill. Cald. 5 Econ.
- { Theobroma Guazuma L. Trew. Sel. t. 76.
- { Bubroma Guazuma. Willd. Sp.

ABROMA Lin. Suppl.

- { fastuosum Jacq. Hort. 3. t. 1. Ind. Cald. 5
- { augusta L. Suppl. Bot. Reg. 518.

COMMERSONIA Forst.

- echinata Lamk. Encycl. Ill. t. 218. Moluccæ. Cald. 5

BYTTNERIA Lin.

- ovata Cav. Diss. t. 149. f. 1. Peruv. Cald. 5

AYENIA Lin.

- pusilla L. Cav. Diss. t. 147. Am. m. Cald. 2

III. Lasiopetaleæ Gay.

LASIOPETALUM Smith.

- { solanaceum Bot. Mag. 1486. N. Holl. Temp. 5
- { Thomasia solanacea Gay. Lasiop.
- { quercifolium H. kew. Bot. Mag. 1485. N. Holl. Temp. 5
- { Thomasia quercifolia Gay. Lasiop.

- { *purpureum* H. kew. Bot. Mag. 1755. N. Holl. Temp. 5
 { *Thomasia purpurea* Gay. Lasiop.
ferrugineum Vent. Malm. t. 59. Bot. Mag. 1766. N. Holl.
 Temp. 5

ORDO XXIV.

HERMANNIÆ Kunth.

HERMANNIA Lin.

- denudata* L. Suppl. Cav. Diss. t. 181. f. 1. H. schœn. t.
 122. Cap. Temp. 5
hyssopifolia L. Cav. Diss. t. 181. f. 3. Cap. Temp. 5
lavandulifolia L. Cav. Diss. t. 180. f. 1. Jacq. H. schœn.
 t. 215. Bot. Mag. 304. Cap. Temp. 5
althæifolia L. Cav. Diss. t. 179. f. 2. Bot. Mag. 307.
 Cap. Temp. 5
 { *plicata* Willd. Sp. Cap. Temp. 5
 { *althæifolia* Jacq. H. schœn. t. 213. (Excl. Syn.)
cuneifolia Jacq. H. schœn. t. 124. Cap. Temp. 5
alnifolia L. Cav. Diss. t. 179. f. 1. Bot. Mag. 299. Cap.
 Temp. 5
 { *micans* Schrad. Sert. t. 5. Cap. Temp. 5
 { *latifolia* Jacq. H. schœn. t. 119.
 { *rotundifolia* Jacq. H. schœn. t. 118. Cap. Temp. 5
 { *disticha* Schrad. Sert. t. 10.
trifoliata L. Cav. Diss. t. 182. f. 1. Cap. Temp. 5
pulverata Andr. Rep. 161. Cap. Temp. 5
scabra Jacq. H. schœn. t. 127. Cap. Temp. 5
multiflora Jacq. H. schœn. t. 128. Cap. Temp. 5
flammea Jacq. H. schœn. t. 129. Bot. Mag. 1349. Cap.
 Temp. 5
tenuifolia Bot. Mag. 1348. Cap. Temp. 5
filifolia L. Suppl. Cav. Diss. t. 180. f. 3. Cap. Temp. 5

MAHERNIA Lin.

- pinnata* L. Cav. Diss. t. 176. f. 2. Bot. Mag. 277. Cap.
 Temp. 5
glabrata L. Suppl. Cav. Diss. t. 200. f. 1. Jacq. H. schœn.
 t. 53. Cap. Temp. 5
 { *verticillata* L. Cav. Diss. t. 176. f. 1. Cap. Temp. 5
 { *ciliaris* L. Suppl. ex. DC.

MELOCHIA Lin.

- pyramidata* L. Cav. Diss. t. 172. f. 1. Brasil.
 { *corchorifolia* L. Dill. Elth. 176. f. 217. Ind. ☉
 { *Riedleia corchorifolia*. DC. Prodr.

- { ovata. N. Hisp. Cald. 7c
- { Brotera ovata Cav. Ic. t. 433.
- tomentosa L. Cav. Diss. t. 172. f. 2. Antill. Cald. 5
- * varronifolia H. p. Cal. 5

WALTHERIA Lin.

- { americana L. Am. m. Cald. 5
- { arborescens Cav. Diss. t. 170.
- { indica Jacq. Rar. t. 130.

ORDO XXV.**DOMBEYÆ** Kunth.**DOMBEYA** Cav.

- ferruginea Cav. Diss. t. 42. f. 2. I. Franciæ. Cald. 5
- acutangula Cav. Diss. t. 38. f. 2. I. Borbon. Cald. 5
- { Erythroxylum. I. St.-Helen. Cald. 5
- { Melhania Erythroxylum H. kew.
- { Pentapetes Erythroxylum Bot. Mag. 1000.

RUITZIA Cav.

- palmata Cav. Diss. t. 37. f. 1. I. Franciæ. Cald. 5
- laciniata Cav. Diss. t. 37. f. 2. I. Franciæ. Cald. 5

PENTAPETES Lin.

- { phœnicea L. Bot. Reg. 575. Ind. ☉ Orn.
- { Dombeya phœnicea Cav. Diss. t. 43. f. 1.

PTEROSPERMUM Gen. pl. Ed. Schreb.

- { acerifolium Willd. Sp. Bot. Mag. 620. Ind. Cald. 5
- { Pentapetes acerifolia Cav. Diss. t. 44.
- { suberifolium Willd. Sp. Bot. Mag. 1526. Ind. Cald. 5
- { Pentapetes suberifolia L. Cav. Diss. t. 43. f. 2.
- lanceæfolium Roxb. Cat. Ind. Cald. 5

ASTRAPÆA Lindley.

- Wallichii Lindley Collect. t. 14. Ind. Cald. 5 Orn.
- penduliflora DC. Bot. Reg. 691. Ind. Cald. 5

ORDO XXVI.**TILIEÆ** Juss.**CORCHORUS** Lin.

- hirsutus L. Plum. Ic. t. 104. Jacq. Hort. 3. t. 57. Am. m. Cald. 5
- hirtus L. Plum. Ic. t. 103. f. 2. Jacq. Hort. 3. t. 58. Antill. Cald. 5

siliquosus L. Plum. Ic. t. 103. f. 1. Jacq. Hort. 3. t. 59. Am. m.
Cald. ♪
trilocularis L. Mant. Jacq. Hort. t. 173. Arab. ☉
olitorius L. Camer. Hort. t. 12. Africa. ☉ Econ.

TRIUMFETTA Lin.

Lappula L. Plum. Ic. 255. Antill. Cald. ♪
oblongata Link. H. berol. DC. H. genev. t. 17. Nepaul. ☉

HELIOCARPUS Lin.

americana L. H. cliff. t. 16. Trew. Sel. t. 45. Am. m.
Cald. ♪

SPARMANNIA Thunb.

africana L. Suppl. Vent. Malm. 78. Cap. Temp. ♪ Orn.

FLACURTIA L'her.

Ramontchi L'her. Stirp. t. 50. Madag. Cald. ♪ Econ.
cataphracta? Roxb. Willd. Sp. Ind. Cald. ♪

CREWIA Lin.

nitida Juss. Ann. 4 t. 47. f. 2. China. Cald. ♪
occidentalis L. Bot. Mag. 422. Cap. Temp. ♪
carpinifolia Juss. Ann. 4. t. 51. f. 1. Guinea. Cald. ♪
asiatica L. Mant. Sonner. Itin. v. 2. t. 138. Ind. Cald. ♪
Orn.
orientalis Lin. H. malab. 5. t. 46. Ind. Cald. ♪

TILIA Lin.

{ *sylvestris* Gall. ♪ Econ.
{ *microphylla* Vent. Inst. v. 4. t. 1. f. 1.
{ *platyphyllos* Vent. Inst. v. 4. t. 1. f. 2. Gall. ♪ Econ.
Orn.
{ *europæa* H. p.
{ *corallina* H. kew. Tauria. ♪ Econ. Orn.
{ *rubra* DC. Prod?
pubescens Vent. Inst. v. 4. t. 3. Mich. Arb. v. 3. t. 3. Am. s. ♪
{ *americana* L. Mich. Arb. v. 3. t. 1. Am. s. ♪
{ *glabra* Vent. Inst. v. 4. t. 2.
{ *canadensis* Mich. Fl.
{ *heterophylla* Vent. Inst. v. 4. t. 5. Am. s. ♪
{ *alba* Mich. Arb. v. 3. t. 2.
{ *argentea* H. p. DC. Prod. Hungar. ♪
{ *rotundifolia* Vent. Inst. v. 4. t. 4.
{ *alba* Wald. et Kit. Hung. t. 3.

LUHEA Willd.

speciosa Willd. Sp. Act. Soc. Nat. Scrut. berol. 3. t. 5.
Cald. ♪

BERRYA Roxb.

Amomilla Roxb. Cat. Zeylan. Cald. ♪

BIXA Lin.

Orellana Com. Hort. 1. t. 33. Jacq. H. schœn. t. 483.
Am. m. Cald. ♪

LUDIA Juss.

{ sessiliflora Lamk. Ill. I. Franciæ. Cald. ♪
{ tuberculata Jacq. H. schœn. t. 112.

ORDO XXVII.**RUTEÆ** Juss.**TRIBULUS** Lin.

terrestris L. Barrel. t. 558 Gall. ☉
cistoides L. Jacq. H. schœn. t. 103. Antill. Cald. x

FAGONIA Lin.

cretica L. Bot. Mag. 241. Cneta ☉

ZYGOPHYLLUM Lin.

Fabago L. Dod. Pempt. 747. Ic. Syria. x
Morgsana L. Dill. Elth. t. 116. f. 141. Cap. Temp. ♪
albuin L. Dec. 1. t. 6. Barbar. Temp. ♪

GUAIACUM Lin.

sanctum L. Com. Hort. t. 88. Antill. Cald. ♪ Med.
officinale L. Sloan. Hist. 2. t. 222. f. 3. Antill. Cald. ♪ Med.

LARREA Cav.

nitida Cav. Ic. t. 559. Brasil. Cald. ♪.

PORLIERIA Ruiz et Pav.

hygrometrica Ruiz et Pav. Syst. Peruv. Cald. ♪

BORONIA Smith.

pinnata Smith. Tracts. t. 4. Vent. Malm. t. 38. N. Holl.
Temp. ♪
serrulata Smith. Soc. Lin. Lond. v. 8. Bot. Reg. 842.

ZIERIA Smith.

{ Smithii Bot. Mag. 1395. N. Holl. Temp. ♪
{ lanceolata Brown. DC. Prod.

CORREA Smith.

alba Andr. Rep. 18. Vent. Malm. t. 13. Bot. Reg. 515.
N. Holl. Temp. ♪
virens Smith. Exot. Bot. t. 72. Bot. Reg. 3. N. Holl.
Temp. ♪
speciosa Bot. Mag. 1746. Bot. Reg. 26. N. Holl. Temp. ♪

CROWEA Smith.

saligna Andr. Rep. 79. Vent. Malm. t. 7. N. Holl. Temp. ♪

RUTA Lin.

{ *sylvestris* Mill. Dict. Maurit. Temp. & Med.
 { *montana* DC. Prod.
 { *legitima* Jacq. Rar. t. 76.
 { *tenuifolia* Desf. Atl.

angustifolia Pers. Syn. Bot. Mag. 2311. Gall. m. Temp. &

graveolens L. Duham. Arb. 2. t. 60. Europ. m. & Med.

linifolia L. Barrel. t. 1186. Hisp. Temp. &

pinnata L. Suppl. Bot. Reg. 307. Canar. Temp. ♪

PEGANUM Lin.

Harmala L. Bull. Herb. t. 343. Maurit. &

DICTAMNUS Lin.

albus L. Jacq. Austr. t. 428. Gall. m. & Orn.

DIOSMA Lin.

{ *alba* Thunb. Fl. Cap.

{ *Adenandra alba* Roem. et Schult. Syst. Cap. Temp. ♪

rubra L. Bot. Reg. 563. Cap. Temp. ♪

{ *serratifolia* Lodd. Bot. Cab. 373. Bot. Mag. 456. Cap.
 { Temp. ♪

{ *Parapetalifera serrata* Wendl. Collect. t. 34.

hirsuta Thunb. Fl. Cap. Wendl. Collect. t. 27. Cap.
 Temp. ♪

pectinata Thunb. Fl. Cap. Cap. Temp. ♪

cupressina Thunb. DC. Wendl. Collect. t. 61. Cap. Temp. ♪

{ *virgata* Thunb. Fl. Cap. Cap. Temp. ♪

{ *scoparia*. H. p.

* *filiformis* H. p. Cap. Temp. ♪

reflexa Lodd. Cat. ? Cap. Temp. ♪

{ *imbricata* Thunb. Fl. Cap.

{ *Bucco imbricata* Wendl. Collect. t. 9.

{ *apiculata*. Cap. Temp. ♪

{ *Agathosma apiculata* Batl. et Wendl.

{ *ciliata* L. Bot. Reg. 366. Cap. Temp. ♪

{ *Myrsinites* Lamk. Encycl.

{ *pubescens* L. Cap. Temp. ♪

{ *Agathosma pubescens* Willd. Enum.

{ *prolifera*. Cap. Temp. ♪

{ *Bucco prolifera* Wendl. Collect. t. 77.

{ *villosa* Thunb. Fl. Cap. Cap. Temp. ♪

{ *Agathosma villosum* Willd. Enum. Cap. Temp. ♪

orbicularis Thunb. Prodr. ?

fragrans Bot. Mag. 1519. Cap. Temp. ♪

tetragona Thunb. Prodr. Cap. Temp. ♪

- { uniflora L. Bot. Mag. 273. Cap. Temp. 5
- { Glandulifolia uniflora Wendl. Collect. t. 33. Cap. Temp. 5.
- { umbellata Thunb. Prod. Cap. Temp. 5
- { speciosa Bot. Mag. 1271.
- { Glandulifolia umbellata Wendl. Collect. t. 10. Cap. Temp. 5.
- { acuminata. Cap. Temp. 5.
- { Bucco acuminata Wendl. Collect. t. 28.

CALODENDRUM Thunb.

capense Thunb. Cap. Temp. 5

ZANTOXYLUM Lin.

- { fraxineum Willd. Sp. Am. s. 5
- { cauliflorum Mich. Fl.
- Clava-Herculis. L. Catesby. Carol. 1. t. 26. Am. m. Cald. 5
- { senegalense DC. Prod. Senegal. Cald. 5
- { Fagara zanthoxyloides Lamk. Encycl.
- nitidum DC. Prodr. Bot. Mag. 2558. Ind. Cald. 5
- { Pterota Kunth. N. Gen. Antill. Cald. 5
- { Fagara Pterota L.
- { tragodes. Antill. Cald. 5
- { Fagara tragodes L. Jacq. Am. t. 14.
- * microphyllum. H. p. Cald. 5.

TODDALIA Juss.

- { paniculata Lamk. Ill. t. 139. f. 2. I. Franciæ. Cald. 5
- { Sopolia inermis Willd. Sp.
- nitida Lamk. Ill. t. 139. f. 1. I. Franciæ. Cald. 5

MELIANTHUS Lin.

- major Mill. Ill. Ic. Bot. Reg. 45. Cap. Temp. 5
- minor L. Bot. Mag. 301. Cap. Temp. 5

QUASSIA Lin.

amara L. Suppl. Bot. Mag. 497. Surinam. Cald. 5 Med.

ORDO XXVIII.**CISTINEÆ** Juss.**CISTUS** Tournef.

1. Corolla alba aut flavescente.

populifolius L. Clus. Hist. 78. Ic. super. Hisp. Temp. 5
Orn.

ladaniferus L. Clus. Hist. 77. Ic. Maurit. Temp. 5 Orn.
 — maculatus Bot. Mag. 112.

monspeliensis L. Clus. Hist. 79. Ic. inter. Gall. m. Temp. 5

salvifolius L. Jacq. Collect. 2. t. 8. Cav. Ic. t. 137. Gall. m.
 Temp. 5

formosus Willd. Sp. Bot. Mag. 264. Lusit. Temp. 5

{ symphytifolius Lamk. Encycl. Tenerif. Temp. 5

{ vaginatus H. kew. Jacq. H. schœn. t. 282. Bot. Reg. 225.

purpureus Lamk. Encycl. Bot. Reg. 408. Oriens. Temp. 5
 Orn.

villosus Syst. Veg. Duham. Arb. v. 1. t. 64. Maurit. Temp. 5

complicatus Lamk. Encycl. Oriens. Temp. 5

incanus L. Bot. Mag. 43. Gall. m. Temp. 5

albidus L. Clus. Hist. 68. Ic. infer. Gall. m. Temp. 5.

crispus L. Cav. Ic. t. 174. Creta. Temp. 5

creticus L. Jacq. Rar. t. 95. Creta. Temp. 5

HELIANTHEMUM Tournef.

1. Exstipulata, fruticosa.

{ umbellatum Clus. Hist. 81. Ic. Gall. 5

{ Cistus umbellatus L.

{ halimifolium. Gall. m. Temp. 5

{ Cistus halimifolius L. Cav. Ic. t. 138.

{ ocymoides Pers. Syn. Clus. Hist. 71. Ic. inter. Maurit.
 Temp. 5

{ Cistus ocymoides Lamk. Encycl.

alyssoides Vent. Ch. de Pl. t. 20. Gall. 5

{ lævipes. Gall. m. Temp. 5

{ Cistus lævipes L. Jacq. Hort. t. 158.

{ Fumana. Gall. 5

{ Cistus Fumana L. Jacq. Austr. t. 252.

{ marifolium. Gall. 5

{ Cistus marifolius Engl. Bot. 396. (an Lin ?)

2. Stipulata, fruticosa.

{ squamatum. Maurit. Temp. 5

{ Cistus squamatus L. Cav. Ic. t. 139.

{ Lippii Egypt. Temp. 5

{ Cistus Lippii L. Mant.

{ lavandulæfolium. Barrel. t. 288. Hisp. Temp. 5

{ Cistus syriacus Jacq. Rar. t. 96.

{ serpyllifolium. Alpes 5

{ Cistus serpyllifolius L.

{ thymifolium Barrel. t. 443, 444. Gall. m. Temp. 5

{ Cistus thymifolius L.

- { pilosum. Gall. ♀
- { Cistus pilosus L. All. Ped. t. 45. f. 1, 2.
- { vulgare. Gall. ♀
- { Cistus Helianthemum L. Fl. Dan. t. 101.
- latifolium.
- { mutabile. Hisp. ♀
- { Cistus mutabilis Jacq. Rar. t. 99.

3. Exstipulata, herbacea.

- { guttatum. Gall. ☉
- { Cistus guttatus L. Engl. Bot. t. 544.

4. Stipulata, herbacea.

- { salicifolium. Maurit. ☉
- { Cistus salicifolius L. Cav. lc. t. 144.
- { niloticum (Variet. C. ledifolii.) Lamk. Encycl. Maurit. ☉
- { Cistus niloticus L. Mant.
- { ægyptiacum. Maurit. ☉
- { Cistus ægyptiacus L. Jacq. Obs. t. 68.

LECHEA Gen. pl. Ed. Schreb.

- { major Pursh. Fl. non Lin. (Ex. DC.)
- { villosa DC. Prodr. Am. s. 2
- minor Pursh. Fl. Am. s. 2.

ORDO XXIX.

DROSERACEÆ DC.

DROSERÆ Lin.

- rotundifolia L. Fl. Dan. t. 1028. Engl. Bot. 867. Gall. ☉
- longifolia Smith. Fl. Engl. Bot. 868. Gall. ☉
- anglica Smith. Fl. Engl. Bot. 869. Gall. ☉

PARNASSIA Lin.

- palustris L. Fl. Dan. t. 584. Gall. 2

ORDO XXX.

VIOLARIEÆ DC.

IONIDIUM Vent.

- { polygalæfolium Vent. Malm. t. 27. N. Hisp. Cald. 2
- { Viola verticillata Ortega. Dec.

VIOLA Lin.

1. Acaules.

hirta L. Engl. Bot. 894. Gall. π
palustris L. Engl. Bot. 444. Gall. π
odorata L. Fl. Dan. t. 309. Gall. π Med. Orn.
palmata L. Bot. Mag. 535. Virgin. π

2. Caulescentes.

glauca Marsch. Cauc. Suppl. π
canina L. Engl. Bot. 620. Gall. π
mirabilis L. Fl. Dan. t. 1045. Gall. π
striata H. kew. Am. s. π
canadensis L. Canada. π
montana L. Alpes. π
{ *lancifolia* Thore. Gall. m. π
{ *pumila* Vill. Hist. Variet. (Ex. DC.)
biflora L. Fl. Dan. t. 46. Alpes π
{ *arborescens* L. Barrel. t. 568. Maurit. Temp. π
{ *suberosa* Desf. Atl.

3. Stipulis pinnatifidis.

tricolor L. Engl. Bot. 1287. Gall. \odot Orn.
— *hortensis*.
rothomagensis Bot. Mag. 1498. Gall. \odot
altaica Bot. Reg. 54. Bot. Mag. 1776. Siber. π
grandiflora L. Mant. Barrel. t. 691, 692. Pyren. π
calcarata L. Alpes. π
cornuta L. Bot. Mag. 791. Pyren. π

ORDO XXXI.

FRANKENIÆ Aug. S.-Hil.

FRANKENIA Lin.

lævis L. Mich. Gen. t. 22. f. 1. Gall. π
pulverulenta L. Lamk. Ill. t. 262. f. 3. Gall. \odot
hirsuta L. Mich. Gen. t. 22. f. 2. Maurit. Temp. π
* *virens* H. p. Temp. π ?

ORDO XXXII.

CARYOPHYLLÆ.

ORTEGIA L.

hispanica L. Cav. Ic. t. 47. Hisp. ☉

HOLOSTEUM.

umbellatum L. Engl. Bot. 27. Gall. ☉

cordatum L. Herm. Parad. t. 11. Surinam. Cald. ʒ

POLYCARPON Lin.

tetraphyllum L. Barrel. t. 534. Gall. ☉

BUFONIA Lin.

tenuifolia L. Engl. Bot. 1313. Gall. ☉

MOLLUGO Lin.

verticillata L. Pluk. t. 332. f. 5. Ehret. Pict. t. 6. f. 3.
Virgin. ☉

SAGINA Lin.

procumbens L. Engl. Bot. 609. Gall. ☉

erecta L. Engl. Bot. 609. Gall. ☉

ALSINE Lin.

media L. Engl. Bot. 537. Gall. ☉

{ molluginea Lagasca N. Gen. Link. Enum. N. Hisp.

{ Arenaria molluginea Spreng. Syst. ☉

segetalis L. Vaill. Bot. t. 3. f. 3. Gall. ☉

mucronata L. Haller. Hist. 1. t. 17. Gall. ☉

PHARNACEUM Lin.

Cerviana L. Gmel. Sib. 3. t. 20. f. 2. Russ. ☉

MOENRHINGIA Lin.

muscosa L. Col. Ecphr. 290. Ic. Alpes. ʒ

ELATINE Lin.

Hydropiper L. Fl. Dan. t. 156. Gall. ☉

Alsinastrum L. Vaill. Bot. t. 1. f. 6. Gall. ☉

SPERGULA Lin.

nodosa L. Fl. Dan. t. 96. Engl. Bot. 694. Gall. ʒ Econ.

arvensis L. Fl. Dan. t. 1033. Gall. ☉

pentandra L. Engl. Bot. 1536. Gall. ☉

saginoides L. Engl. Bot. 2105. Gall. ☉

CERASTIUM Lin.

1. Capsulis oblongis.

amplexicaule Bot. Mag. 1789. Russ. ☉
 perfoliatum L. Dill. Elth. t. 217. Oriens. ☉
 { vulgatum Vaill. Bot. t. 30. f. 3. Gall. ☉
 { viscosum Curt. Fl. Engl. Bot. 790.
 vulgatum Curt. Fl. Engl. Bot. 789. Gall. ☉
 semidecandrum Curt. Fl. Vaill. Bot. t. 30. f. 2. Gall. ☉
 dichotomum L. Clus. Hist. 2. p. 184. Ic. Hisp. ☉
 arvense L. Vaill. Bot. t. 30. f. 4. Gall. ʒ
 hirsutum Tenore. Prodr. (non Fischer. DC. Prodr.) Ital. ʒ
 alpinum L. Fl. Dan. t. 6. Engl. Bot. 472. Alpes. ☉
 manticum L. Wald. et Kit. Hung. t. 96. Hungar. ☉

2. Capsulis subrotundis.

tomentosum Lamk. Encycl. Vaill. Bot. t. 30. f. 5. J.
 St. Hil. t. 8. ʒ
 pensylvanicum Horn. Hort. Am. s. ʒ
 aquaticum L. Engl. Bot. 538. Gall. ʒ

CHEILERIA Lin.

sedoides L. Jacq. Austr. t. 284. Alpes. ʒ

ARENARIA Lin.

peploides L. Fl. Dan. t. 624. Gall. ʒ
 tetraquetra L. Magn. Bot. Monsp. 53. Ic. Gall. ʒ
 biflora L. Mant. Jacq. Rar. t. 83. Alpes. ʒ
 trinervia L. Fl. Dan. t. 429. Gall. ☉
 ciliata L. Fl. Dan. t. 346. Alpes. ʒ
 serpyllifolia L. Fl. Dan. t. 977. Engl. Bot. 923. Gall. ☉
 balearica L'her. Stirp. t. 15. Majorca. Temp. ʒ
 montana L. Vent. H. Cels. t. 34. Bot. Mag. 1118. Gall. ʒ
 liniflora L. Suppl. Europ. m. ʒ
 rubra L. Engl. Bot. 852. Gall. ☉
 { media L. Gall. ☉
 { marina Engl. Bot. 958.
 { graminifolia Spreng. Caucas. ʒ
 { filifolia Marsch. Cauc.
 dianthoides Smith. Ic. ined. 1. t. 16. Armen. Temp. ʒ
 cucubaloides Smith. Ic. ined. 1. t. 17. Armen. Temp. ʒ
 rostrata Willd. Enum. Hungar. ʒ
 saxatilis L. Vaill. Bot. t. 2. f. 3. Gall. ʒ
 striata L. All. Ped. t. 26. f. 4. Alpes. ʒ
 verna L. Mant. Jacq. Austr. t. 404. Gall. ʒ
 tenuifolia L. Fl. Dan. t. 389. Gall. ☉
 fasciculata Jacq. Austr. t. 182. Gall. ʒ
 triflora L. Mant. Gall. ʒ

STELLARIA Lin.

- nemorum L. Fl. Dan. t. 271. Gall. ✕
 Holostea L. Fuchs. Hist. 136. Ic. Gall. ✕
 graminea L. Engl. Bot. 803. Gall. ☉
 { uliginosa Curt. Fl. Engl. Bot. 1074. Gall. ☉
 { Alsine Willd. Sp.

GYPSOPHILA Lin.

- repens L. Jacq. Austr. t. 407 Alpes. ✕
 prostrata L. Bot. Mag. 1281. Alpes. ✕
 viscosa Syst. Veg. Murr. Gott. 1783. t. 3. Oriens. ☉
 elegans Marsch. Cauc. Caucas. ☉
 paniculata L. Jacq. Austr. App. t. 1. Siber. ✕
 — grandiflora.
 glomerata Marsch. Cauc. Caucas. ✕
 altissima L. Gmel. Sib. 4. t. 60. Siber. ✕
 Struthium L. Barrel. t. 119. Hisp. Temp. ♀
 arenaria Wald. et Kit. Hung. t. 41. Hungar. ✕
 fastigiata Lamk. Encycl. (an Lin?) ✕
 perfoliata L. Dill. Elth. t. 276. f. 357. Hisp. ✕
 muralis L. Schk. Handb. 1. t. 120. Gall. ♂
 saxifraga L. Smith. Exot. Bot. t. 90. Gall. ♂

SAPONARIA Lin.

- officinalis L. Fl. Dan. t. 543. Gall. ✕ Med.
 Vaccaria L. Dod. Pempt. 104. f. inter. Bot. Mag. 2290. ☉
 glutinosa Marsch. Cauc. Tauria. ♂
 Ocymoides L. Jacq. Austr. App. t. 23. Gall. ✕
 lutea L. All. Ped. t. 23. f. 1. Alpes. ✕
 { cæspitosa DC. Fl. Suppl. Soc. Agr. Par. 1808. t. 11.
 { elegans Lapeyr. Fl.
 orientalis L. Dill. Elth. t. 167. Oriens. ☉
 porrigens L. Jacq. Hort. t. 109. Oriens. ☉

DIANTHUS Lin.

1. Floribus aggregatis.

- barbatus L. Bot. Mag. 205. German. ✕ Orn.
 carthusianorum L. Bot. Mag. 2039. Gall. ✕
 Armeria L. Fl. Dan. t. 230. Gall. ☉
 prolifer L. Fl. Dan. t. 221. Gall. ☉
 atrorubens All. Ped. Jacq. Rar. t. 467. Alpes. ✕
 ferrugineus L. Mant. Mill. Ic. t. 81. f. 1. Pyren. ✕
 aggregatus Poiret. Encycl. Suppl. ✕
 { capitatus DC. Prodr. Caucas. ✕
 { atrorubens Marsch. Cauc. (non All.)

2. Floribus solitariis pluribus in eodem caule.

- corymbosus Poiret. Encycl. Suppl. 2 Orn.
 Caryophyllus L. Bot. Mag. 39, 1622. Gall. 2 Orn.
 — ruber.
 { moschatus H. p. 2 Orn.
 { plumarius. L.
 monspesulanus DC. Fl. Alpes. 2
 superbus L. Bot. Mag. 297. Alpes. 2 Orn.
 chinensis L. Mill. Ic. t. 8. f. 2. China. ♂
 deltoides L. Dill. Elth. t. 298. f. 384. Gall. 2
 nitidus Wald. et Kit. Hung. t. 191. Hungar. 2
 { attenuatus Smith. Soc. Lin. Lond. Gall. m. Temp. 2
 { longiflorus Lamk. Encycl.
 leptopetalus Willd. Enum. Bot. Mag. 1739. Caucas. 2
 bicolor Marsch. Cauc. Tauria. 2
 arenarius L. Bot. Mag. 2038. Gall. 2
 dubius DC. Cat. 2
 collinus Wald. et Kit. Hung. t. 38. Hungar. 2
 ochroleucus Pers. Syn. (non Lin.). Oriens. 2.
 caucasicus Marsch. Cauc. Bot. Mag. 795. Caucas. 2
 discolor Bot. Mag. 1162. Caucas. 2
 serotinus Wald. et Kit. Hung. t. 172. Hungar. 2

3. Caule subunifloro.

- alpinus L. Bot. Mag. 1205. Alpes. 2
 cæsius Smith. Soc. Lin. Lond. Dill. Elth. t. 298. f. 385.
 Alpes. 2
 rigidus Marsch. Cauc. Tauria. 2
 involucratus Poiret. Encycl. Suppl. Temp. 2
 arboreus L. Creta. Temp. 2
 fruticosus L. Tournef. Itin. 1. p. 183. Ic. Græcia. Temp. 2

SILENE Lin.

1. Floribus solitariis, lateralibus.

- quinque-vulnera L. Dodart. Acad. 1666-1699. p. 291. Ic.
 Engl. Bot. 86. Gall. ☉
 gallica L. Vaill. Bot. t. 16. f. 12. Gall. ☉
 hispida Desf. Atl. Maurit. ☉
 tridentata Desf. Atl. Maurit. ☉
 nocturna L. Dill. Elth. t. 310. f. 400. Gall. ☉
 sericea All. Ped. t. 79. f. 3. Alpes. ☉

2. Floribus lateralibus, confertis.

- arenaria Desf. Atl. Maurit. ☉
 supina Marsch. Cauc. Bot. Mag. 1907. Caucas. 2

- { Gypsophila H. p. Siber. x
- { repens Pers. (ex Schott.)
- { tricuspidata H. p.
- { congesta Schott.
- angustifolia Steven. Iberia. x
- nutans L. Gall. x
- paradoxa L. Jacq. Hort. 3. t. 84. Gall. x
- { ocymoides H. p. Oriens. Temp. x
- { Cucubalus italicus L.
- { Silene italica Fl. Græca. t. 429.
- saxatilis Steven. Crimea. x
- livida Willd. Enum. Carniol. x
- { suffruticosa H. p.
- { velutina Schott. Mss. Temp. y
- fruticosa L. Camer. Hort. t. 33. Fl. Græca. t. 428. Sicil.
Temp. y.
- longiflora Willd. Sp. Wald. et Kit. Hung. t. 8. Hungar.
x
- gigantea L. Walth. Hort. t. 11. Afr. Temp. o
- viridiflora L. Herm. Parad. 199. Ic. Alpes o
- chlorantha Willd. Sp. Dill. Elth. t. 316. f. 408. German. x

3. Floribus ex dichotomia caulis.

- conoidea L. Lob. Ic. 339. f. exter. Gall. ☉
- conica L. Engl. Bot. 922. Fl. Græca. t. 425. Gall. ☉
- Behen L. Dill. Elth. t. 317. f. 409. Fl. Græca. t. 416.
Oriens. ☉
- dichotoma Wald. et Kit. Hung. t. 29. Hungar. ☉
- pendula L. Dill. Elth. t. 312. f. 402. Bot. Mag. 114.
Creta. ☉
- bellidifolia Syst. Veg. Jacq. Hort. 3. t. 81. ☉
- noctiflora L. Engl. Bot. 291. Gall. ☉
- antirrhina L. Dill. Elth. t. 313. f. 403. Am. s. ☉
- inaperta L. Dill. Elth. 315. f. 407. Fl. Græca. t. 422.
Europ. Austr. ☉
- inclusa Schott. Mss. ☉
- polyphylla L. Clus. Hist. 290. Ic. inter. Austr. ☉
- apetala Willd. Sp. ☉
- sedoides Desf. Atl. Boc. Sic. t. 12. f. 4. Fl. Græca. t. 425.
Maurit. ☉
- cretica L. Dill. Elth. t. 314. f. 404. Creta. ☉
- dilleniana Schott. Gall. ☉
- muscipula L. Clus. Hist. 289. Ic. inter. Gall. ☉
- rubella L. Delile. Ægypt. t. 29. f. 3. Fl. Græca. t. 426.
Oriens. ☉
- ornata H. kew. Bot. Mag. 382. Cap. Temp. o

- { bipartita Desf. Atl. t. 100. Alger. ☉ Orn.
- { vespertina Bot. Mag. 677.
- { hispanica Jacq. Fragm. t. 59.
- stricta L. Gall. m. ☉
- obtusifolia Willd. Enum. ☉

4. Floribus terminalibus.

chloræfolia Smith. Ic. ined. t. 13. Bot. Mag. 807. Armen.

Temp. x

pensylvanica Mich. Fl. Bot. Reg. 247. Am. s. x

picta DC. H. genev. t. 6. Syria ☉

- { bicolor DC. Ic. Gall. Rar. t. 42. Gall. m. x
- { portensis ex Schott. Mss.

Armeria L. Fl. Dan. t. 559.

- { Atocion Jacq. Hort. 3. t. 32. Oriens. ☉
- { orchidea L. Suppl.

flavescens Wald. et Kit. Hung. t. 175. Hungar. x

rupestris L. Fl. Dan. t. 4. Alpes. v

saxifraga L. Seg. Veron. t. 6. f. 1. Alpes. v

- { quadridentata DC. Fl. Alpes. x
- { alpestris Jacq. Austr. t. 96.

vallesia All. Ped. t. 23. f. 2. Alpes. x

acaulis L. Fl. Dan. t. 21. Engl. Bot. 1081. Alpes. v

CUCUBALUS Lin.

stellatus L. Bot. Mag. 1107. Am. s. v

- { bacciferus L. Engl. Bot. 1577. Gall. x
- { Silene baccifera Willd. Sp.

- { Behen L. Fl. Dan. t. 914. Gall. x
- { Silene inflata Smith. Fl.

— alpinus.

— angustifolius.

- { maritimus. Gall. v

{ Silene maritima Willd. Sp. Engl. Bot. 957.

fabarius L. Sicil. Temp. x

- { tataricus L. Tartar. v

{ Silene tatarica Pers. Syn.

- { sibiricus L. Siber. x

{ Silene sibirica Pers. Syn.

- { multiflorus Willd. Sp. Wald. et Kit. Hung. t. 56.
- { Hungar. ♂

{ Silene multiflora Pers. Syn.

viscosus L. Tournef. Itin. 2. p. 361. Ic. Oriens. ♂

catholicus L. Jacq. Hort. t. 59. Ital. v

- { fimbriatus Marsch. Caucas. v

{ Silene fimbriata Bot. Mag. 908. Fl. Græca. t. 415.

Orites L. Fl. Dan. t. 518. Gall. v

LYCHNIS Lin.

- { grandiflora Jacq. Rar. t. 84. China. Temp. & Orn.
- { coronata Thunb. Jap. Bot. Mag. 223.
- fulgens Bot. Mag. 2104. Bot. Reg. 478.
- chalcedonica L. Bot. Mag. 257. Russ. & Orn.
- Flos-cuculi L. Fl. Dan. t. 590. Gall. &
- pyrenaica DC. Fl. Suppl. Pyren. &
- Viscaria L. Fl. Dan. t. 1032. Gall. &
- alpina L. Fl. Dan. t. 65. Bot. Mag. 394. Alpes. &
- brachypetala Horn. Hort. Suppl. &
- dioica L. Fl. Dan. t. 792. Gall. &
- { sylvestris Willd. Enum. Gall. &
- { dioica (fl. rubro. Engl. Bot. 1579.)

GITHAGO Desf.

- { segetum Desf. Atl. Gall. ☉
- { Agrostemma Githago L. Fl. Dan. t. 576.

AGROSTEMMA Lin.

- { Coronaria L. Bot. Mag. 24. Alpes. ♂ Orn.
- { Lychnis Coronaria Lamk. Encycl.
- { Flos-Jovis L. Bot. Mag. 398. Alpes. & Orn.
- { Lychnis Flos-jovis DC. Prodr.
- { Coeli-rosa L. Bot. Mag. 295. Gall. ☉ Orn.
- { Lychnis Coeli-rosa Lamk. Encycl.
- { pusilla. ☉
- { Lychnis pusilla Poiret. Encycl. Suppl.

VELEZIA Lin.

- rigida L. Barrel. t. 1018. Gall. m. ☉

DRYPIS Lin

- spinosa L. Mich. Gen. t. 23. Jacq. Hort. t. 49. Ital. Temp.
- ♂

ORDO XXXIII.**LINEÆ** DC.**LINUM** Lin.

1. Floribus cœruleis, albis aut rubentibus.

- usitatissimum L. Engl. Bot. 1357. ☉
- perenne L. Mill. Ic. t. 166. f. 2. Siber. & Econ. Med.
- narbonense L. Barrel. t. 1007. Gall. m. Temp. &
- austriacum L. Mant. Jacq. Austr. t. 418. Austr. &
- { sibiricum DC.
- { austriacum Bot. Mag. 1066. (non Jacq.)
- hirsutum L. Jacq. Austr. t. 31. Gall. m. Temp. &
- tenuifolium L. Jacq. Austr. t. 215. Gall. &

alpinum L. Jacq. Austr. t. 321. Alpes. 2
 catharticum L. Engl. Bot. 382. Gall. ☉ Med.
 { Radiola L. Vaill. Bot. t. 4. f. 6. Gall. ☉
 | Radiola linoides DC. Prodr.

2. Floribus luteis.

gallicum L. Ger. Gallop. t. 16. f. 1. Gall. ☉
 strictum L. Gall. m. ☉
 suffruticosum L. Cav. Ic. t. 108. Hisp. Temp. 5
 africanum L. Jacq. Rar. t. 353. Bot. Mag. 403. Cap. Temp.
 5
 trigynum Bot. Mag. 1100. Smith. Exot. Bot. t. 17. Ind.
 Cald. 5
 quadrifolium L. Bot. Mag. t. 431. Cap. Temp. 5
 maritimum L. Jacq. Hort. t. 154. Gall. 2
 campanulatum L. Gall. m. Temp. 5

ORDO XXXIV.

PARONYCHIÆ Aug. S.-Hil.

LOEFLINGIA Lin.

hispanica L. Cav. Ic. t. 94. Hisp. ☉

MINUARTIA Lin.

campestris L. Barbar. ☉
 dichotoma L. Act. Stockolm. 1758. t. 1. Hisp. ☉

SCLERANTHUS Lin.

annuus L. Engl. Bot. 351. Gall. ☉
 perennis L. Engl. Bot. 352. Gall. 2

POLLICHIA Lin.

campestris H. kew. Smith. Spicil. t. 1. Cap. Temp. 2

PARONYCHIA Tournef.

{ verticillata DC. Fl. Gall. 2
 Illecebrum verticillatum L. Fl. Dan. t. 335.
 { vulgaris Clus. Hist. 2. p. 182. Ic. super. Gall. 2
 Illecebrum Paronychia L.
 { capitata DC. Fl. Alpes. 2
 Illecebrum capitatum L.
 { ficoidea. Antill. Cald. 2
 Illecebrum ficoideum L.
 * tenella H. p. Cald. 2
 { sessilis. Ind. Cald. 2
 Illecebrum sessile L. H. malab. 10. t. 11.
 { Achyrantha. Buenos-Ayres. Cald. 2
 Illecebrum Achyrantha L. Dill. Elth. t. 7. f. 7.

HERNIARIA Lin.

glabra L. Fl. Dan. 529. Engl. Bot. 206. Gall. ♀
 hirsuta L. Engl. Bot. 1379. Gall. ♀
 incana Lamk. Encycl. Alpes ? ♀

ANYCHIA Michaux.

{ dichotoma Mich. Fl. Am. s. ♂
 { Queria canadensis L.

POLYCARPÆA Lamk.

{ Tenerifæ Lamk. Encycl. Tenerif. Temp. ♀
 { Mollia diffusa Willd. H. berol. t. 11.
 { latifolia. Tenerif. Temp. ♀
 { Mollia latifolia Willd. Enum.

~~~~~

## CLASSIS XIV.

DICOTYLEDONES POLYPETALÆ, STAMINA PERIGYNA.

### ORDO I.

#### PORTULACEÆ Juss.

**PORTULACA** Lin.

pilosa L. Herm. Parad. 215. Ic. Bot. Reg. 792. Antill.  
 Temp. ♂  
 oleracea L. DC. Pl. Gr. t. 123. Gall. ☉ Econ.

**TALINUM** Adans.

{ Anacampseros Willd. Sp. Dill. Elth. t. 281. f. 363. Cap.  
 { Temp. ♀  
 { Portulaca Anacampseros L.  
 { patens Willd. Sp. Andr. Rep. 253. Am. m. Cald. ♀  
 { Portulaca paniculata Jacq. Hort. t. 151.  
 reflexum Cav. Ic. t. 1. Bot. Mag. 1543. Am. m. Cald. ♀  
 { arachnoides H. kew. Cap. Temp. ♀  
 { Portulaca arachnoides Hav. Misc.  
 { Anacampseros arachnoides Bot. Mag. 1368.  
 { fruticosum Willd. Sp. Com. Hort. 1. t. 4. Am. m. Cald.  
 { ♀  
 { Portulaca paniculata L.



**CALANDRINA** Kunth. N. Gen.

- { pilosiuscula DC. Prodr. Am. m. ☉
- { *Talinum ciliatum* Hook. Exot. Fl. 82. (non Willd.)
- Chili. ☉

**MONTIA** Lin.

- fontana* L. Vaill. Bot. t. 3. f. 4. Gall. ☉

**TAMARIX** Lin.

- gallica* L. Mill. Ic. t. 262. f. 1. Engl. Bot. 1318. Gall. ♀
- germanica* L. Mill. Ic. t. 262. f. 2. Fl. Dan. t. 234. German, ♀

**TELEPHIUM** Lin.

- Imperati* L. Clus. Hist. 2. p. 67. Ic. infer Gall. ♂

**CORRIGIOLA** Lin.

- littoralis* L. Fl. Dan. t. 334. Gall. ☉

**TRIANTHEMA** Lin.

- monogyna* L. Mant. DC. Pl. Gr. t. 109. Antill. ☉

**LIMEUM** Lin.

- ? *africanum* L. Suppl. Cap. Temp. ♂

**CLAYTONIA** Lin.

- virginica* L. Bot. Mag. 941. Virgin. ♂
- { *cubensis* Bonpl. Equin. t. 26. Cuba. ☉
- { *perfoliata* Willd. Enum. Bot. Mag. 1336.

**PORTULACARIA** Jacq.

- { *afra* Jacq. Collect. 1. 1. 22. Cap. Temp. ♀
- { *Claytonia Portulacaria* L. Mant.

**ORDO II.**

**SEMPERVIVÆ.**

**TILLÆA** Lin.

- muscosa* L. DC. Pl. Gr. t. 73. Gall. ☉

**BULLIARDA** DC.

- { *Vaillantii* DC. Fl. Vaill. Bot. t. 10. f. 2. Gall. ☉
- { *Tillæa Vaillantii* Willd. Sp.

**CRASSULA** Lin.

1. Herbaceæ.

- glomerata* L. Mant. DC. Pl. Gr. t. 67. Cap. ☉
- ciliata* L. Dill. Elth. t. 98. f. 116. Cap. Temp. ♂
- acutifolia* Lamk. Encycl. DC. Pl. Gr. t. 2. Cap. Temp. ♂

{ rubens L. Suppl. DC. Pl. Gr. t. 55. Gall. ☉  
 { Sedum rubens L.  
 orbicularis L. DC. Pl. Gr. t. 43. Cap. Cald. ʒ  
 Tycopodioides Lamk. Encycl. Cap. Temp. ʒ

## 2. Fruticosæ.

dejecta Jacq. H. schœn. t. 433 Cap. Temp. ʒ  
 odoratissima Andr. Rep. 26. Cap. Temp. ʒ  
 coccinea L. DC. Pl. Gr. t. 1. Cap. Temp. ʒ Orn.  
 versicolor Bot. Mag. 2356. Bot. Reg. 320. Cap. Temp. ʒ  
 Orn.  
 perfoliata L. Dill. Elth. t. 96. f. 113. Cap. Temp. ʒ  
 perfossa Lamk. Encycl. DC. Pl. Gr. t. 25. Jacq. H. schœn.  
 t. 432. Cap. Temp. ʒ  
 tetragona L. DC. Pl. Gr. t. 19. Cap. Temp. ʒ  
 obvallata L. Mant. DC. Pl. Gr. t. 61. Cap. Temp. ʒ  
 cultrata L. Dill. Elth. t. 97. f. 114. Cap. Temp. ʒ  
 { falcata H. kew. Cap. Temp. ʒ  
 { Rochea falcata DC. Pl. Gr. t. 103.  
 { portulacea Lamk. Encycl. DC. Pl. Gr. t. 79. Cap. Temp.  
 { ʒ  
 { obliqua H. kew.  
 { lucida Lamk. Encycl. Cap. Temp. ʒ  
 { spathulata Thunb. Prodr. DC. Pl. Gr. t. 49.  
 cordata DC. Pl. Gr. t. 121. Jacq. H. schœn. t. 431. Cap.  
 Temp. ʒ  
 lactea H. kew. DC. Pl. Gr. t. 37. Jacq. H. schœn. t. 430.  
 Cap. Temp. ʒ  
 Cotyledon Syst. Veg. Jacq. Miscell. 2. t. 19. Bot. Mag. 384.  
 Cap. Temp. ʒ

## COTYLEDON Lin.

coccinea Cav. Ic. t. 170. Temp. ʒ  
 orbiculata L. DC. Pl. Gr. t. 76. Cap. Temp. ʒ  
 hemisphærica L. DC. Pl. Gr. t. 87. Cap. Temp. ʒ  
 unguolata Lamk. Encycl. Burm. Afr. t. 22. f. 1. Cap. Temp.  
 ʒ  
 tuberculosa Lamk. Encycl. DC. Pl. Gr. t. 86. Cap. Temp. ʒ  
 Umbilicus L. Engl. Bot. 325. Gall. ʒ  
 { lusitanica Lamk. Encycl. Dodart. Acad. 1666-1699.  
 { p. 265. Ic. Angl. ʒ  
 { lutea H. kew. Engl. Bot. 1522.

## BRYOPHYLLUM Salisb.

{ calicinum Salisb. Parad. 311. Bot. Mag. 1409. Moluccæ.  
 { Cald. ʒ  
 { Cotyledon pinnata Lamk. Encycl.

**KALANCHOE DC.**

- { *laciniata* DC. Pl. Gr. t. 100. I. Borbon. Cald. 5
- { *Cotyledon laciniata* L.
- spathulata* DC. Pl. Gr. t. 65. China. Temp. 5
- ægyptiaca* DC. Pl. Gr. t. 64. Ægypt. Temp. 5

**SEDUM Lin.**1. *Planifolia.*

- { *Rhodiola* DC. Pl. Gr. t. 143.
- { *Rhodiola rosea*. L.
- Telephium* L. DC. Pl. Gr. t. 92. Gall. 2 Med.
- *purpureum*.
- *maximum*.
- Anacampseros* L. DC. Pl. Gr. t. 33. Gall. 2 Med.
- *longifolium*.
- Aizoon* L. DC. Pl. Gr. t. 101. Siber. 2
- stellatum* L. Col. Phytob. t. 11. Gall. 2
- spurium* Marsch. Cauc. Bot. Mag. 2370. Caucas. 2
- oppositifolium* Bot. Mag. 1807. Caucas. 2
- hybridum* L. Murr. N. Com. Gott. v. 6. t. 5. Siber. 2
- populifolium* L. Suppl. DC. Pl. Gr. t. 110. Bot. Mag. 211.
- Siber. 2
- Cepæa* L. Camer. Epit. 673. Ic. Gall. ☉

2. *Teretifolia.*

- dasyphyllum* L. DC. Pl. Gr. t. 93. Engl. Bot. 656. Gall. 2
- reflexum* L. DC. Pl. Gr. t. 116. Gall. 2
- virens* H. kew. Lusit. Temp. 2
- rupestre* L. DC. Pl. Gr. t. 115. Gall. 2
- { *altissimum* Poiret. Encycl. DC. Pl. Gr. t. 40. Ital. Temp. 2
- { *Sempervivum sedifolium*. Jacq. Hort. t. 81.
- hispanicum* L. Dill. Elth. t. 256. f. 332. Jacq. Austr.
- App. t. 47. Hisp. Temp. 2
- album* L. Fl. Dan. t. 66. Engl. Bot. 1578. Gall. 2
- sexfidum* Marsch. Cauc. Caucas. 2
- glaucum* Wald. et Kit. Hung. t. 181. Alpes. 2
- saxatile* DC. Pl. Gr. t. 119. Alpes. 2
- acre* L. DC. Pl. Gr. t. 117. Gall. 2 Med.
- sexangulare* L. Engl. Bot. 1946. Gall. 2
- anglicum* H. kew. Engl. Bot. 171. Angl. 2
- villosum* L. DC. Pl. Gr. t. 70. Engl. Bot. 394. Gall. ☉
- { *cruciatum*. Alpes. 2
- { *monregalense* Balbis. Miscell. t. 6.

**SEMPERVIVUM Lin.**

- arboreum* L. DC. Pl. Gr. t. 125. Boc. Reg. 99. Alger.
- Temp. 5

- canariense L. DC. Pl. Gr. t. 141. Canar. Temp. ♀  
 ciliatum Willd. Bot. Mag. 1978. Canar. Temp. ♀  
 glutinosum H. kew. Bot. Mag. 1963. Madera. Temp. ♀  
 tortuosum H. kew. Bot. Mag. 296. Canar. Temp. ♀  
 villosum H. kew. Madera. Temp. ☉  
 aizoides Lamk. Encycl. Canar.? Temp. ♀  
 tectorum L. Fl. Dan. t. 601. DC. Pl. Gr. t. 104. Gall. &  
 Med.  
 globiferum L. Alpes. ♀  
 hirtum L. DC. Pl. Gr. t. 107. Alpes. ♂  
 montanum L. DC. Pl. Gr. t. 105. Jacq. Austr. App.t. 41.  
 Alpes. ♂  
 arachnoideum L. DC. Pl. Gr. t. 106. Bot. Mag. 68. Alpes. ♀  
 monanthos H. kew. Bot. Mag. 93. DC. Pl. Gr. t. 157. Ca-  
 nar. Temp. ♀

**PENTHORUM Lin.**

- sedoides L. Act. Ups. 1744. t. 2. Am. s. ♂

**ORDO III.**

**SAXIFRAGÆ Juss.**

**HEUCHERA Lin.**

- americana L. Herm. Parad. 130. Ic. Am. s. ♀  
 — viscida Pursh. Fl.  
 macrophylla Lodd. Am. s. ♀  
 villosa Mich. Fl. Am. s. ♂

**SAXIFRAGA Lin.**

1. Foliis integris, caule subnudo.

- longifolia Lapeyr. Fl. t. 11. Pyren. ♂ Orn.  
 Cotyledon L. Fl. Dan. t. 241. Alpes. ♀ Orn.  
 pennsylvanica L. Dill. Elth. t. 253. f. 328. Am. s. ♂  
 stellaris L. Jacq. Collect. 1. t. 13. Alpes. ♀  
 umbrosa L. Lapeyr. Fl. t. 22. Alpes. ♂ Orn.  
 hirsuta L. Lapeyr. Fl. t. 23. Alpes. ♂  
 Geum L. Lapeyr. Fl. t. 24. Alpes. ♂  
 cuneifolia L. Wald. et Kit. Hung, t. 44. Alpes. ♂  
 crassifolia L. Dec. 1. t. 14. Bot. Mag. 196. Siber. ♂  
 sarmentosa L. Suppl. Bot. Mag. 92. Japon. Temp. ♀

2. Foliis integris, caule folioso.

- rotundifolia L. Lapeyr. Fl. t. 26. Alpes. ♂  
 oppositifolia L. Lapeyr. Fl. t. 16. Alpes. ♀

biflora All. Ped. t. 21. f. 1. Lapeyr. Fl. t. 17. Alpes.  $\pi$   
 aretioides Lapeyr. Fl. t. 13. Pyren.  $\pi$   
 luteo-purpurea Lapeyr. Fl. t. 14.  
 { aizoides Willd. Sp. Engl. Bot. 39. Alpes.  $\pi$   
 { autumnalis Fl. Dan. t. 72. (non Lin.)  
 aspera L. Jacq. Austr. Suppl. App. t. 31. Alpes.  $\pi$

## 3. Folijis lobatis.

granulata L. Fl. Dan. t. 514. Lapeyr. Fl. t. 27. Gall.  $\pi$   
 ajugæfolia Lapeyr. Fl. t. 31. Pyren.  $\pi$   
 geranioides L. Lapeyr. Fl. t. 43. Pyren.  $\pi$   
 tridactylites L. Engl. Bot. 501. Gall.  $\odot$   
 cæspitosa L. Lapeyr. Fl. t. 34, 35, 36. Pyren.  $\pi$   
 { aquatica Lapeyr. Fl. t. 28. Pyren.  $\pi$   
 { petræa Gouan. Ill. Jacq. Bar. t. 81.  
 { ascendens L.  
 { nervosa Lapeyr. Fl. t. 40. Pyren.  $\pi$   
 { exarata Vill. Hist.  
 hypnoides L. Fl. Dan. t. 348. Alpes.  $\pi$   
 ceratophylla H. kew. Bot. Mag. 1651. Hisp. Temp.  $\pi$   
 { palmata Smith. Fl. Engl. Bot. 455. Angl.  $\pi$   
 { decipiens Ehrhart.

## TIARELLA Lin.

cordifolia L. (Excl. Ic. Herm.) Bot. Mag. 1589. Am. s.  $\pi$   
 Orn.  
 biternata Vent. Malm. t. 54. Am. s.  $\pi$

## MITELLA Lin.

diphylla L. Dodart. Acad. 1666-1699. p. 299. Ic. Lamk.  
 Ill. t. 373. f. 1. Bot. Reg. 166. Am. s.  $\pi$   
 nuda L. Lamk. Ill. t. 373. f. 2. Asia.  $\pi$

## CHRYSOSPLENIUM Lin.

oppositifolium L. Fl. Dan. t. 365. Gall.  $\pi$   
 alternifolium L. Fl. Dan. t. 366. Gall.  $\pi$

## ADOXA Lin.

Moschatellina L. Fl. Dan. t. 94. Gall.  $\pi$

## CUNONIA Lin.

capensis L. Burm. Afr. t. 96. Bot. Reg. 828. Cap. Temp.  
 5

## HYDRANGEA Lin.

arborescens L. Bot. Mag. 437. Am. s. 5  
 { nivea Mich. Fl. Carolin. Temp. 5  
 { radiata Willd. Sp. Lamk. Ill. t. 370. f. 2.  
 quercifolia H. kew. Bot. Mag. 975. Florida. Temp. 5 Orn.

**HORTENSIA** Lamk.

- { *opulifolia* Lamk. Encycl. China. ♪ Orn.  
 { *Hydrangea hortensis* Willd. Sp. Bot. Mag. 438.

**CALLICOMA** Andr.

- serratifolia* Andr. Rep. 566. Bot. Mag. 1811. N. Holl.  
 Temp. ♪

**ORDO IV.****GROSSULARIÆ DC.****RIBES** Lin.1. *Inermia.*

- rubrum* L. Fl. Dan. t. 967. Gall. ♪ Econ. Med.  
 — *album*.  
*petraeum* Jacq. Rar. t. 49. Alpes. ♪  
*nigrum* L. Fl. Dan. t. 556. Gall. ♪ Econ.  
 { *prostratum* L'her. Stirp. t. 2. Am. s. ♪  
 { *glandulosum* H. kew.  
 { *flavum* Colla. H. rip. Illust. 3. t. 1. f. B. Am. s. ♪  
 { *aureum* Bot. Reg. 125.  
 { *palmatum* H. p.  
*aureum* Pursh. Fl. Colla. H. rip. Illust. 3. t. 1. f. A. Am. s. ♪  
*pensylvanicum* Lamk. Encycl. Dill. Elth. t. 244. f. 315.  
 Am. s. ♪  
*alpinum* L. Jacq. Austr. t. 47. Alpes. ♪

2. *Aculeata.*

- declinatum* L. Alpes. ♪  
*triflorum* Willd. Hort. t. 61. Am. s. ♪  
*cynobasti* L. Jacq. Hort. t. 123. Canad. ♪  
*diacantha* L. Suppl. Pallas. Ross. 2. t. 66. Russ. ♪  
*orientale* H. p. Poiret. Suppl. Oriens. Temp. ♪  
*Grossularia* L. Engl. Bot. 1292. Gall. ♪ Econ.  
*Uva-crispa* L. Engl. Bot. 2057. Gall. ♪ Econ.  
 — *rubra*.

## ORDO V.

## CACTEÆ Juss.

1. *Opuntia*, caule plano.

## CACTUS Lin.

- Opuntia* L. DC. Pl. Gr. t. 138. Am. m. Cald. ♪ Econ.  
 — *ficus-indica* DC. Pl. Gr.  
 — *tuna* DC. Pl. Gr.  
 — *nana* DC. Pl. Gr.  
 — *inermis* DC. Pl. Gr.  
 — *polyanthos* DC. Pl. Gr.  
*coccinillifer* DC. Pl. Gr. t. 137. Am. m. Cald. ♪ Econ.  
*curassavicus* L. Com. Hort. 1. t. 56. Curass. Cald. ♪  
*brasiliensis* Willd. Enum. Suppl. Brasil. Cald. ♪  
*spinosissimus* Lamk. Encycl. Am. m. Cald. ♪  
*truncatus* Bot. Reg. 696. Bot. Mag. 2562. Brasil. Cald. ♪  
 { *phyllanthoides* DC. Cat. Bot. Mag. 2092. Am. m. Cald.  
   ♪ Orn.  
   *speciosus* Bonpl. Navar. t. 3. Bot. Reg. 304. (non *speciosissimus* Desf.).  
*phyllanthus* L. Dill. Elth. t. 64. f. 74. DC. Pl. Gr. t. 415.  
   Am. m. Cald. ♪  
*Pereskia* L. Dill. Elth. t. 227. f. 294. Am. m. Cald. ♪  
 — *latifolia*.

2. *Echinato-Melocacti* subrotundi.

- mamillaris* L. DC. Pl. Gr. t. 111. Am. m. Cald. ♪  
 { *Pseudo-mamillaris*. Salm Dyck. Am. m. Cald. ♪  
   *discolor* Haw. Syn. DC. Prodr.  
   *Spini Colla*. H. rip. Illust. 3. t. 11.  
*stellatus* Willd. Enum. Suppl. Am. m. Cald. ♪  
*latispineus* Haw. Cald. ♪  
*coronatus* Willd. Enum. Suppl. Am. m. Cald. ♪  
*Melocactus* L. DC. Pl. Gr. t. 112. Am. m. Cald. ♪

3. *Erecti*, cylindrici.

- repandus* Willd. Sp. Bot. Reg. 336. Am. m. Cald. ♪  
*cylindricus* Lamk. Encycl. Peruv. Cald. ♪  
*serpentinus* Willd. Enum. Suppl. Link. H. berol. t. 42.  
   Am. m. Cald. ♪  
*heptagonus* L. Am. m. Cald. ♪  
*tetragonus* L.  
*niger* Salm Dyck. Cald. ♪

peruvianus L. DC. Pl. Gr. t. 58. Peruv. Cald. ♪  
 { monstruosus. Cald. ♪  
 { abnormis Willd. Enum. Suppl.  
 Royeni L.? Am. m. Cald. ♪

## 4. Repentes.

grandiflorus L. Trew. Sel. t. 31, 32. DC. Pl. Gr. t. 52. Am.  
 m. Cald. ♪ Orn.  
 flagelliformis L. Trew. Sel. t. 30. DC. Pl. Gr. t. 127. Am.  
 m. Cald. ♪  
 ambiguus Bonpl. Navar. t. 36. Am. m. Cald. ♪  
 { speciosissimus Desf. Mém. du Mus. 3. t. 9. Am. m.  
 { speciosus Willd. Enum. Suppl.  
 triangularis L. Am. m. Cald. ♪  
 proteiformis Salm Dyck. Cald. ♪  
 { prismaticus H. p. Cald. ♪  
 { triqueter Haw. Syn. ex DC. Prodr.

## RHIPSALIS Gærtn.

{ fascicularis Haw. Antill. Cald. ♪  
 { Cactus parasiticus DC. Pl. Gr. t. 59.  
 { pendula. Cald. ♪  
 { Cactus pendulus Willd. Sp.  
 { Cassutha Haw. Hook. Exot. Fl. t. 2. ✕  
 salicornioides Link. H. berol. t. 21. Bot. Mag. 2461.  
 Cald. ♪  
 { funalis Salm Dyck. Cat. Am. m. Cald. ♪  
 { Cactus funalis Bot. Mag. 2740.

## ORDO VI.

## FICOIDEÆ Juss.

## NITRARIA Lin.

Schoberi L. Pallas. Ross. t. 50. Siber. ♪  
 tridentata Desf. Atl. Maurit. Temp. ♪

## SESUVIUM Lin.

portulacastrum Jacq. Am. t. 95. DC. Pl. Gr. t. 9. Antill.  
 Cald. ✕  
 revolutifolium Willd. Enum. Am. m. Cald. ✕

## AIZOON Lin.

canariense L. DC. Pl. Gr. t. 136. Maurit. ☉  
 hispanicum L. Dill. Elth. t. 117. f. 143. Hisp. ☉



**GLINUS** Lin.**lotoides** L. Barrel. t. 336. Hisp. ☉**MESEMBRYANTHEMUM** Lin.1. **Foliis planis.**

**cordifolium** L. Suppl. DC. Pl. Gr. t. 102. Cap. Temp. ♀  
**cristallinum** L. Dill. Elth. t. 180. f. 221. Madera. Temp. ☉  
**pinnatifidum** L. Suppl. DC. Pl. Gr. t. 142. Cap. ☉  
**tortuosum** L. Dill. Elth. t. 181. f. 222. Cap. Temp. ♀  
 { **expansum** L. Dill. Elth. t. 182. f. 223. Cap. Temp. ♀  
 { **tortuosum** DC. Pl. Gr. t. 94.  
 { **pallens** H. kew. Cap. Temp. ♀  
 { **expansum** DC. Pl. Gr. t. 47.  
**relaxatum** Haw. Cap. Temp. ♀  
**helianthoides** H. kew. DC. Pl. Gr. t. 135. Cap. ☉

2. **Foliis subtus-convexis.**

**geniculiflorum** L. DC. Pl. Gr. t. 17. Cap. Temp. ♀  
**noctiflorum** L. DC. Pl. Gr. t. 10. Cap. Temp. ♀  
**nitidum** Haw. Cap. Temp. ♀  
**tuberosum** L. Dill. Elth. t. 207. f. 264. Cap. Temp.  
**Hawortii** H. kew. Cap. Temp. ♀  
**mucroniferum** Haw. Cap. Temp. ♀  
**tumidulum** Haw. Cap. Temp. ♀  
**umbellatum** Dill. Elth. t. 208. f. 266. Cap. Temp. ♀  
**foliosum** Haw. Cap. Temp. ♀  
**verruculatum** Dill. Elth. t. 203. f. 259. Cap. Temp. ♀  
**echinatum** H. kew. DC. Pl. Gr. t. 24. Cap. Temp. ♀  
**scabrum** L. Dill. Elth. 197. f. 251. Cap. Temp. ♀  
**salmoneum** Haw. Cap. Temp. ♀  
**splendens** L. DC. Pl. Gr. t. 35. Cap. Temp. ♀  
**micans** L. DC. Pl. Gr. t. 158. Cap. Temp. ♀  
**clavellatum** Haw. N. Holl. Temp. ♀  
**candens** Haw. Cap. Temp. ♀  
**hispidum** L. Dill. Elth. t. 214. f. 277. Cap. Temp. ♀  
**spinosum** Dill. Elth. t. 208. f. 265. Cap. Temp. ♀  
**incomptum** Haw. Cap. Temp. ♀  
**crassifolium** L. Dill. Elth. t. 201. f. 257. Cap. Temp. ♀  
**barbatum** L. Dill. Elth. t. 190. t. 234. DC. Pl. Gr. t. 28.  
 Cap. Temp. ♀  
**stellatum** DC. Pl. Gr. 29. Cap. Temp. ♀

3. **Foliis triquetris.**

**parviflorum** Haw. Cap. Temp. ♀  
**lineolatum** Haw. Cap. Temp. ♀  
**glaucum** L. Dill. Elth. t. 196. f. 248. DC. Pl. Gr. t. 146.  
 Cap. Temp. ♀

conspicuum Haw. Cap. Temp. ♪  
 blandum Haw. Cap. Temp. ♪  
 geminatum Haw. Cap. Temp. ♪  
 { bicolorum Bot. Mag. 59. Cap. Temp. ♪  
 { coccineum DC. Pl. Gr. t. 83.  
 multiflorum Haw. Cap. Temp. ♪  
 aureum DC. Pl. Gr. t. 11. Cap. Temp. ♪  
 loreum L. Dill. Elth. t. 200. f. 255. Cap. Temp. ♪  
 viride Haw. Cap. Temp. ♪  
 uncinatum L. Dill. Elth. t. 193. f. 239. DC. Pl. Gr. 54.  
 Cap. Temp. ♪  
 perfoliatum H. kew. Dill. Elth. t. 193. f. 240. Cap. Temp.  
 semidentatum Salm Dyck. Hort. Cap. Temp. ♪  
 falciforme Haw. Cap. Temp. ♪  
 { curvifolium Haw. Cap. Temp. ♪  
 { ceratophyllum Willd. Sp.  
 virgatum Haw. Cap. Temp. ♪  
 violaceum DC. Pl. Gr. t. 84. Cap. Temp. ♪  
 emarginatum L. Dill. Elth. t. 197. f. 250. Cap. Temp. ♪  
 polyganthon Haw. Cap. Temp. ♪  
 incurvum Haw. Cap. Temp. ♪  
 — roseum.  
 speciosum Haw. Cap. Temp. ♪  
 sarmentosum Haw. Cap. Temp. ♪  
 aurantium Haw. Cap. Temp. ♪  
 deltoides L. Dill. Elth. t. 195. f. 243, 244, 245, 246. DC.  
 Pl. Gr. t. 53. Cap. Temp. ♪  
 — caulescens Haw.  
 lunatum Willd. Enum. Cap. Temp. ♪  
 maximum Haw. Cap. Temp. ♪  
 edule L. Dill. Elth. t. 212. f. 272. Cap. Temp. ♪  
 acinaciforme L. Dill. Elth. t. 212. f. 271. Cap. Temp. ♪  
 { Schollii. Temp. ♪  
 { aduncum Jacq.  
 filamentosum L. Dill. Elth. t. 212. f. 273. DC. Pl. Gr.  
 t. 60. Cap. Temp. ♪  
 inclaudens Haw. Temp. ♪  
 lacerum Haw. Cap. Temp. ♪  
 glaucescens Haw. Cap. Temp. ♪  
 equilaterale Willd. Sp. N. Holl. Temp. ♪  
 heteropetalum Willd. Sp. Cap. Temp. ♪

4. Acaulia vel subacaulia, carnosae, crassae, firmae, glaucae.

bellidiflorum L. Dill. Elth. t. 189. f. 233. DC. Pl. Gr. t.  
 41. Cap. Temp. 2  
 dolabriforme L. Dill. Elth. t. 191. f. 237. DC. Pl. Gr. t. 6.  
 Cap. Temp. 2

calamiforme L. Dill. Elth. t. 186. f. 228. DC. Pl. Gr. t. 5.

Cap. Temp. ♀

fissum Haw. Cap. Temp. ♂

albidum L. Dill. Elth. t. 189. f. 232. Cap. Temp. ♂

caninum L. Dill. Elth. t. 188. f. 231. DC. Pl. Gr. t. 95.

Cap. Temp. ♂

tigrinum Haw. Bot. Reg. 260. Cap. Temp. ♀.

felinum Haw. Dill. Elth. t. 187. f. 230. DC. Pl. Gr. t. 152.

Cap. Temp. ♂

murinum Haw. Cap. Temp. ♂

pusillum Haw. Cap. Temp. ♂

testiculare Willd. Sp. Jacq. Fragm. t. 12. f. 2. Cap. Temp.

♂

#### 5. Acaulia vel subacaulia, carnosae, crassae, molles, nitidae.

linguiforme L. Dill. Elth. t. 185. f. 227. DC. Pl. Gr. t. 71.

Cap. Temp. ♂

Salmii Haw. Cap. Temp. ♂

— semicruciatum.

difforme L. Dill. Elth. t. 194. f. 242. Cap. Temp. ♂.

semicylindricum Haw. Dill. Elth. t. 194. f. 241. Cap.

Temp. ♂

#### 6. Folia subulata.

corniculatum L. Dill. Elth. t. 199. f. 253, 254. DC. Pl. Gr.

t. 108. Cap. Temp.

diminutum Haw. Cap. Temp. ♂

ramulosum Haw. Cap. Temp. ♂

rostratum L. Dill. Elth. t. 186. f. 229. Cap. Temp. ♂

pugioniforme L. Dill. Elth. t. 210. f. 269. DC. Pl. Gr. t. 72.

Cap. Temp.

#### TETRAGONIA Lin.

decumbens Lamk. Ill. t. 437. DC. Pl. Gr. t. 23. Cap.

Temp. ♀

echinata H. kew. DC. Pl. Gr. t. 113. Cap. ☉

expansa Syst. Veg. DC. Pl. Gr. t. 114. Bot. Mag. 2362. N.

Zeland. ☉ Econ. Med.

cristallina L'her. Stirp. t. 39. DC. Pl. Gr. t. 34. Peruv. ☉

### ORDO VII.

#### ONAGRARIÆ Juss.

#### HYPPURIS Lin.

vulgaris L. Fl. Dan. t. 87. Gall. ♀

**MYRIOPHYLLUM** Lin.

- spicatum L. Fl. Dan. t. 681. Engl. Bot. 83. Gall. x  
 verticillatum L. Engl. Bot. 218. Gall. x

**PROSERPINACA** Lin.

- palustris L. Am. s. x

**CERCODIA** Solander.

- { erecta Murr. Gott. 1780. t. 1.  
 { Halogaris alata Jacq. Rar. t. 69. N. Holl. Temp. y  
 { Halogaris Cercodia H. kew.  
 { Tetragonia ivæfolia L. Suppl.

**TRAPA** Lin.

- natans L. Camer. Epit. 715. Ic. Bot. Reg. 259. Gall. x  
 Econ.

**LOPEZIA** Cav.

- { racemosa Cav. Ic. t. 18. Mexico. ☉  
 { mexicana Jacq. Rar. t. 203.  
 hirsuta Jacq. Collect. Suppl. t. 15. f. 4. Mexico. ☉  
 miniata DC. Cat. Monsp. Mexico, Cald. y

**MONTINIA** Lin.

- acris L. Smith. Spicil. t. 15. Cap. Temp. y

**CIRCÆA** Lin.

- lutetiana L. Fl. Dan. t. 210. Gall. x  
 alpina L. Fl. Dan. t. 256. Alpes. x

**LUDWIGIA** Lin.

- { macrocarpa Mich. Fl. Virgin. ☉  
 { alternifolia L. Lamk. Ill. t. 77.

**JUSSIÆA** Lin.

- longifolia DC. H. genev. t. 4. Brasil. Cald. ♂  
 erecta L. Plum. Ic. t. 175. f. 2. Antill. ☉  
 grandiflora Mich. Fl. Bot. Mag. 2122. Georg. x

**OENOTHERA** Lin.

1. Capsulis teretibus.

- biennis L. Fl. Dan. t. 446. Gall. ♂  
 \* salicifolia H. p. ♂  
 grandiflora Willd. Sp. Bot. Mag. 2068. Am. s. ♂ Orn.  
 parviflora L. Mill. Ic. t. 189. f. 1. Am. s. ♂  
 muricata Syst. Veg. Murr. N. Com. Gott. v. 6. t. 1. Canada ♂  
 longiflora Jacq. Hort. t. 172. Bot. Mag. 365. Brasil. Temp.  
 mollissima L. Dill. Elth. t. 219. f. 286. Brasil. Cald.  
 Temp. ♂

*odorata* Jacq. Rar. t. 456. Bot. Reg. 147. Hook. Exot. Fl. 183. Patagon. Temp. ♀

*undulata* H. kew. An distincta a præced? Am. s. ♀

{ *nocturna* Jacq. Rar. t. 455. Cap. ☉

{ *albicans* Encycl.

*sinuata* Murr. N. Com. Gott. v. 5. t. 9. Am. s. ☉

*dentata* Cav. Ic. t. 398. Lindley. Collect. t. 10. Chili. ☉

*fruticosa* Bot. Mag. 332. Carolin. Temp. ♀ an. Lin.?

2. *Capsulis angulatis.*

*rhizocarpa* Spreng. Syst. Louisian. ☉

*acaulis* Cav. Ic. t. 399. Bot. Reg. 763. Chili. ☉

*Fraseri* Pursh. Suppl. Bot. Mag. 1674. Am. s. ♀

*speciosa* Nuttall. DC. Prodr. Hook. Exot. Fl. t. 80. Am. s. ♀

*tetraptera* Cav. Ic. t. 279. Bot. Mag. 468. N. Hisp. Cald. ♀

*purpurea* Bot. Mag. 352. Am. s. ☉

*rosea* Willd. Sp. Bot. Mag. 347. Peruv. Cald. ♀

*pumila* L. Bot. Mag. 355. Am. s. ♀

*Romansowii* Horn. Hort. Bot. Reg. 562. Am. s. ☉

*hirta* Link. H. berol. Californ. ☉

**GAURA** Lin.

*biennis* L. Bot. Mag. 389. Am. s. ♂

*fruticosa* Jacq. Rar. t. 457. Am. m. Cald. ♀

*mutabilis* L. Cav. Ic. t. 258. Bot. Mag. t. 388. N. Hisp. Temp. ♂

*tripetala* Cav. Ic. t. 396. Mexico. Temp. ♂

**EPILOBIUM** Lin.

{ *angustifolium* Lamk. Encycl. Alpes. ♀

{ *angustissimum* H. kew. Bot. Mag. 76.

{ *spicatum* Lamk. Encycl. Gall. ♀ Orn.

{ *angustifolium* H. kew. Fl. Dan. t. 289. Engl. Bot. 1947.

*hirsutum* Willd. Sp. Fl. Dan. t. 326. Engl. Bot. 838. Gall. ♀

{ *pubescens* Roth. germ. Gall. ♀

{ *parviflorum* Engl. Bot. 795.

*montanum* L. Engl. Bot. 1177. Gall. ♀

*palustre* L. Engl. Bot. 346. Gall. ♀

*tetragonum* L. Engl. Bot. 1948. Gall. ♀

*alpinum* L. Fl. Dan. t. 322. Engl. Bot. 2001. Alpes. ♀

**QUISQUALIS** Lin.

*indica* L. Rumph. Amb. 5, t. 38. Bot. Mag. 2033. Bot. Reg. 492. Ind. Cald. ♀ Orn.

**FUCHSIA** Lin.

{ *coccinea* H. kew. Bot. Mag. 97. Chili. Temp. ♀ Orn.

{ *magellanica* Lamk. Encycl.

*lycioides* Andr. Rep. 120. Bot. Mag. 1024. Chili. Temp. ♀  
*arborescens* Bot. Mag. 2620. Bot. Reg. 243. Mexico. Cald.  
 Orn. ♀

{ *decussata* Fl. peruv. 3. t. 123. Bot. Mag. 2507. Chili.  
 Temp. ♀ Orn.  
 { *gracilis* Bot. Reg. 847.

**COMBRETUM** Lin.

{ *coccineum* Lamk. Dict. Madag. Cald. ♀ Orn.  
 { *purpureum* Vahl. Symb. Bot. Mag. 2102. Bot. Reg. 429.

**BAECKEA** Andr.

{ *virgata* Andr. Rep. 598. Bot. Mag. 2127. N. Caled. Temp.  
 ♀  
 { *Leptospermum virgatum* Willd. Sp.  
*camphorata* Aiton. N. Holl. Temp. ♀

**PHEBALIUM** Vent.

*squamulosum* Vent. Malm. t. 102. N. Holl. Temp. ♀

**TURNERA** Lin.

*cistoides* L. Plum. Ic. t. 150. f. 1. Antill. ☉ ?

**MENTZELIA** Lin.

{ *hispida* Willd. Sp. Mexico. Cald. ✕  
 { *aspera* Cav. Ic. t. 70. (non Lin.)

**LOASA** Adans.

? *tricolor* Bot. Reg. 667. Peruv. Cald. ✕

## ORDO VIII.

### MYRTEÆ Juss.

**MELALEUCA** Lin.

{ *thymifolia* Smith. Exot. Bot. t. 36. Bot. Mag. 1868. N.  
 Holl. Temp. ♀  
 { *coronata* Andr. Rep. t. 278.  
 { *gnidiæfolia* Vent. Malm. t. 4.

*hypericifolia* Smith. Soc. Lin. Lond. Vent. H. Cels. t. 10.  
 N. Holl. Temp. ♀

{ *myrtifolia* Vent. Malm. t. 47. N. Holl. Temp. ♀  
 { *squarrosa* Labill. N. Holl. t. 69. Bot. Mag. 1935.  
 { *armillaris* H. kew. N. Holl. Temp. ♀  
 { *ericæfolia* Vent. Malm. t. 76.

*styp hælioides* H. kew. N. Holl. Temp. ♀

*squamea* Labill. N. Holl. t. 168. Bot. Reg. 477. N. Holl.  
 Temp. ♀

*fulgens* H. kew. Bot. Reg. 103. N. Holl. Temp. ♀

- decussata H. kew. Bot. Mag. 2268. N. Holl. Temp. 5  
 pulchella H. kew. N. Holl. Temp. 5  
 diosmæfolia H. kew. Andr. Rep. 476. N. Holl. Temp. 5  
 gibbosa Labill. N. Holl. t. 172. N. Holl. Temp. 5  
 { linearifolia Smith. Exot. Bot. t. 56. N. Holl. Temp. 5  
 { Metrosideros hyssopifolia Cav. Ic. t. 336. f. 1.  
 { neriifolia Bot. Mag. 1058. N. Holl. Temp. 5  
 { Tristania neriifolia H. kew.  
 { laurina Willd. Sp. N. Holl. Temp. 5  
 { Tristania laurina H. kew.

**BEAUFORTIA** H. kew.

- decussata H. kew. Bot. Mag. 1733. Bot. Reg. 18. N. Holl.  
 Temp. 5

**CALOTHAMNUS** Labill.

- quadrifida H. kew. Bot. Mag. 1506. N. Holl. Temp. 5  
 villosa H. kew. N. Holl. Temp. 5

**CALYTHRIX** Labill.

- glabra Bot. Reg. 409. N. Holl. Temp. 5

**LEPTOSPERMUM** Forster.

- scoparium Smith. Soc. Lin. Lond. v. 3. Andr. Rep. 622. N.  
 Holl. Temp. 5 Orn.  
 { ambiguum Smith. Exot. Bot. t. 59. N. Holl. Temp. 5  
 { Metrosideros corifolia Vent. Malm. t. 46.  
 myrtifolium H. kew. N. Holl. Temp. 5  
 { Thea Willd. Sp. N. Holl. Temp. 5 Econ.  
 { flavescens H. kew.  
 { Melaleuca Thea Sert. Hann. t. 14.  
 pubescens Willd. Sp. N. Holl. Temp. 5  
 juniperinum Smith. Soc. Lin. Lond. v. 3. Vent. Malm.  
 t. 89. N. Holl. Temp. 5  
 { lanigerum Smith. Soc. Lin. Lond. v. 3. N. Holl. 5  
 { Philadelphus laniger H. kew. Ed. 1. t. 2.

**FABRICIA** Smith.

- laevigata Smith. Soc. Lin. Lond. v. 3. Bot. Mag. 1304. N.  
 Holl. Temp. 5

**METROSIDEROS** Smith.

- saligna Smith. Soc. Lin. Lond. v. 3. H. Cels. t. 70. Bot.  
 Mag. 1821. N. Holl. Temp. 5 Orn.  
 lophanta Vent. H. Cels. t. 69. N. Holl. Temp. 5 Orn.  
 { citrina Bot. Mag. 260. N. Holl. Temp. 5 Orn.  
 { lanceolata Smith. Soc. Lin. Lond. v. 3.  
 crassifolia Dum. Cours. Bot. Cult. Suppl. N. Holl. Temp.  
 5 Orn.  
 \* glandulosa H. p. N. Holl. Temp. 5

- pinifolia Wend. Collect. t. 16. N. Holl. Temp. ♪  
 { linearis Smith. Soc. Lin. Lond. v. 3. Jacq. H. schœn.  
   t. 405. N. Holl. Temp. ♪  
 Melaleuca linearis Sert. Hann. t. 11.  
 { hispida Smith. Exot. Bot. t. 42. Bot. Mag. 1960. N.  
   Holl. Temp. ♪  
 { anomala Vent. Malm. t. 5.  
 { floribunda Vent. Malm. t. 75. N. Holl. Temp. ♪  
 { Eugenia elliptica. H. kew. Bot. Mag. 1872.

**EUCALYPTUS L'her.**

- robusta Smith. N. Holl. t. 13. N. Holl. Temp. ♪ Econ.  
 { oppositifolia H. p. N. Holl. Temp. ♪  
 { purpurascens Link. Enum.  
 obliqua L'her. Sert. t. 20. N. Holl. Temp. ♪  
 amygdalina Labill. N. Holl. t. 154. N. Holl. Temp. ♪  
 scabra Dum. Cours. Bot. Cult. DC. Prod. N. Holl. Temp. ♪  
 resinifera H. kew. Smith. Exot. Bot. t. 84. N. Holl. Temp.  
 ♪  
 longifolia Bot. Reg. 947. N. Holl. Temp. ♪  
 pulverulenta Bot. Mag. 2087. N. Holl. Temp. ♪  
 { glauca DC. Prodr. N. Holl. Temp. ♪  
 { pulverulenta Link. Enum. ♪  
 cordata Lodd. Bot. Cab. 328. N. Holl. Temp. ♪  
 \* perfoliata H. p. N. Holl. Temp. ♪  
 \* discolor H. p. N. Holl. Temp. ♪  
 \* glandulosa H. p. N. Holl. Temp. ♪  
 \* rubricaulis H. p. N. Holl. Temp. ♪  
 \* pulchella H. p. N. Holl. Temp. ♪  
 \* populifolia H. p. N. Holl. Temp. ♪

**PSIDIUM Lin.**

- pyriferum L. Trew. Sel. t. 43. Am. m. Temp. ♪ Econ.  
 cattleianum Bot. Reg. 622. Lindley. Collect. t. 16. China.  
 Temp. ♪  
 montanum Swartz. Fl. Ind. Antill. Cald. ♪  
 ? pomiferum L. H. malab. 3. t. 35. Pluk. 193. f. 4. Ind.  
 Cald. ♪

**MYRTUS Lin.**

- communis L. Camer. Epit. 132. Ic. Gall. Temp. & Econ. Orn.  
 — boetica.  
 — romana.  
 — tarentina.  
 — belgica.  
 — macrophylla.  
 — mucronata.  
 tomentosa Bot. Mag. 250. China. Cald. ♪



- { *Pimenta* L. Bot. Mag. 1236. Antill. Cald. ♪ Econ.
- { *Eugenia Pimenta* DC. Prodr.
- obscura* Bot. Reg. 1044. ? Am. m. Cald. ♪
- { *horizontalis* Vent. Malm. t. 60. Jamaic. Cald. ♪
- { *disticha* Bot. Mag. 867.

**EUGENIA** Lin.

- { *uniflora* L. Brasil. Cald. ♪
- { *Myrtus brasiliانا* L.
- { *Plinia pedunculata* L. Mant. Bot. Mag. 473.
- Jambos* L. H. malab. 1. t. 17. Ind. Cald. ♪ Econ.
- malaccensis* L. Smith. Exot. Bot. t. 61. Ind. Cald. ♪
- { *pseudo-malaccensis* H. p. Cald.
- { *malaccensis* Lamk. Encycl. (non Lin.)
- myrtifolia* Bot. Mag. 2220. Bot. Reg. 627. N. Holl. Temp.
- ♪
- baruensis* Jacq. Rar. t. 486. Am. m. Cald. ♪
- zeylanica* Willd. Sp. Ceylan. Cald. ♪
- \* *sessifolia* H. p. Cald. ♪

**CARYOPHYLLUS** Lin.

- { *aromaticus* L. Rumph. Amb. 2. t. 1, 2, 3. Cald. ♪
- { Econ.
- { *Eugenia caryophyllata* Thunb. Diss. Clus. Exot. 16. Ic.

**CALYPTRANTHES**. Gen. pl. Ed. Schreb.

- { *Zuzygium* Swartz. Fl. Brown. Jam. t. 7. f. 2. Antill.
- { Cald. ♪
- { *Myrtus Zuzygium* L.
- Jabolana* Willd. Sp. Rumph. Amb. 1. t. 42. Ind. Cald. ♪

**DECUMARIA** Lin.

- { *barbara* L. Carolin. ♪
- { *sarmentosa* Bosc. Soc. Lin. Par. t. 13.

**PUNICA** Lin.

- Granatum* L. Trew. Sel. t. 71, 72. Tunis. Temp. ♪ Econ.
- Orn.
- *nanum*.
- *flavum*.

**PHILADELPHUS** Lin.

- coronarius* L. Bot. Mag. 391. Gall. ♪ Orn.
- grandiflorus* Pursh. Fl. Bot. Reg. 570. Carolin. ♪ Orn.
- inodorus* Pursh. Fl. Bot. Mag. 1478. Carolin. ♪ Orn.

**BARRINGTONIA** Forst.

- { *speciosa* L. Suppl. Rumph. Amb. 3. t. 114. Ind. Cald.
- ♪
- { *Butonica speciosa* Lamk. Encycl.
- { *Mammea asiatica* L.

**COUROUPITA Aublet.**

*guianensis* Aublet. Guian. t. 282. Guian. Cald. 5

**PIRIGARA Aublet.**

{ *tetrapetala* Aublet. Guian. t. 192. Guian. Cald. 5  
 { *Gustavia augusta* L. Suppl.

**ORDO IX.****MELASTOMEÆ Juss.****BLAKEA Lin.**

*trinervia* L. Bot. Mag. 451. Jamaic. Cald. 5

**MELASTOMA Lin.**

*cymosa* Willd. Sp. Schrad. Sert. Hann. t. 10. Am. m. Cald. 5

*hirta* L. Plum. Ic. t. 141. Am. m. Cald. 5

*elegans* Aublet. Guian. t. 167. Cald. 5

*spicata* Aublet. Guian. t. 165. Guian. 5

*malabathrica* L. Bot. Mag. 529. Bot. Reg. 672. Ind. Cald.

*albicans* Swartz. Fl. Ind. Jamaic. Cald. 5

*sanguinea* Bot. Mag. 2241. China. Cald. 5

*heteromalla* Bot. Reg. 644. Bot. Mag. 2337. Brasil. Cald. 5

**RHEXIA Lin.**

*mariana* L. Lamk. Ill. t. 283. f. 1. Carolin. Temp. 5

*virginica* L. Bot. Mag. 968. Am. s. Temp. 7

*holosericea* Bot. Reg. 323. Brasil. Cald. 5

*viminea* Bot. Reg. 664. Brasil. Cald. 5

**OSBECKIA Lin.**

*chinensis* L. Suppl. Bot. Reg. 542. China. Cald. 5

**ORDO X.****SALICARIEÆ Juss.****LAGERSTROEMIA Lin.**

*indica* L. Bot. Mag. 405. Ind. Cald. Temp. 5 Orn.

*Reginæ* Roxb. Corom. t. 65. Ind. Cald. 5 Orn.

**LAWSONIA Lin.**

*inermis* L. Walth. Hort. t. 4. Ægypt. Temp. 5 Econ.

**LYTHRUM** Lin.

- Salicaria L. Fl. Dan. t. 671. Gall. ♀ Med.  
 virgatum L. Jacq. Austr. t. 7. Austr. ♀  
 hyssopifolia L. Jacq. Austr. t. 133. Gall. ☉

**NESÆA** Kunth.

- salicifolia Kunth. N. Gen. N. Hisp. Temp. ♀

**CUPHEA** Jacq.

- { viscosissima Jacq. Hort. t. 177. Am. s. ♂  
 { Lythrum Cuphea L. Suppl.  
 { lanceolata H. kew. Mexico. ♂  
 { procumbens Cav. Ic. t. 380. Bot. Mag. 1931. Bot. Reg.  
 182.

**AMMANIA** Lin.

- sanguinolenta Swartz. Fl. Ind. Antill. ☉  
 caspica Marsch. Cauc. Mare casp. ☉  
 octandra L. Suppl. Ind.  
 { baccifera L.  
 { Cornelia verticillata Arduini. Sp. 2. t. 1. Ital. ☉

**ISNARDIA** Lin.

- palustris Lamk. Ill. t. 77. Gall. ♀

**GLAUX** Lin.

- maritima L. Fl. Dan. t. 548. Gall. ♀

**PEPLIS** Lin.

- Portula L. Fl. Dan. t. 64. Gall. ☉

**ORDO XI.****ROSACEÆ** Juss.**MALUS** Tournef.

- communis H. p. Gall. ♀ Econ.  
 — prasomila.  
 — paradisiaca.  
 — castanea.  
 — apiosa.  
 { coronaria H. p. Virgin. ♀ Orn.  
 { Pyrus coronaria L. Bot. Reg. 651.  
 { sempervirens. H. p. Am. s. ♀  
 { Pyrus angustifolia H. kew.  
 { hybrida Desf. Arb. Siber. ♀  
 { Pyrus prunifolia Willd. Sp.

- { baccata H. p. Siber. ♪
- { Pyrus baccata L. Mant. Pallas. Fl. Ross. 1. t. 10.
- { spectabilis H. p. China. ♪ Orn.
- { Pyrus spectabilis H. kew. Bot. Mag. 267.
- { japonica H. p. Japon. ♪ Orn.
- { Pyrus japonica Bot. Mag. 692.

**PYRUS** Tournef.

communis L. Gall. ♪ Econ.

— pyrastrer.

— pompeiana.

— rufescens.

— liquescens.

Michauxii Bosc. Dict. Am. s. ♪

polveria L. Mant. Gall. ♪

sinaica Thouin. Mém. du Mus. v. 1. t. 9. M. Sinai. ♪

salicifolia L. Suppl. Pallas. Fl. Ross. 1. t. 9. Bot. Reg. 514.  
Siber. ♪

**CYDONIA** Tournef.

{ vulgaris. Gall. ♪ Econ.

{ Pyrus Cydonia Jacq. Austr. t. 342.

— lusitanica.

sinensis Thouin. Ann. du Mus. v. 19. t. 8, 9. China. ♪

**CRATÆGUS** Tournef.

terminalis L. Fl. Dan. t. 798. Jacq. Austr. t. 443. Gall.  
♪ Econ.

latifolia Lamk. Encycl. Duham. Arbr. Ed. nov. v. 4.  
t. 35. Gall. ♪

Aria L. Fl. Dan. t. 302. Gall. ♪

— longifolia.

{ indica L. Bot. Mag. 1726. Ind. Temp. ♪

{ Raphiolepis indica Lindley. Soc. Lin. Lond. v. 13. Ind.  
Temp. ♪

{ rubra. China. Temp. ♪

{ Raphiolepis rubra Lindley. Collect. t. 3.

\* serratifolia H. p.

{ glabra Thunb. Jap. Bot. Mag. 2105. China. ♪ Orn.

{ Photina serrulata Lindley. Soc. Lin. Lond. v. 13.

\* sorbifolia H. p. ♪

{ Chamæespilus Jacq. Austr. t. 231. Alpes. ♪

{ Mespilus Chamæespilus L.

{ humilis Lamk. Encycl.

arbutifolia Lamk. Encycl. Am. s. ♪ Orn.

pyrifolia Lamk. Encycl. Am. s. ♪ Orn.

spicata Lamk. Encycl. Am. s. ♪ Orn.

racemosa Lamk. Encycl. Am. s. ♪ Orn.

- { Amelanchier Jacq. Austr. t. 300. Gall. 5
- { Mespilus Amelanchier L.
- { rotundifolia Lamk. Encycl.
- { arbutifolia H. kew. Californ. Temp. 5
- { Photina arbutifolia Lindley. Soc. Lin. Lond. v. 13.
- { Bot. Reg. 491.

**SORBUS Lin.**

- aucuparia L. Fl. Dan. t. 1034. Gall. 5 Orn.
- americana Pursh. Fl. Am. s. 5
- domestica L. Jacq. Austr. t. 447. Gall. 5 Econ.
- { intermedia. Europ. sept. 5
- { Pyrus intermedia DC. Prodr.
- { hybrida L. Fl. Dan. t. 301. f. infer. Gottland. 5 Orn.
- { Pyrus pinnatifida Engl. Bot. 2331.

**MESPILUS Tournef.**

- Oxyacantha Jacq. Austr. t. 292. f. 2. Gall. 5 Orn.
- plena.
- rubra.
- monogyna Jacq. Austr. t. 292. f. 1. Gall. 5
- { Azarolus. Gall. m. 5 Econ.
- { Cratægus Azarolus L. Andr. Rep. 779. (Mala.) Gall. m. 5
- { Econ.
- { Aronia. Oriens. 5
- { Mespilus Aronia L.
- caroliniana Poiret. Encycl. Carolin. 5
- { spathulata. Am. s. 5
- { Cratægus spathulata Mich. Fl.
- tanacetifolia Poiret. Encycl. Smith. Exot. Bot. t. 85.
- Oriens. 5
- { corallina H. p. Am. s. 5 Orn.
- { acerifolia Poiret. Encycl.
- { coccinea H. p. Pluk. t. 46. f. 4. Am. s. 5
- { Cratægus coccinea. L.
- { pyrifolia H. p. Am. s. 5
- { cornifolia Poiret. Encycl.
- latifolia Poiret. Encycl. Am. s. 5
- linearis Poiret. Encycl. Suppl. Am. s. 5
- prunifolia Poiret. Encycl. Duham. Arb. v. 4. t. 40. Am. s. 5
- { Crus-galli. Am. s. 5
- { Cratægus Crus-galli. L.
- celsiana Dum. Cours. Suppl. Oriens. 5
- { fissa Poiret. Encycl. Suppl. 5
- { Cratægus fissa DC. Prodr.
- { flava. Am. s. 5
- { Cratægus flava H. kew.
- { lobata. 5
- { Cratægus lobata DC. Prodr.

- lucida* Dum. Cours. Bot. Cult. Am. s. 5  
 { *nigra* Hung. 5  
 { *Cratægus nigra* Wald. et Kit. Hung. t. 61.  
*obovata* Bosc. Dict. 5  
 { *Cotoneaster* L. Fl. Dan. t. 112. Gall. 5  
 { *Cotoneaster vulgaris* Lindley. Soc. Lin. Lond. v. 13.  
 \* *racemiflora* H. p. 5  
 { *melanocarpa* Russ. 5  
 { *Cratægus melanocarpa* Marsch. Cauc.  
 { *eriocarpa* DC. Synops. Gall. 5  
 { *tomentosa* Willd. Sp.  
*oliveriana* Dum. Cours. Bot. Cult. Persia. 5  
*orientalis* Poiret. Encycl. Suppl. Oriens. 5  
 { *parvifolia* Am. s. 5  
 { *Cratægus parvifolia* Willd. Sp.  
*pectinata* Dum. Cours. Bot. Cult. 5  
 { *prunellifolia* 5  
 { *Cratægus prunellifolia* DC. Prodr. 5  
 { *purpurea* Poiret. Encycl. Suppl. 5  
 { *Cratægus purpurea* DC. Prodr.  
*Pyracantha* L. Pallas. Ross. t. 13. f. 2. Gall. 5  
 { *germanica* L. Gall. 5 Econ.  
 { *communis* Pallas. Ross. t. 13. f. 1.  
 { *japonica* Thunb. Jap. Kämpf. Ic. sel. t. 18. Vent.  
 { Malm. t. 19. Bot. Reg. 365. Jap. 5 Econ.  
 { *Eriobothrya japonica* Lindley. Soc. Lin. Lond. v. 13.

## ROSA Lin.

### 1. Fructibus subglobosis.

- Eglanteria* L. Germ. Orn. 5  
 — *lutea* Bot. Mag. 363. Red. et Thor. Ros. v. 1. 69.  
 — *punicea* Bot. Mag. 1077. Red. et Thor. Ros. v. 1. 71.  
*sulphurea* H. kew. Red. et Thor. Ros. v. 1. 29. Oriens. 5  
 Orn.  
 { *spinosissima* L. Gall. 5  
 { *Pimpinellifolia* Red. et Thor. Ros. v. 1. 83. Variet. et  
 119.  
 { *scotica* Europ. sept. 5  
 { *Pimpinellifolia pumila* Red. et Thor. Ros. v. 1. 85.  
*cinnamomea* L. Red. et Thor. Ros. v. 1. 105. 133. Gall. 5  
*arvensis* L. Mant. Red. et Thor. Ros. v. 1. 89. Gall. 5  
*stylosa* Desv. Journ. de Bot. Gall. 5  
 { *carolina* L. Carolin. 5  
 { *Carolina corymbosa* Red. et Thor. Ros. v. 1. 81.  
*multiflora* Red. et Thor. Ros. v. 2. 67. China. 5 Orn.

- { rapa Red. et Thor. Ros. v. 2. 7. Am. s. ♪
- { turgida Pers. Syn.
- bracteata Vent. H. Cels. t. 28. Red. et Thor. Ros. v. 1. 35. China. ♪
- parviflora Willd. Sp. Red. et Thor. Ros. v. 2. 73. Am. s. ♪
- { trifoliata Bosc. Am. s. ♪
- { nivea Red. et Thor. Ros. v. 2. 81.
- { lævigata Mich. Fl.
- lucida Willd. Sp. Red. et Thor. v. 1. 45. Am. s. ♪
- involucrata Lindley. Monogr. Bot. Reg. 739. China. ♪
- villosa L. Red. et Thor. Ros. v. 1. 67. Gall. ♪
- { kamtschatica Vent. Hort. Cels. t. 67. Red. et Thor. Ros. v. 1. 47. Caucas. ♪
- { ferox H. kew. Bot. Reg. 420.
- alpina L. Red. et Thor. Ros. v. 1. 59. Alpes. ♪
- pendulina Red. et Thor. Ros. v. 1. 57. Alpes. ♪

## 2. Fructibus ovatis.

- { remensis Red. et Thor. Ros. v. 3. 107. Gall. ♪
- { parvifolia Bot. Reg. 452.
- { burgundiaca H. p. Gall. ♪ Orn.
- { pomponia Red. et Thor. Ros. v. 1. 65.
- damascena Willd. Sp. Red. et Thor. Ros. v. 2. 41. etc. Syria. ♪ Med.
- { semperflorens H. p.
- { bifera Red. et Thor. Ros. v. 1. 107.
- centifolia L. Red. et Thor. Ros. v. 1. 25, 77. Persia. ♪ Orn.
- unguiculata Red. et Thor. Ros. v. 1. 113. ♪
- muscosa H. kew. Red. et Thor. Ros. v. 1. 39. 41. ♪
- maxima ♪
- { turbinata H. kew. Red. et Thor. Ros. v. 1. 127. Europ. sept. ♪ Orn.
- { francofurtensis H. p.
- gallica L. Red. et Thor. Ros. v. 1. 73. et v. 3. 57. Gall. ♪
- alba L. Red. et Thor. Ros. v. 1. 117. Gall. ♪
- collina Jacq. Austr. t. 197. Red. et Thor. Ros. v. 2. 13. Gall. ♪
- rubiginosa L. Mant. Red. et Thor. v. 1. 23 et v. 2. 13. Gall. ♪
- canina L. Red. et Thor. Ros. v. 2. 51. Gall. ♪
- sepium Red. et Thor. Ros. v. 2. 61. Gall. ♪
- { glauca H. p. Alpes. ♪
- { rubrifolia Vill. Hist. Red. et Thor. Ros. v. 1. 31.
- moschata H. kew. Red. et Thor. Ros. v. 1. 33. Barbar. ♪ Econ.

{ diversifolia Vent. H. Cels. t. 35. Ind. ♀  
 { semperflorens Jacq. H. schoen. t. 281.  
 { indica Red. et Thor. Ros. v. 1. 49.

— vulgaris Red. et Thor. Ros. v. 1. 51.

Banksiæ H. kew. Bot. Mag. 1954. Red. et Thor. Ros. v. 2. 43. China. ♀ Orn.

sempervirens Red. et Thor. Ros. v. 2. 15. Ital. ♀

#### POTERIUM Lin.

Sanguisorba L. Engl. Bot. 860. Gall. & Econ. Med.

polygamum Willd. Sp. Wald. et Kit. Hung. t. 198.  
Hungar. &

caudatum H. kew. Bot. Mag. 2341. Canar. Temp. ♀

spinosum L. Clus. Hist. 108. Ic. inter. Oriens. Temp. ♀

#### SANGUISORBA Lin.

officinalis L. Fl. Dan. t. 97. Gall. &

media L. Moris. S. 8. t. 18. f. 8. Canad. &

canadensis L. Cornuti. Canad. 174. Ic. Canad. &

tenuifolia Fischer. &

#### ANCISTRUM Forster.

{ ascendens. Magell. &

{ Acæna ascendens Vahl. Enum.

repens Vent. H. Cels. t. 6. Peruv. Temp. ♀

{ cylindristachyum. Peruv. &

{ Acæna cylindristachya Fl. Peruv. t. 104.

#### WALDSTEINIA Willd.

geoides Willd. Sp. Wald. et Kit. Hung. t. 77. Nester.

Potent. t. 1. Hungar. &

#### AGRIMONIA Lin.

Eupatoria L. Fl. Dan. t. 588. Gall. & Med.

— odorata.

Agrimonioides L. Col. Ecphr. 144. Ic. Ital. &

#### CLIFFORTIA Lin.

ilicifolia L. Dill. Elth. t. 31. f. 35. H. Cliff. t. 30. Cap.  
Temp. ♀

tridentata Willd. Sp. Cap. Temp. ♀

ruscifolia L. H. Cliff. t. 31. Cap. Temp. ♀

obcordata L. Suppl. Cap. Temp. ♀

#### ALCHEMILLA Lin.

vulgaris L. Fl. Dan. t. 693. Gall. & Med.

hybrida L. Miller. Ic. t. 18. Alpes. &

alpina L. Fl. Dan. t. 49. Alpes. &

pentaphyllea L. Bocc. Mus. 1. 1. Alpès. &

{ Aphanes Fl. Dan. t. 973. Gall. ☉

{ Aphanes arvensis L.



**SIBBALDIA** Lin.

*procumbens* L. Fl. Dan. t. 32. Alpes. v

**TORMENTILLA** Lin.

{ *erecta* L. Fl. Dan. t. 589. Gall. z

{ *officinalis* Engl. Bot. 863.

*reptans* L. Engl. Bot. 864. Gall. v

**POTENTILLA** Lin.1. *Foliis pinnatis.*

*fruticosa* L. Amm. Ruth. t. 17. Siber. b

*Anserina* L. Fl. Dan. t. 544. Gall. v Med.

*multifida* L. Siber. v Med.

*supina* L. Jacq. Austr. t. 406. Gall. z

*bifurca* L. Siber. v

*rupestris* L. Jacq. Austr. t. 114. Alpes. v

*pensylvanica* L. Mant. Jacq. Hort. t. 189. Am. s. z

*agrimonioides* Marsch. Cauc. Gmel. Sib. 3. t. 38. Armen. z

*arguta* Pursh. Fl. Suppl. Louisian. v

*geoides* Marsch. Cauc. Lehm. Pot. t. 2. Tauria. z

2. *Foliis digitatis.*

*taurica* Lehm. Pot. t. 9. Tauria. v

*recta* L. Nester. Pot. t. 6. Gall. z

*laciniosa* Lehm. Pot. t. 7. Hungar. v

*pedata* Nester. Pot. t. 7. Alpes. v

*obscura* Willd. Sp. Caucas. z

{ *canescens* Nester. Pot. Gall. z

{ *ascendens* Vill. Hist.

{ *recta* Jacq. Austr. t. 383.

*hirta* Lehm. Pot. t. 8. Gall. z

*argentea* L. Fl. Dan. t. 865. Engl. Bot. 89. Gall. z

*Guntheri* Lehm. Pot. t. 10. Siber. z

*verna* L. Crantz. Austr. fasc. 2. t. 1. f. 2. Engl. Bot. 37.  
Gall. z

*intermedia* Nester. Pot. t. 8. Alpes. v

*incisa* H. p. Nester. Pot. t. 4. f. 1. z

*alba* L. Jacq. Austr. t. 115. Gall. z

{ *lupinoides* Willd. Sp. Alpes. z

{ *valderia* Vill. Hist.

{ *nivalis* Lapeyr. Mém. de l'Acad. de Toul. 1. t. 16.

*caulescens* Jacq. Austr. t. 220. Alpes. z

*reptans* L. Fl. Dan. t. 1164. Gall. z

{ *nepaulensis* Hook. Exot. Fl. t. 88. Nepaul. z Temp.

{ *formosa* Don. Prodr.

*atrosanguinea* Lodd. Bot. Cab. 786. Nepaul. Temp. z

*grandiflora* L. Bot. Mag. 75. Alpes.  $\pi$

{ *monspeliensis* L.  $\psi$   
 { *hirsuta* Mich. Fl. Nester. Pot. t. 9. f. 1. (eadem ex  
 { Nester.)

*norvegica* L. Fl. Dan. t. 171. Norweg.  $\pi$

*nivea* L. Gunn. Norv. t. 3. f. 1. Siber.  $\pi$

{ *parviflora* H. p.

{ *Fragaria sterilis* L. Willd. Sp. Engl. Bot. 1785. Gall.  $\pi$

{ *emarginata* H. p. Vaill. Bot. t. 10. f. 1. Gall.  $\pi$

{ *Vaillantii* Nester. Pot.

#### FRAGARIA Lin.

*vesca* L. Engl. Bot. 1524. Gall.  $\pi$  Econ.

— *monophylla* Willd. Sp. Bot. Mag. 63.

— *efflagellis.*

— *semperflorens.*

— *moschata.*

— *nigra.*

— *viridis.*

— *virginiana.*

— *chiloensis.*

— *ananassa.*

{ *indica* H. kew. Bot. Reg. 61. Nepaul. Temp.  $\pi$

{ *Duchesnea fragiformis.* Smith. Soc. Lin. Lond. v. 10.

#### COMARUM Lin.

{ *palustre* L. Fl. Dan. t. 636. Gall.  $\psi$

{ *Potentilla Comarum.* Nester. Pot.

#### GEUM Lin.

*urbanum* L. Fl. Dan. t. 672. Gall.  $\pi$  Med.

*rubifolium* DC. Prodr.

*coccineum* Smith. Fl. Græca. Prodr. Bot. Reg. Ic. 88.

*Oriens.*  $\pi$

\* *heterophyllum.* H. p.  $\pi$

*virginianum* L. Virgin.  $\psi$

{ *album* Willd. Enum. Am. s.  $\pi$

{ *canadense* Jacq. Hort. t. 175

{ *canadense* Murr. Gott. v. 5. t. 4. B. Am. s.  $\pi$

{ *strictum* Willd. Sp.

\* *rugosum* H. p.

*macrophyllum* Willd. Enum. Kamtsch.  $\pi$

*rivale* L. Engl. Bot. 106. Alpes.  $\pi$

*nutans* Lamk. Encycl. Alpes.  $\pi$

*sylvaticum* DC. Suppl. Gall.  $\psi$

*pyrenaicum* Willd. Sp. (An dist. a præced.) Pyren.  $\pi$

*montanum* L. Jacq. Austr. t. 373. Alpes.  $\psi$

*reptans* L. Jacq. Austr. App. t. 22.

**DRYAS** Lin.

*octopetala* L. Fl. Dan. t. 31. Engl. Bot. 451. Alpes.  $\pi$

**RUBUS** Lin.

## 1. Fruticosi.

*idæus* L. Fl. Dan. t. 788. Gall.  $\mathfrak{h}$  Econ. Med.

*occidentalis* L. Dill. Elth. t. 247. f. 319. Am. s.  $\mathfrak{h}$  Econ.

{ *villosus* H. kew. Am. s.  $\mathfrak{h}$

{ *vulpinus*. H. p.

*reflexus* Bot. Reg. 461. China. Temp.  $\mathfrak{h}$

*glandulosus* DC. Fl. Suppl. Gall.  $\mathfrak{h}$

*fruticosus* L. Engl. Bot. 715. Gall.  $\mathfrak{h}$  Med.

— *inermis*.

*laciniatus* Willd. H. berol. t. 82.  $\mathfrak{h}$

*rosæfolius* Smith. Ic. ined. t. 60. I. Franciæ. Cald.  $\mathfrak{h}$

*parvifolius* L. Bot. Reg. 496. China. Temp.  $\mathfrak{h}$

*cæsius* L. Engl. Bot. 826. Bull. Herb. t. 381. Gall.  $\mathfrak{h}$

*odoratus* L. Bot. Mag. 323. Am. s.  $\mathfrak{h}$

## 2. Herbacei.

*saxatilis* L. Fl. Dan. t. 134. Gall.  $\pi$

*arcticus* L. Bot. Mag. 132. Suecia.  $\pi$

*Chamæmorus* L. Fl. Lap. t. 5. f. 1. Fl. Dan. t. 1. Suecia.  
 $\pi$  Econ.

{ *Dalibarda* L. Smith. Ic. ined. t. 20. Canad.  $\pi$

{ *Dalibarda violæoides*. Mich. Fl. t. 27. Am. s.  $\pi$

{ *fragarioides*.

{ *Dalibarda fragarioides*. Mich. Fl. t. 28. Bot. Mag. 1567.

**KERRIA** DC.

{ *japonica* DC. Prodr. Japon.  $\mathfrak{h}$

{ *Rubus japonicus*. L.

{ *Corchorus japonicus* Thunb. Fl. Jap. Bot. Mag. 1296.

{ Jap.  $\mathfrak{h}$  Orn.

**SPIRÆA** Lin.

## 1. Herbaceæ.

*Filipendula* L. Fl. Dan. t. 635. Gall.  $\pi$  Med. Orn.

*Aruncus* L. Camer. Hort. t. 9. Alpes.  $\pi$

*Ulmaria* L. Fl. Dan. t. 547. Gall.  $\pi$  Med.

*lobata* Syst. Veg. Jacq. Hort. t. 88. Siber.  $\pi$

*trifoliata* L. Bot. Mag. 489. Am. s.  $\pi$

## 2. Fruticosæ.

- sorbifolia* L. Pallas. Ross. 1. t. 24. Siber. ♪  
*salicifolia* L. Engl. Bot. 1468. Gall. ♪  
 { *lævigata* L. Siber. ♪  
 { *altaica* Pallas. Ross. 1. t. 23. Siber. ♪  
*tomentosa* L. Pluk. t. 321. f. 5. Am. s. ♪ Orn.  
*betulæfolia* Pallas. Ross. 1. t. 16. Siber. ♪  
*hypericifolia* L. Pluk. t. 218. f. 5. Canad. ♪ Orn.  
*trilobata* Willd. Sp. Pallas. Ross. 1. t. 17. Siber. ♪  
*acutifolia* Willd. Enum. ♪  
 { *flexuosa* Fischer.  
 { *alpina* Willd. Sp. Pallas. Ross. 1. t. 20.  
*ulmifolia* Willd. Sp. Carniol. ♪  
*chamædryfolia* L. Pallas. Ross. 1. t. 15. Siber.  
*oblongifolia* Wald. et Kit. Hung. t. 235. f. 5. Hungar. ♪  
*opulifolia* Com. Hort. 1. t. 87. Virgin. ♪ Orn.  
*bella* Bot. Mag. 2426. Nepaul. Temp. ♪  
*corymbosa* DC. Prodr. Lodd. Bot. Cat. t. 671. Virgin. ♪

## CHRYSOBALANUS Lin.

*Icaco* L. Jacq. Am. t. 94. Am. m. Cald. ♪ Econ.

## PRUNUS Lin.

## 1. Cerasi : Nucleo subrotundo.

- caroliniana* H. kew. Mich. Arb. 3. t. 7. Carolin. Temp. ♪  
*Lauro-cerasus* L. Bull. Herb. t. 153. Gall. ♪ Orn.  
*lusitanica* L. Dill. Elth. t. 159. f. 193. Lusit. ♪ Orn.  
*Padus* L. Fl. Dan. t. 205. Gall. ♪  
 — *rubra*.  
*virginiana* L. Mich. Arb. 3. t. 6. Virgin. ♪ Orn.  
*serotina* Willd. Sp. Arb. t. 5. f. 2. Am. s. ♪  
*pumila* L. Mant. Mill. Ic. t. 69. f. 2. Am. s. ♪  
*pygmæa* Duham. Arb. Edit. nov. Am. s. ♪  
*Chamæcerasus* Jacq. Rar. t. 90. Austr. t. 227. Gall. ♪  
 Econ. Orn.  
*Mahaleb* L. Jacq. Austr. t. 227. Gall. ♪ Econ. Orn.  
 { *semperflorens* Willd. Sp. 7  
 { *serotina* Roth. Catal.  
*Cerasus* L. Gall. ♪ Econ. •  
 — *nana*.  
 — *ruberrima*.  
 — *suavissima*.  
 — *juliana*.  
 — *avium* L. Gall. ♪ Econ.  
 — *sylvestris*.

- nigra.
- Bigarella.
- { persicifolia. Am. s. 5
- { borealis Mich. Fl. Mich. Arb. 3. t. 8. ?
- { pensylvanica Willd. Sp.

2. Pruni : Nucleo ovato, subcompresso.

- spinosa L. Fl. Dan. t. 926. Gall. 5
- insititia L. Engl. Bot. 841. Gall. 5
- { sinensis Pluk. t. 11. f. 4. Japon. Temp. 5
- { Amygdalus pumila L. Bot. Mag. 2176.
- { prostrata Labill. DC. 1. t. 6. Tunis. 5
- { Cerasus prostrata. DC. Prodr.
- Acuminata Mich. Fl. Virgin. 5
- { Chicasa Mich. Fl. Carol. 5
- { Cerasus Chicasa DC. Prodr.
- sphærocarpa Mich. Fl. Am. s. 5
- susquehana Dum. Cours. Suppl. Am. s. 5
- { brigantiaca Vill. Hist. Alpes. Econ.
- { Amygdalus brigantiaca Pers. Syn.
- domestica L. Engl. Bot. 1783. Gall. Econ.
- cerea.
- cereola.
- damascena.
- hungarica.
- claudiana.
- { Myrobalana L. Duham. Arb. 2. t. 2. f. 15. Am. s. 5
- { Econ.
- { cerasifera Willd. Sp.
- { hyemalis Mich. Fl. Am. s. 5
- { Cerasus hyemalis DC. Prodr.
- reclinata Bosc. Am. s. 5

3. Armeniacæ : Nucleo orbiculari, compresso.

- Armeniaca L. Asia. 5 Econ.
- dulcis. (Alberge)
- { nigra.
- { dasycarpa Pers. Syn. DC. Prodr.
- macrocarpa. (Abricot-pêche)

AMYGDALUS Lin.

- persica L. Duham. Arb. 2. t. 22. Pers. 5 Econ.
- communis L. Duham. Arb. 1. t. 17. Mauris. 5
- plena.
- amara.
- nana L. Pallas. Ross. 1. t. 6. Bot. Mag. 161. Russ. 5
- Orn.

- { sibirica L. Amm. Ruth. t. 29. Siber. ♪
- { Armeniaca sibirica Pers. Syn.
- georgica H. p. Desf. Arb. Georgia. ♪
- { orientalis H. kew. Persia. ♪
- { argentea Lamk. Encycl. J. St. Hil. 1. t. 26.

**CALYCANTHUS** Lin.

- floridus L. Bot. Mag. 503. Carolin. ♪ Orn.
- { lævigatus Willd. Enum. Bot. Reg. 481. Carolin. ♪
- { ferax Mich. Fl.
- nanus Dum. Cours. Bot. Cult. Am. s. ♪
- { præcox L. Kæmpf. Amæn. 878. Ic. Bot. Mag. 466.
- { China. ♪
- { Meratia fragrans. Lois. Herb. de l'Amat. v. 3. t. 173.
- { Chimonanthus fragrans Bot. Reg. 451.

**BLAKVELLIA** Juss.

- axillaris Lamk. Ill. t. 483. f. 2. Antill. Cald. ♪

**HOMALIUM** Jacq.

- racemosum Jacq. Am. Lamk. Ill. t. 483. f. 2. Bot. Reg. 519. Antill. Cald. ♪

**PARINARI** Aublet.

- montana Aublet. Guian. t. 204, 205. Guian. Cald. ♪.

**ORDO XII.****LEGUMINOSÆ** Juss.**ACACIA** Necker.

## 1. Foliis simplicibus.

- verticillata Willd. Sp. Vent. Malm. t. 63. N. Holl. Temp. ♪
- juniperina Willd. Sp. Vent. Malm. t. 64. N. Holl. Temp. ♪
- linifolia Willd. Sp. Vent. H. Cels. t. 2. N. Holl. Temp. ♪
- diffusa Bot. Mag. 2417. Bot. Reg. 634. N. Holl. Temp. ♪
- longissima Link. Enum. Bot. Reg. 680. N. Holl. Temp. ♪
- decipiens H. kew. Bot. Mag. 1745. N. Holl. Temp. ♪
- floribunda Willd. Sp. Vent. Choix de Pl. t. 13. N. Holl. Temp. ♪ Orn.
- sophoræ Labill. N. Holl. t. 237. N. Holl. Temp. ♪
- lanigera Aiton. N. Holl. Temp. ♪
- { obliqua Wendl. Obs. N. Holl. Temp. ♪
- { falcata Willd. Sp. N. Holl. Temp. ♪

- lunata* Lodd. Bot. Cab. 384. N. Holl. Temp. 5  
*myrtifolia* Smith. N. Holl. t. 15. Bot. Mag. 302. N. Holl.  
 Temp. 5  
*dodoneæfolia* H. p. Pers. Syn. N. Holl. Temp. 5  
*crassiuscula* Wendl. Diss. t. 8. N. Holl. Temp. 5  
*longifolia* Willd. Sp. Vent. Malm. t. 62. Bot. Reg. 362.  
 N. Holl. Temp. 5 Orn.  
*suaveolens* Willd. Sp. N. Holl. Temp. 5  
*angustifolia* Jacq. H. schœn. t. 391. N. Holl. Temp. 5  
*stricta* Willd. Sp. Bot. Mag. 1121. N. Holl. Temp. 5  
*impressa* Bot. Reg. 1115. N. Holl. Temp. 5  
*melanoxydon* H. kew. Bot. Mag. 1659. N. Holl. Temp.  
 5  
*latifolia* H. p.  
*vestita* Bot. Reg. 698. N. Holl. Temp. 5  
*paradoxa* DC. Cat. monsp. Wendl. Diss. t. 3. N. Holl.  
 Temp. 5  
*armata* H. kew. Bot. Mag. 1653. N. Holl. Temp. 5  
*alata* H. kew. Bot. Reg. 396. Coll. H. Ripul. 1. t. 17. N.  
 Holl. Temp. 5

2. Foliis conjugatis, simulque pinnatis.

- pulchella* H. kew. N. Holl. Temp. 5  
*strombulifera* Lamk. Encycl. Peruv. Cald. 5  
*coronillæfolia* DC. Cat. monsp. Afr. Cald. 5  
*furcata* H. p. Desvaux, Journ. de Bot. Cald. 5  
*scandens* Willd. Sp. H. malab. 8. t. 32, 33, 34.  
 Cald. 5

3. Foliis duplicato-pinnatis.

a. Aculeis sparsis.

- sarmentosa*. Desvaux. Journ. de Bot. Cald. 5  
*uncinella*. Cald. 5  
*trinervis*. Desvaux. Journ. de Bot. Cald. 5  
*ceratoïia* Willd. Sp. Plum. Ic. t. 8. Antill. Cald. 5  
*rhodacantha* H. p. DC. Cat. monsp. Cald. 5  
*latispinosa* Lamk. Encycl. Madag. Cald. 5

b. Spinis seu aculeis stipularibus.

- juliflora* Swartz. Fl. Jamaic. Cald. 5  
*guayaquilensis*. Cald. 5  
*mauroceana* H. p. DC. Cat. monsp. Maroc. Cald. 5  
*senegal* Willd. Sp. Pluk. t. 251. f. 1. Sénégal. Cald. 5

{ nilotica. Afr. Cald. 5 Econ.  
 { vera Willd. Sp. Ind. Cald. 5  
 indica Desvaux. Journ. de Bot.  
 farnesiana Willd. Sp. Aldini. Farn. 2 et 4. Ic. Temp. 5  
 Orn.  
 eburnea Willd. Sp. Roxb. Corom. t. 199. Ind. Cald. 5  
 cornigera Willd. Sp. Pluk. t. 122. f. 1. Am. m. Cald. 5

## c. Inermes.

muricata Willd. Sp. Plum. Ic. t. 11. Antill. Cald. 5  
 portoricensis Willd. Sp. Jacq. Rar. t. 655. Porto-Rico.  
 Cald. 5  
 { leucocephala (non Willd.) Am. m. Cald. 5  
 { Mimosa leucocephala Lamk. Encycl.  
 { lophanta Willd. Sp. Bot. Reg. 361. N. Holl. Temp. 5  
 { distachya Vent. H. Cels. t. 20.  
 { arborea Willd. Sp. Pluk. 251. f. 2. Antill. Cald. 5  
 { Mimosa filicifolia. Lamk. Encycl.  
 { grandiflora Willd. Sp. Ind. Cald. 5  
 { Mimosa grandiflora Andr. Rep. 592. Ind. Cald. 5  
 tetragona Willd. Sp. Caracas. Cald. 5  
 quadrangularis Link. Enum. Cald. 5  
 julibrissin Willd. Sp. Scop. Insul. 1. t. 8. Oriens. 5  
 Orn.  
 decurrens Willd. Sp. Vent. Malm. t. 61. Bot. Reg. 371.  
 N. Holl. Temp. 5 Orn.  
 dealbata Link. Enum. N. Holl. Temp. 5  
 { peregrina Willd. Sp. Am. m. Cald. 5  
 { angustifolia Lamk. Encycl.  
 Lebbek. Willd. Sp. Pluk. t. 331. f. 1. Ægypt. Cald. 5  
 trichodes Willd. Sp. Jacq. H. schœn. t. 394. Caracas.  
 Cald. 5  
 scandens Willd. Sp. H. malab. 8. t. 32, 33, 34. Ind. Cald. 5  
 { botrycephala Vent. H. Cels. t. 1. N. Holl. Temp. 5  
 { discolor Willd. Sp. Bot. Mag. 1750.  
 \* lentiscifolia H. p. Mexico. Cald. 5  
 { pubescens Willd. Sp. N. Holl. Temp. 5  
 { Mimosa pubescens Vent. Malm. t. 21. Bot. Mag. 1263.  
 glandulosa Willd. Sp. Vent. Choix de Pl. t. 27. Am. s.  
 Temp. 5  
 { angustisiliqua Lamk. Encycl. Ind. Cald. 5  
 { virgata Jacq. Hort. t. 80.  
 { Desmanthus virgatus Willd. Sp.  
 { punctata L. Com. Hort. 1. t. 31. Antill. Cald. 5  
 { Desmanthus punctatus Willd. Sp.  
 \* lycopodioides H. p. Desvaux. Journ. de Bot. Cald. 5



- { lacustris Willd. Sp.
- { Mimosa lacustris Humb. et Bonpl. Æquin. 1. t. 16. Am.
- { m. Cald. 2
- { Desmanthus lacustris Willd. Sp.

**MIMOSA** Lin.

- sensitiva L. Trew. Sel. t. 95. Bot. Reg. 25. Brasil. Cald. 5
- pudica L. Breyn. Cent. t. 18. Brasil. ☉
- strigosa Willd. Sp. Am. m. Cald. 5

**SCHRANKIA** Willd.

- { uncinata Willd. Sp. Virgin. Temp. 2
- { Mimosa horridula Mich. Fl. Vent. Choix de Pl. t. 28.

**INGA** Plum.

- { vera Willd. Sp. Plum. Ic. t. 25. Antill. Cald. 5
- { Mimosa Inga L.
- punctata Willd. Sp. Caracas. Cald. 5
- { Unguis-cati Willd. Sp. Plum. Ic. t. 4. Antill. Cald. 5
- { Mimosa Unguis-cati Jacq. H. schœn. t. 392.
- javana DC. Prodr. Java. Cald. 5
- { foetida Willd. Sp. Am. m. Cald. 5
- { Mimosa foetida Jacq. H. schœn. t. 390.

**GLEDITSCHIA** Lin.

- triacanthos L. Mich. Arb. v. 3. t. 10. Am. s. 5 Econ. Orn.
- lævis.
- { monosperma H. kew. Mich. Arb. v. 3. l. 11. Am. s. 5
- { caroliniensis Lamk. Encycl.
- sinensis Lamk. Encycl. China. 5
- ferox H. p. DC. Prodr. 5
- macracantha H. p. DC. Prodr. 5
- caspica H. p. DC. Prodr. Mare Casp. 5

**GYMNOCLADUS** Lamarck.

- { canadensis Lamk. Encycl. Ill. t. 823. Mich. Arb. 2.
- { t. 23. Am. s. 5 Orn.
- { Guilandina dioica L.

**COPAIFERA** Lin.

- officinalis Jacq. Am. t. 86. Am. m. Cald. 5 Med.

**CERATONIA** Lin.

- Siliqua L. Duham. Arb. 2. t. 70. Cav. Ic. t. 113. Hisp.
- Temp. 5 Econ.

**MONESIA** Roxb.

- pinnata Willd. Sp. H. malab. 5. t. 59. 5 Ind. Cald.

**TAMARINDUS** Lin.

- indica L. H. malab. 1. t. 23. Ind. Cald. 5

**PARKINSONIA** Lin.

*aculeata* L. H. Cliff. t. 13. Jacq. Am. t. 80. Am. m. Cald. ♪

**SCHOTIA** Jacq.

*speciosa* Jacq. Rar. t. 75. Cap. Temp. ♪

*Guaiacum afrum* L.

*latifolia* Jacq. Fragm. t. 15. f. 4. Cap. ♪

**CASSIA** Lin.

*Thora* L. Dill. Elth. t. 63. f. 73. Ind. Cald. ♪

*bicapsularis* L. Plum. Ic. t. 76. f. 1. Antill. Cald. ♪

*viminea* L. Sloan. Jam. 2. t. 180. f. 6, 7. Jamaic. Cald. ♪

*alata* L. Jacq. Obs. t. 45. f. 2. Am. Cald. ♪

*corymbosa* Lamk. Encycl. Jacq. Fragm. t. 101. f. 1. Buenos-Ayres. Cald. ♪

*falcata* L. Am. m. Cald. ♪

*ligustrina* L. Dill. Elth. t. 259. f. 328. Bot. Reg. t. 109. Antill. Cald. ♪

*sulcata* DC. Prodr. Coll. Monogr. t. 6. Am. m. Cald. ♪

*occidentalis* L. Bot. Reg. 83. Am. m. Cald. ♪

*stipulacea* H. kew. Fenil. Peruv. 3. t. 42. Chili. Cald. ♪

*Fistula* L. H. malab. 1. t. 22. Ind. Cald. ♪ Med.

*latifolia* H. p. Am. m. Cald. ♪

*atomaria* L. ?

*grandiflora* H. p. N. Hisp. Cald. ♪

*corymbosa* Ortega. Dec.

*floribunda* DC. Prodr.

*biflora* L. Bot. Mag. 810. Antill. Cald. ♪

*tomentosa* Lamk. Encycl. Am. m. Cald. ♪

*multiglandulosa* Jacq. Rar. t. 72.

*brasiliانا* Lamk. Encycl. Breyn. Cent. t. 21. Brasil. Cald. ♪

*grandis* L. Suppl.

*hirsuta* L. Antill. Cald.

*Senna* L. Ægypt. ☉ Med.

*glandulosa* L. Breyn. Cent. t. 24. Antill. Cald. ✕

*Chamæcrista* L. Bot. Mag. 107. Antill. ☉

*marilandica* L. Dill. Elth. t. 260. f. 339. Maril. ✕

**SPÆNDONCEA** Desf.

*tamarindifolia* Desf. Déc. Philos. Ann. 4. vol. 1. p. 257. Ic. Arab. Cald. ♪

*Cadia purpurea* Forsk. Ægypt.

**HOFFMANSEGGIA** Cav.

*falcaria* Cav. Ic. t. 392. Peruv. Cald. ♪

*Larrea glauca* Ortega. Dec. t. 2.

**MORINGA** Burm.

- { Nux-ben. Ind. Cald. ♪ Econ.
- { Guilandina Moringa L. Burm. Zeyl. t. 75. Jacq. Rar. t. 461.
- { Hyperanthera Moringa Vahl. Symb.

**HÆMATOXYLUM** Lin.

- campechianum L. Lamk. Ill. t. 340. Am. m. Cald. ♪ Econ.

**PROSOPIS** Lin.

- spicigera L. Mant. Roxb. Corom. t. 63. Ind. Cald. ♪

**ADENANTHERA** Lin.

- pavonina L. Jacq. Collect. 4. t. 23. Lamk. Ill. t. 334. Ind. Cald. ♪

**POINCIANA** Lin.

- pulcherrima L. Breyn. Cent. t. 22. Bot. Mag. 995. Ind. Cald. ♪ Orn.

**CÆSALPINIA** Lin.

- Sappan L. Roxb. Corom. t. 16. Lamk. Ill. t. 335. f. 1. Ind. Cald. ♪
- bahamensis Lamk. Encycl. Catesby. Carol. Bahama. Cald. ♪
- { vesicaria Lamk. Encycl. Am. m. ♪
- { Coulteria tinctoria Kunth. N. Gen. t. 569.

**GUILLANDINA** Lin.

- Bonduc L. Rumph. Amb. 5. t. 48. Ind. Cald. ♪ Orn.
- Bonducella Rumph. Amb. 5. t. 49. f. 1. Variet. præced. Ind. Cald. ♪
- { Nuga L. Rumph. Amb. 5. t. 50. Ind. Cald. ♪
- { Cæsalpinia Nuga. H. kew.

**VOUAPA** Aublet.

- bifolia Aublet. Guian. t. 7. Guian. Cald. ♪

**HYMENÆA** Lin.

- Courbaril L. Lamk. Ill. t. 330. f. 1. Guian. Cald. ♪ Econ.

**BAUHINIA** Lin.

- divaricata L. H. Cliff. t. 15. Am. m. Cald.
- porrecta Swartz. Fl. Plum. Ic. t. 44. f. 2. Jacq. H. schœn. t. 100.
- tomentosa L. Burm. Zeyl. t. 18. Ind. Cald. ♪
- aculeata L. Plum. Ic. t. 44. f. 1. Am. Cald. ♪
- forficata Link. Enum. t. 36. Brasil. Cald. ♪
- rufescens Lamk. Ill. t. 329. f. 2. I. Borbon. Cald. ♪

**CODARIUM Vahl.**

- { nitidum Vahl. Enum. Guinea. Cald. 5
- { acutifolium DC. Prodr.

**DETARIUM Juss.**

- senegalense DC. Prodr. Senegal. Cald. 5

**CERCIS Lin.**

- Siliquastrum L. Bot. Mag. 1138. Europa. Austr. 5
- canadensis L. Mill. Ic. t. 2. Am. s. 5

**ANAGYRIS Lin.**

- foetida L. Clus. Hist. 93. Ic. Gall. m. Temp. 5

**SOPHORA LIN.**

- alopecuroides L. Dill. Elth. t. 112. f. 136. Oriens. 7
- { secundiflora DC. Prodr. N. Hisp. Cald. 5
- { Broussonetia secundiflora Ortega. Dec. 5. t. 7.
- { Virgilia secundiflora Cav. Ic. t. 401.
- flavescens H. kew. Siber. 7
- { tomentosa L. Lamk. Ill. t. 325. f. 2. Ind. Cald. 5
- { occidentalis L. Plum. Ic. t. 101. Trew. Sel. t. 59.
- japonica L. Mant. Andr. Rep. 585. J. St. Hil. 9. t. 851.
- Japon. 5

**ORMOSIA H. kew.**

- { dasycarpa Jacks. Soc. Lin. Lond. v. 10. t. 26. Ins.
- { Carib. Cald. 5
- { Sophora monosperma Swartz. Fl. Ind.

**EDWARDSIA Salisb.**

- { microphylla Salisb. Soc. Lin. Lond. v. 9. N. Zealand.
- { Temp. 5
- { Sophora microphylla H. kew. Jacq. H. schœn. t. 269.
- { Bot. Mag. 1412.
- { grandiflora Salisb. L. C. N. Zealand. Temp. 5
- { Sophora tetraptera H. kew. Bot. Mag. 167.

**BAPTISIA H. kew.**

- { perfoliata H. kew. Dill. Elth. t. 102. f. 122. Carolin. 7
- { Crotalaria perfoliata L.
- { australis H. kew. Carolin. Temp. 7
- { Sophora australis. Bot. Mag. 509.
- { Podalyria australis Vent. H. Cels. t. 56.
- { alba H. kew. Bot. Mag. 1177. Virgin. 7
- { Sophora alba Syst. Veg.
- { tinctoria H. kew. Am. s. 7 Econ.
- { Sophora tinctoria L.
- { Podalyria tinctoria Bot. Mag. 1099.

**THERMOPSIS** H. kew.

- { lanceolata H. kew. Siber. 2
- { Podalyria lupinoides Willd. Sp. Bot. Mag. 1389.
- { Sophora lupinoides L.

**CYCLOPIA** H. kew.

- { genistoides H. kew. Cap. Temp. 5
- { Sophora genistoides L.
- { Ibbetsonia genistoides Bot. Mag. 1259.
- { Podalyria genistoides Willd. Sp

**PODALYRIA** Salisb.

- cuneifolia Vent. H. Cels. t. 99. Cap. Temp. 5
- sericea H. kew. Bot. Mag. 1923. Cap. Temp. 5
- { biflora Bot. Mag. 753. Cap. Temp. 5
- { argentea Salisb. Parad. t. 7.
- styracifolia Bot. Mag. 1580. Cap. Temp. 5

**VIRGILIA** Lamarck.

- { capensis Lamk. Ill. t. 326. f. 2. Bot. Mag. 1590. Cap.
- { Temp. 5
- { Sophora capensis L. Mant.
- { aurea Lamk. Ill. t. 326. f. 1. Abyssin. Cald. 5
- { Podalyria aurea Willd. Sp.
- { Robinia subdecandra L'her. Stirp. t. 75.
- intrusa H. kew. Bot. Mag. 2617. Cap. Temp. 5
- lutea Mich. Arb. v. 3. t. 3. Am. s. 5 Orn.

**BRACHYSEMA** H. kew.

- latifolium H. kew. Bot. Reg. 118. Bot. Mag. 2008. N.
- Holl. Temp. 5
- undulatum Bot. Reg. 642. N. Cambr. Temp. 5

**CHORIZEMA** Labill.

- ilicifolia Labill. Itin. 1. t. 21. N. Holl. Temp. 5
- { nana Bot. Mag. 1032. (an Variet. præced.) N. Holl.
- { Temp. 5
- { Pultenæa nana Andr. Rep. 434.

**VIMINARIA** Smith.

- { denudata Smith. Exot. Bot. t. 27. N. Holl. Temp. 5
- { Daviesia denudata Vent. Choix de pl. t. 6.

**SPHÆROLOBIUM** Smith.

- { vimineum Smith. Soc. Lin. Lond. v. 9. Bot. Mag. 969.
- { N. Holl. Temp. 5
- { minus Labill. N. Holl. v. 1. t. 138.

**OXYLOBIUM** Andr.

- cordifolium Andr. Rep. 492. Bot. Mag. 1544. N. Holl.
- Temp. 5

**PULTENÆA** Smith.

- retusa Smith. Soc. Lin. Lond. v. 9. Bot. Mag. 2081. Bot. Reg. 378. N. Holl. Temp. 5  
 stricta Bot. Mag. 1588. N. Holl. Temp. 5  
 villosa Bot. Mag. 967. N. Holl. Temp. 5  
 stipularis Smith. N. Holl. Spec. t. 12. Bot. Mag. 475. N. Holl. Temp. 5  
 daphnoides Smith. Soc. Lin. Lond. v. 9. Andr. Rep. 98. N. Holl. Temp. 5

**DILWINIA** Smith.

- floribunda Smith. Exot. Bot. t. 26. N. Holl. Temp. 5

**EUTAA** H. kew.

- { myrtifolia. H. kew. N. Holl. Temp. 5  
 { Dilwinia obovata Labill. N. Holl. t. 140. Bot. Mag. 1271.

**CALLISTACHYS** Vent.

- lanceolata Vent. Malm. t. 115. Bot. Reg. 216. N. Holl. Temp. 5  
 ovata Bot. Mag. 1925. N. Holl. Temp. 5

**ULEX** Lin.

- europæus L. Fl. Dan. t. 608. Gall. 5  
 { minor Roth. Catal. Gall. 5  
 { nanus Smith. Fl. Engl. Bot. 743.

**PLATYLOBIUM** Smith.

- formosum Smith. N. Holl. Spec. t. 6. Vent. Malm. t. 31. N. Holl. Temp. 5

**BOSSIÆA** Vent.

- { Scolopendrium H. kew. N. Holl. Temp. 5  
 { Platilobium Scolopendrium Andr. Rep. 191. Vent. Malm. t. 55.  
 linophylla H. kew. Bot. Mag. 2491. N. Holl. Temp. 5

**CARMICHÆLIA** Bot. Reg.

- { australis Bot. Reg. 912. N. Holl. Temp. 5  
 { Lotus arboreus Willd. Sp.

**BORBONIA** Lin.

- cordata L. Andr. Rep. 31. Jacq. H. schœn. t. 218. Cap. Temp. 5  
 crenata L. Bot. Mag. 274. Cap. Temp. 5  
 lanceolata L. Jacq. H. schœn. t. 217. Cap. Temp. 5.

**MIRBELIA** Smith.

dilatata H. kew. Bot. Reg. 1041. N. Holl. Temp. 5

**GENISTA** Lin.1. *Spinosaë*.

anglica L. Fl. Dan. t. 619. Engl. Bot. 132. Gall. 5

germanica L. Rivin. Irreg. Tetrap. t. 68. f. exter. Gall. 5

hispanica L. Cav. Ic. t. 211. Lamk. Ill. t. 619. f. 3. Gall. m. 5

horrida DC. Prodr. Gall. 5

{ Lobelii DC. Prodr. Gall. m. Temp. 5

{ Spartium erinaceoides. Lois. Fl. Temp. 5

2. *Inermes*.

pilosa L. Jacq. Austr. t. 208. Gall. 5

sagittalis L. Jacq. Austr. t. 209. Gall. 5

tinctoria L. Fl. Dan. t. 526. Gall. 5 Econ.

sibirica L. Mant. Jacq. Hort. t. 190. Siber. 5

canariensis L. Bot. Reg. 217. Canar. Temp. 5

candicans L. Gall. m. Temp. 5

{ juncea Rivin. Irreg. Tetrap. t. 67. Gall. 5 Econ. Orn.

{ Spartium junceum L. Duham. Arb. Ed. n. 2. t. 22.

**SPARTIUM** Lin.1. *Inermia*.

{ sphærocarpon L. Mant. Gall. m. Temp. 5

{ Genista sphærocarpa Lamk. Encycl.

{ monospermum L. Bot. Mag. 683. Gall. m. Temp. 5

{ Genista monosperma Lamk. Encycl.

{ cinereum Vill. Prosp. Gall. 5

{ Genista cinerea DC. Fl.

{ album Desf. Atl. Algèr. Temp. 5

{ multiflorum L'her. Stirp.

{ Genista alba Lamk. Encycl.

{ Cytisus albus Link. Enum.

{ purgans Syst. Veg. Bull. Herb. t. 115. Gall. 5

{ Genista purgans L.

{ scoparium L. Fl. Dan. t. 313. Gall. 5 Econ.

{ Cytisus scoparius Link. Enum.

{ triquetrum. Corsia. Temp. 5

{ Genista triquetra H. kew. Bot. Mag. 314.

{ nubigenum H. kew. Tenerif. Temp. 5

{ Cytisus fragrans Lamk. Encycl.

{ Cytisus nubigenus Link. Enum.

- { patens L. Syst. Veg. Lusit. Temp. 5
- { Cytisus pendulinus L. Suppl.
- { virgatum H. kew. Madera. Temp. 5
- { Genista virgata DC. Prodr.
- { Cytisus tener Jacq. Rar. t. 147.
- { parviflorum Vent. H. Cels. t. 87. Persia. Temp. 5
- { Genista parviflora DC. Prodr.
- { radiatum L. Bot. Mag. 2260. Ital. Temp. 5
- { Genista radiata DC. Prodr.
- { umbellatum Desf. Atl. t. 180. Alger. Temp. 5
- { Genista umbellata DC. Prodr.
- { linifolium Desf. Atl. t. 181. Gall. m. Temp. 5
- { Genista linifolia L.

## 2. Spinosa.

- { aspalatoides Desf. Atl. Alger. Temp. 5
- { Genista aspalatoides Lamk. Encycl.
- { ferox Desf. Atl. t. 182. Bot. Reg. 368. Alger. Temp. 5
- { Genista ferox DC. Prodr.
- { Scorpius L. Clus. Hist. 106. Ic. super. Gall. m. Temp. 5
- { Genista spiniflora Lamk. Encycl.
- { Genista Scorpius DC. Prodr.
- { lanigerum Desf. Atl. Alger. Temp. 5
- { Cytisus lanigerus DC. Prodr.

## CYTISUS Lin.

- sessilifolius L. Bot. Mag. 255. Gall. m. 5 Orn.
- nigricans L. Jacq. Austr. t. 387. Austria. 5 Orn.
- Laburnum L. Jacq. Austr. t. 306. Alpes. 5 Econ. Orn.
- { odoratus. H. p. Alpes. 5 Orn.
- { alpinus Mill. DC. Prodr. (non Lamk.) Wald. et Kit.
- { Hung. t. 260.
- { hirsutus L. Jacq. Obs. t. 96. Hungar. 5
- { triflorus Lamk. Encycl.
- capitatus Jacq. Austr. t. 33. Gall. 5
- austriacus L. Jacq. Austr. t. 21. Austr. 5
- { divaricatus L'her. Stirp. Bot. Mag. 1587. Gall. 5
- { Spartium complicatum L.
- albidus DC. Prodr. Europa. Austr. Temp. 5
- leucanthus Wald. et Kit. Hung. t. 132. Hungar. 5
- purpureus Jacq. Austr. App. t. 48. Bot. Mag. 1176.
- Carniol. 5
- proliferus L. Suppl. Vent. H. Cels. t. 13. Bot. Reg. 121.
- Tenerif. Temp. 5
- { foliolosus L'her. Stirp. Bot. Mag. 426. Canar. Temp.
- { 5
- { Adenocarpus foliolosus DC. Prodr.



triflorus L'her. Stirp. Clus. Hist. 94. Ic. infer. (non Lamk.)

Alger. Temp. ♪

biflorus L'her. Stirp. Wald. et Kit. Hung. t. 166 Bot.

Reg. 308. Hungar. ♪

elongatus Wald. et Kit. Hung. t. 183. Hungar ♪

supinus Jacq. Austr. t. 20. Alpes. ♪

argenteus L. J. B. Hist. 2. p. 359. Ic. Gall. ♪

{ vulgaricus L. Suppl. 1. Siber. ♪

{ pinnatus Pallas. Ross. 1. t. 47.

{ Calophaca vulgarica Fischer. DC. Prodr.

tomentosus Andr. Rep. 237. Cap. Temp. ♪

**CROTALARIA Lin.**

1. Foliis ternatis.

{ arborescens Lamk. Encycl. Cap. Temp. ♪

{ capensis Thunb. Jacq. Hort. 3. t. 64.

{ incanescens L. Suppl.

incana L. Jacq. Obs. 4. t. 82. Antill. ☉

purpurascens Lamk. Encycl. 1. Franciæ. ☉

purpurea Vent. Malm. t. 66. Bot. Reg. 128. Cap. Temp.

♪

2. Foliis simplicibus.

sagittalis L. Virgin. ☉

benghalensis Lamk. Encycl. Pluk. t. 169. f. 5. Bengh. ☉

junceae L. H. malab. 9. t. 26. Roxb. Corom. t. 193. Ind.

☉

semperflorens Vent. H. Cels. t. 17. Ind. Cald. x

retusa L. H. malab. 9. t. 25. Bot. Reg. 253. Ind. ☉

{ verrucosa L. Ind. ☉

{ angulosa Lamk. Encycl.

{ cœrulea Jacq. Rar. t. 144.

**HOVEA H. kew.**

Celsii Bonpl. Malm. et Nav. t. 51. Bot. Reg. 280. N. Holl.

Temp. ♪

**LIPARIA Lin.**

sphærica L. Mant. Bot. Mag. 1242. Cap. Temp. ♪

**PRIESTLEYA DC.**

{ vestita DC. Prodr. Cap. Temp. ♪

{ Liparia vestita H. kew. Bot. Mag. 2223.

{ villosa DC. Prodr. Cap. Temp. ♪

{ Liparia villosa L. Mant.

{ hirsuta DC. Prodr. Cap. Temp. ♪

{ Liparia hirsuta Thunb. Bot. Reg. 8.

**HALLIA** Thunb.

- { imbricata Bot. Mag. 2596. Cap. Temp. ♀
- { Hedysarum imbricatum L. Suppl.

**GOODIA** Salisb.

- lotifolia Salisb. Parad. t. 41. Bot. Mag. 958. N. Holl. Temp. ♀

**RAFANIA** Thunb.

- { retusa Vent. Malm. t. 53. N. Holl. Temp. ♀
- { Templetonia retusa H. kew. Bot. Reg. 383.
- { triflora Thunb. Vent. Malm. t. 48. Cap. Temp. ♀
- { Crotalaria triflora Lin.

**CAJANUS** DC.

- { flavus DC. Prodr. Ind. Cald. ♀
- { Gytisus Cajan L. Plum. Ic. t. 114. f. 2.
- { bicolor DC. Prodr. Ind. Cald. ♀
- { Cytisus pseudo-Cajan. Jacq. Hort. t. 119.

**LUPINUS** Lin.

- varius L. Gall. m. ☉ Econ.
- angustifolius L. Rivin. Irreg. Tetrap. t. 29. Gall. m. ☉
- luteus L. Bot. Mag. 140. Gall. m. ☉ Orn.
- perennis L. Bot. Mag. 202. Virgin. Temp. ♀
- nootkatensis Bot. Mag. 1311 et 2136. Am. s. ♀

**ONONIS** Lin.

## 1. Flores rosei aut albi.

- spinosa L. Gall. ♂ Med.
- { antiquorum L. ? Fuchs. Hist. 60. Ic. Gall. ♂ Med.
- { procurrens DC. Prodr.
- { altissima Lamk. Encycl. Gall. ♂
- { hircina Jacq. Hort. t. 93.
- mitissima L. Dill. Elth. t. 24. f. 27. Maurit. ☉
- cenisia L. Mant. All. Ped. t. 10. f. 2. Alpes. ♂
- alopecuroides L. Lapeyr. Fl. t. 9. Gall. m. ☉
- Cherleri L. Gall. m. ☉
- ornithopodioides L. Cav. Ic. t. 192. Alger. ☉
- rotundifolia L. Jacq. Austr. App. t. 49. Bot. Mag. 335. Alpes. ♀
- fruticosa L. Dodart. Acad. 1666, 1699. p. 249. Ic. Bot. Mag. 317. Alpes. ♀ Orn.
- tridentata L. Magn. Hort. 16. Ic. Hisp. Temp. ♀

## 2. Flores lutei.

- viscosa L. Barrel. t. 1239. Gall. m. ☉
- Natrix L. Bot. Mag. 329. Gall. ♂

*crispa* L. *Hisp.* Temp. 5

- { *parviflora* Lamk. *Encycl. Gall.* 2
- { *minutissima* Jacq. *Austr. t.* 240. (non Lin.)
- { *Columnæ* All. *Ped. t.* 20. f. 3.
- { *subocculta* Vill. *Hist.*

*ARACHIS* Lin.

*hypogæa* L. *Trew. Pict. t.* 3. *Antill.* ☉ *Econ.*

*EBENUS* Lin.

*cretica* L. *Bot. Mag.* 1092. *Creta.* Temp. 5

*ANTHYLLIS* Lin.

1. *Fruticosæ.*

*Barba-Jovis* Rivin. *Irreg. Tetrap. t.* 4. *Bot. Mag.* 1927.

*Gall. M.* Temp. 5

*Cytisoides* L. *Clus. Hist.* 96. *lc. inter. Gall. m.* Temp. 5.

*Hermaniæ* L. *Bot. Mag.* 2576. *Creta.* Temp. 5

*Erinacea* Andr. *Rep.* 15. *Bot. Mag.* 676. *Maurit.* Temp. 5

2. *Herbaceæ.*

*cornicina* Cav. *lc. t.* 59. f. 2. *Hisp.* ☉

*montana* L. *Jacq. Austr.* 334. *Gall.* 2

*tetraphylla* L. *Camer. Hort. t.* 47. *Bot. Mag.* 108. *Gall.* ☉

*Vulneraria* L. *Fl. Dan. t.* 988. *Gall.* 2

— *purpurascens.*

*DALEA* Lin.

- { *purpurea* Vent. *H. Cels. t.* 40. *Am. s.* Temp. 2
- { *violacea* Willd. *Sp.*

- { *Petalostemon violaceum* Mich. *Fl. t.* 37. f. 2.

- { *citriodora* Willd. *Sp. N. Hisp.* ☉

- { *Psoralea citriodora* Cav. *lc. t.* 271.

- { *candida.* *Am. s.* Temp. 2

- { *Petalostemon candidum* Mich. *Fl. t.* 37. f. 1.

- { *Linnæi* Mich. *Fl. t.* 38. *Am. s.* ☉

- { *alopecuroides* Nuttall. *Gen.*

- { *cliffortiana* Willd. *Sp. Hort. Cliff. t.* 22.

- { *Psoralea Dalea* L.

*PSORALEA* Lin.

*pinnata* L. *Andr. Rep.* 474. *Cap. Temp.* 5

*odoratissima* Jacq. *H. schœn. t.* 229. *Cap. Temp.* 5

- { *verrucosa* Willd. *Sp. Cap. Temp.* 5

- { *angustifolia* Jacq. *H. schœn. t.* 226.

*lathyrifolia* Balbis. *Hort. Acad. taur. lc.* Temp. 2

*aphylla* L. *Mant. Jacq. H. schœn. t.* 223. *Cap. Temp.* 5

*decumbens* H. *kew. Lodd. Bot. Cab.* 282. *Cap. Temp.* 5

*bituminosa* L. *Rivin. Irreg. Tetrap. t.* 15. *Lamk. Ill. t.*

614. f. 1. *Gall. m.* Temp. 2

palæstina Gouan. Ill. Jacq. Hort. t. 184. Palæst. Temp. 2

pubescens Pers. Syn. Temp. 5

glandulosa L. Arduini. Spec. 1. t. 11. Bot. Mag. 990. Chili. Temp. 5

melilotoides Mich. Fl. Vent. Malm. 94. Florid. Temp. 2

americana L. Jacq. H. schœn. t. 227. Antill. Cald. 5

aculeata L. Andr. Rep. t. 146. Bot. Mag. 2158. Cap. Temp. 5

bracteata L. Mant. Jacq. H. schœn. t. 224. Cap. Temp. 5

corylifolia L. Dodart. Acad. 1666-1699. p. 289. Ic. Bot. Mag. 665. Ind. Temp. ♂

### MELILOTUS Tournef.

{ cœrulea Lamk. Encycl. Rivin. Irreg. Tetrap. t. 9. German. ♂ Econ.

{ Trigonella cœrulea. DC. Prodr.

indica Pluk. t. 45. f. 4. Ind. ? ♂

officinalis Willd. Enum. Fl. Dan. t. 934. Gall. ♂ Econ. Med.

{ alba Lamk. Encycl. Gall. Econ.

{ altissima Thuil. Fl.

kochiana Willd. Enum. Gall. ♂

{ dentata Willd. Enum.

{ Trifolium dentatum Wald. et Kit. Hung. t. 42. Hungar. 2

polonica Pers. Syn. Polon. ♂

italica Lamk. Encycl. Camer. Hort. t. 29. Ital. ♂

cretica. C. B. Prodr. 142. Ic. exter. Creta. ♂

messanensis Desf. Atl. Moris. S. 2. t. 16. f. 9. Maurit. ♂

sulcata Desf. Atl. Maurit. ♂

{ hamosa Link. Enum. (non Lamk.) Tartar. ♂

{ Trifolium hamosum Marsch. Cauc.

{ Trigonella uncinata DC. Prodr.

### TRIFOLIUM Lin.

1. Lotoidea : Leguminibus tectis, polyspermis.

Lupinaster L. Bot. Mag. 879. Siber. 2

strictum L. Wald. et Kit. Hung. t. 37. Hungar. ♂

angulatum Wald. et Kit. Hung. t. 27. Hungar. ♂

{ Vaillantii Poiret. Encycl. Vaill. Bot. t. 22. f. 1. Gall. 2

{ elegans Savi Fl. pis. t. 1. f. 2.

michelianum Savi Fl. pis. Mich. Gen. t. 25. f. 2. Gall. ♂

repens L. Fl. Dan. t. 990. Gall. 2

alpinum L. Pona. Bald. 340. Ic. Alpes. 2 Med.

involutum Willd. Sp. Kunth. Legum. t. 53. Mexico. ♂

## 2. Lagopoidea: Calicibus villosis.

- subterraneum L. Dodart. Acad. 1666-1699. p. 313. Ic.  
 Engl. Bot. 1048. Gall. ☉  
 Cherleri L. Barrel. t. 859. Gall. ☉  
 lappaceum L. Barrel. t. 871. Europa. m. ☉  
 rubens L. Jacq. Austr. t. 385. Gall. & Econ.  
 pratense L. Fuchs. Hist. 817. Ic. Engl. Bot. 1770. Gall. &  
 Econ.  
 purpureum Lois. Fl. t. 14. Gall. m. ☉  
 diffusum Wald. et Kit. Hung. t. 50. Gall. ♂  
 alpestre L. Jacq. Austr. t. 433. Alpes. ♀  
 bracteatum Willd. Enum. Maurit. ☉  
 { flexuosum Jacq. Austr. t. 386. Gall. ♂  
 } medium L. Faun. suec.  
 pictum Roth. Catal. ☉  
 pannonicum L. Mant. Jacq. Obs. t. 42. Hungar. ♀  
 ochroleucum Syst. Veg. Engl. Bot. 1224. Gall. &  
 pallidum Wald. et Kit. Hung. t. 36. Hungar. ☉  
 squarrosum L. Gall. ☉  
 incarnatum L. Bot. Mag. 328. Gall. ☉  
 angustifolium L. Barrel. t. 698. Gall. ☉  
 arvense L. Fl. Dan. t. 724. Gall. ☉  
 — gracile DC. Prodr. Barrel. t. 901. Gall. ☉  
 Bocconi Savi Obs. DC. Prodr. Ital. ☉  
 ligusticum Balbis. Acad. Ital. v. 1. t. 2. Ital. ☉  
 { maritimum Engl. Bot. 220. Gall. m. ☉  
 { rigidum Savi Fl. pis. 2. t. 1. f. 1.  
 stellatum L. Moris. S. 2. t. 13. f. 9. Barrel. t. 860. Gall.  
 ☉  
 clypeatum L. Alpin. Exot. 306. Ic. Oriens. ☉  
 alexandrinum L. Ægypt. ☉ Econ.  
 scabrum L. Vaill. Bot. t. 33. f. 1. Engl. Bot. 903. Gall. ☉  
 glomeratum L. Engl. Bot. 1063. Gall. ☉  
 parviflorum Willd. Sp. Hungar. ☉  
 striatum L. Vaill. Bot. t. 33. f. 2. Engl. Bot. 1843. Gall. ☉  
 suffocatum L. Mant. Jacq. Hort. t. 60. Engl. Bot. 1049.  
 Gall. ☉  
 albidum Willd. Sp. Gall. ☉

## 3. Vesicaria, calicibus inflatis.

- spumosum L. Europa. m. ☉  
 tomentosum L. Barrel. t. 864. Gall. m. ☉  
 fragiferum L. Fl. Dan. t. 1042. Gall. &  
 resupinatum L. Barrel. t. 872. Gall. ☉  
 suaveolens Willd. H. berol. t. 108. Persia. ☉

4. *Lupulina*: *Vexillis corollæ inflexis*.

*montanum* L. Gall.  $\pi$

{ *speciosum* Willd. Sp. Orients.  $\odot$

{ *comosum* Labill. Dec. 5. t. 10.

*Sebastiani* Savi. Sebast. Pl. rom. fasc. 2. t. 4. Ital.  $\odot$

{ *agrarium* Willd. Sp. Fl. Dan. t. 558. Gall.  $\odot$

{ *aureum* Pollich. Palat.

*spadiceum* L. Bot. Mag. 557. Gall.  $\odot$

{ *procumbens* Smith. Fl. Dan. t. 796. Gall.  $\odot$

{ *parisiense* DC. Prodr.?

*filiforme* L. Engl. Bot. 1257. Gall.  $\odot$

**MEDICAGO** Lin.1. *Leguminibus lunatis, vel subcochleatis*.

*arborea* L. Ital.  $\gamma$  Econ.

*radiata* L. Moris. S. 2. t. 16. f. 3. Ital.  $\odot$

*circinata* L. Camer. Hort. t. 8. Orients.  $\odot$

*sativa* L. Engl. Bot. 1749. Gall.  $\pi$  Econ.

*falcata* L. Engl. Bot. 1061. Gall.  $\pi$

*lupulina* L. Fl. Dan. t. 992. Gall.  $\odot$

2. *Leguminibus cochleatis*.

*prostrata* L. Suppl. Jacq. Hort. t. 89. Hungar.  $\pi$

*glutinosa* Marsch. Cauc. Caucas.  $\pi$

*marina* L. Clus. Hist. 2. p. 243. Ic. infer. Gall. m. Temp.  $\pi$

*orbicularis* L. Moris. S. 2. t. 15. f. 1. Gall.  $\odot$

— *marginata* Willd. Enum.

*scutellata* L. Moris. S. 2. t. 15. f. 3. Gall.  $\odot$

*tornata* L. Gall.  $\odot$

— *minor*.

*elegans* Willd. Sp. Moris. S. 2. t. 15. f. 4.

*tuberculata* Willd. Sp. Moris. S. 2. t. 15. f. 6. Gall.  $\odot$

*aculeata* Willd. Sp.  $\odot$

*rigidula* L. Gall.  $\odot$

*intertexta* L. Moris. S. 2. t. 15. f. 7, 8, 9. Gall.  $\odot$

*globulifera* H. p. Poiret. Encycl. Suppl.  $\odot$

*tribuloides* Lamk. Encycl. Europa. m.  $\odot$

*Murex* Willd. Sp.  $\odot$

*ciliaris* L. Moris. S. 2. t. 15. f. 11. Gall.  $\odot$

{ *maculata* Willd. Sp. Moris. S. 2. t. 15. f. 12. Gall.  $\odot$

{ *arabica* L.

*carstiensis* Jacq. Rar. t. 156. Carinthia. Temp.  $\pi$

*distans* H. p. Poiret. Encycl. Suppl. Europa. m.  $\odot$

*coronata* Lamk. Encycl. Moris. S. 2. t. 15. f. 16. Europa.  
m.  $\odot$

denticulata Willd. Sp. Gall. m. ☉  
 apiculata Willd. Sp. Gall. m. ☉  
 minima L. Fl. Dan. t. 211. Gall. ☉  
 laciniata L. Dodart. Acad. 1666-1699. p. 313. Ic. Breyn.  
 Cent. t. 34. Rivin. Irreg. Tetrap. t. 91. Europa. m. ☉

# TRIGONELLA Lin.

## 1. Flores in pedicello communi.

platycarpus L. Siber. ♂  
 hybrida Pouret. Act. Tolos. t. 29. Gall. m. ♀  
 ruthenica DC. Prodr. (excl. Gmel. Syn.) Siber. ♀  
 corniculata L. Moris. S. 2. t. 16. f. 11. Gall. m. ♀  
 cancellata H. p. DC. Prodr. ☉  
 hamosa L. Ægypt. ☉  
 flexuosa Delile DC. prodr. Caucas. ☉  
 laciniata L. Ægypt. ☉

## 2. Flores sessiles.

{ ornithopodioides DC. Fl. Gall. ☉  
 { Trifolium ornithopodioides L. Engl. Bot. 1047.  
 monspeliaca L. Rivin. Irreg. Tetrap. t. 83. Wald. et Kit.  
 Hung. t. 142. Gall. ☉  
 spinosa L. Breyn. Cent. t. 33. f. 1. Creta. ☉  
 polycerata L. Gall. m. ☉  
 { glomerata H. p. Teflis. ☉  
 { Medicago brachycarpa Marsch. Cauc.  
 Fœnum-Græcum L. Fuchs. Hist. 798. Ic. Rivin. Irreg.  
 Tetrap. t. 182. Gall. m. ☉ Med.  
 prostrata DC. Fl. Gall. m. ☉  
 calliceras Marsch. Cauc. DC. H. genev. t. 16. Georgia. ☉

# Lotus Lin.

edulis L. Cav. Ic. t. 157. Gall. ☉ Econ.  
 siliquosus L. Jacq. Austr. t. 361. Gall. ♀  
 tetragonolobus L. Bot. Mag. 151. Ital. ☉  
 conjugatus L. Gall. m. ☉  
 { peregrinus L. Barbar. ☉  
 { oligoceratos Lamk. Encycl.  
 diffusus Smith. Fl. Engl. Bot. 925. Gall. ☉  
 hispidus Lois. Fl. t. 16. Gall. m. ☉  
 arabicus L. Mant. Jacq. Hort. t. 155. Arabia. Temp. ♀  
 { coimbricensis Brot. Phyt. t. 53. Lusit. ☉  
 { aristatus DC. Hort. Monsp.  
 creticus L. Cav. Ic. t. 156. Creta. Temp. ♀  
 jacobæus L. Com. Hort. 2. t. 83. I. Sti.-Jacobi. Temp. ♀  
 Orn.

dorycnioides Poiret. Encycl. Suppl. Canar. Temp. 2  
 ornithopodioides L. Cav. Ic. t. 163. Gall. m. ☉  
 corniculatus L. Fl. Dan. t. 991. Engl. Bot. 2090. Gall. 2  
 — major.  
 — angustifolius.  
 varians Desv. Journ. Temp. 2

**DORYCNIUM** Tournef.

{ hirsutum DC. Prodr. Gall. m. 2  
 { Lotus hirsutus L.  
 { rectum DC. Prodr.  
 { Lotus rectus L.  
 { monspeliense Willd. Sp. Clus. Hist. 100. Ic. exter.  
 { Gall. m. Temp. 2  
 { Lotus Dorycnium L.  
 fruticulosum Aiton Temp. 2  
 latifolium Willd. Sp. Oriens. Temp. 2

**DOLICHOS** Lin.

{ Lablab L. Bot. Mag. 896. Ægyp. ☉  
 { Lablab vulgaris DC. Prodr.  
 sinensis L. Jacq. Hort. 3. t. 71. Bot. Mag. 2232. Ind. ☉  
 sesquipedalis L. Jacq. Hort. t. 67. Am. m. ☉  
 unguiculatus L. Jacq. Hort. t. 23. Am. m. ☉  
 luteolus Jacq. Hort. t. 90. Am. m. ☉  
 articulatus Lamk. Encycl. Plum. Ic. t. 222. Antill. Cald. 2  
 { minimus L. Jacq. Obs. t. 22. Antill. ☉  
 { Rhinchosia minima DC. Prodr.  
 lignosus L. Bot. Mag. 380. Smith. Spicil. t. 21. Ind. Cald.  
 2 Orn.  
 { urens L. Plum. Amer. t. 107. Am. m. Cald. 2  
 { Mucuna urens DC. Prodr.  
 { pruriens Jacq. Am. t. 122. Ind. Cald. 2  
 { Mucuna pruriens DC. Prodr. 2  
 { ensiformis L. Antill. ☉  
 { acinaciformis Jacq. Rar. t. 559.  
 { Canavalia ensiformis DC. Prodr.  
 { gladiatus Jacq. Rar. t. 560. Ind. ☉  
 { Canavalia gladiata DC. Prodr.  
 biflorus L. Pluk. t. 213. f. 4. Ind. ☉

**PHASEOLUS** Lin.

vulgaris L. Lob. Ic. 2. t. 59. f. exter. Ind. ☉ Econ.  
 compressus Savi. Mém. DC. Prodr. (Haricot de Soissons.) ☉  
 { coccineus Lamk. Encycl. Am. m. ☉ Econ.  
 { multiflorus Willd. Sp.  
 tumidus Savi. Mém. DC. Prodr. (Haricot nain, Flageolet.) ☉  
 Econ.



*lunatus* L. Ind. ☉ Econ.

*sphaericus* Savi. Mém. DC. Prodr. (Haricot d'Orléans.) ☉

{ *vexillatus* L. Jacq. Hort. t. 102. Carolin. ☉

{ *helvolus* Mich. Fl. (non Lin.)

*Caracalla*. L. Rivin. Irreg. Tetrap. t. 35. Andr. Rep. 341.

Bot. Reg. 341. Ind. Cald. & Orn.

*paniculatus* Mich. Fl. Am. s. ☉

*radiatus* L. Dill. Elth. t. 235. f. 304. China. ☉

*semi-erectus* L. Mant. Jacq. Rar. t. 558. Am. m. ☉

*nanus* L. Ind. ☉

*stipularis* Lamk. Encycl. Peruv. ☉

#### ERYTHRINA Lin.

*herbacea* L. Dill. Elth. t. 90. f. 106. Trew. Sel. t. 58.

Carolin. Temp. &

*Corallodendron* L. Com. Hort. 1. t. 108. Antill. Cald. &

*abyssinica* Lamk. Encycl. Abyss. Cald. &

\* *aculeatissima* H. p. Cald. &

*velutina* Willd. Sp. Caracas. Cald. &

{ *Crista-Galli* L. Mant. Smith. Exot. Bot. t. 95. Bot.

{ Mag. 2161. Brasil. Cald. &

{ *laurifolia* Jacq. Obs. t. 51.

#### CLITORIA Lin.

*Ternatea* L. H. malab. 8. t. 38. Bot. Mag. 1542. Ind.

Cald. &

— *alba*.

*heterophylla* Lamk. Encycl. Vent. Choix de pl. t. 26. Bot.

Mag. 2111. Ind. Cald. &

*brasiliانا* L. Breyn. Cent. t. 32. Brasil. Cald. &

*virginiana* L. Dill. Elth. t. 76. f. 87. Virgin. Temp. &

{ *Galactia* L. Jamaic. Cald. &

{ *Galactia pendula* Pers. Syn. Bot. Reg. t. 269.

{ *glabella*. Carolin. Temp. &

{ *Galactia glabella* Mich. Fl.

#### DIOCLEA DC.

*glycinoides* DC. Mss. Cald. &

#### GLYCINE Lin.

{ *monoica* L. Am. s. ☉

{ *Amphicarpæa monoica* DC. Prodr.

{ *caribæa* Jacq. Rar. t. 146. Bot. Reg. 275. Antill. Cald.

{ &

{ *Rhynchosia caribæa* DC. Prod.

*tomentosa* L. Dill. Elth. t. 26. f. 29.

{ *bituminosa* L. Herm. Hort. 493. Bot. Reg. 261. Cap.

{ Temp. &

{ *Fagelia bituminosa* DC. Prodr.

- { *Apios* L. Bot. Mag. 1198. Virgin. ✕
- { *Apios tuberosa* Moench. DC. Prodr. Rivin. Irreg. Tetrap. t. 102.
- { *frutescens* L. Bot. Mag. 2103. Am. s. ♪ Orn.
- { *Wisteria frutescens* DC. Prodr.
- { *sinensis* Bot. Mag. 2083. Bot. Reg. 650. China. Temp. ♪ Orn.
- { *Wisteria chinensis* DC. Prodr.
- { *bimaculata* Bot. Mag. 263. N. Holl. Temp. ♪ Orn.
- { *Kennedia monophylla* Vent. Malm. t. 106.
- { *rubicunda* Bot. Mag. 268. N. Holl. Temp. ♪ Orn.
- { *Kennedia rubicunda* Vent. Malm. t. 104.
- { *coccinea*. N. Holl. Temp. ♪ Orn.
- { *Kennedia coccinea* Vent. Malm. t. 105.
- { *comptoniana* Link. Enum. Bot. Reg. 298. N. Holl. Temp. ♪
- { *Kennedia comptoniana* DC. Prodr.
- { *coccinea* Bot. Mag. 270. N. Holl. Temp. ♪
- { *Kennedia prostrata* H. kew.
- { *ovata*. N. Holl. Temp. ♪
- { *Kennedia ovata* Bot. Mag. 2169.
- cordata* Bot. Reg. 944. N. Holl. Temp. ♪

**ABRUS** Lin.

- { *precatorius* Syst. Veg. H. malab, 8. t. 39. Ind. Cald.
- { ♪
- { *Glycine Abrus* L.

**AMORPHA** Lin.

- fruticosa* L. H. cliff. t. 19. Bot. Reg. 427. Carolin. ♪ Orn.
- { *pumila* Mich. Fl. Carolin. ✕
- { *pubescens* Willd. Sp.
- glabra* H. p. DC. Prodr. Am. s. ♪

**PISCIDIA** Lin.

- Erythrina* L. Lamk. Ill. t. 605. Jamaic. Cald. ♪
- carthaginensis* L. Plum. Ic. t. 233. f. 2. ex DC. Carthag. Cald. ♪

**ROBINIA** Lin.

- Pseudo-Acacia* L. Duham. Arb. 2. t. 42. Am. s. ♪ Econ. Orn.
- *crispa*.
- umbraculifera* DC. Prodr. ♪
- dubia* Desv. Journ. 4. DC. Prodr. (an hybrida?) ♪
- viscosa* Vent. H. Cels. t. 4. Am. s. ♪ Orn.
- hispida* L. Mant. Bot. Mag. 311. Virgin. ♪
- { *squamata* Vahl. Symb. t. 69. Antill. Cald. ♪
- { *Pictetia squamata* DC. Prodr.

**CARAGANA** Lamarck.

- { Altagana DC. Prodr. Dahuria. ♀ Orn.
- { Robinia Altagana Pallas. Ross. 1. t. 42.
- { arborescens Lamk. Encycl. Siber. ♀ Orn.
- { Robinia Caragana L. Duham. Arb. Ed. n. 2. t. 19.
- { pygmæa DC. Prodr. Bot. Reg. 1021. Dahuria. ♀
- { Robinia pygmæa L. Pallas. Ross. 1. t. 45.
- { frutescens DC. Prodr. Siber. ♀ Orn.
- { Robinia frutescens L. Pallas. Ross. 1. t. 43.
- { Chamlagu Lamk. Encycl. China. ♀ Orn.
- { Robinia Chamlagu L'her. Stirp. t. 77.
- { spinosa DC. Prodr. Siber. ♀
- { Robinia spinosa L. Mant.
- { Robinia ferox Pallas. Ross. 1. t. 44.
- { jubata DC. Prodr. Siber. ♀
- { Robinia jubata Pallas. Astr. t. 85. Lodd. Bot. Cab. 522.
- { Halodendron L. Suppl. Pallas. Ross. 1. t. 46. Iber. ♀
- { Caragana argentea Lamk. Encycl.
- { Halimodendron argenteum DC. Prodr.

**COLUTEA** Lin.

- arborescens L. Rivin. Irreg. Tetrap. t. 21. Bot. Mag. t. 81. Gall. ♀ Orn.
- { halepica Lamk. Encycl. Ill. t. 624. f. 2. Alep. ♀ Orn.
- { Pocockii H. kew.
- { orientalis Lamk. Encycl. J. St. Hil. v. 5. t. 428. Oriens. ♀ Orn.
- { cruenta H. kew.
- { humilis Scop. Ins. 2. t. 12.
- media Willd. Enum. ♀
- { frutescens L. Breyn. Cent. t. 29. Bot. Mag. 181. Cap. Temp. ♀
- { Sutherlandia frutescens H. kew.

**SWAINSONA** Salisb.

- { galegifolia H. kew. N. Cambria. Temp. ♀
- { Colutea galegifolia Bot. Mag. 792.
- coronillæfolia Salisb. Parad. Bot. Mag. 1725. N. Cambria. Temp. ♀

**LESSERTIA** DC.

- { perennans DC. Astrag. Cap. Temp. ♂
- { Colutea perennans Syst. Veg. Jacq. Hort. 3. t. 3.
- { annua DC. Astr. Hook. Exot. Fl. t. 84. Cap. ☉
- { Colutea herbacea L. Com. Hort. 2. t. 44.

**PHACA** Lin.

- bœtica L. Clus. Hist. 2. p. 234. Ic. exter. Alger. Temp. ♀
- { astragalina DC. Astrag. Alpes. ♀
- { Astragalus alpinus L. Fl. Dan. t. 51.

alpina L. Fl. Dan. t. 856. Jacq. Rar. t. 151. Alpes. ʒ

OXYTROPIS DC.

- { campestris DC. Astrag. Gall.
- { Astragalus campestris L. Hall. Hist. v. 1. t. 13.
- { foetida DC. Astrag. Alpes. ʒ
- { Astragalus foetidus Vill. Hist.
- { pilosa DC. Astrag. Bot. Mag. 2483. Alpes. ʒ
- { Astragalus pilosus L. Jacq. Austr. t. 51.
- { sylvatica DC. Astrag. Dahuria. ʒ
- { Astragalus sylvaticus Willd. Sp.
- { Astragalus sylvicolus Pallas. Astrag. t. 78.
- { deflexa DC. Astrag. Siber. ʒ
- { Astragalus retroflexus Pallas. Astrag. t. 27.
- { Astragalus hians Jacq. Rar. t. 153.
- { Astragalus parviflorus Lamk. Encycl.
- { annularis DC. Astrag. t. 7. Egypt. ☉
- { Astragalus annularis Forsk. Egypt. DC. Prodr
- { Astragalus maculatus Lamk. Encycl.
- { subulatus Desf. Atl.

ASTRAGALUS Lin.

1. Stipulis caulinis, floribus cœruleis.

- austriacus L. Jacq. Austr. t. 195. Austr. ʒ
- stella Syst. Veg. Pluk. t. 79. f. 4. Gall. m. ☉
- sesameus L. Col. Ecphr. 1. p. 301. Ic. Rivin. Irreg. Tetrap. t. 106. Gall. m. ☉
- { vesicarius L. Vill. Hist. t. 42. f. 1. Gall. m. ʒ
- { albidus Wald. et Kit. Hung. t. 40. ex DC.
- Pentaglottis L. Mant. Rivin. Irreg. Tetrap. t. 109. Cav. Ic. t. 188. Barbar. ☉
- purpureus Lamk. Encycl. DC. Astrag. t. 12. Gall. m. Temp. ʒ
- Hypoglottis L. Mant. DC. Astrag. t. 14. Gall. m. ʒ
- Glaux L. Clus. Hist. 2. p. 241. Ic. super. Gal. m. ☉
- Onobrychis L. Jacq. Austr. t. 38. Alpes. ʒ
- major Gmel. Sib. 4. t. 21.
- hispidulus DC. Astrag. t. 13. Egypt. ☉
- sulcatus L. Jacq. Hort. 3. t. 40. Siber. ʒ

2. Stipulis caulinis, floribus ochroleucis.

- bæticus L. Rivin. Irreg. Tetrap. 105. Hisp. ☉
- depressus L. All. Ped. t. 19. f. 3. Gall. ʒ
- leucophœus Smith. Soc. Lin. Lond. v. 1. ʒ
- Epiglottis L. Mant. Rivin. Irreg. Tetrap. t. 109. f. super. Gall. m. ☉
- contortuplicatus L. Pallas. Astrag. t. 79. Siber. ☉

- trimestris L. Jacq. Hort. t. 174. Ægypt. ☉  
 canaliculatus Willd. Enum. Suppl. ☉  
 { cymbæformis H. p. ad Volgam. ✕  
 { pallescens Marsch. Cauc. Suppl.  
 micranthus Desv. Journ. ✕  
 hamosus L. Rivin. Irreg. Tetrap. t. 107. Gall. ☉  
 reptans Willd. H. berol. t. 88. Mexico. Temp. ✕  
 glycyphyllos L. Rivin. Irreg. Tetrap. t. 103. Gall. ✕  
 Cicer L. Rivin. Irreg. Tetrap. t. 108. Gall. ✕  
 galegiformis L. Pallas. Astrag. t. 29. Siber. ✕  
 { asper Jacq. Rar. t. 152. Siber. ✕  
 { chloranthus Pallas. Astrag. t. 25.  
 canadensis L. Dill. Elth. t. 39. f. 45. Canad. ✕  
 uliginosus L. Pallas. Astrag. t. 26. Siber. ✕  
 odoratus Lamk. Encycl. DC. Astrag. t. 24. Oriens. Temp. ✕  
 falcatus Lamk. Encycl. DC. Astrag. t. 26. Russia. ✕  
 christianus L. Tournef. Itin. 2. p. 254. Ic. Oriens. Temp. ✕  
 tomentosus Lamk. Encycl. DC. Astrag. t. 29. Ægypt.  
 Temp. ✕  
 { alopecuroides L. Siber. ✕  
 { alopecurus Pallas. Astrag. t. 8.  
 narbonensis Gouan. Ill. Pallas. Astrag. t. 10. Gall. m.  
 Temp. ✕

### 3. Stipulis petiolo adhærentibus. Inermes.

- capripus L. Dodart. Icones. Barbar. Temp. ✕  
 exscapus L. Jacq. Rar. t. 561. Alpes. ✕  
 incanus L. Magn. Bot. 32. Ic. Gall. m. Temp. ✕  
 monspesulanus L. Bot. Mag. 375. Gall. m. ✕

### 4. Spinescentes.

- longifolius Lamk. Encycl. DC. Astrag. t. 30. Oriens. Temp.  
 { massiliensis Lamk. Encycl. Gall. Temp. 5  
 { Tragacantha L.  
 { sempervirens Lamk. Encycl. Gall. m. Temp. 5  
 { aristatus L'her. Stirp.  
 { Tragacantha Vill. Hist. (non Lin.)

### BISERRULA Lin.

- Pelecinus L. Rivin. Irreg. Tetrap. t. 101. Barrel. t. 1137.  
 Gall. m. ☉

### GLYCYRRHIZA Lin.

- echinata L. Jacq. Hort. t. 95. Ital. ✕  
 glabra L. Lamk. Ill. t. 625. f. 2. Europa. m. ✕ Med.  
 foetida Desf. Atl. t. 199. Alger. Temp. ✕

**GALEGA Lin.**

- officinalis L. Mill. Ic. t. 137. Gall. & Med. Econ.  
 orientalis L. Bot. Mag. 2192. Bot. Reg. 326. Oriens. &  
 { rosea Lamk. Encycl. Cap. Temp. ♪  
 { grandiflora Vahl. Symb. Bot. Reg. 769.  
 { Tephrosia grandiflora Pers. Syn.  
 { purpurea L. Ind. Cald. ♪  
 { Tephrosia purpurea Pers. Syn.  
 { pulchella Scop. Insubr. 1. t. 2. Cap. Temp. ♪  
 { Tephrosia stricta Pers. Syn.  
 { cinerea L. Jacq. Rar. t. 575. Antill. ☉  
 { Tephrosia cinerea Pers. Syn.  
 { caribæa Jacq. Am. t. 125. I. Carib. Cald. ♪  
 { Tephrosia caribæa. DC. Prodr.  
 { coronillæfolia H. p. I. Borbon. Cald. ♪  
 { Tephrosia coronillæfolia DC. Prodr.  
 { pubescens Lamk. Encycl. Antill. Cald.  
 { Tephrosia ochroleuca Pers. Syn. Jacq. Rar. t. 150.  
 { longifolia Jacq. Rar. t. 572. Am. m. Cald. ♪  
 { Clitoria micrantha Scop. Insubr. 2. t. 1.

**INDIGOFERA Lin.**

- { aphylla Link. Enum. Cap. Temp. ♪  
 { juncea DC. Prodr. Herb. de l'Amat. t. 227.  
 { viscosa Lamk. Encycl. Ind. ☉  
 { graveolens Wendl. Sert. t. 12.  
 tinctoria L. H. malab. 1. t. 54. Ind. Cald. ♪ Econ.  
 Anil L. Mant. Am. m. Cald. ♪ Econ.  
 spinosa Forsk. Vahl. Symb. Arab. et. Ind. Cald. ♪  
 procumbens L. Mant. Cap. Temp. &  
 { argentea L'her. Stirp. t. 79. Maurit. Culta. Temp. ♪  
 { Econ.  
 { glauca Lamk. Encycl.  
 { psoraloides Willd. Sp. Bot. Mag. 476. Cap. Temp. ♪  
 { Cytisus psoraloides L.  
 cytisoides Syst. Veg. Bot. Mag. 742. Jacq. H. schœn.  
 t. 235. Cap. Temp. ♪  
 atro-purpurea Horn. Hort. DC. Prodr. Nepaul. Cald. ♪  
 macrostachya Vent. Malm. t. 44. China. Temp. ♪  
 australis Willd. Sp. Vent. Malm. t. 45. Bot. Reg. 386.  
 N. Holl. Temp. ♪  
 { enneaphylla L. Mant. Ind. ☉  
 { Hedysarum prostratum Burm. Ind. t. 55. f. 1.

**LATHYRUS Lin.**

1. Pedunculis unifloris.

Aphaca L. Engl. Bot. 1167. Gall. ☉

*Nissolia* L. Magn. Hort. 112. Ic. Engl. Bot. 112.

*inconspicuus* L. Jacq. Hort. t. 86. Oriens. ☉

{ *axillaris* Lamk. Encycl. Gall. m. ☉

{ *sphaericus* Retz. Obs. DC. Ic. Rar. t. 32.

*Cicera* L. Jacq. F. Ecl. t. 115. Gall. ☉

*sativus* L. Fuchs. Hist. 571. Ic. Bot. Mag. 115. Gall. ☉

*setifolius* L. Rivin. Irreg. Tetrap. t. 47. f. Exter. Gall. m. ☉

2. *Pedunculis bifloris.*

*Clymenum* L. Maurit. ☉

*articulatus* L. Bot. Mag. 253. Maurit. ☉

*grandiflorus* Bot. Mag. 1938. Ital. ☉

*odoratus* L. Bot. Mag. 60. Sicil. ☉ Orn. Med.

*tingitanus* L. Jacq. Hort. t. 46. Bot. Mag. 100. Maurit. ☉

*annuus* L. Gall. ☉

3. *Pedunculis multifloris.*

*hirsutus* L. Rivin. Irreg. Tetrap. t. 42. Gall. ☉

*tuberosus* L. Rivin. Irreg. Tetrap. t. 43. Bot. Mag. 111.  
Gall. 2 Econ.

*pratensis* L. Fl. Dan. t. 527. Gall. 2

*sylvestris* L. Fl. Dan. t. 785. Gall. 2

*latifolius* L. Engl. Bot. 1108. Gall. 2

*palustris* L. Fl. Dan. t. 399. Engl. Bot. 169. Gall. 2

*Pisum* Lin.

*sativum* L. Fuchs. Hist. 627. Ic. Rivin. Irreg. Tetrap.  
t. 37. ☉ Econ.

— *saccharatum*.

— *ecorticatum*.

— *umbellatum*.

— *quadratum*.

*arvense* L. ☉

*maritimum* L. Fl. Dan. t. 338. Gall. ☉

{ *Ochrus* L. Gall. ☉

{ *Lathyrus Ochrus* DC. Prodr.

*Orobus* Lin.

*lathyroides* L. Amm. Rhuth. t. 7. f. 2. Bot. Mag. 2098.  
Siber. 2

*vernus* L. Bot. Mag. 521. Gall. 2

*galegiformis* Fischer. Dauria. 2

{ *laxiflorus* Desf. Ann. du Mus. v. 12. t. 8. Creta. Temp.  
2

{ *hirsutus* L. Bot. Mag. 2345.

*luteus* L. Gmel. Sib. 4. t. 4. Siber. 2

tuberosus L. Rivin. Irreg. Tetrap. t. 60. Engl. Bot. 1153.

Gall. & Econ.

varius Bot. Mag. 675. Ital. Temp. &

angustifolius L. Gmel. Sib. 4. t. 5. Siber. &

atropurpureus Desf. Atl. t. 196. Alger. Temp. &

{ albus L. Suppl. Europa: m. Temp. &

{ pannonicus Jacq. Austr. t. 39.

sylvaticus L. Engl. Bot. 518. Gall. &

niger L. Rivin. Irreg. Tetrap. t. 61. Fl. Dan. t. 1170. Gall. &

## VICIA Lin.

### 1. Pedunculis elongatis.

pisiformis L. Jacq. Austr. t. 364. Gall. &

dametorum L. Gall. &

\* tetragona H. p. &

biennis L. Gmel. Sib. 4. t. 2. Siber. &

sylvatica L. Fl. Dan. t. 277. Gall. &

Cracca L. Fl. Dan. t. 804. Engl. Bot. 1168. Gall. &

pseudo-Cracca Bertol. Rar. DC. Prodr. Ital. ☉

longifolia Poiret. Encycl. &

onobrychioides L. All. Ped. t. 42.

benghalensis L. Canar. ☉

atropurpurea Desf. Atl. Bot. Reg. 871.

{ monanthos. Gall. ☉

{ Ervum monanthos L.

disperma DC. Prodr. Gall. m. ☉

{ Ervilia Willd. Sp. Camer. Epit. 215. Ic. Gall. ☉

{ Ervum Ervilia. L. Rivin. Irreg. Tetrap. t. 62.

### 2. Floribus axillaribus, subsessilibus.

sepium L. Fl. Dan. t. 699. Gall. &

sativa L. Gall. ♂ Econ.

— segetalis DC. Fl. Suppl.

— angustifolia DC. Prodr.

peregrina L. Pluk. t. 233. f. 6. Gall. ☉

{ lathyroides L. Fl. Dan. t. 58. Engl. Bot. 30. Gall. ☉

{ Ervum soloniense L.

{ bithynica L. All. Ped. t. 26. f. 2. Jacq. Hort. t. 147.

{ Gall. m. ☉

{ Lathyrus turgidus Lamk. Encycl.

lutea L. Engl. Bot. 481. Gall. ☉

hybrida L. Jacq. Hort. 146. Gall. m. ☉

pannonica Jacq. Austr. t. 34. Hungar. ☉

serdida Wald. et Kit. Hung. t. 133. Hungar. ☉

narbonensis L. Rivin. Irreg. Tetrap. t. 58. Gall. m. ☉

— serratifolia Jacq. Austr. App. t. 8. Austr. ☉



**FABA** Tournef.

- { major Rivin. Irreg. Tetrap. t. 24. Mare Casp. ☉ Econ. Med.
- { *Vicia Faba* L.
- minor Rivin. Irreg. Tetrap. t. 24.
- *viridis*.

**ERVUM** Lin.

- hirsutum* L. Engl. Bot. 970. Gall. ☉
- tetraspermum* L. Engl. Bot. 1223. Gall. ☉
- { *Lens* L. Fuchs. Hist. 859. Ic. Rivin. Irreg. Tetrap. t. 36.
- { f. *exter*. Gall. ☉ Econ. Med.
- { *Cicer Lens* Willd. Sp.
- minor. Rivin. Irreg. Tetrap. t. 36. f. *inter*.

**CICER** Lin.

- arietinum* Bot. Mag. 2274. Ital. ☉ Econ. Med.

**SCORPIURUS** Lin.

- vermiculata* L. Moris. S. 2. t. 11. f. 3. Gall. ☉
- muricata* L. Moris. S. 2. t. 11. f. 4. Gall. ☉
- sulcata* L. Moris. S. 2. t. 11. f. 1. Gall. ☉

**ORNITHOPUS** Lin.

- perpusillus* L. Moris. S. 2. t. 10. f. 13. Engl. Bot. 369. ☉
- compressus* L. Moris. S. 2. t. 10. f. 15. Gall. ☉
- { *scorpioides* L. Cav. Ic. t. 37. Gall. ☉
- { *Astrolobium scorpioides* DC. Rivin. Irreg. Tetrap. t. 96.
- { Ic. *super*.
- { *exstipulatus* Thore Fl. Gall. m. ☉
- { *Astrolobium ebracteatum* DC. Prodr.
- lotoides* Viviani Fragn. t. 9. Ital. ☉

**HIPPOCREPIS** Lin.

- unisiliquosa* L. Moris. S. 2. t. 10. f. 1. Gall. ☉
- multisiliquosa* L. Moris. S. 2. t. 10. f. 2. Gall. ☉
- comosa* L. Jacq. Austr. t. 431. Gall. ℥
- balearica* Jacq. Rar. t. 149. Lamk. Ill. t. 630. f. 2. Bot. Mag. 427. Minorca. Temp. ℥

**CORONILLA** Lin.

- Emerus* L. Rivin. Irreg. Tetrap. t. 97. Alpes. ♀ Orn.
- { *stipularis* Lamk. Encycl. Hisp. Temp. ♀
- { *valentina* L. (Exclus. Syn. Clus.) Bot. Mag. 185.
- glaucal* L. Bot. Mag. 13. Gall. m. Temp. ♀
- junceal* L. Barrel. t. 133, 134. Bot. Reg. t. 820. Gall. m. Temp. ♀
- minima* L. Jacq. Austr. t. 271. Gall. ♀
- varia* L. Bot. Mag. 258. Gall. ℥
- iberica* Marsch. Cauc. Iodd. Cab. t. 789. Iberia. ℥

globosa Lamk. Encycl. Creta. Temp. ʁ  
cretica L. Jacq. Hort. t. 25. Creta. ☉

{ Securidaca L. Clus. Hist. 2. p. 236. Ic. infer. Gall. ☉  
{ Securigera Coronilla DC. Prodr. Rivin. Irreg. Tetrap.  
t. 84.

## HEDYSARUM Lin.

### 1. Foliis simplicibus.

{ maculatum L. Dill. Elth. t. 141. f. 168. Ind. ☉  
{ Desmodium maculatum DC. Prodr.  
{ gangeticum L. Burm. Zeyl. t. 49. f. 2. Ind. Cald. ʁ  
{ Desmodium gangeticum DC. Prodr.  
{ vaginale L. Burm. Zeyl. t. 49. f. 1. Ind. ☉  
{ Alysicarpus vaginalis DC. Prodr.  
{ vespertilionis L. Suppl. Jacq. Rar. t. 566. Cochinch.  
Cald. ♂  
{ Lourea vespertilionis Desv. Journ. DC. Prodr.  
{ triquetrum L. Burm. Zeyl. t. 81. Ind. Cald. ʁ  
{ Desmodium triquetrum DC. Prodr.

### 2. Foliis trifoliatis.

{ junceum L. Dec. 1. t. 4. Ind. Cald. ʁ  
{ Lespedeza juncea Pers. Syn. DC. Prodr. Ind. Cald. ʁ  
coriaceum H. p. Poiret. Encycl. Temp. ʁ  
{ canadense L. Cornuti. Canad. 45. Ic. Am. s. ʁ  
{ Desmodium canadense DC. Prodr.  
{ ascendens Swartz. Fl. Bot. Reg. 815. (Variet. cœrul.  
Brasil.) Jamaic. Cald. ʁ  
{ Desmodium ascendens DC. Prodr.  
{ canescens L. Virgin. Temp: ʁ  
{ Desmodium canescens DC. Prodr.  
{ marylandicum L. Dill. Elth. t. 144. f. 171. Maryl.  
Temp. ʁ  
{ Desmodium marylandicum DC. Prodr.  
{ gyrans L. Suppl. Jacq. Rar. t. 565. Bengh. Cald. ʁ  
{ Desmodium gyrans DC. Prodr.

### 3. Foliis pinnatis.

{ pictum Jacq. Rar. t. 567. Ind. Cald. ʁ  
{ Uraria picta Desv. Journ. DC. Prodr.  
alpinum Willd. Sp. Gmel. Sib. 4. t. 10. Bot. Reg. 808.  
Siber. ʁ  
roseum Bot. Mag. 996. Siber. ʁ  
coronarium L. Rivin. Irreg. Tetrap. t. 98. Ital. ʁ Econ.  
flexuosum L. Rivin. Irreg. Tetrap. t. 99. Alger. ☉

- fruticosum L. Suppl. Gmel. Sib. 4. t. 22. Pallas. Itin. 4.  
 t. 15 et 16. (Ed. gall.) Siber. 5  
 { muricatum Jacq. Rar. t. 568. Patagon. Cald. 2  
 { Adermia muricata DC. Prodr.  
 capitatum Desf. Atl. Maurit. ☉

**ONOBRYCHIS** Tournef.

- { sativa DC. Prodr. Rivin. Irreg. Tetrap. t. 2. Gall. 2  
 Econ.  
 { Hedysarum Onobrychis L. Jacq. Austr. t. 352.  
 { saxatilis DC. Prodr. Alpes. 2  
 { Hedysarum saxatile L. All. Ped. t. 19. f. 1.  
 { Caput-Galli DC. Prodr. Gall. m. ☉  
 { Hedysarum Caput-Galli L.  
 { Crista-Galli DC. Prodr. Gall. m. ☉  
 { Hedysarum Crista-Galli Syst. Veg.

**FLEMINGIA** Roxb.

- { strobilifera H. kew. Bot. Reg. 617. Ind. Cald. 5  
 { Hedysarum strobiliferum L. Fl. Zeyl. t. 3.

**ÆSCHYNOMENE** Lin.

- { grandiflora L. Ind. Cald. 5  
 { Coronilla grandiflora Willd. Sp.  
 { Agati grandiflora Desv. Journ. DC. Prodr. H. malab.  
 1. t. 51  
 { Sesban L. Alpin. Ægypt. 42. Ic. Ægypt. Temp. ♂  
 { Coronilla Sesban Willd. Sp.  
 { Sesbania ægyptiaca Pers. Syn. DC. Prodr.  
 { picta Cav. Ic. t. 314. H. Hisp. Temp. ♂  
 { Coronilla picta Willd. Sp.  
 { Sesbania picta Pers. Syn. DC. Prodr. Bot. Reg. 873.

**DALBERGIA** Lin.

- latisilqua H. p. Pers. Syn. Am. m. Cald. 5  
 robusta Roxb. DC. Prodr. Ind. Cal. 5

**GEOFFRÆA** Lin.

- { inermis Swartz. Fl. Ind. Wright. Phil. Trans. 1777. 2.  
 t. 10. Jamaic. Cald. 5  
 { Andira inermis Kunth. N. Gen.

**PTEROCARPUS** Lin.

- { Ecastaphyllum L. Brown. Jam. t. 32. f. 1. Am. m. Cald.  
 5.  
 { Ecastaphyllum Brownei. Pers. Syn. DC. Prodr.  
 { Plumieri Poiret. Encycl. Suppl. Plum. Ic. t. 246. f. 2.  
 Am. m. Cald. 5  
 { Ecastaphyllum Plumieri Pers. Syn. DC. Prodr.

**NISSOLIA** Lin.

fruticosa Jacq. Hort. t. 167. Mexico. Cald. ♪

**SECURIDACA** Lin.

{ scandens L. Plum. Ic. t. 247. f. 1. Am. m. Cald. ♪  
volubilis Willd. Sp.

**ORDO XIII.**

**POLYGALEÆ** Juss. Ann. du Mus.

**POLYGALA** Lin.

1. *Cristatæ.*

vulgaris L. Bull. Herb. t. 177. Gall. & Med.

amara L. Jacq. Austr. t. 412. Bot. Mag. 2437. Gall. &

austriaca Crantz. Austr. fasc. 5. t. 2. f. 4. Gall. &

monspeliaca L. DC. Ic. Rar. t. 9. Gall. m. ☉

myrtifolia L. Burm. Afr. t. 73. f. 1. Bot. Reg. 669. Cap.  
Temp. ♪

speciosa Bot. Reg. 150. Bot. Mag. 1780. Cap. Temp. ♪  
Orn.

oppositifolia L. Mant. Bot. Mag. 492. Bot. Reg. 636. Cap.  
Temp. ♪ Orn.

grandiflora Aiton. Cap. Temp. ♪

cordifolia Willd. Sp. Bot. Mag. 2438. Cap. Temp. ♪ Orn.

bracteolata L. Bot. Mag. 345. Cap. Temp. ♪

2. *Imberbes.*

Chamæbuxus L. Jacq. Austr. t. 233. Bot. Mag. 316.  
Alpes. &

Heisteria L. Bot. Mag. 340. Cap. Temp. ♪

**ORDO XIV.**

**TEREBINTHEÆ** Juss.

**ANACARDIUM** Lin.

occidentale L. H. malab. 3. t. 54. Ind. Cald. ♪ Econ.

**MANGIFERA** Lin.

indica L. Jacq. Rar. t. 537. Ind. Cald. ♪ Econ.

**RHUS Lin.**

## 1. Foliis pinnatis.

**Coriaria** L. Clus. Hist. 17. Ic. Gall. 5 Econ.**typhinum** L. Am. s. 5**glabrum** H. kew. Dill. Elth. t. 243. f. 314. Am. s. 5**elegans** H. kew. Catesby. Carol. App. t. 4. Carolin. 5{ **Vernix** L. Dill. Elth. t. 292. f. 377. Am. s. 5 Econ.{ **venenata** DC. Prodr.**Copallinum** L. Jacq. H. schœn. t. 341. Am. s. Temp. 5**semialatum** Murr. Com. Gott. 1783. t. 3. Macao. Cald. 5**javanicum** L. China. Cald. 5

## 2. Foliis ternatis.

**Toxicodendrum** L. Am. s. 5 Ven.{ **radicans** L. Am. s. 5 Ven.{ **Toxicodendrum vulgare**. Bot. Mag. 1806. Duham. Ed.

{ N. t. 48.

**suaveolens** H. kew. Am. s. 5**tomentosum** L. Com. Hort. 1. t. 92. Cap. Temp. 5**dentatum** Thunb. Prodr. Cap. Temp. 5**cuneifolium** L. Suppl. Cap. Temp. 5**glaucum** H. p. Pers. Syn. Cap. Temp. 5{ **pentaphyllum** Desf. Atl. t. 77. Alger. Temp. 5{ **Rhamnus pentaphyllus** Bocc. Sic. t. 21.**oxyacanthoides** Poiret. Encycl. Temp. 5**angustifolium** L. Pluk. t. 219. f. 6. Mala. Cap. Temp. 5**viminale** H. kew. Jacq. H. schœn. t. 344. Cap. Temp. 5**heterophyllum** H. p. Poiret. Encycl. Suppl. Temp. 5**lævigatum** L. Cap. Temp. 5**lucidum** L. Cav. Ic. t. 132. Cap. Temp. 5**villosum** L. Suppl. Pluk. t. 219. f. 8. Mala. Cap. Temp. 5**undulatum** Jacq. H. schœn. t. 346. Cap. Temp. 5**nervosum** H. p. Poiret. Encycl. Suppl. Cap. Temp. 5

## 3. Foliis simplicibus.

**Cotinus** L. Jacq. Austr. t. 210. Gall. 5 Econ.**CNEORUM Lin.****tricoccum** L. Camer. Epit. 973. Ic. Gall. m. Temp. 5**COMOCLADIA Lin.****dentata** Jacq. Am. t. 173. f. 4. Antill. Cald. 5 Ven.**GARUGA Roxb.****pinnata** Roxb. Corom. 3. t. 208. Ind. Cald. 5

**DUVAUA.** Kunth. Nov. Gen.

- { dependens DC. Prodr. Chili. Cald. ♪
- { Amyris polygama Cav. Ic. t. 239.
- { Schinus dentata Andr. Rep. 620.
- { Schinus dependens Ortega Dec.

**AMYRIS** Lin.

- maritima Jacq. Am. Am. m. Cald. ♪

**SCHINUS** Lin.

- Molle L. Mill. Ic. t. 246. Peruv. Temp. ♪ Econ.

**PISTACIA** Lin.

- Terebinthus L. Duham. Arb. v. 2. t. 87. Gall. m. Temp.
- ♪ Econ.
- { trifoliata L. Oriens. Temp. ♪ Econ.
- { vera L. Duham. Arb. v. 2. t. 88.
- \* chia H. p. Temp. ♪
- atlantica Desf. Atl. Tunis. Temp. ♪
- Lentiscus L. Clus. Hist. 14. Ic. Bot. Mag. 1967. Maurit.
- Temp. ♪ Econ.

**SPATHELIA** Lin.

- simplex L. Bot. Reg. 670. Antill. Cald. ♪

**BURSERA** Lin.

- gummifera L. Jacq. Am. t. 65. Antill. Cald. ♪ Econ.

**SPONDIAS** Lin.

- { cytheræa Lamk. Encycl. Jacq. H. schcen. t. 272. Ind.
- { Cald. ♪ Econ.
- { dulcis Willd. Sp.
- { Myrobalanus Syst. Veg. Sloan. Jam. 2. t. 219. f. 1, 2.
- { Am. m. Cald. ♪ Med.
- { Mombin Jacq. Am.
- { lutea L. Spec. (ex Willd.)

**AILANTHUS** Desf.

- glandulosa Desf. Acad. 1786. t. 8. L'her. Stirp. t. 84.
- China. ♪ Econ. Orn.

**BRUCEA** L'her.

- ferruginea L'her. Stirp. t. 10. Abyss. Cald. ♪

**PTELEA** Lin.

- trifoliata L. Mill. Ic. t. 211. Am. s. ♪ Econ. Orn.

**AVERRHOA** Lin.

- Bilimbi L. H. malab. 3. t. 45, 46. Ind. Cald. Econ. ♪
- Carambola L. H. malab. 3. t. 43, 44. Ind. Cald. ♪ Econ.

- { *acida* L. Ind. Cald. ♪
- { *Cicca disticha* Willd. Sp.
- { *Phyllanthus longifolia* Jacq. H. schœn. t. 194

**SORINDEIA** Petit-Thouars.

- { *pinnata*. Madag. Cald. ♪
- { *Mangifera pinnata* L. Suppl.
- { *Spondias Mangifera* Willd. Sp.

**JUGLANS** Lin.

- regia* L. Poit. et Turp. Arb. fruit. 34. Ic. Asia min. ♪ Econ.
- *serotina*.
- fraxinifolia* Poiret. Encycl. Mare Casp. ♪
- { *alba* L. Am. s. ♪
- { *tomentosa* Mich. Arb. v. 1. t. 6.
- { *olivæformis* H. kew. Am. s. ♪ Econ.
- { *cylindrica* Poiret. Encycl.
- amara* Mich. Arbr. v. 1. t. 4. Am. s. ♪
- aquatica* Mich. Arb. v. 1. t. 5. Am. s. ♪
- squamosa* Mich. Arb. v. 1. t. 7. Am. s. ♪
- cinerea* L. Jacq. Rar. t. 192. Am. s. & Econ.
- cathartica* Mich. Arb. v. 1. t. 2. Am. s. ♪
- nigra* L. Mich. Arb. v. 1. t. 1. Am. ♪

**ORDO XV.****RHAMNOIDEÆ** Juss.**STAPHYLÆA** Lin.

- pinnata* L. Camer. Epit. 171. Ic. Gall. ♪ Orn.
- trifoliata* L. Virgin. ♪ Orn.

**EVONYMUS** Lin.

- europæus* L. Fl. Dan. t. 1089. Gall. ♪ Econ.
- latifolius* L. Jacq. Austr. t. 289. Gall. ♪
- americanus* L. Virgin. ♪
- angustifolius* Pursh. Fl. Georg. ♪
- atropurpureus* Jacq. Hort. t. 120. Am. s. ♪
- verrucosus* Jacq. Austr. t. 49. Austr. ♪
- Grossa* Wallich. Fl. Ind. Cald. ♪
- nepaulensis*. Nepaul. Cald. ♪

**CELASTRUS** Lin.

- scandens* L. Duham. Arb. v. 1. t. 95. Am. s. ♪
- stylosa* Wallich. Fl. Ind. Nepaul. Cald. ♪
- cassinoides* L'her. Sert. t. 10. Madra. Temp. ♪

- { octogona L'her. Stirp. t. 25. Peruv. Cald. 5
- { Senacia octogona. Lamk. Ill.
- { Maytenus octogonus DC. Prodr.
- { lucida L. Mant. L'her. Sert. Cap. Temp. 5
- { Cassine concava Lamk. Encycl.
- buxifolia L. Bot. Mag. 2114. (Variet. inermis.) Cap. Temp. 5
- pyracantha L. Bot. Mag. 1167. Cap. Temp. 5
- { senegalensis Lamk. Encycl. Senegal. Cald. 5
- { phyllacantha L'her. Sert.
- multiflora Lamk. Encycl. Cap. Temp. 5
- Plectronia DC. Prodr. Cap. Temp. 5

**ELEODENDRON** Jacq.

- orientale Jacq. Rar. t. 48. I. Franciæ. Cald. 5
- australe Vent. Malm. t. 117. N. Holl. Temp. 5
- { Argan Retz. Obs. Com. Hort. 1. t. 83. Maroc. Temp. 5
- { Econ.
- { Sideroxylon spinosum Lamk. Encycl. (an Lin.?)

**MYGINDA** Jacq.

- uragoga Jacq. Am. t. 16. Am. m. Cald. 5

**HARTOGIA** Thunb.

- { capensis L. Suppl. Cap. Temp. 5
- { Schrebera schinoides Thunb. Prodr. t. 2.

**CURTISIA** Thunb.

- faginea H. kew. Burm. Afr. t. 82. Cap. Temp. 5

**CASSINE** Lin.

- capensis L. Mant. Dill. Elth. t. 236. f. 305. Cap. Temp. 5
- Maurocena L. Dill. Elth. t. 121. f. 147. Cap. Temp. 5
- xylocarpa Vent. Choix de pl. t. 23. I. Stj. Thomæ. Cald. 5

**ILEX** Lin.

- Aquifolium L. Fl. Dan. t. 508. Gall. 5 Econ.
- crassifolium.
- ferox.
- serratum.
- variegatum.
- balearica Desf. Arb. DC. Prodr. I. Balear. 5 Orn.
- { maderiensis Lamk. Encycl. Madera. Temp. 5
- { Perado H. kew.
- crocea Thunb. Prodr. Cap. Temp. 5
- Dahoon Mich. Fl. Florid. Temp. 5
- Cassine H. kew. Carolin. Temp. 5
- opaca H. kew. Am. s. 5



- { canadensis Mich. Fl. t. 49. Am. s. 5
- { *Nemopanthes canadensis* DC. H. genev. t. 3.
- { *æstivalis* Lamk. Encycl. Am. s. Temp. 5
- { *prinoides* H. kew.
- { *Prinos decidua* DC. Prodr.
- { *vomitaria* H. kew. Carolin. Temp. 5 Med.
- { *Cassine Peragua* L. Mill. Ic. t. 83. f. 2.
- { *ligustrina* Jacq. Rar. t. 310.
- { *Cassena* Mich. Fl.
- salicifolia Jacq. Collect. Suppl. t. 2. f. 2. I. Franciæ. Cald.

**PRINOS** Lin.

- verticillata L. Am. s. 5
- ambigua Mich. Fl. Am. s. 5
- lanceolata Pursh. Georg. 5
- glabra L. Am. s. 5

**CONDALIA** Cav.

- microphylla Cav. Ic. t. 525. Chili. Cald. 5

**AUCUBA** Thunb.

- japonica Thunb. Jap. t. 12, 13. Bot. Mag. 1197. Japon.
- 5 Orn.

**BREXIA** Petit-Thouars.

- spinosa Bot. Reg. 872. Madag. Cald. 5
- madagascariensis. Bot. Reg. 730. Madag. Cald. 5

**RHAMNUS** Lin.1. *Spinosi.*

- catharticus L. Fl. Dan. t. 850. Gall. 5 Med.
- infectorius L. Mant. Clus. Hist. 111. Ic. Gall. 5 Econ.
- theezans L. Mant. China. Temp. 5
- lycioides L. Cav. Ic. t. 182. Hisp. Temp. 5
- oleoides L. Maurit. Temp. 5
- saxatilis L. Jacq. Austr. t. 53. Alpes. 5
- erythroxylum Pallas. Ross. 2. t. 62. Siber. 5

2. *Inermes.*

- Frangula L. Fl. Dan. t. 278. Gall. 5 Econ.
- { colubrinus Syst. Veg. Jacq. Hort. 3. t. 50. Antill. Cald. 5
- { *Ceanothus colubrinus* Lamk. Ill. DC. Prod.
- { hybridus L'her. Sert. t. 5. 5
- { burgundiacus H. p.
- alpinus L. Hall. Hist. 2. t. 40. Alpes. 5

- alnifolius L'her. Sert. Am. s. 5  
 latifolius L'her. Sert. t. 8. Açores. Temp. 5  
 pumilus L. Mant. Jacq. Collect. 2. t. 11. Alpes. 5  
 glandulosus H. kew. Vent. Malm. t. 34. Madera. Temp. 5  
 longifolius Dum. Cours. Temp. 5  
 Alaternus L. Clus. Hist. 50. Ic. Europa. m. 5  
 — angustifolius.  
 — rotundifolius H. p.

**ZIZYPHUS** Tournef.

- sinensis Lamk. Encycl. China? Temp. 5  
 { inguanea Lamk. Encycl. Cav. Ic. t. 294. Antill. Cald. 5  
 { Celtis rhamnoides Willd. Sp.  
 Lotus Lamk. Encycl. Desf. Atl. Acad. Par. 1788. t. 21.  
 Maurit. Cald. 5 Econ.  
 { sativa Desf. Arb. Gall. m. 5 Econ.  
 { vulgaris Lamk. Ill. t. 185. f. 1.  
 { Spina-Christi Willd. Sp. Alpin. Ægypt. 10. Ic. Maurit.  
 { Temp. 5 Econ.  
 { Rhamnus Spina-Christi L.  
 { volubilis Willd. Sp. Carolin. Temp. 5  
 { Rhamnus volubilis L. Suppl. Jacq. Rar. t. 336.  
 { Berchemia volubilis DC. Prodr.

**PALIURUS** Tournef.

- { aculeatus Lamk. Ill. t. 210. Gall. m. 4  
 { Rhamnus Paliurus L.

**POMADERRIS** Labill.

- apetala Labill. N. Holl. t. 87. N. Holl. Temp. 5  
 elliptica Labill. N. Holl. t. 86. Bot. Mag. 1510. N. Holl.  
 Temp. 5  
 lanigera Bot. Mag. 1823. N. Holl. Temp. 5  
 phyllicifolia Lodd. Bot. Cab. t. 120. Australas. Temp. 5

**CEANOTHUS** Lin.

- africanus L. Com. Præ lud. t. 11. Cap. Temp. 5  
 ovatus Desf. Arb. DC. Prodr. Am. s. 5 Orn.  
 americanus L. Trew. Sel. t. 94. Bot. Mag. 1479. Am. s.  
 5 Orn.  
 { reclinatus L'her. Sert. Jamaic. Cald. 5  
 { Rhamnus ellipticus H. kew. Brown. Jam. t. 29. f. 2.  
 azureus H. p. DC. Prodr. Bot. Reg. 291. Mexico. Temp.  
 5  
 { discolor. Vent. Malm. t. 58. N. Holl. Temp. 5  
 { Pomaderris discolor DC. Prodr.  
 globulosus Labill. N. Holl. t. 85. N. Holl. Temp. 5

**PHYLICA** Lin.

- ericoides L. Bot. Mag. t. 224. Cap. Temp. ♪ Orn.
- rosmarinifolia Lamk. Ill. Cap. Temp. ♪
- plumosa L. Pluk. t. 342. f. 3. Cap. Temp. ♪ Orn.
- { capitata Thunb. Prodr. Bot. Reg. t. 711. Cap. Temp. ♪
- { pubescens H. kew. Burm. Afr. t. 44. f. 3.
- squarrosa Vent. Malm. DC. Prodr. Cap. Temp. ♪
- axillaris Lamk. Ill. Cap. Temp. ♪
- { myrtifolia Poiret. Encycl. Cap. Temp. ♪
- { paniculata Willd. Sp.
- cordata L. Com. Prælug. t. 12. Cap. Temp. ♪
- buxifolia L. Burm. Afr. t. 44. f. 1. Cap. Temp. ♪
- thymifolia Vent. Malm. t. 57. Cap. Temp. ♪

**GOUANIA** Lin.

- { domingensis L. Antill. Cald. ♪
- { glabra Jacq. Am. t. 179. f. 40.
- mauritiana Lamk. Encycl. I. Franciæ. Cald. ♪

**HOVENIA** Thunb.

- dulcis Thunb. Jap. Kæmpf. Amæn. 809. Ic. Bot. Mag. 2360. Japon. Temp. ♪

**SCHÆFFERIA** Jacq.

- { frutescens Jacq. Am. Antill. Cald. ♪
- { completa Swartz Fl. Ind.

**ORDO XVI.****BRUNIACEÆ** Brown.**BRUNIA** Lin.

- lanuginosa L. Pluk. t. 318. f. 4. Wendl. Collect. t. 11. Cap. Temp. ♪
- superba Willd. Sp. Cap. Temp. ♪

**ORDO XVII.****PITTOSPOREÆ** Brown.**PITTOSPORUM** Gaertn.

- undulatum Vent. H. Cels. t. 76. N. Holl. Temp. ♪
- \* crispum H. p. Cald. ♪
- coriaceum Andr. Rep. 151. Madera. Temp. ♪

- { revolutum H. kew. Bot. Reg. 186. N. Holl. Temp. 5  
 { tomentosum Bonpl. Malm. et Navar. t. 21.  
 { Tobira H. kew. Kæmpf. Amæn. 796. Ic. Bot. Mag. 1396.  
 { China. Temp. 5  
 { Evonymus Tobira Willd. Sp.  
 viridiflorum Bot. Mag. 1684. Cap. Temp. 5

**BILLARDIERA** Smith.

- scandens Smith. N. Holl. t. 1. Bot. Mag. 801. N. Holl.  
 Temp. 5  
 longiflora Labill. N. Holl. t. 89. Bot. Mag. 1507. N. Holl.  
 Temp. 5  
 mutabilis Bot. Mag. 1313. N. Holl. Temp. 5

---

**CLASSIS XVI.**

**PLANTÆ DICOTYLEDONES APETALÆ, STAMINA IDIOGYNA.**

**ORDO I.****EUPHORBIACEÆ** Juss.**MERCURIALIS** Lin.

- perennis L. Bull. Herb. t. 303. Gall. 11  
 annua L. Bull. Herb. t. 159 et 235. Gall. ☉ Med.  
 tomentosa L. Clus. Hist. 2. p. 48. Ic. Gall. m. Temp. 7  
 elliptica Lamk. Encycl. Vent. H. Cels. t. 12. Lusit. Temp.  
 5

**EUPHORBIA** Lin.

1. Herbaceæ; umbella bifida aut nulla.

- hypericifolia L. Com. Prælud. t. 10. Hook. Exot. Fl. 36.  
 Am. m. ☉  
 picta Jacq. Rar. t. 477. Am. m. Cald. 11  
 { pilulifera L. Burm. Zeyl. t. 105. f. 1. Jacq. Rar. t. 478.  
 { Ind. ☉  
 { capitata Lamk. Encycl.  
 Chamæsyce L. Clus. Hist. 2. p. 187. Ic. super. Gall. m. ☉  
 — canescens L. Variet. Røeper.

*Peplis* L. Camer. Epit. 970. Ic. Engl. Bot. 2002. Gall.  
m. ☉  
*prunifolia* Jacq. H. schoen. t. 277. Cald. ♂  
\* *dentata* H. p. Cald. ♂ ?

2. *Herbaceæ*, umbella trifida.

*Peplus* L. Fl. Dan. t. 1100. Bull. Herb. t. 79. Gall. ☉  
— *rotundifolia* Lois. Fl. Variet.  
*micrantha* Willd. Sp. Persia. ☉  
{ *falcata* L. Jacq. Austr. t. 121. Gall. ☉  
  *acuminata* Lamk. Encycl. (ex Roeper.)  
  *mucronata* Lamk. Encycl.  
*Lagascæ* Sprengel. Syst. Hisp. ☉  
*terracina* L. Barrel. t. 833. Hisp. ☉  
{ *exigua* L. Fl. Dan. t. 592. Gall. ☉  
  *retusa* Cav. Variet.

3. *Herbaceæ*, umbella quadrifida.

*Lathyris* L. Bull. Herb. t. 103. Engl. Bot. 2255. Gall.  
♂ Med.

4. *Herbaceæ*, umbella quinquefida.

{ *dulcis* L. Jacq. Austr. t. 213. Gall. ✕  
  *purpurata* Thuil. Fl.  
*provincialis* Willd. Sp. Gall. ✕  
*napolitana* Tenore. Corso. ☉  
*portlandica* L. Jacq. H. schoen. t. 487. Engl. Bot. 441.  
  Angl. ✕  
*epithymoides*. L. Jacq. Austr. t. 344. Bot. Mag. 2258.  
  Austr. ✕  
*alepica* L. Alpin. Exot. 64. Ic. Mala. Syria. Temp. ✕  
*segetalis* L. Jacq. Austr. t. 450. Gall. ☉  
*valentina* Jacq. H. schoen. t. 488. Gall. ☉  
*helioscopia* L. Fl. Dan. t. 725. Gall. ☉  
*serrata* L. Jacq. Rar. t. 483. Bull. Herb. t. 75. Gall. ✕  
*verrucosa* L. Moris. S. 10. t. 3. f. 3. Gall. ✕  
{ *platyphyllos* L. Jacq. Austr. t. 376. Gall. ☉  
  *litterata* Jacq. Rar. t. 482. Variet.  
*orientalis* L. Oriens. ✕  
*hyberna* L. Dill. Elth. t. 290. f. 374. Gall. ✕  
*sylvatica* L. Bull. Herb. t. 95. Gall. ✕

5. *Herbaceæ*, umbella multifida.

*Esula* L. Engl. Bot. 1399. Gall. ✕

*virgata* Wald. et Kit. Hung. t. 162. Hungar. ✕  
*illyrica* Lamk. Encycl. Illyr. ✕  
 { *linariæfolia* Lamk. Encycl. Gall. ✕  
 { *gerardiana* Jacq. Austr. t. 436. Gall. ✕  
*Cyparissias* L. Bull. Herb. t. 97. Gall. ✕  
*palustris* L. Bull. Herb. t. 87. Gall. ✕  
*Myrsinites* L. Clus. Hist. 2. p. 189. Ic. inter. Ital. Temp. ✕  
 { *biglandulosa* Desf. Choix de pl. t. 67. Creta. Temp. ✕  
 { *rigida* Marsch. Cauc. Bot. Reg. 274.  
 { *amygdaloides* Lamk. Encycl. Gall. m. Temp. ✕  
 { *nicæensis* All. Ped. t. 69. f. 1.

#### 6. Caule suffruticoso aut fruticoso.

*Characias* L. Jacq. Rar. t. 89. Gall. ✕ ♪  
*Paralias* L. Jacq. Hort. t. 188. Gall. m. Temp. ♪  
*Pithyusa* L. Camer. Epit. 967. Ic. Gall. m. Temp. ♪  
*spinosa* L. Gall. m. Temp. ♪  
*mauritanica* L. Dill. Elth. t. 289. f. 373. Afr. Cald. ♪  
*dendroides* L. Barrel. t. 910. Maurit. Cald. ♪  
*atropurpurea* DC. Cat. Monsp. Canar. Cald. ♪  
*punicea* Swartz. Fl. Ind. Jacq. Rar. t. 484. Bot. Reg. 190.  
 Jamaic. Cald. ♪  
 { *longifolia* Lamk. Encycl. Madera. Cald. ♪  
 { *mellifera* H. kew. Vent. Malm. t. 30. Bot. Mag. t. 1305.  
*linearis* Retz. Obs. Encycl. Suppl. Antill. Cald. ♪  
*cotinifolia* L. Hook. Exot. Fl. 59. Am. m. Cald. ♪  
 { *verticillata* Poiret. Encycl. Suppl. Antill. Cald. ♪  
 { *petiolaris* Bot. Mag. 883.  
*heterophylla* L. Plum. Ic. t. 251. f. 3. Antill. Cald. ♪.

#### 7. Carnosæ, inermes.

*lophogona* Lamk. Encycl. DC. Pl. Gr. t. 124. Madag.  
*Caput-medusæ* L. Burm. Afr. t. 9. f. 1. Cap. Cald. ♪  
 { *tridentata* Lamk. Encycl. DC. Pl. Gr. t. 144. Cap. Cald.  
 ♪  
 { *anacantha* H. kew.

#### 8. Carnosæ, spinosæ.

*Milii* Desmoulins, Soc. Lin. de Bordeaux. Ic. Madag. Cald.  
 ♪  
*uncinata* DC. Pl. Gr. t. 151. Cap. Cald. ♪  
*canariensis* L. DC. Pl. Gr. t. 140. Canar. Cald. ♪  
 { *histris* Jacq. H. schœn. t. 207. Cap. Cald. ♪  
 { *loricata* Lamk. Encycl.  
*neriifolia* L. DC. Pl. Gr. t. 46. Ind. Cald. ♪  
*buplevrisolia* Jacq. H. schœn. t. 106. Cap. Cald. ♪

officinarum L. DC. Pl. Gr. t. 77. Cap. Cald. 5 Med.  
 mammillaris L. Com. prælud. t. 9. Cap. Cald. 5  
 meloformis H. kew. Desf. Ann. du Mus. v. 1. t. 16. f. 2.  
 polygona Haw. Succ. Cap. Cald. 5  
 \* triangularis H. p. Cap. ? Cald. 5

**PEDILANTHUS** Necker.

{ tithymaloides Poit. Ann. du Mus. v. 19. t. 19. f. 1. Bot.  
 Reg. 837. Antill. Cald. 5  
 { Euphorbia tithymaloides L.  
 { Euphorbia myrtifolia Lamk. Encycl.  
 { carinatus. I. Trinit. Cald. 5  
 { Crepidaria carinata Haw. Succ.  
 { Euphorbia carinata. Bot. Mag. 2514.

**PHYLLANTHUS** Lin.

grandifolia L. Antill. Cald. 5  
 { brasiliensis Lamk. Encycl. Aublet. Guian. t. 354. Guian.  
 { Cald. 5  
 { Conami Willd. Sp.  
 reticulata Poiret. Encycl. Ind. Cald. 5  
 \* elliptica H. p. Cald. 5  
 turbinata Bot. Mag. 1862. Ind. Cald. 5  
 Niruri L. H. malab. 10. t. 15. Ind. ☉  
 caroliniensis Mich. Fl. Carolin. ☉?

**KIRGANELIA** Juss.

{ phyllanthoides H. p. I. Franciæ. Cald. 5  
 { virginea Pers. Syn.  
 { Phyllanthus Kirganelia Willd. Sp.

**XYLOPHYLLA** Lin.

{ speciosa H. p. Antill. Cald. 5  
 { arbuscula Willd. Sp.  
 { Phyllanthus speciosa Jacq. Rar. t. 616.  
 falcata Swartz. Prodr. Andr. Rep. 331. Bot. Reg. 373.  
 Antill. Cald. 5  
 angustifolia Swartz. Prodr. Jamaic. Cald. 5  
 latifolia Swartz. Prodr. Bot. Mag. 1021. Jamaic. Cald. 5  
 ramiflora H. kew. Siber. 5  
 { obovata Willd. Enum. Cald. 5  
 { Phyllanthus lucidus Hortul.

**KIGGELLARIA** Lin. (Flacourtianæ. DC. Prodr.)

africana L. H. Cliff. t. 29. Cap. Temp. 5

**CLUTIA** Lin.

pulchella L. Com. Hort. 1. t. 91. Bot. Mag. 1945. Cap.  
 Temp. 5

alaternoides L. Bot. Mag. 1321. Willd. H. berol. t. 50.  
 Cap. Temp. ♀  
 polygonoides L. Willd. H. berol. t. 51. Cap. Temp. ♀  
 daphnoides Willd. Sp. H. berol. t. 52. Cap. Temp. ♀

**ANDRACHNE** Lin.

Telephioides L. Dill. Elth. t. 282. f. 364. Oriens. Temp. ♂

**BRADLEIA** Gärtner.

Glochidion Gärtner. Fruct. t. 109?. Ind. Cald. ♀

**FLUGGEA** Willd.

Leucopyrus Willd. Sp. Ind. Cald. ♀

**AGYNEIA** Lin.

impubes L. Mant. Vent. H. Cels. t. 23. China. ☉

**BUXUS** Lin.

sempervirens L. Bull. Herb. t. 265. Gall. ♀ Econ.

— suffruticosa.

— angustifolia.

balearica Lamk. Encycl. I. Balear. ♀

**SARCOCOCCA** Bot. Reg.

{ pruniformis Bot. Reg. 1012. Nepaul. Cald. ♀  
 { Pachysandra coriacea Hook. Exot. Fl. 148. Cald. ♀

**PACHYSANDRA** Mich.

procumbens Mich. Fl. 2. t. 45. Bot. Reg. 33. Am. sept. ♀

**SECURINEGA** Juss.

nitida Pers. Syn. I. Franciæ. Cald. ♀

**ADELIA** Lin.

Acitodon L.? Jamaic. Cald. ♀

**GELONIUM** Roxb.

bifarium Willd. Sp. Ind. Cald. ♀

**RICINUS** Lin.

communis L. Fuchs. Hist. 340. Ind. ☉ Med. Orn.

— rutilans.

inermis Jacq. Rar. t. 195. Ind. Cald. ♀

\* tunisensis H. p. Temp. ♀

**JATROPHA** Lin.

Curcas L. Jacq. Hort. 3. t. 63. Ind. Cald. ♀ Med.

multifida L. Dill. Elth. t. 173. f. 213. Am. m. Cald. ♀

urens L. Jacq. Hort. t. 21. Brasil. Cald. ♀

napæifolia Lamk. Encycl. Antill. Cald. ♀

gossypifolia L. Jacq. Rar. t. 623. Bot. Reg. 746. Antill.  
 Cald. ♀



- { *acuminata* Lamk. Encycl. Vent. Malm. t. 52. I. Cuba.  
Cald. ♪
- { *panduræfolia* Andr. Rep. t. 267.

LOUREIRA Cav.

- { *cuneifolia* Cav. Ic. t. 429. Mexico. Cald. ♪
- { *Mozinna spathulata* Ortega. Dec. 8. t. 13.

ALBURITES Forst.

- { *Ambinux* Pers. Syn. Molluccæ. Cald. ♪ Med.
- { *Croton moluccanum* L.

CROTON Lin.

1. Fruticosa.

- { *sebiferum* L. Pluk. t. 390. f. 2. China. Cald. ♪ Econ.
- { *Stillingia sebifera* Willd. Sp.
- { *penicillatum* Vent. Ch. de Pl. t. 12. I. Cuba. Cald. ♪
- { *ciliato-glandulosum* Ortega. Dec.
- punctatum* Jacq. Rar. t. 621. Carolin. Temp. ♪
- pungens* Jacq. Rar. t. 622. Caracas. Cald. ♪
- balsamiferum* L. Mant. Jacq. Am. t. 162. f. 3 (folium).  
Antill. Cald. ♪
- hircinum* Vent. Malm. t. 50. Ind. Cald. ♪
- ricinoides* Pers. Syn. Ind. Cald. ♪
- lineare* Jacq. Am. t. 162. f. 4 (folium). Am. m. Cald. ♪
- variegatum* L. H. malab. 6. t. 61. Ind. Cald. ♪

2. Herbacea.

- dioicum* Cav. Ic. t. 6. Mexico. Cald. ✕
- argenteum* L. Am. m. ☉
- tinctorium* L. Clus. Hist. 2. p. 47. Ic. infer. Gall. m. ☉  
Econ.
- lobatum* L. Martyn. Cent. t. 46. Am. m. ☉

ACALYPHA Lin.

- virginica* L. Brown. Jam. t. 36. f. 2. Schk. Handb. 3  
t. 311. Am. s. ☉
- brachystachya* Horn. Hort. China. ☉
- caroliniana* Mich. Fl. Carolin. ☉
- hispida* Willd. Sp. Ind. ☉
- alopecuroides* Jacq. Rar. t. 620. I. Venesula. ☉
- cuspidata* Jacq. H. schoen. t. 243. Caracas. Cald. ♪
- virgata* L. Brown. Jam. t. 36. f. 1. Antill. Cald. ♪
- scabrosa* Swartz. Fl. Ind. Antill. Cald. ♪

**TRAGIA** Lin.

volubilis L. Plum. Ic. t. 252. f. 2. Am. m. Cald. ♪  
 involucrata L. Jacq. Rar. t. 190. Ind. Cald. ♪

**STILLINGIA** Lin.

sylvatica L. Mant. Carolin. Temp. ✕

**SAPIUM** Jacq.

\* laurocerasum H. p. Cald. ♪ Ven.

**HURA** Lin.

crepitans L. Trew. Sel. t. 34, 35. Antill. Cald. ♪

**OMPHALEA** Lin.

\* lævigata H. p. Cald. ♪

**DALECHAMPIA** Lin.

{ villosa Lamk. Encycl. Am. m. Cald. ♪  
 { scandens L. Jacq. Am. t. 160.

**ORDO II.****CUCURBITACEÆ** Juss.**GRONOVIA** Lin.

scandens L. Jacq. Rar. t. 338. Antill. Cald. ✕

**SICYOS** Lin.

angulata L. Dill. Elth. t. 51. f. 59. Am. s. ☉

**BRYONIA** Lin.

{ dioica L. Jacq. Austr. t. 199. Gall. ✕ Med.  
 { alba Bull. Herb. t. 55. (non Lin.)  
 africana Willd. Sp. Herm. Parad. 108. Ic. Cap. Temp. ✕  
 dissecta Willd. Sp. Cap. Temp. ✕  
 palmata L. Zeylan. Cald. ✕  
 laciniosa L. Herm. H. lugdb. 97. Ic. Zeylan. Cald. ✕  
 quinque-loba Thunb. Prodr. Bot. Reg. 82. Cap. Temp. ✕

**MELOTHRIA** Lin.

pendula L. Plum. Ic. t. 66. f. 2. Am. m. ☉

**MOMORDICA** Lin.

Charantia L. H. malab. 8. t. 9. Ind. ☉  
 Luffa L. Alpin. Ægypt. 199. Ic. Ægypt. ☉  
 Balsamina L. Ind. ☉  
 Elaterium L. Camer. Epit. 946. Bull. Herb. t. 81. Gall.  
 ☉ Med.

**CUCUMIS** Lin.

**Colocynthis** L. Camer. Epit. 982. Ic. Maurit. ☉ Med.

**prophetarum** L. Jacq. Host. t. 9. Arabia. ☉

**Anguria** L. Mill. Ic. t. 33. Antill. ☉

**acutangulus** L. Jacq. Hort. v. 3. t. 73, 74. Ind. ☉

**Melo** L. Dodart. Icones. ☉ Econ.

— **saccharinus**.

— **Cantaloa**.

— **viridis**.

**Chate** L. Alpin. Egypt. 54. Ic. Egypt. ☉

**Dudaim** L. Dill. Elth. t. 177. f. 218. Maurit. ☉

**sativus** L. Ind. ☉ Econ.

— **minor**.

**flexuosus** L. Dod. Pempt. 662. Ic. Inter. Ind. ☉

**CUCURBITA** Lin.

**leucantha**. Ind. ☉ Econ.

— **lagenaria**.

— **laticor**.

— **pyrotheca**.

— **longa**.

**Pepo** L. ☉ Econ.

— **luteus**.

— **viridis**.

**Melopepo** L. ☉ Econ.

— **verrucosus**.

— **aurantiiformis**.

— **pyriformis**.

— **clypeatus**.

— **radiatus**.

{ **cerifera** Fischer. Cat. H. Gor. China. ☉

{ **Benincasa** Savi. Diss. Ic.

**Citrullus** L. Fuchs. Hist. 700. Ic. Maurit. ☉ Econ.

**TRICHOSANTHES** Lin.

**Anguina** L. Mich. Gen. t. 9. Bot. Mag. 722. China. ☉

**foetidissima** Jacq. Rar. t. 624. Guinea. Cald. 2

**CARICA** Lin.

**Papaya** L. Trew. Sel. t. 7. Ind. Cald. 5 Econ.

**monoica** Desf. Ann. du Mus. 1. t. 18. Peruv. Cald. 5

**microcarpa** Jacq. H. schœn. t. 309, 310. Caracas. Cald. 5

**cauliflora** Jacq. H. schœn. t. 311. Caracas. Cald. 5

**citriformis** Jacq. f. Ecl. t. 68, 69. Guinea. Cald. 5

## ORDO III.

## PASSIFLOREÆ Juss.

## MODECA Jacq.

lobata Jacq. Fragm. t. 131. Bot. Reg. 433. Ind. Cald. \*

## PASSIFLORA Lin.

## 1. Foliis simplicibus.

maliformis L. Jacq. H. schœn. t. 180. Antill. Cald. ♀  
Orn.

\* brasiliana H. p. Brasil. Cald. ♀

ligularis Juss. Ann. du Mus. v. 6. t. 30. Peruv. Cald. ♀

laurifolia L. Jacq. Hort. t. 162. Cav. Diss. t. 284. Antill.  
Cald. ♀ Orn.quadrangularis L. Cav. Diss. t. 283. Bot. Mag. 2041. An-  
till. Cald. ♀ Orn.

alata H. kew. Bot. Mag. 66. Am. m. Cald. ♀ Orn.

albida Bot. Reg. 677. Brasil. Cald. ♀ Orn.

serratifolia L. Jacq. Hort. t. 10. Cav. Diss. t. 279. Antill.  
Cald. ♀ Orn.cuprea L. Jacq. Rar. t. 606. Dill. Elth. t. 138. f. 165. Ba-  
hama. Cald. ♀

## 2. Foliis bilobis.

perfoliata L. Jacq. H. schœn. t. 182. Bot. Reg. 78. Am. m.  
Cald. ♀.tuberosa Jacq. H. schœn. t. 496. Bot. Reg. 432. Am. m.  
Cald. ♀

Murucuja L. Bot. Reg. 574. Am. m. Cald. ♀

rubra L. Jacq. Rar. t. 186. Cav. Diss. t. 268. Antill. Cald.  
♀{ biflora Lamk. Encycl. Smith. Ic. pictæ. t. 1. Cav. Diss.  
t. 288. Mexico. Cald. ♀

{ lunata Smith. Ic. pictæ. 1. Bot. Reg. 577.

discolor Link. H. berol. t. 5 Brasil. Cald. ♀

## 3. Foliis trilobis.

ciliata H. kew. Bot. Mag. 288. Antill. Cald. ♀

punctata L. Cav. Diss. t. 269. Peruv. Cald. ♀

lutea L. Jacq. Rar. t. 607. Bot. Reg. 79. Virgin. Temp. ♀

*suberosa* L. Jacq. Hort. t. 163. Cav. Diss. t. 265. Smith.

Exot. Bot. t. 28. Am. m. Cald. ♪

*minima* L. Jacq. Hort. t. 20. Cav. Diss. t. 266. Curassao.  
Cald. ♪

*gracilis* Link. Enum. Bot. Reg. 870. ☉

{ *heterophylla* Jacq. H. schœn. t. 181. Jamaic. Cald. ♪  
  *angustifolia* Willd. Sp. Bot. Reg. 188.

{ *longifolia* Lamk. Encycl. Cav. Diss. t. 270.

*glauca* Jacq. H. schœn. t. 384. Guian. Cald. ♪

{ *Adiantum* Willd. Enum. Bot. Reg. 233. N. Holl. Temp.  
  ♪

{ *glabra* Wendl. Collect. 1. t. 17.

*holosericea* L. Cav. Diss. t. 291. Mexico. Cald. ♪

*peltata* Cav. Diss. t. 274. Plum. Amer. t. 85. Bot. Reg.  
587. Antill. Cald. ♪

\* *maculata* H. p. Cald. ♪

*fœtida* L. Plum. Amer. t. 86. Cav. Diss. t. 289. Bot. Reg.  
321. Antill. Cald. ♪

*edulis* Bot. Mag. 1989. Cald. ♪ Econ.

*incarnata* L. Jacq. Rar. t. 187. Cav. Diss. t. 293. Brasil.  
Cald. ♪

*herbertiana* Bot. Reg. 737. N. Holl. Temp. ♪

{ *racemosa* Bot. Mag. 2001. Bot. Reg. 285. Brasil. Cald.  
  ♪ Orn.

{ *princeps* Lodd. Bot. Cab.

*picturata* Bot. Reg. 673. Brasil. Cald. ♪

#### 4. Foliis multifobis.

*palmatâ* H. Angl. Link. Enum. Brasil. Cald. ♪

*cærulea* L. Cav. Diss. t. 295. Brasil. ♪ Orn.

*filamentosa* Cav. Diss. t. 294. Bot. Mag. 2023. Bot. Reg.  
584. Am. m. Cald. ♪ Orn.

## ORDO IV.

### URTICÆ Juss.

#### FICUS Lin.

*Carica* L. Trew. Sel. t. 73, 74. Gall. ♪ Econ.

— *violacea*.

*mauritiana* Lamk. Encycl. I. Franciæ. Cald. ♪

*morifolia* Lamk. Encycl. I. Borbôn. Cald. ♪

*symphytifolia* Lamk. Encycl. Ind. Cald. ♪

{ *heterophylla* Lamk. Encycl. Ind. Cald. ♪

{ *rufescens* Vahl. Enum. H. malab. 3. t. 62.

- oppositifolia* Roxb. Corom. t. 124. Ind. Cald. 5  
*fulva* Spreng. Syst. Brasil. Cald. 5  
     *coronata* Colla. H. ripul. t. 8. Philipp. Cald. 5  
     { *ulmifolia* Lamk. Encycl. ?.  
*macrophylla* Pers. Syn. N. Holl. Temp. 5  
*nymphæifolia* L. Mant. Ind. Cald. 5  
*elastica* Roxb. Horn. Hort. Suppl. Ind. Cald. 5  
     { *laurifolia* Lamk. Encycl. Sloan. Jam. 2. t. 223. Ind. occ.  
       Cald. 5  
     { *martinicensis* Willd. Sp.  
*citrifolia* Lamk. Encycl. (non Willd.) Plum. Ic. t. 131.  
     f. 3. Antill. Cald. 5  
*crassi-nervia* Willd. Sp. Am. m. Cald. 5  
*ferruginea* Parmentier. Cald. 5  
*benghalensis* L. Trew. Sel. t. 50. Ind. Cald. 5  
     { *rubiginosa* Vent. Malm. t. 114. N. Holl. Temp. 5  
     { *australis* Willd. Sp.  
*populnea* Willd. Sp. ? Am. m. Cald. 5  
     \* *reclinata* H. p. Ind. Cald. 5  
*religiosa* L. H. malab. 1. t. 27. Ind. Cald. 5  
*racemosa* L. H. malab. 1. t. 25. Ind. Cald. 5  
*lutescens* Parmentier. Cald. 5  
*cerasiformis* Parmentier. Cald. 5  
*Lichtenstenii* Link. Enum. Cap. Temp. 5  
     \* *vestita* H. p. Cald. 5  
     \* *phytolaccæfolia* H. p. Cap. Cald. 5  
     { *glaucophylla* H. p. Cap. Cald. 5  
     { *cordata* Thunb. Prodr. Diss. de Fico. Ic.  
     \* *pyrifolia* H. p. (non Lamk.)  
     { *arbutifolia*. Ind. Cald. 5  
     { *benjamina* L. Mant. Willd. Sp. H. malab. 1. t. 26.  
     { *microcarpa* L. Suppl.  
*pumila* L. Kæmpf. Amœn. 804. Ic. China. Cald. 5  
     { *stipulata* Thunb. Diss. China. Cald. 5  
     { *scandens* Lamk. Encycl.

#### DORSTENIA Lin.

*Contrayerva* L. Jacq. Rar. t. 614. Peruv. Cald. 7 Med.

#### CECROPIA Lin.

- peltata* L. Lamk. Ill. t. 800. Guian. Cald. 5  
*palmata* Willd. Sp. Brasil. Cald. 5  
     \* *acuminata* H. p. Cald. 5

#### ARTOCARPUS Forst.

- { *integrifolia* L. Suppl. H. malab. 3. t. 26, 27. 28. Roxb.  
       Corom. t. 250. Ind. Cald. 5 Econ.  
     { *Jacca* Lamk. Encycl.

**MORUS** Lin.

- alba L. Lob. Ic. 2. p. 196. Ic. inter. China. ♀ Econ.  
 constantinopolitana H. p. Poiret. Encycl. ♀ Econ.  
 italica H. p. Poiret. Encycl. ♀ Econ.  
 tatarica L. Pallas. Ross. t. 52. Russ. ♀ Econ.  
 mauritiana Jacq. Rar. t. 617. I. Franciæ. Cald. ♀  
 nigra L. Poit. et Turpin. Fruits. t. 20. Ital. ♀ Econ.  
 rubra L. Poit. et Turpin. Fruits. t. 69. Am. s. ♀ Econ.

**BROUSSONETIA** L'her.

- { papyrifera Willd. Sp. Andr. Rep. 488. Japon. ♀ Econ.  
 { *Morus papyrifera* L. Kæmpf. Amœn. 472. Ic.

**MACLURA** Nuttall.

- aurantiaca Nuttall. Gen. Louisian. ♀

**URTICA** Lin.

## 1. Foliis alternis.

- baccifera L. Jacq. H. schœn. t. 387. Plum. Ic. t. 260.  
 Antill. Cald. ♀  
 nivea L. Jacq. Hort. t. 166. Ind. Temp. ♀  
 canadensis L. Schk. Handb. 3. t. 289. Canad. ♀

## 2. Foliis oppositis.

- pumila L. Am. s. ☉  
 reticulata Swartz. Fl. Ind. Bot. Mag. 2567. Jamaic. Cald.  
 ♀  
 { cylindrica L. Sloan. Jam. 1. t. 82. f. 2. Virgin. ♀  
 { *Bohemeria cylindrica* Willd. Sp.  
 cannabina L. Amm. Ruth. t. 25. Siber. ♀  
 dioica L. Fl. Dan. t. 746. Gall. ♀  
 hispida DC. Fl. Suppl. Gall. ♀  
 angustifolia Fischer. Russ. ♀  
 urens L. Fl. Dan. t. 739. Bull. Herb. t. 230. Gall. ☉  
 membranacea Desf. Atl. Gall. m. Temp. ♀  
 pilulifera L. Fuchs. Hist. 106. Ic. Dodart. Acad. 1666,  
 1699. p. 323. Ic. exter. Gall. ☉  
 Dodartii L. Dodart. Acad. 1666, 1699. p. 323. Ic. inter.  
 Gall. ☉

**FORSKÄHLEA** Lin.

- tenacissima L. Mant. Fasc. 1. t. 1. Jacq. Hort. t. 48.  
 Maurit. Temp. ♀  
 angustifolia Retz. Obs. Murr. Gott. 1784. t. 2. Madera.  
 Temp. ♀  
 viridis. Ex horto berolin. ☉

**PARIETARIA** Lin.

*officinalis* L. Fl. Dan. t. 521. Bull. Herb. t. 199. Gall. & Med.

*lusitanica* L. Bocc. Sic. t. 24. f. B. Lusit. ☉

{ *arborea*. Madera. Temp. ♪

{ *Urtica arborea* L. Suppl. L'her. Stirp. t. 20.

**HUMULUS** Lin.

*Lupulus* L. Fuchs. Hist. 164. Ic. Bull. Herb. t. 234. Gall. &

**CANNABIS** Lin.

*sativa* L. Schk. Handb. 3. t. 325. Persia. ☉

**THELIGONUM** Lin.

*Cynocrambe* L. Barrel. t. 335. Gall. ☉

**DATISCA** Lin.

*cannabina* L. Schk. Handb. 3. t. 336. Creta. &

**PIPER** Lin.

{ *medium* Jacq. Rar. t. 8. I. Carib. Cald. ♪

{ *plantagineum* Lamk. Ill.

{ *aduncum* L. Jacq. Rar. t. 210. Antill. Cald. ♪

{ *scabrum* Lamk. Ill.

\* *discolorum* H. p. Cald. ♪

*sidæfolium* Link. H. berol. t. 6. Brasil. Cald. ♪

*umbellatum* L. Plum. Amer. t. 73. Jacq. Rar. t. 216. Am. m. Cald. ♪

*Betle* L. H. malab. 7. t. 15. Ind. Cald. ♪

\* *celtidifolium* H. p. Cald. ♪

{ *maculosum* L. Plum. Amer. t. 66. Antill. Cald. ♪

{ *Peperomia maculosa* Hook. Exot. Fl. 92.

{ *incanum* Haw. Link. H. berol. t. 7. Cald. ♪

{ *Peperomia incana* Hook. Exot. Fl. 66.

{ *nigrum* L. H. malab. 7. t. 12. Ind. Cald. ♪ Econ.

{ *aromaticum* Lamk. Ill. t. 23.

*tuberculatum* Jacq. Rar. t. 211. Caracas. Cald. &

{ *nodulosum* Link. Enum. Cald. ♪

{ *geniculatum* Willd. Enum.

*brachyphyllum* Willd. Enum. Suppl. Spreng. Syst. Cald. ♪

*acuminatum* L. Plum. Amer. t. 71. Bot. Mag. 1882. Am. m. Cald. &

*amplexifolium* Link. Enum. Jamaic. Cald. ♪

*cuneifolium* Jacq. Rar. t. 214. Caracas. Cald. &

*magnoliæfolium* Jacq. Rar. t. 213. Antill. Cald. &

*portulacoides* Lamk. Ill. I. Franciæ. ☉

*pellucidum* L. Plum. Amer. t. 72. Am. m. ☉

*pereskiaefolium* Jacq. Rar. t. 219. I. Venesula. Cald. &



- { *blandum* Jacq. Rar. t. 218. Caracas. Cald. ʒ
- { *Peperomia blanda* Hook. Exot. Fl. 21.
- { *rubellum* Haw. Suppl. Am. m. Cald. ʒ
- { *Peperomia rubella* Hook. Exot. Fl. 58.
- \* *rhomboidale* H. p. Cald. ʒ
- \* *nitens* H. p. Cald. ʒ
- { *suaveolens* H. p. Peruv. Cald. ʒ
- { *inæqualifolium* Fl. Peruv. t. 46? Feuil. Obs. t. 10.
- { *quadrifolium* H. p. Am. m. Cald. ʒ
- { *Peperomia quadrifolia* Hook. Exot. Fl. 22.
- pulchellum* H. kew. Lodd. Bot. Cab. 574. Jamaic. Cald. ʒ

**SAURURUS** Lin.

- cernuus* L. Pluk. t. 117. f. 3. Mill. Ill. Ic. Virgin. ʒ

**POUROUMA** Aublet.

- guianensis* Aublet. Guian. t. 341. Guian. Cald. ʒ

**ORDO V.****HAMAMELIDEÆ** Brown.**HAMAMELIS** Lin.

- virginiana* L. Mill. Ill. Ic. Virgin. ʒ

**FOTHERGILLA** Lin.

- alnifolia* L. Bot. Mag. 1341, 1342. Am. s. Temp. ʒ
- *lanceolata*.

**ORDO VI.****AMENTACEÆ** Juss.**ULMUS** Lin.

- campestris* L. Camer. Epit. 70. Ic. Gall. ʒ Econ.
- *latifolia*.
- *suberosa* Schk. Handb. t. 57.
- { *pedunculata* Fougereux. Mém. de l'Acad. 1784. t. 2.
- { Gall. ʒ Econ.
- { *effusa* Willd. Sp.
- alata* Mich. Arb. v. 3. t. 5. Am. s. ʒ
- americana* L. Mich. Arb. v. 3. t. 4. Am. s. ʒ
- { *rubra* Mich. Arb. v. 3. t. 6. Am. s. ʒ
- { *fulva* Mich. Fl.

- { chinensis. China. Temp. ♪
- { parvifolia Jacq. H. schoen. t. 262. ?

**PLANERA Mich.**

- ulmifolia Mich. Arb. v. 3. t. 7. Am. s. ♪
- { crenata. Siber. ♪
- { Richardi Mich. Fl.
- { Ulmus polygama Encycl.
- { Rhamnus carpinifolia Pallas. Ross. 2. t. 60.

**CELTIS Lin.**

- australis L. Duham. Arb. v. 1. t. 53. Gall. m. ♪ Econ.
- occidentalis L. Mich. Arb. v. 3. t. 8. Am. s. ♪ Econ.
- { cordata H. p. Am. s. ♪
- { crassifolia Mich. Arb. v. 3. t. 9. Am. s. ♪
- Tournefortii Encycl. Tournef. Itin. v. 2. p. 425. Ic.
- Oriens. ♪
- sinensis Bosc. Dict. China? ♪
- mississippiensis Bosc. Dict. Am. s. ♪

**SALIX Lin.****1. Folia glabra.**

- Helix L. Engl. Bot. 1343. Gall. ♪
- triandra L. Engl. Bot. 1435. Gall. ♪
- pentandra L. Engl. Bot. 1805. Gall. ♪
- { nigra Willd. Sp. Mich. Arb. v. 3. t. 5. f. 1. Am. s. ♪
- { caroliniana Mich. Fl.
- decipiens H. kew. Engl. Bot. 1937. Angl. ♪
- nigricans Smith. Fl. Engl. Bot. 1213. Angl. ♪
- purpurea Smith. Fl. Engl. Bot. 1388. Angl. ♪ Econ.
- rubra Smith. Fl. Engl. Bot. 1145. Angl. ♪ Econ.
- vitellina L. Engl. Bot. 1389. Gall. ♪ Econ.
- fragilis L. Engl. Bot. 1807. Gall. ♪
- babylonica L. Oriens. ♪ Orn.
- lambertiana Smith. Fl. Engl. Bot. 1359. Angl. ♪
- prunifolia Smith. Fl. Engl. Bot. 1361. Angl. ♪
- herbacea L. Fl. Dan. t. 117. Engl. Bot. 1907. Alpes. ♪
- retusa L. Alpes. ♪

**2. Folia villosa.**

- reticulata L. Fl. Lapp. t. 7. f. 1, 2. Fl. Dan. t. 212. Engl. Bot. 1908. Alpes. ♪
- { riparia Willd. Sp. Pyren. ♪
- { lavendulæfolia Lapeyr. Fl.

*cœrulea* H. kew. Engl. Bot. 2431. Angl. ♪  
*viminalis* L. Engl. Bot. 1898. Gall. ♪ Econ.  
*acuminata* Smith. Fl. Engl. Bot. 1434. Angl. ♪  
*capræa* L. Fl. Dan. t. 245. Engl. Bot. 1488. Gall. ♪  
*aurita* L. Engl. Bot. 1487. Gall. ♪  
*sphacelata* Smith. Fl. Engl. Bot. 2333. Gall. ♪  
*aquatica* Smith. Fl. Engl. Bot. 1437. Gall. ♪  
*rosmarinifolia* L. Engl. Bot. 1355. Gall. ♪  
*lanceolata* Engl. Bot. 1436. ♪  
*holosericea* Smith. Fl. Angl. ♪  
*fusca* L. Engl. Bot. 1960. Angl. ♪  
*cinerea* L. Engl. Bot. 1897. Angl. ♪  
*alba* L. Engl. Bot. 2430. Gall. ♪ Econ.

# **POPULUS Lin.**

*alba* L. Engl. Bot. 1618. Gall. ♪ Econ. Orn.  
 — *grisea*.  
*nivea* Fischer. Europa. ♪  
*tremula* L. Engl. Bot. 1909. Gall. ♪ Econ.  
 { *tremuloides* Mich. Arb. v. 3. t. 8. f. 1. Am. s. ♪  
 { *trepida* Willd. Sp.  
*grandidentata* Mich. Arb. v. 3. t. 8. f. 2. Am. s. ♪  
*græca* H. kew. Oriens. ♪  
 { *fastigiata*. ♪ Econ. Orn.  
 { *dilatata* H. kew.  
*nigra* L. Engl. Bot. 1910. Gall. ♪ Econ.  
*hudsoniana* Mich. Arb. v. 3. t. 10. f. 1. Am. s. ♪  
 { *virginiana*. Am. s. ♪ Econ. Orn.  
 { *monilifera* H. kew. Mich. Arb. v. 3. t. 10. f. 2.  
*canadensis* Mich. Arb. v. 3. t. 11. Am. s. ♪ Econ. Orn.  
*angulata* H. kew. Mich. Arb. v. 3. t. 12. Am. s. ♪  
 { *heterophylla* L. Am. s. ♪  
 { *argentea* Mich. Arb. v. 3. t. 9.  
*balsamifera* L. Trew. Sel. t. 46. Mich. Arb. v. 3. t. 13. f. 1.  
 Am. s. ♪ Med.  
*candicans* H. kew. Mich. Arb. v. 3. t. 13. f. 2. Am. s. ♪

# **MYRICA Lin.**

*Gale* L. Fl. Dan. t. 327. Gall. ♪  
*cerifera* L. Catesby. Carol. 1. t. 69. Am. s. ♪ Econ.  
 { *pensylvanica* Catesby. Carol. 1. t. 13. Am. s. ♪ Econ.  
 { *caroliniensis* Willd. Sp.  
*cordifolia* L. Pluk. t. 319. f. 7. Cap. Temp. ♪  
*quercifolia* L. Jacq. Fragm. t. 1. f. 4. Cap. Temp. ♪  
*serrata* Lamk. Encycl. Burm. Afr. t. 98. f. 1. Cap. Temp. ♪  
*Faya* H. kew. Madera. Temp. ♪

**BETULA** Lin.

- alba* L. Engl. Bot. 2198. Gall. ♪ Econ.  
*pubescens* Willd. Sp. German. ♪  
*populifolia* H. kew. Mich. Arb. v. 2. t. 2. Am. s. ♪  
*nigra* H. kew. Am. s. ♪  
*papyracea* H. kew. Mich. Arb. v. 2. t. 1. Am. s. ♪ Econ.  
*lenta* L. Mich. Arb. v. 2. t. 4. Am. s. ♪  
*dalecarlica* L. Suppl. Dalecar. ♪  
 { *lutea* Mich. Arb. v. 2. t. 5. Am. s. ♪  
 { *excelsa* H. kew.  
*rubra* Mich. Arb. v. 2. t. 3. Am. s. ♪  
*fruticans* Pallas. Ross. t. 40. Siber. ♪  
*nana* L. Fl. Lapp. t. 6. f. 4. Engl. Bot. 2326. Siber. ♪  
*pumila* L. Jacq. Hort. t. 122. Am. s. ♪

**ALNUS** Tournef.

- { *communis*. Gall. ♪ Econ.  
 { *glutinosa* Willd. Sp. Engl. Bot. 1508.  
 — *laciniata*.  
 \* *latifolia* H. p. ♪  
*oblongata* H. kew. Europa. ♪  
 \* *subrotunda* H. p. ♪  
 { *incana* H. kew.  
 { *Betula Alnus incana* L. Suppl.  
*serrulata* Willd. Sp. Mich. Arb. v. 3. t. 4. f. 1. Am. s. ♪  
*cordifolia* Tenore. Corso. Ital. ♪

**CARPINUS** Lin.

- Betulus* L. Engl. Bot. 2032. Gall. ♪ Econ. Orn.  
 — *quercifolia*.  
*americana* L. Mich. Arb. v. 3. t. 8. Am. s. ♪ Econ.  
 { *virginiana* L. Virgin. ♪ Econ.  
 { *Ostrya virginiana* Willd. Sp.  
 { *Ostrya* L. Mich. Gen. t. 104. f. 1, 2. Ital. ♪ Econ.  
 { *Ostrya vulgaris* Willd. Sp.

**FAGUS** Lin.

- sylvatica* L. Engl. Bot. 1846. Gall. ♪ Econ. Orn.  
 — *comptoniifolia*.  
*ferruginea* Mich. Arb. v. 2. t. 9. Am. s. ♪ Orn.

**CASTANEA** Tournef.

- { *vesca* Willd. Sp. Gall. ♪ Econ.  
 { *Fagus Castanea* L. Engl. Bot. 886.  
 { *pumila* Willd. Sp. Am. s. ♪ Econ.  
 { *Fagus pumila* L.

## QUERCUS Lin.

## 1. Foliis perennantibus.

*Ilex* L. Duham. Arb. v. 1. t. 123. Gall. m. ♪ Econ.  
— *integrifolia*.

— *longifolia*.

*Suber* L. Duham. Arb. v. 2. t. 80. Gall. m. Temp. ♪ Econ.  
*Ballota* Desf. Atl. Mém. de l'Acad. 1790. Ic. Barbar. Temp.  
♪ Econ.

*coccifera* L. Camer. Epit. 774. Ic. Duham. Arb. v. 1. t. 125.  
Gall. m. ♪ Econ.

*cinerea* Mich. Fl. Arb. v. 2. t. 14. Am. s. ♪

*virens* H. kew. Mich. Arb. v. 2. t. 11. Am. s. ♪

*nepaulensis*. Nepaul. ♪

## 2. Foliis deciduis.

*Phellos* L. Mich. Arb. v. 2. t. 12. Am. s. ♪

*pseudo-suber* Desf. Atl. Spreng. Antiquit. Bot. t. 1. Maurit.  
Temp. ♪

*crinita* Olivier. Itin. t. 12. Oriens. ♪

*Cerris* L. Gall. ♪

*Ægilops* L. Olivier. Itin. t. 13. Oriens. Temp. ♪ Econ.

{ *Tauza* Bosc. Dict. Gall. ♪

{ *pubescens* Willd. Sp.

*lusitanica* Lamk. Encycl. Lusit. Temp. ♪

*prasina* Bosc. Dict. Lusit. Temp. ♪

*rubra* L. Mich. Arb. v. 2. t. 26. Am. s. ♪

*coccinea* Mich. Fl. Arb. v. 2. t. 25. Am. s. ♪

*Catesbæi* Mich. Fl. Arb. v. 2. t. 20. Am. s. ♪

*Banisteri* Mich. Fl. Arb. v. 2. t. 19. Am. s. ♪

*palustris* Mich. Fl. Arb. v. 2. t. 25. Am. s. ♪

*falcata* Mich. Fl. Arb. v. 2. t. 21. Am. s. ♪

{ *ferruginea* Mich. Arb. v. 2. t. 18. Am. s. ♪

{ *nigra* L. Mich. Fl.

*lyrata* Mich. Fl. Arb. v. 2. t. 5. Am. s. ♪

*macrocarpa* Mich. Fl. Arb. v. 2. t. 3. Am. s. ♪

*obtusiloba* Mich. Fl. Arb. v. 2. t. 4. Am. s. ♪

*aquatica* L. Mich. Fl. Arb. v. 2. t. 17. Am. s. ♪

{ *pannosa* Bosc. Dict. Am. s. ♪

{ *discolor* Mich. Arb. v. 2. t. 6.

*tinctoria* Mich. Fl. Arb. v. 2. t. 22. Am. s. ♪ Econ.

*Prinus* L. Mich. Fl. Arb. v. 2. t. 7, 8, 9. Am. s. ♪

*alba* L. Mich. Arb. v. 2. t. 1. Am. s. ♪ Econ.

{ *Robur* Willd. Sp. Gall. ♪ Econ.

{ *sessiliflora* Engl. Bot. 1845.

{ *pedunculata* Willd. Sp. J. St. Hil. 5. t. 473. Gall. ♪ Econ.

{ *Robur* L. Engl. Bot. 1342.

*fastigiata* Lamk. Encycl. Navarra. ♪

*apennina* Lamk. Encycl. Apenn. ♪

**CORYLUS** Lin.

rostrata H. kew. Mich. Fl. Willd. Arb. t. 1. f. 2. Am. s. ♪

americana Mich. Fl. Am. s. ♪

Avellana L. Engl. Bot. 723. Gall. ♪ Econ.

— rubra.

— grandis.

— glomerata.

Colurna L. Byzantium. ♪ Econ.

**LIQUIDAMBAR** Lin.

Styraciflua L. Mich. Arb. v. 3. t. 5. Am. s. ♪ Econ.

imberbe H. kew. Oriens. ♪ Econ.

**COMPTONIA** Gen. Pl. Ed. Schreb.

{ aspleniifolia H. kew. Pluk. t. 100. f. 6, 7. Am. s. ♪

{ Liquidambar asplenifolium L.

**PLATANUS** Lin.orientalis L. Duham. Arb. v. 2. t. 33. Oriens. ♪ Econ.  
Orn.

occidentalis L. Mich. Arb. v. 3. t. 3. Am. s. ♪ Econ. Orn.

**ORDO VII.****CONIFERÆ.** Juss.**EPHEDRA** Lin.monostachya L. Gmel. Sib. 1. t. 38. f. 1. Pallas. Ross.  
t. 83. Siber. ♪

distachya L. Camer. Hort. t. 46. Gall. ♪

altissima Desf. Atl. t. 253. Alger. Temp. ♪

**CASUARINA** Forst.

{ stricta H. kew. Andr. Rep. 346. N. Holl. Temp. ♪

{ distyla Vent. H. Cels. t. 62.?

quadrivalvis Labill. N. Holl. t. 218. N. Holl. Temp. ♪

torulosa H. kew. N. Holl. Temp. ♪

**TAXUS** Lin.baccata L. Duham. Arb. v. 2. t. 86. Bull. Herb. t. 136.  
Gall. ♪ Econ.

nucifera L. Kæmpf. Amœn. 815. Ic. Japon. Temp. ♪

**PODOCARPUS** L'her.

{ elongata L'her. Mss. Cap. Temp. ♪

{ Taxus elongata H. kew.

neriifolia Lamb. Pin. Nepaul. Temp. ♪

{ macrophylla Japon. Temp. ♪

{ Taxus macrophylla H. kew. Kæmpf. Ic. sel. t. 24.

**JUNIPERUS Lin.**

**communis** L. Fl. Dan. t. 1119. J. St. Hil. v. 7. t. 610. Gall. ♪  
Econ.

— **suecica**.

**Oxycedrus** L. Duham. Arb. v. 1. t. 128. Gall. ♪ Econ.

**bermudiana** L. Herm. Hort. 347. Ic. I. Bermud. Temp. ♪  
Econ.

**chinensis** L. Mant. China. Temp. ♪

**virginiana** L. Mich. Arb. v. 3. t. 5. J. St. Hil. v. 7. t. 608.  
Am. s. ♪ Econ. Orn.

**phoenicea** L. Clus. Hist. 38. Ic. exter. J. St. Hil. v. 7. t. 609.  
Gall. m ♪

**lycia** L. Pallas. Ross. t. 56. Siber. ♪

**rigida** Noisette. Temp. ♪

**ericoides** Noisette. Temp. ♪

**Sabina** L. Duham. Arb. v. 2. t. 63. Bull. Herb. t. 139. Gall.  
♪

**thurifera** H. kew. Hisp. Temp. ♪

**prostrata** Pers. Syn. ♪

{ **excelsa** Willd. Sp. Oriens. ♪

{ **Hermannii** Pers. Syn.

**CUPRESSUS Lin.**

**sempervirens** L. Pallas. Ross. t. 53. Creta. ♪ Econ. Orn.

— **horizontalis**.

{ **pendula** L'her. Stirp. t. 8. Goa. Temp. ♪

{ **Iusitanica** Willd. Sp. Lamb. Pin. t. 42.

**australis** Pers. Syn. N. Holl. Temp. ♪

**Thyoides** L. Mich. Arb. v. 3. t. 2. Am. s. ♪ Econ. Orn.

**juniperoides** L. Cap. Temp. ♪

**THUYA Lin.**

**occidentalis** L. Mich. Arb. v. 3. t. 3. Am. s. ♪ Econ. Orn.

**orientalis** L. Schk. Handb. 3. t. 209. China. ♪ Econ. Orn.

{ **articulata** Vahl. Symb. Desf. Atl. t. 252. Maurit. Temp.  
♪ Econ.

{ **Callitris quadrivalvis** Richard. Conifères. t. 8.

**SCHUBERTIA Mirbel.**

{ **disticha** Mirbel. Am. s. ♪ Econ. Orn.

{ **Cupressus disticha** L. Mich. Arb. v. 3. t. 1.

{ **Taxodium distichum** Richard. Conifères. t. 10.

**PINUS Tournéf.**

**sylvestris** L. Lamb. Pin. t. 1. Gall. ♪ Econ.

— **genevensis**.

— **rubra**.

**uncinata** Ramond. Pyrén. ♪

**Laricio** Poirét. Encycl. Corsia. ♪ Econ.

- Mughus** Willd. Sp. Jacq. Rar. t. 193. Austr. ♪  
**Pumilio** Wald. et Kit. Hung. t. 149. Lamb. Pin. t. 2.  
 Alpes. ♪  
**maritima** Lamb. Pin. t. 9, 10. Gall. ♪ Econ.  
**Pinea** L. Lamb. Pin. t. 6, 7, 8. Gall. ♪  
**halepensis** H. kew. Lamb. Pin. t. 11. Galloprov. ♪  
**mitis** Mich. Fl. Arb. v. 1. t. 3. Am. s. ♪  
 { **resinosa** Lamb. Pin. t. 14. Am. s. ♪  
 { **rubra** Mich. Arb. v. 1. t. 1.  
**Tæda** L. Mich. Arb. v. 1. t. 9. Am. s. ♪  
 { **rigida** Mich. Arb. v. 1. t. 8. Am. s. ♪  
 { **echinata** H. p.  
**pungens** Mich. Arb. v. 1. t. 5. Am. s. ♪  
**inops** Mich. Arb. v. 1. t. 4. Am. s. ♪  
 { **palustris** H. kew. Lamb. Pin. t. 20. Am. s. ♪  
 { **australis** Mich. Arb. v. 1. t. 6.  
**canariensis** DC. Hort. genev. t. 1 et 2. Canar. Temp. ♪  
**longifolia** Lamb. Pin. t. 21. Ind. Temp. ♪  
**Strobis** L. Lamb. Pin. t. 22. Mich. Arb. v. 1. t. 10. Am. s.  
 ♪ Econ. Orn.  
**Cembro** L. Lamb. Pin. t. 23, 24. Pallas. Ross. t. 2. Alpes.  
 ♪

#### ARAUCARIA Willd.

- { **Dombeyi**. Richard. Conifères. t. 21. Chili, Brasil?  
 Temp. ♪  
 { **imbricata** H. kew.  
 { **Dombeya chilensis** Lamk. Encycl.  
**excelsa** Lamb. Pin. t. 39, 40. I. Norfolk. Temp. ♪

#### ABIES Tournef.

- { **lanceolata**. China. ♪ Orn.  
 { **Pinus lanceolata** Lamb. Pin. t. 34.  
 { **Cunninghamia sinensis**. Richard. Conifères. t. 18. Bot.  
 Mag. 2743.  
 { **taxifolia** H. p. Gall. ♪ Econ.  
 { **Pinus picea** L. Lamb. Pin. t. 30.  
 { **Balsamea** Mich. Arb. v. 1. t. 14. Am. s. ♪ Méd.  
 { **Pinus Balsamea** L. Lamb. Pin. t. 31.  
 { **canadensis** Mich. Arb. v. 1. t. 13. Am. s. ♪ Econ.  
 { **Pinus canadensis** Lamb. Pin. t. 32.  
 { **nigra** Mich. Arb. v. 1. t. 11. Am. s. ♪ Econ.  
 { **Pinus nigra** Lamb. Pin. t. 27.  
 { **alba** Mich. Arb. v. 1. t. 12. Am. s. ♪ Orn.  
 { **Pinus alba** Lamb. Pin. t. 26.  
 { **Dammara**. H. p. Amboina. s. ♪  
 { **Pinus Dammara** Lamb. Pin. t. 38.  
 { **Agathis Dammara** Richard. Conifères. t. 19.  
**sumatrana** Hort. belv. Cald. ♪



**LARIX** Tournef.

- { europæa. Alpes. ♪ Econ. Orn.
- { Pinus Larix L. Lamb. Pin. t. 35.
- { americana Mich. Arb. v. 3. t. 4. Am. s. ♪
- { Pinus microcarpa Lamb. Pin. t. 37. Variet.
- { Cedrus H. p. Trew. Sel. t. 1. Asia min. ♪ Econ. Orn.
- { Pinus Cedrus L. Lamb. Pin. t. 37 bis.

**GINKGO** Lin.

- { biloba L. Mant. Kæmpf. Amœn. exot. 813. Ic. Japon. ♪
- { Salisburia adiantifolia Smith. Soc. Lin. Lond. v. 3.
- { Salisburia Ginkgo. Richard. Conifères. t. 3.

**GENERA INCERTÆ SEDIS.****CHLORANTHUS** L'her.

- { inconspicuus L'her. Sert. t. 2. China. Cald. ♪
- { Nigrina spicata Thunb. Jap.

**AZIMA** Lamark.

- { tetracantha Lamk. Encycl. Ind. Cald. ♪
- { Monetia barlerioides L'her. Stirp. t. 1.

*Salvia***MONOTROPA** Lin.

Hypopitys L. Fl. Dan. t. 232. Gall. 2.

**EUCLEA** Lin.

racemosa L. Suppl. Jacq. Fragm. t. 1. f. 5. Cap. Temp. ♪

*Lin.***ARISTOTELIA** L'her.

Macqui L'her. Stirp. t. 16. Chili. Temp. ♪

**SARRACENIA** Lin.

purpurea L. Bot. Mag. 849. Am. s. ✕

flava L. Bot. Mag. 780. Andr. Rep. 381. Am. s. ✕

*Sep. 1840***BEGONIA** Lin.

{ nitida H. kew. Jamaic. Cald. ♪

{ obliqua L'her. Stirp. t. 46.

{ minor Jacq. Rar. t. 618.

{ purpurea Swartz. Fl. ind.

dichotoma Jacq. Rar. t. 619. Caracas. Cald. ♪

macrophylla Dryand. Soc. Lin. Lond. v. 1. Plum. Ic. t. 45.

f. 1. Jamaic. Cald. ♪

suaveolens Lodd. Bot. Cab. 69. Am. m. Cald. ♪

argyrostigma Link. H. berol. t. 10. Bot. Reg. 666. Brasil.  
Cald. ♪

patula Fischer. Cald. ✕

undulata Bot. Mag. 2722. Brasil. Cald. ♀

{ spathulata Horn. Hort. suppl. Cald. ♀

{ pauciflora Bot. Reg. 471.

humilis Dryand. Hook. Exot. Fl. 17. Bot. Reg. 284. Ind. Cald. ♂

hirsuta Aublet. Guian. t. 348. Guian. Cald. ♂

{ discolor H. kew. China. Cald. ♂

{ evansianat Bot. Mag. 1473.

*aff. upulata*  
ANTIDESMA Lin.

alexiteria L. H. malab. 5. t. 11. Ind. Cald. ♀

LAUROPHYLLUS Thunb.

capensis Thunb. Prodr. Cap. Temp. ♀

*aff. Bixini*  
SAMIDA Lin.

serrulata L. Plum. Ic. t. 146. f. 2. Jacq. Collect. v. 2.

t. 17. f. 1. Antill. Cald. ♀

*aff. leptocarpus*  
SEGUIERIA Loeffl. Lin.

americana. L. Am. m. Cald. ♀

CORIARIA Lin.

myrtifolia L. Niss. Mém. de l'Acad. 1711. t. 12. Gall. ♀  
Econ.

sarmentosa Willd. Sp. Bot. Mag. 2470. N. Zeland. Temp.

♂

# ADDITAMENTUM.

- { *Acacia Houstoni* Willd. Sp. Bot. Reg. 98. Vera-Cruz.  
   Cald. 5  
 { *Gleditsia inermis* L.  
 } *Agrostis minutiflora*. H. p.  
 } *Sphorolobus minutiflorus* Link. H. berol. 2  
*Alstroemeria rosea* Hook. Exot. Fl. 181. Chili. Cald. 5  
*Amaryllis acuminata* Bot. Reg. 534. Brasil. Cald. 2  
*Amaryllis hyacinthina* Bot. Reg. 163. Brasil. Cald. 2  
*Ammania latifolia* Lamk. Ill. t. 77. f. 1. Carolin. ☉  
*Angelica pratensis* Spreng. Syst. Erfurt. 2  
 { *Areca rubra* Bory.  
 { *Euterpe globosa* Gærtner (ex Lodd.)  
*Arenaria rostrata* Willd. Enum. Hungar. 2  
*Arum campanulatum* Roxb. Corom. t. 272. Com. Hort. 1.  
   t. 53. Bot. Mag. 2812. Ind. Cald. 2  
*Arum indicum* Link. Enum. Ind. Cald. 2  
*Asplenium laserpitiifolium* Lamk. Encycl Ind. Cald. 2  
*Aster linarifolius* L. Pluk. t. 14. f. 7. Am. s. 2  
 \**Aster horizontalis* H. p. 2  
 \**Aster roseus* H. p. 2 Orn.  
*Astrocaryum acaule* Martius. Brasil. Cald. 2  
*Banksia verticillata* Brown. Prodr. N. Holl. Temp 5  
 { *Bignonia capensis* H. kew. Cap. Temp. 5  
 { *Tecoma capensis* Bot. Reg. 1117.  
*Bowlesia incana* Fl. peruv. t. 268? Peruv. ☉  
 { *Brassia maculata* H. kew. Am. m. Cald. 2  
 { *Brassia caudata* Bot. Reg. 832.  
 { *Epidendrum caudatum* L.  
 { *Malaxis caudata* Willd. Sp.  
 { *Buddleia thapsoides* H. p. Brasil. Temp. 5  
 { *Buddleia brasiliensis* Bot. Mag. 2713.  
 { *Campanula denticulata*. Russ. 2  
 { *Adenophora denticulata* Flow. Garden. t. 116.  
 { *Campanula repens* (distincta a C. repente Fl. coch. in.) 2  
 { *Wahlenbergia repens*. Gotting.  
*Camphorosma ovata* Wald. et Kit. Hung. t. 63. Hungar. ☉  
*Centaurea Adami* Willd. Sp. Iberia. 2  
*Centaurea aurea* H. kew. Bot. Mag. 421. Europa? austr.  
   Temp. 2

- Schelhammera undulata* Brown. Prodr. Bot. Mag. 2712.  
 N. Holl. Temp. ʁ  
*Selloa glutinosa* Sprengel. Syst. Bot. Reg. 462. Brasil.  
 Cald. ʁ  
 { *Sempervivum cæspitosum* DC. Prodr. Canar. Temp. ʔ  
 { *Sempervivum ciliatum* Bot. Mag. 1978 (non Willd.)  
*Seseli peucedanifolium* Besler. DC. Mss. ʔ  
 { *Selinum elegans* Balbis. ʔ  
 { *Peucedanum rablense* Koch. DC. Mss.  
 { *Selinum peucedanoides* H. p. ʁ  
 { *Peucedanum involucratum* Koch. DC. Mss.  
 { *Sida acerifolia* Zucch. Obs. Mexico. ☉  
 { *Anoda acerifolia* DC. Prodr.  
*Solanum Besseri* Weiman. ☉  
*Solanum capsicastrum* H. berol. Temp. ʘ  
 \* *Solidago fusca* H. p. ʁ  
 \* *Solidago humilis* H. p. ʁ  
 { *Sonchus lapponicus* L. Lappon. ☉  
 { *Sonchus alpinus* Smith. Ic. ined. t. 21. (non Lin.)  
 { *Sorbus intermedia* H. p. ʘ  
 { *Pyrus intermedia* DC. Prodr.  
 { *Stemodia senegalensis* H. p.  
 { *Stemodia arenaria* Kunth. N. Gen. t. 175. Flumen  
 Magdal. ☉  
 { *Tabernæmontana nervosa* H. p.  
 { *Tabernæmontana persicariæfolia* Willd. Jacq. Rar. t.  
 320. I. Franciæ. Cald. ʘ  
*Teucrium inflatum* Swartz. Fl. ind. Antill. Cald. ʘ  
*Thapsia Asclepium* L. Col. Esphr. 86. Ic. Moris. S. g. t. 185  
 f. 9. Ital. Temp. ʁ  
*Tordylium Hasselquistii* DC. Mss. Oriens. ☉  
*Triticum dasyanthum* Sprengel. Syst. Russ. ʔ  
 { *Vernonia senegalensis* H. p. Sénégal. ☉  
 { *Centrapalus galamensis* H. Cass. Dict. v. 7. p. 483.  
*Senecio erraticus* Sprengel. Syst. Ital. Temp. ʔ  
*Stemodia verticillaris* Link. Enum. Brasil. ☉  
*Theophrasta latifolia* Sprengel. Syst. Am. m. Cald. ʘ  
 { *Tillandsia aeranthos* H. p. Buenos-Ayres. Cald. ʁ  
 { *Pourretia aeranthos*. Lois. Herb. de l'Amat. v. 5. t. 304  
*Viola lancifolia* Thore. (Varietas *V. pumilæ* Villars, ex DC  
*Zanthoxylum rufescens* H. p. Cald. ʘ  
 • *Ziziphora taurica* Marsch. Cauc. Tauria. ☉

# INDEX GENERUM.

## A

|              | Pages.     |               | Pages.     |
|--------------|------------|---------------|------------|
| Abies.       | 356        | Agrimonia.    | 292        |
| Abroma.      | 250        | Agriphyllum.  | 186        |
| Abrus.       | 318        | Agrostemma.   | 266        |
| Acacia.      | 298        | Agrostis.     | 13         |
| Acalypha     | 341        | Agryneia.     | 340        |
| ACANTHÆÆ.    | 85         | Ailanthus.    | 330        |
| Acanthus.    | <i>Ib.</i> | Aira.         | 16         |
| Acer.        | 231        | Aitonia.      | 236        |
| ACERINÆÆ.    | <i>Ib.</i> | Aizoon.       | 276        |
| Achillea.    | 180        | Ajuga.        | 96         |
| Achras.      | 132        | Albuca.       | 42         |
| Achyranthes. | 76         | Alchimilla.   | 292        |
| Acemella.    | 186        | Alcina.       | 182        |
| Aconitum.    | 212        | Aleurites.    | 341        |
| Acorus.      | 9          | Alisma.       | 35         |
| Acosmus.     | 233        | ALISMACEÆ.    | 35         |
| Acrocomia.   | 30         | Allamanda.    | 130        |
| Aerostichum. | 1          | Allium.       | 44         |
| Aetæa.       | 213        | Allophyllus.  | 316        |
| Aedansonia.  | 249        | Alnus.        | 352        |
| Aelia.       | 340        | Aloe.         | 39         |
| Aenanthera.  | 303        | Alopecurus.   | 10         |
| Aenophora.   | 559        | Alpinia.      | 57         |
| Aiantum.     | 5          | Alsine.       | 260        |
| Aionis.      | 209        | Alsophila.    | 5          |
| Aloxa.       | 273        | Alstroemeria. | 46         |
| Ailops.      | 15         | Althæa.       | 246        |
| Aiphila.     | 90         | Alyssum.      | 225        |
| Aopodium.    | 199        | AMARANTHACEÆ. | 75         |
| Achinomene.  | 527        | Amaranthus.   | <i>Ib.</i> |
| Aculus.      | 231        | Amaryllis.    | 47         |
| Ahusa.       | 201        | Ambrosia.     | 187        |
| Apanthus.    | 45         | Ambrosinia.   | 6          |
| Ave.         | 46         | Amellus.      | 185        |
| Aeratum.     | 167        | AMENTACEÆ.    | 349        |

|                      | Pages.     |                      | Page |
|----------------------|------------|----------------------|------|
| <b>Amethystea.</b>   | 93         | <b>Aponogeton.</b>   | 3    |
| <b>Amirola.</b>      | 230        | <b>Aquilegia.</b>    | 21   |
| <b>Ammania.</b>      | 287        | <b>Arabis.</b>       | 22   |
| <b>Amini.</b>        | 204        | <b>Arachis.</b>      | 31   |
| <b>Ammobium.</b>     | 162        | <b>Aralia.</b>       | 19   |
| <b>Amomum.</b>       | 57         | <b>ARALIACEÆ.</b>    | 19   |
| <b>Amorpha.</b>      | 318        | <b>Araucaria.</b>    | 35   |
| <b>Ampherephis.</b>  | 166        | <b>Arbutus.</b>      | 13   |
| <b>Amygdalus.</b>    | 297        | <b>Arctium.</b>      | 15   |
| <b>Amyris.</b>       | 530        | <b>Arctotis.</b>     | 18   |
| <b>Anacardium.</b>   | 328        | <b>Ardisia.</b>      | 13   |
| <b>Anacyclus.</b>    | 168        | <b>Arduinia.</b>     | 15   |
| <b>Anagallis.</b>    | 80         | <b>Areca.</b>        | 3    |
| <b>Anagyris.</b>     | 304        | <b>Arenaria.</b>     | 26   |
| <b>Anamenia.</b>     | 209        | <b>Arenga.</b>       | 3    |
| <b>Anarrhinum.</b>   | 108        | <b>Aretia.</b>       | 8    |
| <b>Anastatica.</b>   | 227        | <b>Argemone.</b>     | 21   |
| <b>Anchusa.</b>      | 120        | <b>Aristea.</b>      | 5    |
| <b>Ancistrum.</b>    | 292        | <b>Aristida.</b>     | 2    |
| <b>Andersonia.</b>   | 138        | <b>Aristolochia.</b> | 6    |
| <b>Andrachne.</b>    | 340        | <b>ARISTOLOCHIÆ.</b> | 6    |
| <b>Andromeda.</b>    | 136        | <b>Aristotelia.</b>  | 35   |
| <b>Andropogon.</b>   | 14         | <b>Armeniaca.</b>    | 29   |
| <b>Androsace.</b>    | 81         | <b>AROIDEÆ.</b>      | 29   |
| <b>Andryala.</b>     | 150        | <b>Artedia.</b>      | 20   |
| <b>Anemone.</b>      | 208        | <b>Artemisia.</b>    | 16   |
| <b>Anethum.</b>      | 199        | <b>Artocarpus.</b>   | 50   |
| <b>Angelica.</b>     | 202        | <b>Artropodium.</b>  | 4    |
| <b>Angelonia.</b>    | 109        | <b>Arum.</b>         | 1    |
| <b>Anigozanthos.</b> | 50         | <b>Arundinaria.</b>  | 1    |
| <b>Annona.</b>       | 215        | <b>Arundo.</b>       | 7    |
| <b>ANNONACEÆ.</b>    | <i>Ib.</i> | <b>Asarum.</b>       | 6    |
| <b>Anthemis.</b>     | 179        | <b>Asclepias.</b>    | 12   |
| <b>Anthericum.</b>   | 40         | <b>Ascyrum.</b>      | 23   |
| <b>Antholiza.</b>    | 54         | <b>ASPARAGINEÆ.</b>  | 23   |
| <b>Anthocercis.</b>  | 116        | <b>Asparagus.</b>    | 1    |
| <b>Anthospermum.</b> | 192        | <b>Asperugo.</b>     | 15   |
| <b>Anthoxanthum.</b> | 9          | <b>Asperula.</b>     | 15   |
| <b>Anthyllis.</b>    | 311        | <b>Asphodelus.</b>   | 1    |
| <b>Antidesma.</b>    | 358        | <b>Aspidistra.</b>   | 4    |
| <b>Antirrhinum.</b>  | 108        | <b>Aspidium.</b>     | 3    |
| <b>Anychia.</b>      | 268        | <b>Asplenium.</b>    | 1    |
| <b>Apargia.</b>      | 148        | <b>Asprella.</b>     | 1    |
| <b>Aphyllantes.</b>  | 27         | <b>Assiminia.</b>    | 2    |
| <b>Apium.</b>        | 199        | <b>Aster.</b>        | 14   |
| <b>APOCYNÆ.</b>      | 127        | <b>Astragalus.</b>   | 3    |
| <b>Apocynum.</b>     | 129        | <b>Astrantia.</b>    | 2    |

|             | Pages. |            | Pages. |
|-------------|--------|------------|--------|
| strapæa.    | 252    | Atropa.    | 112    |
| strocaryum. | 359    | Aucuba.    | 333    |
| stroloma.   | 138    | Avena.     | 22     |
| thamanta.   | 203    | Averrhoa.  | 330    |
| thanasia.   | 168    | AURANTIEÆ. | 234    |
| tractylis.  | 154    | Aurantium. | 235    |
| tragene.    | 208    | Axyris.    | 75     |
| traphraxis. | 69     | Ayenia.    | 250    |
| triplex.    | 74     | Azalea.    | 134    |
| TRIPLICEÆ.  | 71     | Azima.     | 357    |

## B

|              |            |              |            |
|--------------|------------|--------------|------------|
| accharis.    | 163        | Bignonia.    | 124        |
| actris.      | 30         | BIGNONIACEÆ. | <i>Ib.</i> |
| acbothrys.   | 138        | Billardiera. | 336        |
| ackea.       | 282        | Biscutella.  | 224        |
| alanites.    | 234        | Biserrula.   | 321        |
| albisia.     | 185        | Bistropogon. | 99         |
| allota.      | 107        | Bixa.        | 254        |
| alsamita.    | 158        | Blackwellia. | 298        |
| altimora.    | 182        | Blainvillea. | 185        |
| ambusa.      | 22         | Blakea.      | 286        |
| anisteria.   | 232        | Blandfordia. | 45         |
| anksia.      | 66         | Blechnum.    | 4          |
| aptisia.     | 304        | Blitum.      | 75         |
| archausia.   | 147        | Bocconia.    | 217        |
| arleria.     | 85         | Boebera.     | 172        |
| arringtonia. | 285        | Boerhaavia.  | 78         |
| asella.      | 72         | Boltonia.    | 174        |
| atuhinia.    | 303        | BOMBACEÆ.    | 249        |
| aufortia.    | 283        | Bombax.      | <i>Ib.</i> |
| ackmannia.   | 11         | Bonplandia.  | 124        |
| aria.        | 188        | Bontia.      | 116        |
| gonia.       | 357        | Borbonia.    | 306        |
| his.         | 169        | BORRAGINEÆ.  | 117        |
| ilium.       | 171        | Borrago.     | 120        |
| BERIDEÆ.     | 216        | Boronia.     | 254        |
| rberis.      | <i>Ib.</i> | Borya.       | 88         |
| rrya.        | 253        | Bosea.       | 72         |
| leria.       | 110        | Bossiaea.    | 306        |
| ta.          | 73         | Botrychium.  | 1          |
| tonica.      | 100        | Bouvardia.   | 193        |
| tula.        | 352        | Bowlesia.    | 359        |
| lens.        | 186        | Brachyzema.  | 305        |

|               | Pages.     |              | Pages. |
|---------------|------------|--------------|--------|
| Bradleia.     | 340        | Bubon.       | 201    |
| Brassia.      | 359        | Bucida.      | 6      |
| Brassica.     | 219        | Bufonia.     | 26     |
| Brexia.       | 333        | Budleia.     | 10     |
| Briza.        | 22         | Bulliarda.   | 26     |
| Bromelia.     | 50         | Bunias.      | 22     |
| Bromus.       | 19         | Bunium.      | 20     |
| Broussonetia. | 347        | Buphthalmum. | 18     |
| Browallia.    | 110        | Buplevrum.   | 20     |
| Brucea.       | 330        | Burchellia.  | 10     |
| Brunia.       | 335        | Bursaria.    | 21     |
| BRUNIACEÆ.    | <i>Ib.</i> | Bursera.     | 33     |
| Brunnichia.   | 69         | Butomus.     | 3      |
| Brunsfelsia.  | 117        | Buxus.       | 30     |
| Bryonia.      | 342        | Byttneria.   | 1      |
| Bryophyllum.  | 270        | BYTTNERIÆ.   | 25     |

## C

|                |            |                 |    |
|----------------|------------|-----------------|----|
| Cacalia.       | 165        | Calypttranthes. | 2  |
| Cachrys.       | 203        | Calythrix.      | 2  |
| CACTEÆ.        | 275        | Calyxhymenia.   |    |
| Cactus.        | <i>Ib.</i> | Camelina.       | 2  |
| Cæsalpinia.    | 303        | Camellia.       | 2  |
| Cajanus.       | 310        | CAMELLIÆ.       |    |
| Cakile.        | 228        | Cameraria.      | 12 |
| Caladium.      | 7          | Campanula.      | 18 |
| Calamagrostis. | 12         | CAMPANULÆ.      |    |
| Calamus.       | 29         | Camphorosma.    |    |
| Calandrina.    | 269        | Canarina.       | 18 |
| Calceolaria.   | 109        | Canna.          |    |
| Calea.         | 169        | Cannabis.       | 3  |
| Calendula.     | 170        | CANNÆ.          |    |
| Calla.         | 8          | Cantua.         | 18 |
| Callicarpa.    | 91         | CAPPARIDÆ.      | 2  |
| Callicoma.     | 274        | Capparis.       |    |
| Calligonum.    | 97         | Capraria.       | 1  |
| Callistachys.  | 306        | CAPRIFOLIÆ.     |    |
| Callitriche.   | 6          | Capsicum.       | 1  |
| Calomeria.     | 159        | Carapa.         | 2  |
| Calodendrum.   | 256        | Caragana.       | 3  |
| Calophyllum.   | 234        | Cardamine.      | 2  |
| Calothamnus.   | 283        | Cardiospermum.  | 2  |
| Caltha.        | 212        | Carduus.        | 1  |
| Calycanthus.   | 298        | Carex.          |    |



|                | Pages. |                 | Pages. |
|----------------|--------|-----------------|--------|
| Carica.        | 343    | Chamagrostis.   | 13     |
| Carissa.       | 131    | Chaptalia.      | 164    |
| Carlina.       | 154    | Chara.          | 5      |
| Carludovica.   | 8      | Charieis.       | 174    |
| Carmichaelia.  | 306    | Cheilantes.     | 4      |
| Carolinea.     | 249    | Cheiranthus.    | 221    |
| Carpesium.     | 159    | Cheirostemon.   | 249    |
| Carpinus.      | 352    | Chelidonium.    | 217    |
| Carthamus.     | 154    | Chelone.        | 124    |
| Carum.         | 199    | Chenopodium.    | 73     |
| CARYOPHYLLÆ.   | 260    | Cherleria.      | 261    |
| Caryophyllus.  | 285    | Chiococca.      | 193    |
| Caryota.       | 29     | Chionanthus.    | 88     |
| Cassia.        | 302    | Chironia.       | 126    |
| Cassine.       | 332    | Chlora.         | 126    |
| Cassinia.      | 161    | Chloranthus.    | 357    |
| Castanea.      | 352    | Chloris.        | 15     |
| Casuarina.     | 354    | Chlorophytum.   | 40     |
| Catabrosa.     | 16     | Chondrilla.     | 144    |
| Catananche.    | 150    | Chorisporea.    | 220    |
| Caucalis.      | 204    | Chorizema.      | 305    |
| Ceanothus.     | 334    | Chrysanthemum.  | 169    |
| Cecropia.      | 346    | Chrysobalanus.  | 296    |
| Cedrela.       | 237    | Chrysocoma.     | 165    |
| Celastrus.     | 331    | Chrysophyllum.  | 132    |
| Celosia.       | 76     | Chrysosplenium. | 273    |
| Celsia.        | 110    | Cicer.          | 325    |
| Celtis.        | 350    | Cichorium.      | 151    |
| Cenchrus.      | 15     | Cicuta.         | 201    |
| Centaurea.     | 155    | Cimifuga.       | 213    |
| Centunculus.   | 80     | Cineraria.      | 177    |
| Cephaelis.     | 266    | Cinna.          | 9      |
| Cephalanthus.  | 195    | Circæa.         | 280    |
| Cephalophora.  | 167    | Cissampelos.    | 215    |
| Cerastium.     | 261    | Cissus.         | 237    |
| Ceratonia.     | 301    | CISTINÆ.        | 256    |
| Ceratophyllum. | 6      | Cistus.         | 16.    |
| CeratospERMUM. | 74     | Citharexylum.   | 91     |
| Cerbera.       | 131    | Citrus.         | 235    |
| Cercis.        | 304    | Claytonia.      | 269    |
| Cercodia.      | 280    | Clematis.       | 207    |
| Cerinthe.      | 118    | Cleome.         | 229    |
| Cestrum.       | 116    | Cleonia.        | 105    |
| Ceterach.      | 2      | Clerodendrum.   | 90     |
| Cherophyllum.  | 200    | Clethra.        | 137    |
| Chamaerops.    | 30     | Cliffortia.     | 292    |

|                | Pages.     |               | Pages.     |
|----------------|------------|---------------|------------|
| Clinopodium.   | 103        | Coronilla.    | 325        |
| Clitoria.      | 317        | Coronopus.    | 226        |
| Clusia.        | 234        | Correa.       | 254        |
| Clutia.        | 339        | Corrigiola.   | 269        |
| Clypeola.      | 224        | Cortusa.      | 81         |
| Cneorum.       | 329        | Corylus.      | 354        |
| Cnicus.        | 151        | Corypha.      | 30         |
| Cobæa.         | 124        | Cosmos.       | 183        |
| Coccoloba.     | 69         | Cossignia.    | 230        |
| Coccocipsilum. | 193        | Costus.       | 57         |
| Cochlearia.    | 226        | Cotula.       | 168        |
| Cocos.         | 29         | Cotyledon.    | 270        |
| Codarium.      | 304        | Coublandia.   | 421        |
| Coffea.        | 193        | Couroupita.   | 286        |
| Coix.          | 23         | Coutarea.     | 194        |
| COLCHICACEÆ.   | 36         | Crambe.       | 228        |
| Colchicum.     | <i>Ib.</i> | Crassula.     | 269        |
| Collinsonia.   | 96         | Cratægus.     | 288        |
| Columnea.      | 110        | Cratæva.      | 229        |
| Colutea.       | 319        | Crepis.       | 146        |
| Comarum.       | 294        | Crescentia.   | 116        |
| Gombretum.     | 282        | Crinum.       | 46         |
| Commelina.     | 34         | Crithmum.     | 203        |
| COMMELINEÆ.    | <i>Ib.</i> | Crocus.       | 59         |
| Commersonia.   | 250        | Crotalaria.   | 309        |
| Comocladia.    | 329        | Croton.       | 341        |
| Comptonia.     | 354        | Crowea.       | 253        |
| Condalia.      | 333        | Crucianella.  | 192        |
| CONIFERÆ.      | 354        | CRUCIFERÆ.    | 218        |
| Conium.        | 204        | Crypsis.      | 16         |
| Convallaria.   | 32         | Cryptolepis.  | 120        |
| CONVOLVULACEÆ. | 120        | Cryptostegia. | <i>Ib.</i> |
| Convolvulus.   | <i>Ib.</i> | Cucifera.     | 36         |
| Conyza.        | 164        | Cucubalus.    | 26         |
| Cookia.        | 235        | Cucumis.      | 34         |
| Copaifera.     | 501        | Cucurbita.    | <i>Ib.</i> |
| Corchorus.     | 252        | CUCURBITACEÆ. | 34         |
| Cordia.        | 117        | Cuminum.      | 20         |
| Coreopsis.     | 183        | Cnnonia.      | 27         |
| Coriandrum.    | 201        | Cupania.      | 23         |
| Coriaria.      | 358        | Cuphæa.       | 28         |
| Coris.         | 80         | Cupressus.    | 35         |
| Corispermum.   | 75         | Curculigo.    | 4          |
| Cornucopiæ.    | 10         | Curcuma.      | 5          |
| Cornus.        | 197        | Curtisia.     | 33         |
| Cornutia.      | 91         | Cuscuta.      | 12         |

|            | Pages. |              | Pages. |
|------------|--------|--------------|--------|
| Cussonia.  | 198    | Cynodon.     | 11     |
| Cyanella.  | 42     | Cynoglossum. | 120    |
| CYCADÆ.    | 29     | Cynosurus.   | 17     |
| Cycas.     | 16.    | CYPEROIDEÆ.  | 23     |
| Cyclamen.  | 81     | Cyperus.     | 26     |
| Cyclopia.  | 305    | Cypripedium. | 61     |
| Cydonia.   | 288    | Cyrilla.     | 136    |
| Cymbidium. | 60     | Cyrthanthus. | 47     |
| Cynanchum. | 129    | Cytisus.     | 308    |
| Cynara.    | 153    |              |        |

## D

|                |     |                |     |
|----------------|-----|----------------|-----|
| Dactylis.      | 17  | Dioscorea.     | 33  |
| Dahlia.        | 182 | Diosma.        | 255 |
| Dais.          | 65  | Diospyros.     | 133 |
| Dalbergia.     | 327 | Diotis.        | 168 |
| Dalea.         | 311 | Diplazium.     | 4   |
| Dalechampia.   | 342 | DIPSACEÆ.      | 188 |
| Danthonia.     | 20  | Dipsacus.      | 16. |
| Daphne.        | 64  | Dirca.         | 64  |
| Datisca.       | 348 | Disandra.      | 84  |
| Datura.        | 112 | Dischidia.     | 131 |
| Daucus.        | 204 | Dodartia.      | 107 |
| Davallia.      | 5   | Dodecatheon.   | 81  |
| Decumaria.     | 285 | Dodonæa.       | 231 |
| Delphinium.    | 211 | Dolichos.      | 316 |
| Dendrobium.    | 60  | Dombeya.       | 252 |
| Dentaria.      | 224 | DOMBEYÆ.       | 252 |
| Desmochæta.    | 76  | Donia.         | 172 |
| Desmonchus.    | 30  | Doodia.        | 3   |
| Detarium.      | 304 | Doronicum.     | 172 |
| Dianella.      | 31  | Dorstenia.     | 346 |
| Dianthus.      | 262 | Doryanthes.    | 46  |
| Diasia.        | 53  | Dorycnium.     | 316 |
| Dichondra.     | 118 | Draba.         | 225 |
| Dichorisandra. | 34  | Dracæna.       | 31  |
| Dictamnus.     | 255 | Dracocephalum. | 104 |
| Diervilla.     | 195 | Dracontium.    | 8   |
| Digitalis.     | 109 | Drepania.      | 148 |
| Digitaria.     | 11  | Drimia.        | 41  |
| Dillenia.      | 213 | Drosera.       | 258 |
| DILLENIEÆ.     | 16. | DROSERACEÆ.    | 16. |
| Dilwinia.      | 305 | Dryandra.      | 67  |
| Dineba.        | 17  | Dryas.         | 295 |
| Dioclea.       | 317 |                |     |

|          | Pages. |           | Pages. |
|----------|--------|-----------|--------|
| Drypis.  | 266    | Duvaua.   | 350    |
| Duranta. | 91     | Dysodium. | 182    |

## E

|                 |            |                   |            |
|-----------------|------------|-------------------|------------|
| Ebenus.         | 311        | Epipactis.        | 60         |
| Echeandia.      | 40         | Equisetum.        | 5          |
| Echenais.       | 154        | EQUISETACEÆ.      | <i>Ib.</i> |
| Echinaria.      | 15         | Erharta.          | 23         |
| Echinophora.    | 206        | Eranthemum.       | 360        |
| Echinops.       | 158        | Erianthus.        | 14         |
| Echioides.      | 119        | Erica.            | 135        |
| Echites.        | 128        | ERICÆ.            | <i>Ib.</i> |
| Echium.         | 118        | Erigeron.         | 173        |
| Eclypta.        | 181        | <del>Erius.</del> | 84         |
| Edwardsia.      | 304        | Eriocephalus.     | 171        |
| Egle.           | 235        | Eriophorum.       | 25         |
| Ehretia.        | 117        | Eriospermum.      | 43         |
| Ekebergia.      | 237        | Erodium.          | 241        |
| ELÆAGNEÆ.       | 63         | Ervum.            | 325        |
| Elæagnus.       | <i>Ib.</i> | Eryngium.         | 206        |
| Elæodendron.    | 332        | Erysimum.         | 221        |
| Elais.          | 50         | Erythrina.        | 317        |
| Elatiæ.         | 260        | Erythronium.      | 37         |
| Elephantopus.   | 158        | Erythroxyton.     | 233        |
| Eleusine.       | 17         | Escallonia.       | 360        |
| Elichrysum.     | 162        | Ethulia.          | 159        |
| Ellisia.        | 118        | Eucalyptus.       | 284        |
| Elymus.         | 17         | Euclea.           | 357        |
| Embothrium.     | 67         | Eucomis.          | 41         |
| Embryopteris.   | 133        | Eugenia.          | 285        |
| Empetrum.       | 138        | Eupatorium.       | 166        |
| Enarthrocarpus. | 218        | Euphorbia.        | 336        |
| Encelia.        | 182        | EUPHORBIACEÆ.     | <i>Ib.</i> |
| Enckianthus.    | 137        | Euphoria.         | 230        |
| EPACRIDÆ.       | 138        | Euphrasia.        | 84         |
| Epacris.        | <i>Ib.</i> | Eustrephus.       | 32         |
| Ephedra.        | 354        | Eutaxia.          | 306        |
| Epidendrum.     | 61         | Evolvulus.        | 123        |
| Epigæa.         | 137        | Evonymus.         | 331        |
| Epilobium.      | 281        | Exacum.           | 127        |
| Epimedium.      | 216        | Exostemma.        | 194        |

## F

|           |     |          |     |
|-----------|-----|----------|-----|
| Faba.     | 325 | Fagara.  | 360 |
| Fabricia. | 283 | Fagonia. | 254 |

|              | Pages. |              | Pages.     |
|--------------|--------|--------------|------------|
| Fagus.       | 352    | Flemmingia.  | 327        |
| Fedia.       | 190    | FLOSCULOSÆ.  | 151        |
| Ferdinanda.  | 185    | Fluggea.     | 340        |
| Fernelia.    | 194    | Fontanesia.  | 88         |
| Feronia.     | 235    | Forskalea.   | 347        |
| Ferraria.    | 50     | Fothergilla. | 349        |
| Ferula.      | 203    | Fragaria.    | 294        |
| Festuca.     | 19     | Frankenia.   | 259        |
| FICOIDEÆ.    | 276    | FRANKENIÆ.   | <i>Ib.</i> |
| Ficus.       | 345    | Fraxinus.    | 87         |
| Filago.      | 161    | Fritillaria. | 37         |
| FILICES.     | 1      | Fulchironia. | 29         |
| Flacurtia.   | 253    | Fuchsia.     | 281        |
| Flagellaria. | 31     | Fumaria.     | 217        |
| Flaveria.    | 159    |              |            |

## G

|              |            |              |     |
|--------------|------------|--------------|-----|
| Gaillardia.  | 184        | Githago.     | 266 |
| Galanthus.   | 49         | Gladiolus.   | 54  |
| Galaxia.     | 53         | Glaux.       | 287 |
| Galega.      | 322        | Glecoma.     | 100 |
| Galenia.     | 72         | Gleditschia. | 301 |
| Galeobdolon. | 100        | Glinus.      | 277 |
| Galeopsis.   | <i>Ib.</i> | Globba.      | 57  |
| Galinsoga.   | 184        | Globularia.  | 82  |
| Galium.      | 191        | Glycine.     | 317 |
| Gardenia.    | 194        | Glycyrrhiza. | 321 |
| Garidella.   | 211        | Gmelina.     | 91  |
| Garuga.      | 329        | Gnaphalium.  | 162 |
| Gastridium.  | 12         | Gnidia.      | 65  |
| Gaultheria.  | 137        | Gomphrena.   | 76  |
| Gaura.       | 281        | Gonolobus.   | 130 |
| Gazania.     | 172        | Goodenia.    | 142 |
| Gelonium.    | 340        | Goodia.      | 310 |
| Gelsemium.   | 131        | Goodyera.    | 59  |
| Genista.     | 307        | Gordonia.    | 236 |
| Gentiana.    | 126        | Gossypium.   | 249 |
| GENTIANÆ.    | <i>Ib.</i> | Gouania.     | 335 |
| Geoffræa.    | 327        | GRAMINÆ.     | 9   |
| GERANIÆ.     | 238        | Grangea.     | 159 |
| Geranium.    | 242        | Gratiola.    | 110 |
| Gerardia.    | 106        | Grewia.      | 253 |
| Geropogon.   | 150        | Grindelia.   | 172 |
| Gesneria.    | 141        | Gronovia.    | 342 |
| Geum.        | 294        | GROSSULARIÆ. | 274 |
| Ginkgo.      | 357        | GUAIACANÆ.   | 133 |

|             | Pages. |              | Pages. |
|-------------|--------|--------------|--------|
| Guaiacum.   | 254    | Gymnocladus. | 301    |
| Guazuma.    | 250    | Gymnostyles. | 159    |
| Guettarda.  | 195    | Gypsophila.  | 262    |
| Guilandina. | 303    | Gyrocarpus.  | 64     |
| GUTTIFERÆ.  | 234    |              |        |

## H

|                |            |                |            |
|----------------|------------|----------------|------------|
| Hæmanthus.     | 46         | Heterosperma.  | 186        |
| Hæmatoxylum.   | 303        | Heterotheca.   | 172        |
| HÆMORACEÆ.     | 50         | Heuchera.      | 272        |
| Hakea.         | 66         | Hibiscus.      | 248        |
| Halesia.       | 134        | Hibbertia.     | 213        |
| Halleria.      | 106        | Hieracium.     | 145        |
| Hallia.        | 310        | Hillia.        | 194        |
| Hamamelis.     | 349        | Hippia.        | 159        |
| HAMAMELIDEÆ.   | <i>Ib.</i> | Hippocratea.   | 232        |
| Hamellia.      | 195        | Hippocrepis.   | 325        |
| Hartogia.      | 332        | Hippophae.     | 63         |
| Hasselquistia. | 205        | Hippuris.      | 279        |
| Hebenstretia.  | 93         | Hoffmanseggia. | 302        |
| Hedera.        | 197        | Holcus.        | 14         |
| Hedychium.     | 57         | Holmskioldia.  | 91         |
| Hedysarum.     | 326        | Holosteum.     | 260        |
| Helenium.      | 171        | Homalium.      | 298        |
| Helianthemum.  | 257        | Hopea.         | 134        |
| Helianthus.    | 183        | Hordeum.       | 18         |
| Heliconia.     | 56         | Horminum.      | 104        |
| Helicteres.    | 249        | Hornemannia.   | 109        |
| Heliocarpus.   | 253        | Hortensia.     | 274        |
| Heliophila.    | 221        | Hottonia.      | 80         |
| Heliopsis.     | 184        | Houstonia.     | 192        |
| Heliotropium.  | 118        | Houthuynia.    | 8          |
| Helleborus.    | 211        | Hovea.         | 309        |
| Hellenia.      | 57         | Hovenia.       | 335        |
| Helmintia.     | 149        | Hoya.          | 130        |
| Helonias.      | 36         | Humulus.       | 348        |
| Hemerocallis.  | 45         | Hura.          | 342        |
| Hemitomus.     | 110        | Hyacinthus.    | 42         |
| Heracleum.     | 202        | Hybbertia.     | 292        |
| Heritiera.     | 250        | Hydrangea.     | 273        |
| Hermannia.     | 251        | Hydrocharis.   | 61         |
| HERMANNIÆ.     | <i>Ib.</i> | HYDROCHARIDEÆ. | <i>Ib.</i> |
| Hernandia.     | 69         | Hydrocotyle.   | 206        |
| Herniaria.     | 268        | Hydroglossum.  | 1          |
| Herreria.      | 32         | Hydrophyllum.  | 118        |
| Hesperis.      | 220        | Hymenæa.       | 303        |

|                | Pages. |             | Pages. |
|----------------|--------|-------------|--------|
| Hymenophyllum. | 5      | Hypericum.  | 233    |
| Hyoscyamus.    | 111    | Hypochæris. | 150    |
| Hyoseris.      | 148    | Hypoxis.    | 49     |
| Hypocoum.      | 217    | Hyptis.     | 100    |
| HYPERICÆÆ.     | 233    | Hyssopus.   | 97     |

## I

|               |     |           |     |
|---------------|-----|-----------|-----|
| Iberis.       | 226 | IRIDEÆ.   | 50  |
| Ilex.         | 332 | Iris.     | 52  |
| Illecebrum.   | 77  | Isatis.   | 229 |
| Illicium.     | 214 | Isertia.  | 195 |
| Imatophyllum. | 361 | Isnardia. | 287 |
| Impatiens.    | 243 | Isonema.  | 166 |
| Imperatoria.  | 200 | Isopyrum. | 211 |
| Indigofera.   | 322 | Isotoma.  | 142 |
| Inga.         | 301 | Itea.     | 135 |
| Inula.        | 172 | Iva.      | 187 |
| Ionidium.     | 258 | Ixia.     | 52  |
| Ipomæa.       | 122 | Ixodia.   | 161 |
| Iresine.      | 76  | Ixora.    | 193 |

## J

|              |     |            |     |
|--------------|-----|------------|-----|
| Jacaranda.   | 125 | Jonesia.   | 301 |
| Jacquinia.   | 133 | Juglans.   | 331 |
| Jambolifera. | 9   | JUNCEÆ.    | 27  |
| Jasione.     | 142 | Juncus.    | 28  |
| JASMINEÆ.    | 87  | Juniperus. | 355 |
| Jasminum.    | 89  | Jussiaea.  | 280 |
| Jatropha.    | 340 | Justicia.  | 86  |

## K

|              |     |               |     |
|--------------|-----|---------------|-----|
| Kæmpferia.   | 58  | Kirganelia.   | 339 |
| Kalankoe.    | 271 | Kitaibelia.   | 244 |
| Kalmia.      | 134 | Kleinhovia.   | 249 |
| Kerria.      | 295 | Knautia.      | 189 |
| Kiggellaria. | 339 | Koelreuteria. | 230 |
| Killingia.   | 27  | Koelpinia.    | 143 |

## L

|             |    |                |     |
|-------------|----|----------------|-----|
| LABIATÆ.    | 93 | Lactuca.       | 144 |
| Lachenalia. | 42 | Lagascea.      | 158 |
| Lachnea.    | 65 | Lagerstroemia. | 286 |

|               | Pages. |               | Pages.    |
|---------------|--------|---------------|-----------|
| Lagoecia.     | 207    | Limeum.       | 269       |
| Lagoscris.    | 147    | Limodorum.    | 60        |
| Lagunea.      | 249    | Limonia.      | 235       |
| Lagurus.      | 14     | Limosella.    | 81        |
| Lamarckia.    | 17     | Linaria.      | 107       |
| Lambertia.    | 67     | LINÆÆ.        | 266       |
| Lamium.       | 100    | Linnæa.       | 195       |
| Lampsana.     | 143    | Linum.        | 266       |
| Lantana.      | 91     | Liparia.      | 309       |
| Larix.        | 357    | Liquidambar.  | 354       |
| Larrea.       | 254    | Liriodendrum. | 214       |
| Laserpitium.  | 202    | Lithospermum. | 119       |
| Lasiopetalum. | 250    | Littæa.       | 46 et 361 |
| Latania.      | 31     | Littorella.   | 78        |
| Lathræa.      | 85     | Loasa.        | 282       |
| Lathyrus.     | 322    | Lobelia.      | 141       |
| Laugeria.     | 266    | LOBELIACEÆ.   | Ib.       |
| LAURINÆÆ.     | 68     | Loeflingia.   | 267       |
| Laurophyllus. | 358    | Lolium.       | 17        |
| Laurus.       | 68     | Lomandra.     | 27        |
| Lavandula.    | 98     | Lomatia.      | 67        |
| Lavatera.     | 245    | Lonicera.     | 196       |
| Lawsonia.     | 286    | Lontarus.     | 30        |
| Lecanocarpus. | 75     | Lopezia.      | 280       |
| Lechea.       | 258    | Lotus.        | 315       |
| Lechenaultia. | 142    | Loureira.     | 341       |
| Ledum.        | 135    | Ludia.        | 254       |
| Leea.         | 237    | Ludolphia.    | 12        |
| Leersia.      | 10     | Ludovica.     | 10        |
| LEGUMINOSÆ.   | 298    | Ludwigia.     | 280       |
| Lemna.        | 6      | Luhea.        | 253       |
| Leontice.     | 216    | Lunaria.      | 224       |
| Leonurus.     | 102    | Lupinus.      | 310       |
| Lepidium.     | 227    | Luzula.       | 28        |
| Leptospermum. | 283    | Lychnis.      | 266       |
| Lessertia.    | 319    | Lycium.       | 116       |
| Leucas.       | 102    | Lycopersicum. | 113       |
| Leucoium.     | 49     | Lycopsis.     | 119       |
| Leuzea.       | 153    | Lycopus.      | 93        |
| Leysera.      | 162    | Lygeum.       | 25        |
| Liatris.      | 166    | Lysimachia.   | 80        |
| Ligusticum.   | 202    | LYSIMACHIÆ.   | Ib.       |
| Ligustrum.    | 89     | Lysinema.     | 138       |
| LILIACEÆ.     | 37     | Lythrum.      | 287       |
| Lilium.       | Ib.    |               |           |



## M

|               | Pages.     |                   | Pages.     |
|---------------|------------|-------------------|------------|
| Maclura.      | 347        | Melothria.        | 342        |
| Madia.        | 171        | MENISPERMEÆ.      | 215        |
| Magnolia.     | 214        | Menispermum       | <i>Ib.</i> |
| MAGNOLIEÆ.    | <i>Ib.</i> | Mentha.           | 99         |
| Mahernia.     | 251        | Mentzelia.        | 282        |
| Mahonia.      | 216        | Menyanthes.       | 82         |
| Maianthemum.  | 33         | Menziezia.        | 135        |
| Malacra.      | 246        | Mercurialis.      | 336        |
| Malaxis.      | 60         | Merendera.        | 37         |
| Malope.       | 244        | Mesembryanthemum. | 277        |
| Malpighia.    | 232        | Mespilus.         | 289        |
| MALPIGHIEÆ.   | <i>Ib.</i> | Messerschmidia.   | 117        |
| Malus.        | 287        | Methonica.        | 37         |
| Malva.        | 244        | Metrosideros.     | 283        |
| MALVACEÆ.     | <i>Ib.</i> | Michauxia.        | 139        |
| Malvaviscus.  | 249        | Michelia.         | 214        |
| Mammea.       | 234        | Micropus.         | 161        |
| Mangifera.    | 328        | Milium.           | 12         |
| Mantisia.     | 57         | Milleria.         | 171        |
| Manulea.      | 84         | Mimosa.           | 301        |
| Maranta.      | 57         | Mimulus.          | 110        |
| Marica.       | 52         | Mimusops.         | 132        |
| Marrubium.    | 101        | Minuartia.        | 267        |
| Marsilea.     | 5          | Mirabilis.        | 78         |
| Martynia.     | 126        | Mirbelia.         | 307        |
| Massonia.     | 41         | Mitchella.        | 193        |
| Matricaria.   | 169        | Mitella.          | 273        |
| Medeola.      | 32         | Modeca.           | 344        |
| Medicago.     | 314        | Mœrrhinga.        | 260        |
| Melaleuca.    | 282        | Mogorium.         | 89         |
| Melampyrum.   | 84         | Molinia.          | 16         |
| Melananthera. | 185        | Mollugo.          | 260        |
| Melanthium.   | 36         | Molucella.        | 103        |
| Melastoma.    | 286        | Momordica.        | 342        |
| MELASTOMEÆ.   | <i>Ib.</i> | Monarda.          | 93         |
| Melia.        | 237        | Monotropa.        | 357        |
| MELIACEÆ.     | 236        | Monsonia.         | 243        |
| Melianthus.   | 256        | Montia.           | 269        |
| Melica.       | 16         | Montinia.         | 280        |
| Melilotus.    | 312        | Moræa.            | 52         |
| Melissa.      | 104        | Morina.           | 188        |
| Mellitis.     | <i>Ib.</i> | Morinda.          | 195        |
| Melochia.     | 251        | Moringa.          | 303        |
| Melodinus.    | 131        | Morus.            | 347        |

|            | Pages.     |               | Pages.     |
|------------|------------|---------------|------------|
| Murraya.   | 235        | Myosotis.     | 120        |
| Musa.      | 56         | Myosurus.     | 210        |
| MUSÆ.      | <i>Ib.</i> | Myrica.       | 351        |
| Muscari.   | 42         | Myriophyllum. | 280        |
| Mutisia.   | 151        | Myristica.    | 68         |
| Myagrurn.  | 228        | Myrsine.      | 132        |
| Myginda.   | 332        | MYRSINÆ.      | <i>Ib.</i> |
| MYOPORINÆ. | 90         | MYRTEÆ.       | 282        |
| Myoporum.  | 90         | Myrtus.       | 284        |

## N

|              |     |             |     |
|--------------|-----|-------------|-----|
| Nacibea.     | 195 | Nesæa.      | 287 |
| NAIADEÆ.     | 5   | Neslia.     | 228 |
| Naias.       | 6   | Nicandra.   | 113 |
| Nandina.     | 216 | Nicotiana.  | 112 |
| Napæa.       | 247 | Nigella.    | 211 |
| NARCISSEÆ.   | 46  | Nissolia.   | 328 |
| Narcissus.   | 49  | Nitraria.   | 276 |
| Nardus.      | 23  | Nolana.     | 121 |
| Narthecium.  | 36  | Notelæa.    | 88  |
| Navenburgia. | 159 | NYCTAGINÆ.  | 78  |
| Nemesia.     | 108 | Nyctanthes. | 88  |
| Neottia.     | 59  | Nymphæa.    | 62  |
| Nepeta.      | 98  | Nyssa.      | 63  |
| Nerium.      | 128 |             |     |

## O

|               |     |               |            |
|---------------|-----|---------------|------------|
| Ochroma.      | 249 | ORCHIDÆ.      | 58         |
| Ochrosia.     | 127 | Orchis.       | <i>Ib.</i> |
| Ocymum.       | 105 | Origanum.     | 103        |
| OEdera.       | 158 | Ormosia.      | 304        |
| OEnanthe.     | 201 | Ornithogalum. | 45         |
| OEnothera.    | 280 | Ornithopus.   | 325        |
| Olea.         | 88  | Ornitrophe.   | 230        |
| Omphalea.     | 342 | Orobanche.    | 85         |
| ONAGRARIÆ.    | 279 | Orobis.       | 323        |
| Oncidium.     | 60  | Orontium.     | 8          |
| Onobrychis.   | 327 | Ortegia.      | 260        |
| Onoclea.      | 3   | Oryza.        | 22         |
| Ononis.       | 310 | Osbeckia.     | 286        |
| Onopordon.    | 153 | Osmunda.      | 1          |
| Onosma.       | 119 | Osteospermum. | 171        |
| Ophioglossum. | 1   | Osyris.       | 63         |
| Ophioxylon.   | 131 | Othonna.      | 179        |
| Ophrys.       | 59  | Oxalis.       | 243        |

Oxylobium.

305 Oxytropis.

320

## P

|               |            |               |            |
|---------------|------------|---------------|------------|
| Pachysandra.  | 340        | Pentapetes.   | 252        |
| Pæderia.      | 193        | Penstemon.    | 124        |
| Pæonia.       | 212        | Penthorum.    | 272        |
| Palavia.      | 244        | Peplis.       | 287        |
| Paleolaria.   | 167        | Pergularia.   | 129        |
| Paliurus.     | 334        | Perilla.      | 98         |
| Pallasia.     | 71         | Periploca.    | 129        |
| PALMÆ.        | 29         | Peronia.      | 58         |
| Panax.        | 198        | Persoonia.    | 67         |
| Pancratium.   | 48         | Petiveria.    | 72         |
| PANDANÆ.      | 9          | Peucedanum.   | 205        |
| Pandanus.     | <i>Ib.</i> | Phaca.        | 319        |
| Panicum.      | 11         | Phalangium.   | 40         |
| Papaver.      | 217        | Phalaris.     | 10         |
| PAPAVERACEÆ.  | 216        | Pharnaceum.   | 260        |
| Parietaria.   | 348        | Phaseolus.    | 316        |
| Parinari.     | 298        | Phayloopsis.  | 85         |
| Paris.        | 32         | Phebalium.    | 282        |
| Parkinsonia.  | 302        | Phellandrium  | 201        |
| Parnassia.    | 258        | Philadelphus. | 285        |
| Paronychia.   | 267        | Phillyræa.    | 88         |
| PARONYCHIEÆ.  | <i>Ib.</i> | Phleum.       | 10         |
| Parthenium.   | 181        | Phlomis.      | 102        |
| Pascalia.     | 184        | Phlox.        | 123        |
| Paspalum.     | 11         | Phoenix.      | 29         |
| Passerina.    | 64         | Phormium.     | 42         |
| Passiflora.   | 344        | Phylica.      | 335        |
| PASSIFLOREÆ.  | <i>Ib.</i> | Phyllanthus.  | 339        |
| Pastinaca.    | 199        | Phyllis.      | 192        |
| Patersonia.   | 52         | Physalis.     | 113        |
| Paullinia.    | 230        | Phyteuma.     | 141        |
| Pavetta.      | 193        | Phytolacca.   | 71         |
| Pavonia.      | 246        | Picridium.    | 149        |
| Pectis.       | 235        | Picris.       | <i>Ib.</i> |
| PEDICULAREÆ.  | 82         | Pilularia.    | 5          |
| Pedicularis.  | 84         | Pimelea.      | 65         |
| Pedilanthus.  | 339        | Pimpinella.   | 199        |
| Peganum.      | 255        | Pinguicula.   | 82         |
| Pelargonium.  | 238        | Pinkcneya.    | 194        |
| Peliosanthes. | 36         | Pinus.        | 355        |
| Peltaria.     | 224        | Piper.        | 348        |
| Penicillaria. | 14         | Piqueria.     | 167        |

|                | Pages.     |                | Pages.     |
|----------------|------------|----------------|------------|
| Pirigara.      | 286        | Pontederia.    | 55         |
| Piscidia.      | 318        | Populus.       | 351        |
| Pisonia.       | 78         | Porlieria.     | 254        |
| Pistacia.      | 330        | Portesia.      | 237        |
| Pisum.         | 323        | Portlandia.    | 194        |
| Pitcairnia.    | 39         | Portulaca.     | 268        |
| PITTOSPOREÆ.   | 335        | Portulacaria.  | 269        |
| Pittosporum.   | <i>Ib.</i> | PORTULACEÆ.    | 268        |
| Planera.       | 350        | Potalia.       | 127        |
| PLANTAGINEÆ.   | 77         | POTAMEÆ.       | 35         |
| Plantago.      | <i>Ib.</i> | Potamogeton.   | <i>Ib.</i> |
| Platanus.      | 354        | Potentilla.    | 295        |
| Platylobium.   | 306        | Poterium.      | 292        |
| Plectranthus.  | 104        | Pothos.        | 8          |
| Pleurothallis. | 60         | Pourouma.      | 349        |
| Plocama.       | 192        | Prænanthès.    | 143        |
| PLUMBAGINEÆ.   | 79         | Prasium.       | 105        |
| Plumbago.      | <i>Ib.</i> | Prescotia.     | 59         |
| Plumiera.      | 128        | Priestleya.    | 309        |
| Poa.           | 21         | Primula.       | 81         |
| Podalyria.     | 305        | Prinos.        | 333        |
| Podocarpus.    | 354        | Priva.         | 92         |
| Podophyllum.   | 216        | Proserpinaca.  | 280        |
| Pogostemon.    | 98         | Prosopis.      | 303        |
| Poinciana.     | 303        | Prostranthera. | 105        |
| POLEMONIACEÆ.  | 123        | Protea.        | 65         |
| Polemonium.    | <i>Ib.</i> | PROTEACEÆ.     | <i>Ib.</i> |
| Pollichia.     | 267        | Prunella.      | 105        |
| Polyanthes.    | 45         | Prunus.        | 296        |
| Polycarpæa.    | 268        | Psidium.       | 284        |
| Polycarpon.    | 260        | Psoralea.      | 311        |
| Polycnemonum.  | 72         | Psychotria.    | 193        |
| Polygala.      | 328        | Ptelea.        | 330        |
| POLYGALEÆ.     | <i>Ib.</i> | Pteris.        | 4          |
| Polygonatum.   | 32         | Pterocarpus.   | 327        |
| POLYGONEÆ.     | 69         | Pterospermum.  | 252        |
| Polygonum.     | <i>Ib.</i> | Pukmonaria.    | 119        |
| Polymnia.      | 182        | Pultenæa.      | 306        |
| Polypodium.    | 2          | Punica.        | 285        |
| Polypogon.     | 13         | Pyrola.        | 137        |
| Pomaderris.    | 334        | Pyrus.         | 288        |

## Q

|          | Pages. |             | Pages. |
|----------|--------|-------------|--------|
| Quassia. | 256    | Quisqualis. | 281    |
| Quercus. | 353    |             |        |

## R

|               |     |              |     |
|---------------|-----|--------------|-----|
| RADIATÆ.      | 168 | Richardia.   | 192 |
| Rafnia.       | 310 | Ricinus.     | 340 |
| Rajania.      | 33  | Ricotia.     | 224 |
| Ramonda.      | 111 | Rindera.     | 121 |
| RANUNCULÆ.    | 207 | Rivina.      | 72  |
| Ranunculus.   | 209 | Robinia.     | 318 |
| Raphanus.     | 218 | Rodriguesia. | 61  |
| Rapistrum.    | 228 | Roella.      | 141 |
| Rauwolfia.    | 131 | Rondeletia.  | 193 |
| Ravenala.     | 56  | Rosa.        | 290 |
| Relhania.     | 186 | ROSACEÆ.     | 287 |
| Reseda.       | 229 | Rosmarinus.  | 94  |
| Rhagadiolus.  | 143 | Rottbollia.  | 16  |
| RHAMNOIDÆ.    | 331 | Roxburgia.   | 33  |
| Rhamnus.      | 333 | Royena.      | 133 |
| Rhapis.       | 31  | Rubia.       | 192 |
| Rheum.        | 71  | RUBIACEÆ.    | 190 |
| Rhexia.       | 286 | Rubus.       | 295 |
| Rhinanthus.   | 84  | Rudbeckia.   | 183 |
| Rhincanthera. | 361 | Ruellia.     | 85  |
| Rhipsalis.    | 276 | Ruitzia.     | 252 |
| RHIZOSPERMÆ.  | 5   | Rumex.       | 70  |
| RHODODENDRÆ.  | 134 | Ruscus.      | 33  |
| Rhododendrum. | Ib. | Russelia.    | 106 |
| Rhodora.      | 135 | Ruta.        | 255 |
| Rhus.         | 329 | RUTEÆ.       | 254 |
| Ribes.        | 274 |              |     |

## S

|             |     |              |     |
|-------------|-----|--------------|-----|
| Sabal.      | 30  | Salix.       | 356 |
| Saccharum.  | 14  | Salsola.     | 72  |
| Sagina.     | 260 | Salvia.      | 94  |
| Sagittaria. | 35  | Sambucus.    | 197 |
| Sagus.      | 30  | Samida.      | 358 |
| Salicaria.  | 102 | Samolus.     | 82  |
| SALICARIÆ.  | 286 | Sanguinaria. | 216 |
| Salicornia. | 75  | Sanguisorba. | 292 |

|                | Pages.     |                 | Pages. |
|----------------|------------|-----------------|--------|
| Sanicula.      | 206        | Securidaca.     | 328    |
| Sansevieria.   | 38         | Securinega.     | 340    |
| Santolina.     | 168        | Sedum.          | 271    |
| Sanvitalia.    | 183        | Seguiera.       | 358    |
| SAPINDEÆ.      | 230        | Selago.         | 95     |
| Sapindus.      | <i>Ib.</i> | Selinum.        | 206    |
| Sapium.        | 342        | Selloa.         | 362    |
| Saponaria.     | 262        | SEMIFLOSCULOSÆ. | 143    |
| SAPOTEÆ.       | 132        | SEMPERVIVÆ.     | 260    |
| Saracha.       | 113        | Sempervivum.    | 271    |
| Sarcococca.    | 340        | Senebiera.      | 220    |
| Sarracenia.    | 357        | Senecio.        | 177    |
| Satureia.      | 97         | Serapias.       | 50     |
| Satyrium.      | 59         | Serjania.       | 230    |
| Saururus.      | 349        | Seriola.        | 150    |
| Saxifraga.     | 272        | Serissa.        | 103    |
| SAXIFRAGÆÆ.    | <i>Ib.</i> | Serratula.      | 153    |
| Scabiosa.      | 188        | Sesamum.        | 124    |
| Scævola.       | 142        | Seseli.         | 200    |
| Scalia.        | 172        | Sesleria.       | 17     |
| Scandix.       | 200        | Sesuvium.       | 276    |
| Schæfferia.    | 335        | Sherardia.      | 190    |
| Scheferdia.    | 63         | Sibbaldia.      | 203    |
| Schelhammera.  | 37         | Sibthorpia.     | 84     |
| Scheuchzeria.  | 35         | Sicyos.         | 345    |
| Sehkuhria.     | 171        | Sida.           | 247    |
| Schinus.       | 330        | Sideritis.      | 99     |
| Schizandra.    | 215        | Sideroxylum.    | 132    |
| Schizanthus.   | 109        | Sigesbeckia.    | 181    |
| Schmidelia.    | 230        | Silene.         | 263    |
| Schoenus.      | 25         | Silphium.       | 182    |
| Schotia.       | 302        | Sinapis.        | 218    |
| Schrankia.     | 301        | Sison.          | 201    |
| Schubertia.    | 355        | Sisymbrium.     | 222    |
| Scilla.        | 43         | Sisyrinchium.   | 50     |
| Scirpus.       | 26         | Sium.           | 202    |
| Scleranthus.   | 267        | Smilacina.      | 32     |
| Sclerocarpus.  | 182        | Smilax.         | 33     |
| Scolopendrium. | 4          | Smyrnum.        | 199    |
| Scolymus.      | 151        | Solandra.       | 112    |
| Scoparia.      | 106        | SOLANÆÆ.        | 110    |
| Scorpiurus.    | 325        | Solanum.        | 114    |
| Scorzonera.    | 149        | Soldanella.     | 81     |
| Scrophularia.  | 106        | Solidago.       | 176    |
| SCROPHULARIÆÆ. | 105        | Sonchus.        | 144    |
| Scutellaria.   | 105        | Sophora.        | 304    |
| Secale.        | 19         | Sorbus.         | 289    |

|                 | Pages. |                 | Pages. |
|-----------------|--------|-----------------|--------|
| Sorghum.        | 14     | Stellera.       | 64     |
| Sorindeia.      | 531    | Stemodia.       | 107    |
| Sowerbæa.       | 28     | Stennanthera.   | 138    |
| Spaendoncea.    | 302    | Stenocarpus.    | 67     |
| Sparganium.     | 9      | Stenochilus.    | 90     |
| Sparmannia.     | 253    | Sterculia.      | 250    |
| Spartina.       | 16     | Sternbergia.    | 49     |
| Spartium.       | 307    | Stevia.         | 167    |
| Spathelia.      | 330    | Stewartia.      | 236    |
| Spergula.       | 260    | Stillingia.     | 342    |
| Spermacoce.     | 192    | Stipa.          | 13     |
| Sphæranthus.    | 158    | Stratiotes.     | 61     |
| Sphærolobium.   | 305    | Strelitzia.     | 56     |
| Spielmannia.    | 92     | Strophanthus.   | 128    |
| Spigelia.       | 127    | Strumaria.      | 49     |
| Spilanthus.     | 186    | Struthiola.     | 65     |
| Spinacia.       | 73     | Struthiopteris. | 3      |
| Spiræa.         | 295    | Strychnos.      | 131    |
| Spondias.       | 330    | Stylidium.      | 142    |
| Sprengelia.     | 138    | Styphelia.      | 138    |
| Stachys.        | 101    | Styrax.         | 133    |
| Stachytarpheta. | 92     | Swainsona.      | 319    |
| Stæhelina.      | 154    | Swertia.        | 126    |
| Stapelia.       | 129    | Swietenia.      | 237    |
| Staphylæa.      | 331    | Symphoricarpos. | 195    |
| Statice.        | 79     | Symphytum.      | 119    |
| Stellaria.      | 262    | Syringa.        | 87     |

## T

|                 |     |              |     |
|-----------------|-----|--------------|-----|
| Tabernæmontana. | 127 | Tetranthera. | 68  |
| Tagetes.        | 171 | Teucrium.    | 96  |
| Talinum.        | 268 | Thalictrum.  | 208 |
| Tamarindus.     | 301 | Thapsia.     | 200 |
| Tamarix.        | 269 | Thea.        | 236 |
| Tamnus.         | 34  | Theligonum.  | 348 |
| Tanacetum.      | 159 | Thenardia.   | 130 |
| Taraxacum.      | 148 | Theobroma.   | 250 |
| Tarchonanthus.  | 168 | Theophrasta. | 131 |
| Taxus.          | 354 | Thermopsis.  | 305 |
| Tectona.        | 91  | Thesium.     | 63  |
| Telephium.      | 269 | Thlaspi.     | 126 |
| TEREBINTHÆ.     | 328 | Thrinax.     | 31  |
| Terminalia.     | 63  | Thuya.       | 355 |
| Ternstroemia.   | 236 | Thunbergia.  | 85  |
| TERNSTROEMIEÆ.  | 16. | THYMELEÆ.    | 64  |
| Tetragonia.     | 279 | Thymus.      | 103 |

|                | Pages. |             | Pages. |
|----------------|--------|-------------|--------|
| Tiarella.      | 273    | Trientalis. | 81     |
| Tigridia.      | 50     | Trifolium.  | 312    |
| Tilia.         | 253    | Triglochin. | 36     |
| TILIEÆ.        | 252    | Trigonella. | 315    |
| Tillandsia.    | 50     | Trillium.   | 32     |
| Tillæa.        | 269    | Triopteris. | 252    |
| Tithonia.      | 184    | Triosteum.  | 195    |
| Toddalia.      | 256    | Triplaris.  | 71     |
| Tordylium.     | 205    | Tripsacum.  | 15     |
| Tormentilla.   | 293    | Triticum.   | 18     |
| Tournefortia.  | 117    | Tritoma.    | 38     |
| Trachelium.    | 141    | Triumfetta. | 253    |
| Tradescantia.  | 34     | Trollius.   | 210    |
| Tragia.        | 342    | Tropæolum.  | 243    |
| Tragopogon.    | 149    | Troximon.   | 150    |
| Tragus.        | 15     | Tulipa.     | 37     |
| Trapa.         | 280    | Tupistra.   | 41     |
| Trianthema.    | 269    | Turnera.    | 282    |
| Tribulus.      | 254    | Turritis.   | 220    |
| Trichilia.     | 237    | Tussilago.  | 164    |
| Trichodium.    | 13     | Typha.      | 9      |
| Trichosanthes. | 343    | TYPHEÆ.     | Ib.    |

## U

|              |     |              |     |
|--------------|-----|--------------|-----|
| Ulex.        | 306 | Urospermum.  | 150 |
| Ulmus.       | 349 | Urtica.      | 347 |
| UMBELLIFERÆ. | 199 | URTICEÆ.     | 345 |
| Uniola.      | 22  | Usteria.     | 109 |
| Urceola.     | 129 | Utricularia. | 82  |
| Urena.       | 246 | Uvularia.    | 37  |

## V

|              |     |              |     |
|--------------|-----|--------------|-----|
| Vaccinium.   | 137 | Veratrum.    | 36  |
| Vahca.       | 129 | Verbascum.   | 111 |
| Valantia.    | 192 | Verbena.     | 92  |
| Valeriana.   | 189 | Verbesina.   | 185 |
| VALERIANEÆ.  | Ib. | Vernonia.    | 166 |
| Vallisneria. | 61  | Veronica.    | 82  |
| Vangueria.   | 195 | Vesicaria.   | 225 |
| Vanilla.     | 61  | Viburnum.    | 196 |
| Varronia.    | 117 | Vicia.       | 524 |
| Velezia.     | 266 | Vieusseuxia. | 52  |
| Vella.       | 227 | Villarsia.   | 127 |
| Veltheimia.  | 38  | Viminaria.   | 305 |



|            | Pages. |             | Pages. |
|------------|--------|-------------|--------|
| Vinca.     | 127    | VITES.      | 237    |
| Viola.     | 259    | Vitex.      | 91     |
| VIOLARIEÆ. | 258    | VITICEÆ.    | 90     |
| Virgilia.  | 305    | Vitis.      | 238    |
| Virola.    | 68     | Volkameria. | 90     |
| Viscum.    | 196    | Vouapa.     | 503    |
| Visnea.    | 133    |             |        |

## W

|               |     |             |     |
|---------------|-----|-------------|-----|
| Wachendorfia. | 55  | Winterana.  | 234 |
| Wahlenbergia. | 359 | Witsenia.   | 55  |
| Waldsteinia.  | 292 | Woodwardia. | 4   |
| Waltheria.    | 252 | Wrightia.   | 128 |
| Wedelia.      | 185 | Wulfenia.   | 169 |
| Westringia.   | 94  | Wurmbea.    | 36  |
| Wintera.      | 214 |             |     |

## X

|               |     |              |     |
|---------------|-----|--------------|-----|
| Xanthium.     | 187 | Xeranthemum. | 162 |
| Xanthochymus. | 234 | Xylophylla.  | 339 |
| Xenopoma.     | 99  | Xymenesia.   | 182 |

## Y

|        |    |
|--------|----|
| Yucca. | 38 |
|--------|----|

## Z

|              |     |              |     |
|--------------|-----|--------------|-----|
| Zacintha.    | 148 | Zieria.      | 254 |
| Zamia.       | 29  | Zinnia.      | 185 |
| Zanichellia. | 35  | Ziziphora.   | 93  |
| Zanthoriza.  | 213 | Zizyphus.    | 334 |
| Zanthoxylum. | 256 | Zoegea.      | 155 |
| Zappania.    | 92  | Zygophyllum. | 254 |
| Zea.         | 23  |              |     |

# EMENDANDA.

Pagina

- 14. *Sorghum halepense*, ☉ ; *lege* ☿
- 30. Linea ultima et paginis plurimis sequentibus , Pursch. ; *lege* Pursh.
- 32. *Convallaria japonica* Thumb. ; *lege* Thunb.
- 47. *Amaryllis Osbekii* ; *lege* Osbeckii.
- 48. *Pancratium declinatum* Jacq. Hort. 3 , t. 10 ; *lege* t. 11.
- 62. *Aristolochia Sypho* ; *lege* Siphon.
- 65. *Leucadendrum ascendens* Pluh. ; *lege* Pluk.
- 68. *Virola sebifera* , Guyan. ; *lege* Guian.
- 83. *Veronica orientalis* Vahl. Sp. ; *lege* Enum.
- 102. *Phlomis martinicensis* Swartzo ; *lege* Swartz.
- 108. *Linaria heterophylla* Desf. Alt. ; *lege* Atl.
- 122. *Convolvulus lineatus* Triump. ; *lege* Triumf.
- 131. *Cerbera fruticosa* Carey ; *deleatur* Carey.
- 148. *Apargia* Scheb. ; *lege* Schreb.
- 150. Nuttal ; *lege* Nuttall.
- 152. *Carduus Casabonæ* Smid. ; *lege* Casabonæ Schmied.
- 157. *Fornicium rhaponticoides* ; *dele* (1819).
- 192. *Crucianella angustifolia* Smith. Exot. Fl. ; *lege* Exot. Bot.
- 193. *Heydotis* ; *lege* Hedyotis.
- 203. *Rhutenicum* ; *lege* Ruthenicum.
- 229. Scop. ; *adde* Insub. ♀
- Ibid.* Martyn. Cent. ; *lege* Décades.
- 237. *Carpaa* ; *lege* Carapa.
- 249. *Kleinhovia hospital* ; *lege* hospita.
- 243. *Crewia* ; *lege* Grewia.
- 264. *Silene tricuspidata* ; *adde* ☉.
- 268. CLASSIS XIV ; *lege* CLASSIS XV.
- 270. *Moluccæ* ; *lege* Molucæ.
- 279. *Hyppuris* ; *lege* Hippuris.
- 289. *Sorbus hybrida* , Gottland ; *lege* Gothland.
- 294. *Geum coccineum*, Bot. Reg. Ic. 88 ; *lege* 1088.
- 300. Scop. Insul. ; *lege* Insub.
- 306. *Eutaa* ; *lege* Eutaxia.
- 309. *Cytisus vulgaricus* L. Suppl. 1. ; *lege* Suppl. et *dele* 1.

*Exclude* *Sida amoena* , p. 247 ; *Hibiscus abutiloides* , p. 248 ; *Melochia varronifolia* , p. 252 ; et *Acacia lentiscifolia* , p. 300 : plantæ quæ nunc in horto parisiensi non vigent.

# ANNOTATIONES

DE

## PLANTIS NOVIS

AUT MINUS COGNITIS.

---

**ARUM TRIFIDUM.** Acaule; petiolo tereti, apice tripartito; foliolis pluribus lanceolatis, obovatisque, apice acuminatis, inæqualibus, decurrentibus. Non floruit. An Arum vel Caladium? Folia hyeme evanida.

**ARUM CLAVATUM.** Acaule; foliis pedatis, foliolis lanceolato-ellipticis; spatha basi non fissa, longe lanceolata, deflexa, maculis purpureis variegata; spadice tereti, obtuso, spatha brevior. Folia hyeme evanida.

**ARUM SUBULATUM.** Acaule; foliis trifoliatis; foliolis ovato-oblongis, acutis; scapo gracili; spatha subtereti, obtusa; spadice subulato, spatha longior.

Folia ex eodem cespite plura, longe petiolata, petiolis tenuibus, apice trifoliatis. Foliola ovato-oblonga, acuta, glabra, integerrima, viridia, unciam 1 aut ultra lata, 2-3 longa, subsessilia. Scapus teres, gracilis, erectus, foliis sæpe altior. Spatha viridis, teres, hinc fissa, obtusa, post anthesim inflexa. Spadix subulatus, tenuis, spatha duplo longior.

**ARUM COLOCASIOIDES.**

Affine A. Colocasie. Petioli violacei æque ac in varietate Colocasie. Folia etiam peltata. Dissectis lobis posticis productionibus, nervis violaceis, venulis paginæ inferioris paucioribus, nec arcuatim reticulatis ut in Colocasia. Non floruit.

**ARUM PUNCTATUM.** Arborescens; foliis amplissimis, cordatis, transversim oblique nervosis; petiolis teretibus, maculatis.

Truncus arboreus, crassus. Folia maxima, cordata, lobis duobus posticis rotundatis. Nervi transversales firmi, subtus prominuli. Petioli teretes, maculis fusco-violaceis variegati, inferne vaginantes, dilatati, canaliculati. Spatha flavescent. Florem incompletum vidi.

**CALADIUM VARIEGATUM.** Acaule; foliis pedatis; foliolis lanceo-

latis , arcuatim horizontalibus ; spatha subtereti , inflata , apice lanceolata , acuta ; spadice acuminato.

Folia pedata , longe petiolata ; petiolus crassitie pennæ anserinæ , pedalis , erectus , maculis fuscis variegatus , apice furcatus. Foliola 7-9 horizontalia , glabra , lanceolata , inæqualia , intermedio majore. Scapus maculatus , foliis brevior , e vagina petioli emergens. Spatha erecta , teres , inflata , hinc fissa , viridis , apice lanceolata , acuta. Spadix tereti-subulatus , rectus , flavescens. Flores monoici ; masculi conferti partem spadicis superiorem obtegent , feminei distincti inferiorem.

**CALADIUM BRASILIENSE.** Acaule ; foliis hastatis , scapo longioribus ; spatha basi ventricosa , superne in cucullum acuminatum spadicem excedentem , elongata.

Folia magnitudine Ari maculati , hastata , seu cordato-hastata , quandoque basi biloba. Scapus foliis brevior , e basi petioli emergens , 5-8 uncialis. Spatha viridis , basi ventricosa , superne in cucullum elongatum , acuminatum , spadice longiorem producta. Spadix rectus , flavescens. Flores masculi superiorem spadicis partem , feminei sejuncti inferiorem vestiunt.

**CALADIUM TRIFOLIATUM.** Caule sarmentoso , radicante ; foliis longe petiolatis ; foliolis tribus ovalibus , acutis.

Caulis teres , lævis , sarmentosus , debilis , radices e nodis emittens. Petiolus elongatus. Foliola 3 , terminalia , oblonga , glabra , acuta , integerrima , breviter petiolata , crassiuscula , perennantia , uncias 4 longa , 1 cum dimidio lata ; nervi obliqui , medio subtus prominulo. An Caladium ? Nondum floruit.

**CALADIUM RUGOSUM.** Caule arboreo , annulato ; foliis cordato-peltatis , acutis , basi rugosis ; nervis obliquis ; petiolis teretibus , a parte media ad basim vaginantibus. Florem non vidi. An Caladium aut Arum ?

**POTHOS MAXIMA.**

Affinis P. crassinerviæ. Ab eadem differt foliis longe majoribus , superne expansis , petiolis longioribus , profunde sulcatis , spadice etiam majore.

**POTHOS PLATINEVRON.**

Caulis repens. Folia subcarnosa , lato-lanceolata , mucronata , integerrima , lævia , perennantia. Nervus medius elevatus , crassus et quasi inflatus , pallidior ; petioli breves , subteretes , maculis nonnullis conspersi. An Pothos ? Non floruit.

**POTHOS CARTILAGINEA.** Foliis longe petiolatis , late cordatis , acutis , rigidis , lobis posticis rotundatis , superpositis ; nervis obliquis , distantibus.

Petioli tri-tripediales , erecti , firmi , teretes , hinc canaliculo exarati. Folia magna , nitida , cartilaginea , cordata , acuta ; lobis posticis rotundatis , superpositis aut approximatis. Scapus petiolis sæpe longior. Spatha lanceolata. Affinis P. cordatæ , differt foliis amplioribus , lobis posticis productionibus , approximatis aut superpositis.

**POTHOS SUAVEOLENS.** Trunco erecto , arborescente ; foliis cordato-sagittatis , acutis , terminalibus , lamina deflexa ; scapo florifero foliis brevior ; spadice spatham lanceolatam superante.

Truncus foliorum delapsorum cicatricibus exaratus. Folia 3-4 terminalia, longe petiolata, petiolo subangulato, recto, basi caulem amplectente, superne ad junctionem cum lamina incrassato. Lamina deslexa, cordata, acuta, coriacea, integerrima, uncus 8-12 longa, 6-18 basi lata, nervosa; nervis subtus prominulis. Lobi 2 postici rotundati, distincti. Scapus florifer axillaris, teres, erectus, foliis brevior. Spatha lanceolata, revoluta. Spadix spatha longior, tereti-subulatus. Flores confertissimi, sessiles. Calix 4-phyllus, foliolis concavis, apice incrassatis. Corolla nulla. Stamina 4 calici opposita, breviora. Antheræ biloculares. Ovarium ovoideo-pyramidale. Stigma simplex, sessile. Differt a *P. macrophylla*, trunco arboreo, lobis posticis remotis, petiolis foliisque in juniore planta rubescentibus. Flores odorati.

**ELYMUS RAMOSUS.** Spica laxa paniculata, propendente.

**ELYMUS HORDEIFORMIS. E. STRIATUS.** Willd. Sp. Spica erecta; spiculis geminis, unifloris; glumis exterioribus aristatis; involucris setaceis aristatis, basi cartilagineis.

Culmus rectus, 2-3-pedalis. Spica teres, recta, 3-4-pollicaris. Spiculæ geminae unifloræ. Involucra gemina, basi cartilaginea connexa, setacea, aristata. Spicularum gluma exterior striata, aristata. Aristæ rectæ, setiformes, margine denticulatæ, asperæ, spiculis triplo aut quadruplo longiores.

**BROMUS PARVIFLORUS.** Culmo erecto; foliis vaginisque villosis; panicula apice nutante; spiculis glabris, 7-9-floris; aristis rectis, gluma vix longioribus.

Culmi uni-bipedales, erecti, tenues. Folia villosa. Vaginæ villis densis, brevissimis conspersæ. Ligulæ breves, membranaceæ, laceræ. Panicula subnutans. Spiculæ glabræ, parvæ. Glumæ exteriores apice et margine membranaceæ. Arista recta, gluma vix longior, infra apicem glumæ inserta.

**BROMUS PLATYSTACHYS.** Culmo erecto; foliis intus villosis; panicula nutante; spiculis planis; aristis rectis, glumam æquantibus.

Culmus 2-3-pedalis, erectus. Folia intus villosa, 3-4 lineas lata, semi-pedalia, aut pedalia et ultra. Vaginæ striatæ; ligulæ breves, membranaceæ, laceræ. Panicula nutans, secunda. Rachis aspera. Pedunculi inæquales, 1-5 ex singulo racheos nodulo. Spiculæ complanatæ, latæ, 7-9-floræ. Glumæ exteriores striatæ, glabræ a basi ad partem mediam, margine utrinque membranaceæ, quandoque ciliatæ, apice bis mucronatæ. Arista setiformis, recta, longitudine glumæ, infra apicem inserta.

**POA SENEGALENSIS.**

Eadem ac *Festuca fusca* Lin., quæ *Poa* species. Nomen *P. senegalensis* dele et *P. fusca* subijce.

**POA RARIFLORA.**

Culmi plures ex communi cespite, erecti, pedales, filiformes, compressi. Folia glabra, lineam lata; panicula primum stricta, dein expansa, pauciflora. Pedicelli capillares. Spiculæ parvæ, distinctæ, acutæ, glabræ, subquadrifloræ, glumæ calicis exterioris mucronatæ. Distincta a *Poa rariflora*. Sprengel, Syst.

**CYPERUS ASPERIFOLIUS.** Culmo obtuse subtrigono, erecto, nudo,

apice folioso ; foliis lineari-lanceolatis , serrulatis , asperis , panicula longioribus.

Culmus 3-4-pedalis , firmus , rectus , lævis , aphyllus , obtuse subtrigonus , crassitie pennæ anserinæ. Folia terminalia , erecta , rigidula , lineari-lanceolata , acuta , conferta , in rosulam disposita , margine serrulata , aspera , uncias 4-6 longa , lineas 3-4 lata. Panicula foliis brevior. Pedunculi graciles , apice ramosi , bracteis subulatis aut filiformibus , iisdem longioribus , sæpe stipati. Spiculæ in singulo pedicello plures , aggregatæ , lineari-subulatæ , rufescentes. Glumæ acutæ , gemino ordine ut in aliis dispositæ.

**DRACÆNA ELLIPTICA.** Caule arboreo , annulato ; foliis lato-ellipticis , apice oblique incurvis , mucronatis ; floribus paniculatis , terminalibus.

Folia nitida , crassiuscula , firma , uncias 8-10 longa , 3-4 lata , perennantia. Petiolus brevis , canaliculatus. Affinis *D. fragrantis*.

**SMILAX HORRIDA.** Caule scandente , anguloso , aculeatissimo ; aculeis rectis , horizontalibus ; foliis cordatis , inermibus , 5-7-nerviis ; corymbis axillaribus , petiolo longioribus.

**COMMELINA STRICTA.** Glabra , erecta ; foliis angusto-lanceolatis , recurvis ; spatha cymbiformi , acuta ; laciniis calicis tribus petaloideis , subæqualibus.

Caulis erectus , pedalis , teres , ramosus , ramis strictis. Folia angustolanceolata , acuta , patula , recurva , subcarinata. Vagina striata , ore subciliata , integra. Spatha cymbæformis , acuta , multiflora. Flores pedicellati , ante anthesim deflexi. Calicis laciniæ 3 exteriores membranaceæ , pellucidæ , inæquales , duabus inter se coalitis ; 3 interiores petaloideæ , cœruleæ , subæquales , unguiculatæ ; inferiora paulo minore. Stamina 6 ; 3 sterilia , breviora. Filamenta recta ; globuli 4 , lutei , pedicellati , ex singulorum apice. Filamenta 3 inferiora , longiora , arcuata , declinata , antherifera. Antheræ oblongæ , biloculares , intus dehiscentes. Stylus declinatus , incurvus. Stigmata 3 , parva. Capsula parva , oblonga , 3-locularis , 3-valvis , loculis monospermis?

**AMARYLLIS OSBECKII SABINE.** Foliis , lanceolatis , margine ciliatis ; scapo foliis breviorē , multifloro ; floribus longe tubatis , laciniis apice revolutis ; staminibus declinatis , filamentis incurvis.

Bulbus ovato-conicus , crassus , densus. Folia lanceolata , 2-3-pedalia , unciam 1-2 lata , basi canaliculata , margine brevissime ciliata , ad terram revoluta. Scapus subcompressus , lateralis , firmus , foliis multo brevior. Spatha diphylla , membranacea , filamentis pluribus interjectis. Flores 6-8 , terminales , breviter pedicellati. Corollæ tubus 4-5-uncialis , arcuatus , decumbens , striatus. Limbus campanulatus , laciniis roseis , margine albis , lanceolatis , apice revolutis , tribus exterioribus mucronatis. Filamenta declinata , apice sursum recurva , alba. Antheræ versatiles , flavæ. Stylus exsertus , filiformis.

**COCCOLOBA RHEIFOLIA.** Foliis subsessilibus , cordato-rotundatis , rigidis , rugosis ; racemo erecto , simplici.

Cortex rimosus , junior striatus. Folia ampla , rigida , bullata , sessilia , aut breviter petiolata , utrinque ad basim sæpe angustiora. Racemus terminalis longus. Flores rubri. Affinis *C. uviferæ* ; differt foliis sæpe sessilibus et amplexicaulibus , rugoso-bullatis.

**COCCOLOBA RUGOSA.** Foliis sessilibus, cordato-orbiculatis, rigidis, glabris; caule sulcato.

Caulis arborescens, junior profunde sulcatus. Folia sessilia, cordato-orbiculata, rigida, rugoso-bullata, caulem amplexentia, pedes 1-2 longa et lata. Racemus florum terminalis, longus, simplex, erectus. Flores purpurei, numerosi, conferti. Calix parvus, quinquepartitus, laciniis ovatis, concavis, obtusis. Stamina 6-8, basi calicis inserta. Styli 3. Stigmata totidem. Fructum non vidi.

**COCCOLOBA PYRIFOLIA.** Foliis ovatis, acutis, breviter petiolatis, rigidis; spicis tenuibus, folio longioribus.

Folia glaberrima, rigidula, integra, ovata, acuminata, breviter petiolata, uncias 2-5 longa, 2-3 lata. Nervi oblique paralleli. Racemi graciles, simplices, terminales, penduli, folio oppositi, duplo vel triplo longiores, è ramulis junioribus emergunt.

**POLYGONUM CYMOSUM.** Caule erecto; foliis hastatis, acutis; pedunculis elongatis; floribus cymoso-paniculatis; semine triquetro, angulis marginatis.

Radix perennis. Caulis 4-6-pedalis, erectus. Vaginæ membranaceæ, rufescentes. Folia glabra, hastata, acutissima, petiolata. Pedunculi solitarii, tenues, axillares, elongati, erecti, folio multo longiores. Flores terminales, paniculato-racemosi, albi. Stamina 8. Antheræ globosæ, purpureæ. Styli 3; stigmata totidem. Semen læve, triquetrum. Affine *P. tatarico*; differt radice pereanni, caule altiore, foliis amplioribus, semine lævi nec dentato.

**RUMEX CORDATUS.** Decumbens; foliis inferioribus cordato-rotundis, margine crispatis; perigonii valvulis nudis, integris, rotundatis.

Caulis procumbens, pedalis, ramosus. Folia petiolata, crassiuscula, rigidula, cordato-rotundata, nunc obtusa, nunc breviter acuminata, unciam circiter longa et lata, margine crispata; superiora lanceolata. Verticilli pauciflori. Valvulæ perigonii interioris integræ, orbiculatæ.

**RUMEX UNDULATUS.** Floribus hermaphroditis; foliis cordatis ovatisque, undulatis, obtusis; valvulis perigonii integris, cordatis; unica sæpius granifera.

Caulis erectus, crassus, ramosus, sulcatus, 4-5-pedalis aut altior. Folia maxima, cordata et ovata, glabra, obtusa, undulata, nervis subtus pubescentia. Petiolus sulcatus, superne canaliculatus. Panicula stricta, elongata. Flores numerosissimi, nutantes. Verticilli conferti. Valvulæ perigonii interioris adultæ, magnæ, cordatæ, obtusæ, unica granifera, quandoque omnibus. *R. cristatus* Decandolle II. Monsp. idem omnino videtur.

**RHEUM RUGOSUM.**

Folia maxima, cordato-ovata, rugosissima. An varietas?

**BETA HASTATA.** Foliis hastato-sagittatis.

Caulis herbaceus, diffusus, ramosus. Folia petiolata, sagittata, acuta. Flores glomerati, axillares, brevissime pedicellati.

**ATRIPLEX LACERA, A. MULTIFIDA.** Caule procumbente, diffuso,

**foliis triangularibus, glabris, dentato-laceris, dentibus subulatis, inæqualibus.**

**Flores glomerati. Laciniæ calicinæ floris fertilis, absoluta florescentia, auctæ, foliaceæ, inæqualiter dentato-laceræ.**

**AMARANTHUS RECURVATUS. Pentandra; caule hirsuto, erecto; foliis longe petiolatis, oblongis, recurvis, crispatis; spicis aggregatis.**

Planta tota pallide virens. Caulis erectus, 2-3-pedalis, angulosus, villosus. Folia difformia, oblonga, curva, rugosa, margine crispata, superne convexa, subtus cava. Flores spicati terminales. Spicæ breves, glomeratæ. Stamina 5. Mihi omnino videtur monstruositas Amaranthi hybridi Lin.

**ACHYRANTHES RIVINÆFOLIA. Fruticosa; foliis alternis, ovatis, acuminatis, nervosis; floribus in racemulos axillares confertis, erectis.**

Frutex ramosus. Rami glabri, striati, erecti. Folia Rivinæ lævis, ovata, acuminata, integerrima, glabra, margine sæpe purpurea, in petiolum utrinque producta. Nervi obliqui, paralleli. Flores per ramorum longitudinem in racemulos axillares conferti, non deflexi. Bractæ 3 subulatæ, caliciformes, calice breviores, adpressæ. Calix pentaphyllus, persistens; foliolis subulatis, rufescentibus, margine membranaceis. Stamina 5; filamenta basi monadelphica. Stylus 1, persistens; stigmata 2. Capsula pyriformis, circumscissa, polysperma. Semina fusca, nitida, hinc convexa, hilo notata.

**PLANTAGO CHILENSIS. Foliis lanceolatis, glabris, integerrimis, quinquenerviis; scapo foliis longiore, superne pubescente.**

Folia lanceolata, glabra, quinquenervia, sæpe pedalia et ultra, lineas 6-12 lata, integra, in petiolum producta. Scapus striatus, inferne glaber, superne pubescens, foliis longior. Spica pedalis. Flores conferti, singuli bractea ovata et acuta stipati. Calicis exterioris laciniæ margine membranaceæ, acutæ, adpressæ. Calix interior duplo longior, rufescens; dentes acutæ, rectæ, conniventes. Affinis *P. lanceolata*.

**CALYXHYMENIA PANICULATA.**

Affinis *C. glabrifolia*; differt foliis nitidis, pedunculis glaberrimis, corollis minoribus.

**CALYXHYMENIA CERVANTESII. Suffruticosa; foliis cordatis, glabris; pedunculis involucrisque pubescentibus, glutinosis, trifloris; floribus triandris.**

Caules ex communi cespite plures, erecti, glabri, dichotomi, 3-4-pedales, rubescentes. Folia cordata, glabra, petiolata, obtusiuscula, integerrima, lineas 8-12 longa, 6-10 lata. Involucrum 5-lobum, 2-3-florum, absoluta florescentia non expansum. Corolla violacea, involucrum superans, tubulosa. Limbus patens, 5-lobus, lobis emarginatis. Stamina 3. Stylus 1. Stigma papillosum.

**PISONIA FRAGRANS; foliis lævibus, glabris, subcarnosis, obovatis, obtusis, integerrimis, breviter petiolatis; caule fruticoso.**

Folia subopposita. Flores odorati.

**PISONIA NITIDA.**

Affinis *P. fragrantis*; differt foliis crassioribus, ramis junioribus, petiolisque purpurascens.



**PISONIA LATIFOLIA.** Caule fruticoso, foliis suboppositis, petiolatis, ovatis, apice rotundatis, lævibus, integerrimis.

Folia uncias 7-8 longa, 3-4 lata. An Pisonia? Non floruit.

**PLUMBAGO MICRANTHA.** Herbacea, dichotoma; foliis cordato-lanceolatis, amplexicaulibus.

Herba glaberrima. Caules diffusi, læves, 2-pedales. Folia glauca, integerrima. Flores aggregati, terminales. Calix teres, pilis brevibus, rigidis, apice glandulosis, conspersus. Corolla minima.

**STATICE PUBIGERA.** Frutescens, cespitosa; foliis dense confertis, subulatis, pubescentibus; scapo simplici, pubescente.

**VERONICA EXCELSA.** Glabra; caule erecto, foliis ternis, profunde arguteque biserratis; racemis terminalibus.

Caulis teres, erectus, simplex, glaber, 3-4-pedalis. Folia ternata, angusta, lanceolata, acutissima, uncias 3-6 longa, lineas 4-8 lata, profunde et argute biserrata, serraturis acutissimis alternatim longioribus. Racemi terminales elongati. Flores breviter pedicellati, pedicellis bractea setiformi, iisdem longiore, suffultis. Calicis laciniae 4 acutae, inaequales. Corolla pallide caerulea, tubulosa, tubo longitudine calicis. Axis pubescens. Stylus absoluta floresentia exsertus.

**VERONICA NITIDA.** Caule diffuso, pubescente; foliis inferioribus crenato-serratis, ovatis, obtusis; superis lanceolatis, parce dentatis, integrisve; racemis axillaribus.

Caules, pedales, pubescentes, diffusi. Folia caulina inferiora sessilia, ovata, obtusa, crenato-serrata; superiora lineari-lanceolata, obtusa, alia læviter serrata, alia integerrima. Racemi florum axillares, elongati. Bractae lineares longitudine pedicellorum longioresve. Calicis laciniae 4-5 inaequales, pubescentes. Corolla caerulea, patens, lobis obtusis. Capsula compressa, emarginata.

**RUELIA ACHYRANTHIFOLIA.** Foliis ovato-ellipticis, obtusis, integris; floribus axillaribus, subsessilibus; laciniis calicinis subulatis, corollam aequantibus.

Caulis herbaeus, subpedalis, tetragonus, ramosus. Folia glabra, lineas 7-12 longa, 5-10 lata, in petiolum utrinque producta. Flores axillares, subsessiles. Calix 5-fidus; laciniae subulatae, corollam aequantes. Corolla parva, albo-violacea, bilabiata. Stamina 4 didynama.

**OLEA GLANDULIFERA.** Caule arboreo; ramulis tuberculosus; foliis ovato-lanceolatis, acutis, undulatis, breviter petiolatis; nervis transversalibus utrinque basi glandulosis. Non floruit.

**ÆGIPHYLA MACROPHYLLA.** Caule arboreo; foliis oppositis, ellipticis, obtusis, glabris, integerrimis, petiolatis, perennantibus.

Folia uncias 6-8 longa, 3-4 lata. Nervi transversales obliqui, paralleli, distantes. Petiolus unciam longus, superne depressus. Rami juniores teretes.

**VITEX ARBOREA FISCHER.** Foliis digitatis; foliolis 5 lanceolatis, acuminatis, serratis; nervis obliquis impressis; racemis paniculatis, terminalibus.

**Frutex 6-8-pedalis aut altior.** Rami juniores, petioli, nervi foliorum, calicesque pubescentes. Corolla alba. Affinis V. Agn. Casto, Lin. Differt foliis non lobatis, nervis obliquis paginae superioris profunde insculptis, ita ut quasi rugosa videatur.

**CITHAREXYLUM CORIACEUM.** Caule arboreo; foliis lato-ellipticis, glabris, integerrimis, subtus venoso-reticulatis; racemis terminalibus recurvis.

Truncus erectus. Rami juniores tetragoni. Folia elliptica, integerrima, glabra, coriacea, perennantia, opposita, subtus reticulata, uncias 4-6 longa, 2-3 lata, brevissime mucronata. Racemi terminales, solitarii aut plures, recurvati, nutantes. Flores secundi brevissime pedicellati. Calix teres, adpressus, 5-lobus, lobis obtusis. Corolla tubulosa, alba, 5-loba, subirregularis. Stamina 4, summo tubi inserta, non exserta. Filamenta brevissima. Stylus 1. Stigma crassiusculum. Flores odorati. Affine C. villosa; differt foliis subtus glabris An a C. cinereo Lin. distinctum?

**DURANTA MICROPHYLLA** Fruticosa, spinosa; foliis oppositis, dentatis, obovatis; floribus racemosis, secundis, terminalibus.

Frutex. Rami juniores tetragoni. Spinae axillares simplices. Folia opposita, parva, glabra, a parte media ad apicem dentata, ad petiolum angustata; flores racemosi, terminales, secundi. Calix truncatus, 5-dentatus, dentibus mucronatis. Corolla coerulea, limbo patente. Tubus calice longior. Stamina 4, didynama, intra faucem. Stylus 1. Stigma incrassatum. Varietas D. Plumieri videtur, foliis longe minoribus, cauleque breviori distincta.

**LANTANA ACHYRANTHIFOLIA.** Caule suffruticoso; tetragono; foliis ovatis, serratis, villosis, villis adpressis; pedunculis folio longioribus; floribus capitatis.

Suffrutex, 1-2-pedalis, inermis, villis brevibus, albis adpressisque conspersus. Caulis erectus, tetragonus, simplex aut parce ramosus. Folia ovata, serrata, obtusa et acuta, breviter petiolata. Pedunculi axillares, folio duplo triplo longiores. Flores capitati. Involucrum 4-5-phyllum, foliolis ovatis, acutis. Bractea ovata, acuta, apice fusca. Corollae albae, extus pubescentes, fundo saepe luteo.

**LANTANA ALBA** Link. Enum.? Fruticosa, inermis, pubescens; foliis ovatis, acuminatis, crenatis, mollibus; pedunculis folio brevioribus; floribus capitatis; bracteis obtusis; baccis nigricantibus. Am. merid.

**LANTANA PARVIFOLIA.** Fruticosa, erecta; foliis ovato-ellipticis, obtusis, crenatis, pubescentibus; cinereis; pedunculis axillaribus, folio longioribus; floribus capitatis.

Frutex erectus, pubescens. Folia petiolata, perennantia, cinerea, parva, elliptica et obovata. Capitula florum subrotunda. Bractea ovata, obtusa, pubescentes.

**LANTANA ALBO-PURPUREA.**

Affinis L. aculeatae, et forte varietas. Differt floribus primum albis, dein colore violaceo aut purpureo tinctis.

**LANTANA LILACINA.** Ramulis asperis, pubescentibus, foliis ova-

tis, crenulatis, rugulosis; pedunculis folio brevioribus; floribus capitatis.

**Frutex elegans.** Rami asperi, juniores pubescentes. Folia ovata, rugulosa, obtusiuscula, crenulata, subtus brevi lanugine conspersa; petioli breves. Pedunculi axillares, folio plerumque breviores. Flores capitati; involucrum 4-5-phyllosum, foliolis ovatis, obtusis. Bracteae ovatae, pubescentes. Corolla pubescens, coloris lilacini. Baccae violaceae.

**LANTANA MOLLISSIMA.** Foliis ovatis, serratis, subtus molli lanugine pubescentibus; floribus axillaribus, solitariis, oppositis; pedunculis brevibus, floribus capitatis.

**Caulis fruticosus, ramosus, 3-5-pedalis, inermis.** Rami, tetragoni, juniores pubescentes. Folia dentato-serrata, subtus molli lanugine pubescentia, ovata, uncias 2-3 longa, 1-2 lata, obtusa et acuta. Pedunculi solitarii, axillares, oppositi, brevissimi. Flores capitati, dense congesti. Bracteae ovatae, acuminatae, villosae. Corollae parvae, roseae.

**LANTANA SUAVEOLENS.** Fruticosa; ramis spinulosis; foliis ovatis, obtusiusculis, crenatis, pubescentibus.

**Frutex.** Rami tetragoni, spinulis hinc et inde conspersi; juniores pubescentes. Folia ovata, subtus pallidiora, molli lanugine pubescentia, crenata, uncias 1-2 longa, lineas 8-10 lata. Corollae flavae, suaveolentes.

**VERBENA GRACILIS.** Pubescens, caule ramosissimo, prostrato; foliis incisis; floribus distinctis; bracteis lineari-subulatis, flore longioribus.

**Planta annua, palmaris aut pedalis, pubescens a basi ad apicem, ramosa, ramis tetragonis, asperulis.** Folia parva, inaequaliter incisa, cinerei coloris. Flores spicati, terminales, distincti. Bracteae lineari-subulatae, flore longiores, patulae, villosae. Corolla minima, dilute coerulea. Affinis *V. bracteata*, *V. officinali*, et *V. supinae*; differt a *V. bracteata*, floribus distinctis, nec confluentibus, caule non hirsuto; a *V. officinali* et *V. supina*, bracteis flore multoties longioribus, totoque aspectu.

**SALVIA SCORODONIAEFOLIA.** Fruticosa; ramulis villosis; foliis ovatis, obtusis, levissime crenulatis; verticillis confertis, subsexfloris; calicibus corollisque pubescentibus.

**Frutex 3-5-pedalis, ramosus.** Rami juniores villosi. Folia ovata, obtusa, rugulosa, pubescentia, levissime et confertim crenulata, foliis *T. scorodoniae* simillima, petiolata. Verticilli terminales, approximati, subsexflori. Bracteae ovatae, concavae, acuminatae, deciduae, villosae. Pedicelli brevissimi. Calix villosus, viscosus, quinque dentatus. Corolla parva, azurea. Tubus calice longior; labium superius subincurvum, villosum, inferius planum, trilobum, lobo medio emarginato. Stamina 2 inclusa. Filamenta articulata. Stylus saepe exsertus. Stigmata acuta. Floret autumnno.

**SALVIA EROSA, SALVIA CLANDESTINA.** Lamk. ex Herbario, et Poir. Encycl., ex Descriptione (excl. syn. Lin.). Foliis oblongis, inaequaliter eroso-pinnatifidis, verticillis 4-6-floris, villosis, labio calicis superiore obtuso, brevissime mucronato.

**Caulis procumbens, 1-2-pedalis, pubescens, ramosus.** Folia oblonga, inaequaliter erosa et quasi pinnatifida, uncias 2-3 longa, 5-8 lineas lata, radicalia longe petiolata et obtusa, nonnulla saepe inaequaliter dentata et sinuata,

superiora subsessilia. Verticilli florum distincti, villosi, 4-6-flori. Calix bilabius; labium superius obtusum, mucrone gemino aut triplici brevissimo auctum. Corolla parva, cœrulea, pubescens, calice longior; labium superius incurvum. Bractæ 2 ovatae, mucronatae, flore breviores.

**SALVIA LANIGERA.** Foliis pinnatifidis, rugosis; verticillis terminalibus confertis; calicibus lanigeris; corollis calicem vix superantibus.

Planta palmaris, aut minor. Caulis lanatus, procumbens. Folia rugosa, pinnatifida, laciniis distinctis, linearibus, dentatis, dentibus rotundatis. Bractæ ovatae, acutæ, mucronatae. Verticilli inferiores distincti, superiores in capitulum lanatum conferti. Calicis labium superius emarginatum, dentes 2 inferiores mucronatae.

**SALVIA ASPERULA.** Caule ramoso, hispido; foliis rugosis, ovato-oblongis, superis lanceolatis, obtusis, crenulatis; verticillis 4-6-floris, approximatis, distinctis; floribus subsessilibus; bracteis ovatis, acuminatis; calicibus corollisque hirsutis.

Planta 2-3-pedalis. Caulis ramosus, erectus, hispidus, asper. Folia rugosa, inferiora ovato-oblonga, petiolata, superiora sessilia, lanceolata, obtusa, levissime crenulata. Rami floriferi erecti, hispidi. Verticilli subsex-flori, approximati, distincti. Bractæ ovatae, acutæ, mucronatae. Flores subsessiles. Calices hirsuti, dentibus ovatis, acutis, mucronatis. Corolla parva, cœrulescens, villosa.

**SALVIA GIGANTEA.**

Varietas *S. virgatæ* Jacq.; distincta caule altiore, corolla dilute violacea, quæ alba in *S. virgata*.

**SALVIA NEPETIFOLIA.** Villosa, cinerea; foliis lanceolatis, remote serratis; verticillis subquadrifloris, approximatis; bracteis ovatis, nervosis, mucronatis, ciliatis, calice 3-lobo longioribus.

Caulis erectus, ramosus, villosus, 2-3-pedalis, quadrisulcus, angulis obtusis. Rami erecti. Folia cinerea, petiolata, rugulosa, villosa, mollia, ciliata, remote serrata, oblongo-lanceolata, obtuse mucronulata, lineas 12-15 longa, 5-7 lata. Verticilli terminales, approximati, 2-3 rarius 6-flori. Bractæ ovatae, concavae, nervosae, ciliatae, mucronatae, calice longiores. Calix bilabius, striatus, villosus, 3-lobus, lobis mucronatis, absoluta florescentia utrinque compressus, clausus. Corolla parva, cœrulea, calice paulo longior, pubescens; labium superius incurvum, inferius 3-lobum, lobo medio latiore, emarginato.

**SALVIA VERBENACA MINUTIFLORA.**

Differt corolla rosea minima, calicem vix superante, aliunde simillima.

**TEUCRIUM MYRTIFOLIUM.** Caule fruticoso; foliis ovatis, dentato-crenatis, subtus incanis.

Affine *T. Maro*; differt caule brevior, minus ramoso, foliis superne viridibus. An non varietas?

**NEPETA AMETHYSTINA.**

Affinis *N. Nepetellæ*; differt verticillis longius pedunculatis, paniculato-corymbosis, floribus amethystinis.

**LAVANDULA LATIFOLIA.** Foliis ovatis, integerrimis.

**MARRUBIUM CÆRULESCENS.** Caule erecto, pubescente; foliis subtus cinereis, inferioribus ovatis, crenatis, superioribus lanceolatis, serrulatis; verticillis remotis; calicibus apice villosis; dentibus erectis, aculeatis.

Caulis erectus, ramosus, pubescens, 2-3-pedalis. Folia subtus brevissime pubescentia, cinerea, nervosa; inferiora ovata, obtusa, crenata; superiora lanceolata, leviter serrato-dentata, dentibus remotis, unciam 1 longa, lineas 4-3 lata; petioli breves. Verticilli remoti, multiflori, flores sessiles. Calix 10-striatus, apice villosus, 5-dentatus, dentibus erectis, mucronatis. Corolla parva, pubescens, cœrulescens; labium superius incurvum, bifidum, laciniis apice dilatatis.

**MARRUBIUM BUGOSUM.** Caule ramoso, diffuso; foliis ovato-cordatis, obtusis, crenatis, subtus cinereis; corollæ labio superiore incurvo, villosus, bifido.

Caulis suffruticosus, ramosus, diffusus, villosus. Folia cordato-ovata, obtusa, crenata, quandoque subrotunda, rugosa, subtus cinerea, pubescentia; petioli breves. Verticilli parum remoti, sessiles. Calix striatus, 10-dentatus, dentibus mucronatis. Corollæ labium superius incurvum, villosum, obtusum, emarginatum.

**MARRUBIUM HUMILE.** Caule procumbente; foliis ovato-rotundis, crenulatis, rugosis, petiolatis.

Affine præcedenti, sed omni parte minor. Folia subtus non cinerea, longius petiolata.

**LEONURUS VILLOSUS.**

Facies *L. cardiacæ*; differt caule, foliis et calicibus villis canescentibus undique conspersis.

**LEONURUS MULTIFIDUS.** Caule erecto, foliis tripartitis, glabris; laciniis pinnatifidis; pinnulis subulato-linearibus; verticillis superis confertis; bracteis setaceis; calicibus corollisque villosis.

Caulis erectus, glaber, ramosus, 2-3-pedalis, angulis obtusis. Folia glabra, profunde tripartita, laciniis pinnatifidis, pinnulis remotis, inæqualibus, lineari-subulatis, acutis. Verticilli florum densi, sessiles, axillares, superiores conferti. Bracteæ subulatæ, villosæ. Calices villosi, dentes mucronatæ, spinulosæ, rectæ. Corollæ pallide roseæ, villosæ. Vix distinctus villis canescentibus et densioribus a *L. condensato* Hornem. Hort.

**ORIGANUM HUMILE.** Ramis paniculato-corymbosis, strictis, villosis; foliis ovatis, obtusis, inferioribus subdentatis; spicis linearibus.

Herba 6-8-pollicaris. Caulis villosus, erectus. Rami numerosi, paniculato-corymbosi. Folia parva, obtusa, viridia, ovata, petiolata, margine ciliata; inferiora subdentata, superiora integerrima. Spicæ evolutæ graciles, numerosæ, laxiusculæ. Bracteæ ovatæ, glabræ aut ciliatæ, extus convexæ. Corolla alba aut dilute violacea.

**ORIGANUM PALLIDUM.** Ramosum; foliis ovatis, integerrimis, pu-

bescentibus ; floribus dense confertis ; capitulis brevibus, oblongis.

Herba ramosa , erecta , vix pedalis. Caulis et rami villosi. Folia ovata, acutiuscula , integerrima aut rariter dentata, breviter petiolata, coloris non nihil cinerei. Flores corymbosi, terminales, dense capitati , capitulis ovatis, obtusis , brevibus. Bractæ ovatæ , pubescentes. Corollæ parvæ , albæ.

**SCROPHULARIA HUMILIS.** Caule procumbente ; foliis petiolatis, ovatis , obtusis , glabris , nitidis , dentatis ; floribus paniculatis.

Planta semipedalis, procumbens. Folia inæqualiter dentata, lævia, obtusa, lineas 4-7 longa, paulo angustiora, crassiuscula. Flores magnitudine Scr. caninæ, paniculati. Capsula globosa.

**DIGITALIS AUREA.** Foliis lanceolatis ; floribus laxè racemosis ; bracteis subulatis ; lobo corollæ inferiore ovato, productione.

Caulis erectus , bipedalis , superne ramosus , quandoque simplex. Folia lanceolata , glabra , uncias 4-6 longa , lineas 6-8 lata , integerrima ; media et superiora sessilia. Flores laxè racemosi, subnutantes , solitarii , pedicellati. Bractæ lineari-subulatæ , pedicello longiores. Folia calicina ovata , acuta. Corolla lutea , glabra, corollæ. Digitalis obscuræ magnitudine. Lobus inferior ovatus , obtusus , elongatus.

**VERBASCUM SULCATUM.** Caule sulcato , pubescente ; foliis inferioribus ovato-lanceolatis, acutis, undatis ; racemis paniculatis.

Caulis 5-6-pedalis , sulcatus. Folia pubescentia ; inferiora pedalia aut sesquipedalia ; caulina superiora semi-amplexantia , cordata , acuta. Flores magnitudine Verbasci lychnitis , racemosi , racemis paniculatis. Corollæ luteæ.

**DATURA HUMILIS.** Foliis ovatis, acutis, lævibus , integris et angulatis ; calice subtereti ; corollæ lobis acuminatis.

Caulis herbaceus , 1-2-pedalis. Folia fere D. arboreæ , alia integra, alia parce angulata, angulis acutis. Corolla magnitudine D. fastuosæ, pallide lutescens , sæpe duplicata. Ovarium tuberosum.

**ATROPA ORIGANIFOLIA, PHYSALIS ORIGANIFOLIA, Lamk. Encycl.** Caule suffruticoso ; foliis ovatis, integerrimis.

Suffrutex glaber. Caulis flexuosus, ramosus, ramis divaricatis. Folia alterna, petiolata , glabra, integerrima, ovata, obtusa, oblique nervosa, crassiuscula , lineas 6 lata , vix longiora. Flores e summitate ramorum axillares , solitarii , parvi , nutantes , pedicellati. Calix 5-partitus , laciniis angustis , acutis , adpressis. Corolla campanulato-cylindrica, apice 5-loba, lobis revolutis. Stamina 5 , medio tubo inserta. Antheræ hastatæ , approximatæ, inferne pubescentes , longitudinaliter dehiscentes. Stylus 1. Stigma capitatum. Ovarium superum, annulo glanduloso, flavo , basi cinctum. Baccæ subrotunda , lutea , pisi magnitudine.

**SOLANUM GLAUCOPHYLLUM.** Inerme , fruticosum ; foliis ovato-lanceolatis , integerrimis.

Caules virgati, flexiles, 4-6-pedales, ramosi, ni sustentur diffusi aut procumbentes. Folia glauco pulvere obducta, breviter petiolata, uncias 4-5 longa, lineas 8-15 lata. Flores paniculato-corymbosi , extra axillares et axillares,

subnutantes. Calix minimus. Corolla pallide rosea, rotata, magnitudine corollæ *S. tuberosi*. Lobi obtusi.

**SOLANUM SERPENTINUM.**

Fructus elongatus, serpentinus. An varietas *S. Melongenæ*?

**LYCIUM CARNOSUM.**

Folia parva, obovata, obtusa, carnosae.

**CESTRUM MACROPHYLLUM.** Fruticosum; foliis ovatis, lævibus, integerrimis, perennantibus; floribus glomeratis, axillaribus, sessilibus.

Caulis arborescens, erectus, fruticosus. Folia alterna, ovata, perennantia, lævia, integerrima, acuminata, uncias 4-5 longa, 2 lata. Petioli breves, superne canaliculati. Flores glomerati, sessiles, axillares. Calix teres, parvus, 5-6-dentatus. Corolla flava, tubulosa, fauce ampliata, limbo 5-6 fido, lobis ovatis, parvis. Stamina non exserta. Filamenta inferne unidentata. Stylus 1. Stigma capitatum. Fructum non vidi.

**TOURNEFORTIA LUCIDA.** Caule fruticoso, sarmentoso; foliis ovatis, integerrimis, perennantibus; ramulis floriferis lateralibus; floribus cymosis.

Caulis volubilis. Folia parva, ovata, obtusa, nitida, glabra, integerrima. Ramuli laterales plures floriferi, filiformes. Flores terminales, cymosi. Calix 5-fidus, minutus, laciniis acutis. Corolla, tubulosa, limbo 5-fido, lobis subulatis, patentibus.

**ANCHUSA ALTISSIMA.**

Facies *A. italicæ*, sed duplo altior, caule 6-7-pedali. Corollæ oceruleæ, minores. Faux intus glandulis cincta.

**IPOMOEA SUBPEDATA.** Caule volubili; foliis glabris, profunde 5-7-lobis, ovatis, obtusis; pedunculis capillaribus, subunifloris, petiolo longioribus.

Caulis volubilis, gracilis, glaber. Folia petiolata, glabra. Lobi ovato-elliptici, obtusi, basi utrinque angustati. Stipulæ ad basim petiolorum geminae, dentatae, lobatae, aut integrae, parvae, foliaceae. Pedunculi axillares, solitarii, capillares, folio longiores, ultra medium bracteolis 2 minimis instructi, uni aut rarius biflori. Calix adpressus, laciniis ovatis, basi tuberculosus. Corolla violacea, magnitudine *Convolvuli siculi*, 5-loba. Stigmata 2 crassiuscula, approximata.

**BIGNONIA ÆSCULUS.** Arborescens; foliis longe petiolatis; foliolis 5 ellipticis, integris, glabris, perennantibus, obtuse mucronatis.

Caulis erectus. Folia glabra. Petiolus communis 6-7-uncialis. Foliola 5-digitata, elliptica, seu obovata, glabra, firma, breviter petiolata, integra, uncias 5-7 longa, 2 lata. Nervi oblique paralleli. Non floruit.

**BIGNONIA PSEUDO-UNGUIS.** Fruticosa; caule volubili, tuberculoso; foliolis ovatis, rugulosis, dentato-serratis integrisque. Non floruit.

Affinis *B. Unguis* et *B. paniculatæ*.



**BIGNONIA FRAXINEA.** Caule erecto, fruticoso; foliis imparipinnatis; foliolis ellipticis ovatisve, serratis, acuminatis.

Folia 3-4-fariam pinnata, glabra, foliolis breviter petiolatis. Petiolus superne sulco exaratus. Caulis arborescens, erectus, tuberculosus. An Bignonia?

**ECHITES TRICHOTOMA.** Caule fruticoso, volubili; foliis ellipticis; panicula trichotoma; floribus terminalibus, aggregatis.

Folia opposita, lævia, glaberrima, magnitudine Pruni Laurocerasi, obtuse et acute mucronata, perennantia. Panicula corymbosa, terminalis, trichotoma. Rami graciles. Flores in glomerulos approximati, ex apice ramulorum. Calix minimus, 5-fidus, adpressus. Corolla parva, ante anthesim contorta, tubulosa, semiquinquedida, lobis subciliatis, pallide flavescentibus.

**CARISSA MYRTOIDES.** Suffruticosa; ramis dichotomis; foliis oppositis, ovatis, perennantibus, mucronatis; spinis duabus oppositis intra petiolos; floribus terminalibus.

Frutex Myrti parvuli facie, lactescens. Rami numerosi, dichotomi, juniores pubescentes. Folia opposita, parva, lævia, integerrima, ovata, mucronata, perennantia, brevissime petiolata. Spinæ 2, oppositæ, intrapetiolares. Flores pauci, terminales. Calix minimus, adpressus, 5-dentatus. Corolla ante anthesim contorta, tubulosa, alba, limbo 5-fido, patente, laciniis angusto-lanceolatis. Stamina 5 intra tubum, subsessilia. Anthere hastata. Ovarium oblongum. Stylus 1. Stigma verrucosum. Fructum non vidi. An vere Carissæ species?

**CHRYSOPHYLLUM MACROPHYLLUM.** Caule arboreo; foliis alternis, lato-ellipticis obovatisve, acutis, integerrimis, versus basim angustatis, pube rubiginosa densissima subtus vestitis.

**ANDROMEDA LANCEOLATA.** Foliis lanceolatis, longe acuminatis, serratis, serraturis spinulosis.

**ANDROMEDA CRISPA.**

Affinis A. caliculatæ; differt foliis margine crispis. An varietas?

**HIERACIUM CERATOPHYLLUM.** Caule erecto, villosa; foliis lanceolatis, acutis, ciliatis, longe remoteque dentatis.

Caulis bi-tripedalis, rectus, villosus. Folia glaucescentia, lanceolata, ciliata; inferiora in petiolum utrinque producta, acuta, remote dentata, dentibus longis, acutis. Flores corymboso-paniculati, magnitudine H. sabaudi. Foliola calicina villosa, exteriora laxa, subulata.

**HIERACIUM GLOBOSUM.** Villosum, erectum; foliis inferioribus spathulatis, superioribus lanceolatis, integerrimis; pedunculis unifloris; calicibus ante anthesim globosis.

Caulis pedalis, villosus, simplex aut ramosus, erectus. Folia villosa, radicalia et caulina inferiora spathulata, dentata, petiolata; media et superiora angusto-lanceolata, integerrima. Pedunculi elongati, uniflori, foliolis linearibus-subulatis nonnullis conspersi. Flores subglobosi. Foliola calicina dense villosa.



**HIERACIUM STOLONIFERUM.** Caule prostrato, ramoso, hirsuto; foliis lanceolatis, ciliatis; flagellis elongatis; floribus corymbosis, confertis, terminalibus.

Caulis hirsutus, prostratus, 2-3-pedalis, ramosus, ramis longis, flagelliformibus, floralibus, surrectis. Folia caulina sessilia, lanceolata, integra, ciliata, lineas 12-15 longa, 3-4 lata, brevissime mucronata. Rami floriferi superne glabri, foliolis paucis, acutis referti. Flores terminales corymbosi, parvi, conferti, magnitudine *H. florentini*, breviter pedicellati. Calicis folia nonnulla, hispida.

**CRĒPIS PARVIFLORA.** Caule angulato, ramoso; foliis inferioribus runcinatis, caulinis sagittatis, amplexicaulibus; floribus terminalibus, corymboso-paniculatis.

Caulis erectus, 1-2-pedalis, basi hirsutus, superne glaber, angulosus, a basi ad apicem ramosus. Folia radicalia et caulina inferiora runcinata, lobis acutis; superiora amplexientia, hastata, lanceolata, mucronata. Flores numerosi, parvi, paniculato-corymbosi, terminales. Calix caliculatus, hispidulus, maturo fructu pyramidatus. Semen gracile, striatum. Pappus villosus, albidus, sessilis.

**PICRIS VIRENS.** Hirta; foliis radicalibus lato-lanceolatis, dentatis, obtusis, caulinis sessilibus lanceolatis; floribus corymbosis, terminalibus; calice hispido, laxe caliculato.

Caulis 2-3-pedalis, erectus, pilosus, asper, simplex aut parce ramosus, striatus. Folia hirta, radicalia lato-lanceolata, obtusa, subrepanda, dentata, in petiolum utrinque producta, semipedalia aut longiora, unciam 1-2 lata; caulina sessilia, remota, lanceolata, acuta, dentata. Flores corymbosi, terminales. Calix hispidus; caliculi squamæ subulatæ, laxæ. Semina teretia, transversim striata. Pappus albus, sessilis, plumosus.

**ANDRYALA CANDIDISSIMA.** Tomentosa; foliis caulinis, lato-lanceolatis, integerrimis, incanis, semi-amplexicaulibus; floribus corymboso-paniculatis.

Caulis erectus, 2-pedalis et ultra, superne ramosus, tomento floccoso, candido vestitus, villosus, villis apice globuliferis, glutinosis. Folia radicalia repando-dentata, lanceolata. Affinis *A. cheiranthifoliae* L'her. Differt canitie, foliis lato-lanceolatis, latioribus, integerrimis.

**CNICUS PUBIGERUS.** Caule erecto; foliis amplexicaulibus, lanceolatis, pinnatifidis, lobis inæqualibus, acutis, sæpe furcatis; ciliato-spinosis; pedunculis elongatis, unifloris.

Caulis 4-pedalis aut altior, striatus, ramosus, pubescens. Folia rigida, in acumen producta, subtus pubescenti-lanigera, pinnatifida, lobis lanceolatis, acutis, spina mucronatis, margine ciliato-spinulosis; inferiora lato-lanceolata, pedalia, uncias 3-4 lata. Pedunculi seu rami floriferi longi, uniflori, lanigeri. Flores magnitudine *C. lanceolati*. Calix ovatus, imbricatus, bractea sæpe multifida et spinulosa obvallatus. Squamæ adpressæ, scariosæ, lineari-subulatæ, mucronatæ. Flosculi violacei. Pappus albidus, plumosus.

**ARTEMISIA TRIFURCATA.** Suffruticosa; foliis sericeis, incanis, angustis, trifurcatis, acutis; ramis floriferis horizontalibus.

**GNAPHALIUM GLOBOSUM.** Herbaceum; foliis lanceolato-spathula-

tis, margine crispis, subtus incanis; floribus capitatis, dense congestis.

Caulis pedalis, tomentosus, incanus, parce ramosus, erectus. Folia spathulata, quandoque lineari-spathulata aut linearia, subtus incana, tomentosa, margine crispa. Capitula florum densa, globosa. Flores parvi. Squamæ calicinæ oblongæ, rufescentes. Pappus simplex.

**CONIZA LAXIFLORA.** Caule villosus, paniculato; foliis lanceolatis, inferioribus remote serratis, rameis superioribus lineari-lanceolatis, integerrimis.

Caulis pedalis, villosus, erectus, ramosus, ramis paniculatis. Folia margine ciliata; inferiora remote-serrata, in petiolum utrinque producta, subspathulata, uncias 2 longa, lineas 5-6 lata; superiora angusto-lanceolata, integerrima, ciliata. Flores numerosi, paniculati, hemispherici. Foliola calicina subulata. Pappus rufescens, simplex, sessilis.

**CACALIA ODORATA.** Caule suffruticoso; foliis lanceolatis, mucronatis, argute dentatis, glabris, subtus venoso-reticulatis; floribus corymbosis, terminalibus.

Caulis fruticosus, erectus, ramosus. 2-4-pedalis. Folia alterna, lanceolata, glabra, mucronata, subtus reticulata, glaucescentia, dentata, dentibus acutis, uncias 2-3 longa, lineas 3-6 lata. Flores corymbosi. Calix teres, simplex, foliolis linearibus. Flosculi lutei, omnes hermaphroditi. Pappus simplex, albidus.

**VERNONIA SENEGALENSIS.** Caule erecto; foliis elliptico-lanceolatis, acutis; pedunculis sub-unifloris; foliolis calicinis subulatis, laxis.

Caulis erectus, ramosus, hirtus, teres, pedalis. Folia alterna, elliptico-acuminata, serrata, mollia, hirtella. Flores capitati, flosculosi, cœrulei, capitulis terminalibus, solitariis aut binis. Calix subteres, squamis imbricatis, lineari-subulatis, apice divaricatis; receptaculum commune planum, nudum. Corolla regularis, tubulosa, limbo 5-partito; laciniis linearibus, acutis. Tubus antherarum apice 5-dentatus; ovarium teres, villosum; stylus gracilis; stigmata duo, subulata, cœrulea, exserta. Pappus plumosus, sessilis. Affinis *V. anthelminticæ*: differt foliis angustioribus, foliolis calicinis subulatis, fere capillaribus.

**VERNONIA PERSICIFOLIA.** Caule fruticoso, flexuoso; foliis sessilibus, lanceolatis, longe acuminatis, margine retrorsum asperis; floribus sessilibus, solitariis, axillaribus.

Caulis teres, flexuosus. Folia perennantia, alterna, sessilia, deflexa, firma, margine tuberculis minutis spinulosis retrorsum exasperata, in acumen longum producta, nitida, uncias 3-5 longa, lineas 5-6 basi lata. Flores solitarii, sessiles, axillares, remoti. Calix teres, squamis ovatis, imbricatis arcte adpressis, ciliatis. Flores flosculosi omnes hermaphroditi, dilute rosei, calice longiores. Pappus duplex, sessilis, exterior brevissimus. Receptaculum nudum. Ind. Cald. b.

**MATRICARIA PARTHENIODIS.**

Affinis *M. Parthenio*, et ejusdem forte varietas. Differt caule breviori, vix pedali, foliis glabris, viridibus, demumque odore longe minus intenso.

**ERIGERON LONGIFOLIUM.** Glabrum; foliis lanceolato-subulatis,

**integerrimis; floribus racemosis, paniculatis; foliis calicinis exterioribus laxis, subulatis.**

Herba 2-3-pedalis, erecta. Folia caulina angusto-lanceolata, acutissima, integerrima, firma, uncias 4-5 longa, lineas 3-4 lata, sessilia; ramea subulata. Flores racemosi, racemis latralibus et terminalibus, paniculatis. Calix ovatus; foliola exteriora subulata, laxa. Ligulae breves, flosculorum longitudine. Pappus rufescens.

**ERIGERON AMPLEXICAULE.** Pubescens; foliis caulinis remote serratis, cordato-lanceolatis, amplexicaulibus; floribus paniculatis.

Herba villosa-pubescens, coloris cinerei. Caulis pedalis aut ultra, parce ramosus. Folia radicalia et caulina inferiora obovata, obtusa, in petiolum utrinque producta, inaequaliter dentato-serrata; caulina media et superiora cordato-lanceolata, acuta, a parte media ad apicem remote serrata. Flores corymboso-paniculati. Radii angustissimi, numerosissimi, albi aut pallide caerulescentes, flosculis longiores.

**ASTER CONYZOIDES.** Caule fruticuloso; foliis angusto-linearibus ramulisque pubescentibus; pedunculis aphyllis, unifloris, filiformibus.

Frutex semipedalis aut pedalis, ramosus, ramis erectis et diffusis, pubescentibus. Folia sparsa, linearia, angusta, persistentia. Pedunculi aphylli, filiformes, elongati, pubescentes, uniflori. Foliola calicina imbricata, linearia, adpressa; ligulae violaceae, patentes. Pappus simplex, sessilis, albidus. Semen oblongum, glabrum. In iisdem individuis flores flosculosos omnes hermaphroditos in disco, femineos tubulosos in ambitu pluries observavi; qui autem feminei, in nonnullis floribus elongati, calicem superabant, et demum in plurimis aliis omnino ligulati: unde eadem species sine ligulis est Conyza, et Aster cum ligulis.

**ASTER ROSEUS.** Caule hirsuto; foliis lanceolatis, integris, semi-amplexicaulibus, margine brevissime ciliatis; pedunculis erectis; foliolis calicinis laxis, reflexis.

Caulis 3-5-pedalis, erectus. Radii rosei, lineares, patentes, multiplici serie dispositi. Affinis A. Novae-Angliae, cujus forte varietas: differt caule breviori, ligulis radii aemulae roseis nec violaceis. Floret mense octobri.

**ASTER CONFERTUS.** Foliis lato-lanceolatis, glabris, serrulatis, inferioribus in petiolum productis, superioribus amplexicaulibus; floribus paniculatis, confertis.

Caules erecti, firmi, 6-7-pedales. Rami juniores angulosi, hirsuti villis brevissimis. Calix cylindricus, imbricatus, foliis adpressis, subulatis. Flores A. rubricaulis. Semiflosculi albi, aut colore nonnihil violaceo tincti. Floret autumno. Affinis A. Novi-Belgii: differt foliolis calicinis strictis, floribus confertis.

**ASTER LEUCANTHEMUS.** Caule foliisque glabris, lanceolatis, breviter serrulatis; ramis floriferis paniculato-corymbosis; pedicellis foliosis, filiformibus.

Planta glabra. Caulis erectus, bipedalis. Folia lanceolata, acuta; caulina levissime et parce serrata, uncias 1-3 longa, lineas 3-4 lata. Rami floriferi corymboso-paniculati, erecti. Flores parvi; calicis foliola adpressa,

**linearia.** Semiflosculi albi, Pappus rufescens. Pedicelli filiformes, foliosi, foliolis subulatis.

**ASTER HORIZONTALIS.** Foliis caulinis lanceolatis, glabris, remote serrulatis; rameis subovatis, retro-versis, integerrimis; ramis floriferis numerosissimis, horizontalibus.

Caulis 3-pedalis. Ramuli horizontales, pubescentes. Flores plurimi, parvi. Calix teres, imbricatus, foliolis angusto-linearibus, strictis. Ligulae albae, lineares, angustae, distinctae, patentes. Flosculi pallide violacei. Stamina et styli ut in congeneribus exserti. Species distincta ramis numerosis, horizontaliter patentibus. Floret autumnus.

**SOLIDAGO GLABRA.** Glaberrima; foliis lanceolatis, acutis, serratis, triplinervis; racemis secundis, revolutis.

**SOLIDAGO NUTANS.** Caule pubescente; foliis lanceolatis, acutis, argute serrulatis; panicula ante anthesim nutante.

**SOLIDAGO INTEGRIFOLIA.** Foliis lanceolatis, integris; racemis axillaribus, erectis.

Caulis simplex, pube brevi conspersus, 3-4-pedalis. Folia lanceolata, glabra; inferiora parce denticulata, media et superiora integerrima. Racemi erecti, unilaterales. Bractae subulatae. Flos 4-5 lineas latus. Semi-flosculi 10-20, patentes, elliptici.

**SOLIDAGO HUMILIS.** Caule anguloso, villosus; foliis ovato-lanceolatis, acutis, serratis; racemis florum elongatis, reflexis; floribus secundis.

Caulis pedalis, erectus, angulosus, hirtus. Folia rugulosa, ovato-lanceolata, acuta, serrata. Nervi subtus prominuli, hirsuti. Racemi elongati, foliacei, foliolis lanceolatis. Flores aggregati, secundi, parvi, semiflosculi radiantes.

**SOLIDAGO FUSCATA.** Erecta, glaberrima; foliis lanceolatis, integerrimis; ramis floriferis erectis, paniculatis.

Caulis 3-4-pedalis, erectus, fuscus, laevis, glaber. Folia lanceolata, laevia, glabra, integerrima; inferiora in petiolum utrinque producta, superiora sessilia. Rami floriferi erecti, paniculati. Racemi florum patuli, non revoluti. Flores lutei, numerosi, parvi.

**SOLIDAGO PLANTAGINEA.** Glabra; caule angulato; foliis triplinerviis, levissime serrulatis, acutis, versus basim angustatis, inferioribus ovatis; ramis floriferis erectis, foliaceis.

Planta glaberrima. Caulis angulosus, 3-4-pedalis. Folia triplinervia, levissime serrulata; inferiora ovato-elliptica, acuta, utrinque versus basim attenuata, superiora lanceolata. Rami floriferi erecti, foliacei, paniculati. Racemuli partiales pauciflori. Pedicelli foliolis subulatis conspersi. Flores lutei, parvi.

**SOLIDAGO MULTIFLORA.** Foliis lanceolatis, trinerviis, remote serratis, acutis; floribus racemosis; racemis erectis, secundis, paniculatis.

Caulis erectus, striatus, non nihil pubescens, 2-pedalis. Folia sessilia,

**lanceolata**, acuta, remote et argute serrata, 3-nervia; nervi paginae inferioris villis brevibus conspersi. Flores parvi, lutei, numerosissimi, racemosi, racemis brevibus, secundis, erectis, paniculatis. Panicula erecta. Ligulae 10, angustissimae, patentes.

**SOLIDAGO ASPERULA.** Caule villosa, asperulo; foliis lanceolatis, levissime serrulatis; racemis elongatis, patulis; floribus secundis.

Caulis 3-4-pedalis, hirsutus pilis brevibus, asperulis. Folia lanceolata, glabra, levissime serrulata. Flores racemosi, terminales. Racemi longi, paniculati, patentes. Flores numerosi, parvi, secundi, lutei. Rami pubescentes.

**SOLIDAGO GRANDIFLORA.** Caule villosa; foliis ovato-lanceolatis, serratis, rigidis, asperis; pedunculis erectis; floribus capitato-racemosis.

Facies *S. rigida*. Differt foliis serratis; floribus duplo majoribus: folia *S. rigida* integerrima.

**CINERARIA ALLIARIFOLIA.** Glabra; foliis radicalibus cordato-reniformibus, subcrenatis; foliis rameis lanceolatis, obtusis; floribus corymbosis.

Pedunculi filiformes, uniflori, foliolis setiformibus conspersi. Calix cylindricus. Semiflosculi radiantes, violacei.

**SENECIO VALERIANÆFOLIUS.** Foliis glabris, profunde pinnatifidis, pinnis inaequaliter dentatis, floribus aggregatis; pappo violaceo.

Planta glabra. Caulis erectus, striatus, 3-4-pedalis, ramosus. Folia inferiora pedalia, omnia profunde pinnatifida, pinnulis distinctis, ovatis et lanceolatis, remote dentatis, dentibus mucronatis, inaequalibus. Flores aggregati, terminales, magnitudine *S. hieracifolii*. Calix teres, absoluta florescentia basi ventricosus, foliolis setiformibus, laxis, inferne stipatus. Squamae lineares, aequales, uno ordine dispositae. Flores flosculosi, omnes hermaphroditi, apice violacei. Pappus villosus, violaceus.

**ACHILLÆA SEMIPECTINATA.** Caule decumbente; foliis lineari-lanceolatis, semipinnatis, pectinatis, pubescentibus, pinnulis denticulatis.

Herba bipedalis, villosa, villis adpressis. Semiflosculi flavi. Affinis *A. decumbenti* Lamk: differt foliis semipinnatifidis. Folia *A. decumbentis* bipinnatifida, laciniis inaequalibus subulatis.

**SYLPHIUM TERNATUM.** Affine *S. trifoliato*; differt foliis ovatis, latioribus. An varietas?

**HELIANTHUS PETIOLARIS.** Caule aspero; foliis ovatis, trinerviis, subtus tuberculosis; pedunculis elongatis; foliolis calicinis lanceolato-subulatis, exterioribus laxis.

Caulis 3-5-pedalis, ramosus, erectus, tuberculis asperis conspersus. Folia ovata, trinervia, subcrenata, subtus tuberculosa, uncias 4-5 longa, 2 lata. Petiolus folio longior. Folia calicina lanceolata, subulata; exteriora laxa aut etiam deflexa. Flos magnitudine fere *H. multiflori*. Radii 16-18 basi

annulo pubescente instructi. Flosculi fuscescentes. Paleæ carinatæ, mucronatæ. Semina fusca, villosa. Aristæ 2, paleaceæ, deciduæ.

**TITHONIA TAGETIFLORA.** Foliis alternis, cordatis, crenatis, acuminatis, in petiolum productis; inferioribus bi vel trilobis; pedunculis terminalibus nudis, unifloris.

Annua. Caulis erectus, lævis, teres, 2-3-pedalis et ultra, ramosus, vix striatus, pubescens. Pedunculi solitarii e summitate ramorum, simplices, uniflori, aphylli, superne inflati et fistulosi. Folia alterna, cordato-ovata, acuminata, crenata, asperula, non nihil propendentia, uncias 3-4 lata, paulo longiora, trinervia, in petiolum superne canaliculatum utrinque producta, inferiora 2-3-loba, sinubus arcuatis. Calix teres 12-15-partitus, laciniis ovato-oblongis, acutis, subæqualibus, approximatis, gemino ordine dispositis, apice reflexis. Corolla radiata, lineas 15 lata. Semiflosculi 12-16, neutri, elliptici, apice dentati aut emarginati; tubus brevis, filiformis, pubescens, subarcuatus. Flosculi hermaphroditi fertiles, 5-dentati; tubus teres, supra basim inflatus. Stamina 5. Antheræ fuscae, in cylindrum connatæ, exsertæ. Stylus 1. Stigmata 2, reflexa, pubescentia. Semen leve, obverse pyramidatum, sulcatum, paleolis 4-5 inæqualibus, aristaque unica aut duplici coronatum. Receptaculum paleaceum. Paleæ elongatæ, hinc concavæ, acutæ, semina involventes et superantes.

**GUETTARDA HIRSUTA.** Caule arborescente; foliis late ovatis, acuminatis, ramulisque villosis, divaricatis.

Folia uncias 6-10 longa, 5-8 lata, utrinque villosa, patentia. Petioli superne depressi. Stipulæ 2 ovatæ, acutæ, deciduæ. Rami divaricati, juniores villosi. Facies G. argenteæ: differt foliis ovatis, acuminatis, nec obovatis, nec versus petiolum utrinque angustatis, ut in G. argentea. An Guettarda? Non floruit.

**MORINDA MACROPHYLLA.** Caule quadrangulo; foliis late ellipticis, glabris, breviter petiolatis; stipulis binis, ovatis, patentibus.

Caulis erectus, fruticosus. Rami tetragoni. Folia uncias 8-15 longa, 4 lata, glaberrima, undulata, perennantia, acuta, mucronulata, in petiolum brevem producta. Nervi transversales obliqui, alterni. Stipulæ 2 patentes, deflexæ, mucronatæ. Non floruit. An Morinda?

**COCCOCYPSILUM VIOLACEUM.** Villosum; caule repente; foliis ovato-orbiculatis, breviter petiolatis; pedunculis axillaribus, solitariis, folio longioribus; floribus capitatis.—Hedyotis campanuliflora Bot. Mag. 2840.

Herba villosa. Caules ex communi cespite plures, herbacei, repentes, teretes, villosi. Folia opposita, ovato aut subcordato-orbiculata, breviter petiolata, oblique nervosa, integerrima, lineas 8-12 longa. Pedunculi axillares, solitarii, folio longiores, simplices. Flores capitati. Calix villosus, 4-fidus, laciniis lineari-subulatis. Corolla violacea, tubulosa, tubo superne ampliato, intus villosus, limbo 4 quandoque 3-lobo, lobis ovatis, patentibus. Stamina 4, rarius 3, lobis corollæ alterna, sinubus loborum inserta. Stylus 1. Stigmata 2 crassiuscula. Ovarium biloculare, loculis polyspermis. Fructum non vidi.

**VIBURNUM PYRIFOLIUM.**

Simillimum V. prunifolio, differt fructu ovato: in V. prunifolio, fructus rotundus. An varietas?

**PASTINACA DIVARICATA.** Pubescens; ramis divaricatis; foliis pinnatis; foliolis oppositis, cordato-ovatis, obtusis, dentato-crenatis, antice basi excisis.

Semen suborbiculare, medio elevatum, trisulcum.

**CHÆROPHYLLUM DAUCIFOLIUM.** Glabrum; foliis bipinnatis; foliolis ovatis, acutis, profunde incisis, incisuris inæqualiter serratis integrisve, semine lævi, semitereti, superne sensim attenuato.

**CHÆROPHYLLUM LUCIDUM.**

Affine præcedenti; differt foliis nitidis, incisuris foliorum minus elongatis, magisque approximatis. Fructus forma similis, sed minor.

Chærophyllum sylvestre, Ch. daucifolium et Ch. lucidum, sunt species affines, quæ aspectu facile distinguuntur, sed verbis differentias exprimere difficillimum.

**PEUCEDANUM PETROSELINUM. — CNIDIUM PETROSELINUM. DC. Mss.**

Foliis trifariam decompositis; foliolis linearibus, acutis, bi-trifidis, distantibus; flore flavescente; involucro nullo, involucello polyphyllo.

Planta glaberrima. Caulis erectus, lævis, 3-4-pedalis. Folia trifariam decomposita, foliolis bitripartitis, quandoque simplicibus, linearibus, acutis, nitidis, inæqualibus, distantibus. Pedunculi striati. Involucrum universale nullum, parziale breve, polyphyllum; foliolis subulatis. Umbella multiradiata, uniformis. Petala flava. Styli brevissimi, vix conspicui. Semina flavescentia, ovato-cylindrica, quinquecostata. Æstate floret.

**SELINUM PEUCEDANOIDES.** Caulè sulcato; foliis glabris, 2-4-fariam decompositis; laciniis ultimis linearibus, acutis, mucronulatis; seminibus ellipticis, compressis, dorso striatis, margine alatis.

Distinctum a S. austriaco foliis angustioribus, cujus varietas omnino videtur.

**ERYNGIUM TRIPARTITUM.** Foliis radicalibus tripartitis, inæqualiter serratis, serraturis spinulosis; lobo intermedio majore, obtuso, a basi ad apicem latiore.

Caulis erectus, striatus, ramosus, 2-pedalis. Folia profunde trifida, lobis lanceolatis, rigidis, nervosis, serratis, dentibus spinosis. Capitula florum globosa. Involucra 6-9-phylla, angusto-lanceolata, margine spinosa, capitulis duplo triplove longiora. Paleæ simplices et tricuspidae, mucronatae, pungentes. Affine E. oliveriano; differt lobis foliorum radicalium non multifidis, capitulis globosis nec ovatis, duplo minoribus.

**THALICTRUM ANGULOSUM.**

Varietas major Th. flavi.

**CAPPARIS GLANDULOSA.** Caule fruticoso, inermi; foliis lanceolatis, perennantibus, integerrimis, nervo medio glandulosis. An Capparis?

Folia uncias 5-6 longa, lineas 8-12 lata, versus petiolum brevem angustata, nitida. Glandula singula in aversa folii facie poro perforata.



**MALPIGHIA MYRTIFOLIA.** Ramis tuberculatis ; foliis ovatis, acutis, integerrimis, perennantibus.

Frutex. Folia ut in Myrto communi brevissime petiolata, opposita. Rami numerosi, juniores tuberculis plurimis, albis, asperis, conspersi. Non floruit.

**BANISTERIA GLAUCA.**

Caulis fruticosus, sarmentosus, tuberculosus. Folia opposita, petiolata, cordata, glauca, basi biglandulosa, margine ciliata, ciliis rigidulis, distinctis. Differt a B. ciliata lobis foliorum posticis non superpositis. An varietas?

**KOOKIA ANISATA.** Foliis impari-pinnatis ; foliolis ovato-ellipticis, acutis, crenulatis

Frutex. Folia alterna, impari-pinnata, foliola 7-9 glabra, lævia, crenulata, ovato-elliptica aut lanceolata, acuta, breviter petiolata, vesiculis translucentibus conspersa. Petiolus communis teres, tuberculosus. Folia recentia contrita odorem Illicii anisati spirant.

**CITRUS TRIPTERA.** Caule inermi ; foliis trifoliatis ; foliolis lanceolatis, acutis, petiolo communi tereti, non alato.

**CITRUS EMARGINATA.** Spinosa ; foliis simplicibus, ellipticis, nitidis, firmis, levissime crenulatis, obtusis, emarginatis.

Frutex in hortis. Folia lineas 6-12 longa, 5-6 lata. Petiolus brevissimus, non alatus.

**CITRUS HISTRIX.** Spinosa ; foliis ovatis, obtusis, lævibus, crenatis, ala petioli obovata, crenata, folii fere magnitudine.

Spinæ validæ, sæpe unciales aut longiores. Folium cum ala petioli ita sunt, ut folia 2 gemina distincta simul juncta videantur.

**LEEA MACULATA** Caule aspero ; foliis bipinnatis ; petiolis basi incrassatis ; foliolis ovato-ellipticis, acuminatis, glabris, remote serratis.

Caulis fruticosus, basi ramosus, teres, tuberculis minimis, asperis conspersus. Folia alterna, petiolata, perennantia, impari-bipinnata. Foliola, petiolis basi incrassatis, opposita, rigidula, nitida, glabra, remote serrato-dentata, ovato-elliptica, acuminata, breviter petiolata, maculis fuscis ad basim nervorum transversalium notata. Flores cymosi, rosei. Cyma multiradiata, pedunculata, lateralis. Calix parvus, 5-6-dentatus. Corolla 5-6-petala, petalis ovatis, patentibus. Urceolus campanulatus, 5-6-partitus, laciniis apice bilobis. Stamina 5-6, petalis alterna, filamenta basi urceoli extus inserta, et ejusdem lobis interjecta. Antheræ biloculares, intus dehiscentes, approximatae. Stylus 1. Ovarium superum. Flores masculos, hermaphroditos, simulque femineos in eodem individuo observavi. Filamenta staminum sæpe basi soluta.

**MALVA BRASILIENSIS.** Fruticosa, erecta ; foliis cordato-ovatis, crenatis, 3-lobis, 5-nerviis ; pedunculis axillaribus, uni-multifloris ; stipulis setiformibus, deciduis.

Caulis 3-6-pedalis, fruticosus, ramosus, erectus, villis ramosis brevibus conspersus. Folia cordato-ovata, obtusa, triloba, lobo medio productione, inæqualiter crenata, subtus villosa, 5-nervia. Petiolus ad insertionem cum folio incurvus. Pedunculi ex singula petiolorum axilla plures,



inæquales , uni aut multiflori , folio breviores. Calix pubescens, duplex ; interior 5-lobus , exterior deciduus , trisetus. Corolla calice major , crocea. Capsulæ pubescentes , monospermæ.

**SIDA TRICUSPIS.** Caule suffruticoso , hirtio; foliis cordatis, sericeis, subtus incanis', superis apice trilobis , lobis acutis.

Frutex erectus, 2-3-pedalis. Petioli hirti , folio longiores. Folia cordata , lobis posticis equitantibus , inæqualiter dentato-crenata , mollia , subtus incana ; inferiora subquinque loba , superiora apice triloba , lobis acutis. Flores parvi , corymboso-paniculati. Calix quinquefidus , laciniis ovatis , sericeis. Corolla flava. Capsulæ 9-10 , acutæ , mucronatæ , villosæ , calicem superantes. Semina 2-3 in singulo loculo.

**BOMBAX SERRATA.** Caule arborescente , aculeato ; foliis longe petiolatis , glabris ; foliolis 7-9, lanceolatis , acutis, serratis.

**GREWIA CANDIDA** Delile. Foliis ovatis, acuminatis, dentato-crenatis, pubescentibus ; pedunculis lateralibus , folio brevioribus ; petalis basi squama ciliatâ instructis.

Caulis fruticosus. Folia triplinervia , perennantia. Petioli breves. Pedunculi laterales. Flores corymbosi, pedicellati. Calicis folia lineari-lanceolata, sulcata, patentia. Petala alba , linearia , obtusa , calice breviora. Germen villosum. Ramuli , folia , calices , villis brevissimis , stellatis conspersi.

**ZANTHOXYLUM RUFESCENS.** Caule aculeato ; foliis impari-pinnatis ; foliolis 5-6-jugis , ellipticis, obtusis , perennantibus , aculeo gemino stipatis.

Frutex ramosus. Caules ramique aculeis parvis conspersi. Foliola nitida , firma , integra , lineas 8-10 et ultra longa , lineas 6-8 lata , punctata. Petiolus communis canaliculatus. Rami juniores , petioli , nervi foliorum , colore fusco-sanguineo tincti. Nondum floruit.

**FRANKENIA VIRENS.** Glabra, suffruticosa ; caule erecto ; foliis oppositis, ovatis, obtusis, margine revolutis fasciculis axillaribus ; floribus terminalibus. An Fr. nodiflora Lamk. Ill. t. 262. f. 4?

**PARONYCHIA TENELLA.** Glabra , prostrata ; foliis lineari-lanceolatis, angustis. Capitellis florum axillaribus, argenteis, sessilibus.

Caules herbacei , ramosi , graciles , prostrati aut procumbentes, semipedales et ultra. Folia opposita , glabra , lineari-lanceolata , obtusiuscula, basi in petiolum attenuata , integerrima , patentia , lineas 6-12 longa, 1-2 lata. Glomeruli florum parvi , subrotundi.

**OENOTHERA SALICIFOLIA.** Caule erecto, valde angulato; foliis oblongo-lanceolatis , acutis , pilosiusculis , crassiusculis , genitalibus corollam æquantibus. DC. Prodr.

Caulis quadripedalis , erectus , simplex aut parce ramosus. Folia brevissime dentata , inferiora oblongo-lanceolata , superiora lanceolata. Calix pubescens. Corolla flava , eadem magnitudine ac corolla OE. biennis. Capsula elongata , pubescens , obtuse tetragona. Affinis OE. bienni.

**METROSIDEROS GLANDULOSA.** Foliis alternis , sparsis , angustolanceolatis , acutis , punctato-tuberculosis , ramulisque junioribus villosis.

**EUCALYPTUS PERFOLIATA.** Foliis oppositis, perfoliatis, glaucis, mucronatis, integerrimis.

Rami teretes. Folia fere Lonicerae parviflorae. Florem nec fructum vidi.

**EUCALYPTUS DISCOLOR.** Ramulis teretibus, purpureis; foliis oppositis, sessilibus, connatis, lato-lanceolatis, acuminatis, subtus glaucis.

**EUCALYPTUS GLANDULOSA.** Ramis tuberculosus; ramulis filiformibus; foliis oppositis, connatis, lanceolatis, acuminatis.

Folia glaberrima, uncias 3-5 longa, lineas 4 lata, in acumen longum attenuata. An *E. tuberculata* DC. Prodr.?

**EUCALYPTUS RUBRICAULIS.** Ramis asperis; ramulis filiformibus; foliis alternis, angusto-lanceolatis, acutis, petiolatis.

Folia uncias 2-3 longa, lineas 3 lata.

**EUCALYPTUS PULCHELLA.** Ramulis filiformibus; foliis alternis, lineari-subulatis; floribus axillaribus, umbellatis, operculo convexo, mucrone obtuso, brevissimo.

Ramuli filiformes, paniculati. Folia uncias 2 longa, lineam 1 lata, utrinque acuta. Petioli breves. Flores in umbellulas axillares dispositi. Pedunculus communis folio multoties brevior, 10-12-florus.

**EUCALYPTUS POPULIFOLIA.** Ramis laevibus; foliis petiolatis, alternis, cordato-orbiculatis, muticis et mucronulatis.

Facies *E. cordati* Labillardière; differt foliis petiolatis. Non floruit.

**EUGENIA SESSILIFOLIA.** Foliis oppositis, connatis, sessilibus, ovato-lanceolatis; nervis transversis, parallelis, impressis, summitate arcuatim anastomosi junctis.

Caulis arborescens. Folia horizontalia, nutantia, glaberrima, sessilia, perennantia, ramos semi-amplexantia, uncias 6-8 longa, 2 lata. Non floruit.

**CRATÆGUS SERRATIFOLIA.** Foliis rigidis, perennantibus, lanceolato-ellipticis, nitidis, glaberrimis, dentato-serratis.

**CRATÆGUS SORBIFOLIA.** Foliis pinnatifidis, dentato-serratis, lobo terminali majore, ovato; baccis nigris, subrotundis.

Rami dependentes. Folia pinnatifida, superne glabra, nervis paginae inferioris pubescentibus. Lobi subquini, postici oblongi, usque ad petiolum secti; terminalis major, ovatus, basi saepe lobatus, acutus, quandoque obtusus. Stipulae geminae, foliaceae, obovatae, inaequaliter dentatae. Flores corymbosi. Pedunculi et calices villosi. Petala alba. Baccae nigrae, subrotundae, apice umbilicatae, 5-radiatae, Pisi crassioris magnitudine. Semina 5 cartilaginea.

**CRATÆGUS UMBELLATA.** — **CRATÆGUS GRÆCA.** Foliis obovatis, inaequaliter dentatis, quandoque sublobatis, subtus tomentosis, incanis.

Rami juniores tomentosi. Folia ludunt, alia obovata, alia elliptica, quaedam flabellata et sublobata, lobis dentatis. Bacca laevis, sphaerica, magnitudine

baccæ *C. latifoliae* Lamk. ; matura crocei coloris , mollis , 5-locularis , 5-sperma. Semina fusca , cartilaginea , oblonga , lævia , hinc convexa , acuminata.

#### **MESPILUS RACEMIFLORA.**

Folia ovata , acuminata , mucronulata , subtus lanugine brevi , adpresso , æque ac *M. Eriocarpa* et *M. Cotoneaster*. Baccæ etiam rubræ et rotundæ ; sed differt baccarum umbilico depresso , neque ac in aliis quinq̄sulco , baccis 1-2-spermis.

#### **MESPILUS MELANOCARPA.**

Folia ovata , subtus lanuginosa , incana , superne rugulosa. Baccæ nigræ. Umbilicus depressus , 5-sulcus. Semina 2-3 observavi , fere orbiculata , hinc convexa , ossea , lutea , apice subbicolla , media parte inferiori tegmento opaco velata.

#### **MESPILUS ERIOCARPA.**

Rami juniores pubescentes, Folia ovata et elliptica , integerrima , acuta et obtusa , subtus lanuginosa , lanugine brevissimo , adpresso. Stipulæ 2 , petiolares , parvæ , subulatæ. Baccæ juniores villosæ , maturæ glabræ , rubræ , subrotundæ , 4-5-spermæ. Varietas omnino *M. Cotoneaster* distincta tantum baccis ante maturitatem pubigeris.

**GEUM HETEROPHYLLUM.** Caule erecto , flexuoso , patentim piloso , dichotomo ; foliis radicalibus obtuse trilobis , caulinis subbipinnati-sectis , lobis rhombeo - cuneiformibus , lobulatis dentatisque ; stipulis ovalibus , profunde dentatis ; pedunculis floriferis fructiferisque brevibus , rigidis ; petalis obovatis , calicem æquantibus ; capitulo carpellorum sphærico , glaberrimo ; stylis numerosissimis ; appendicibus brevibus. DC. Prodr. 2. p. 550.

**GEUM RUGOSUM.** Caule erecto , hirtio , dichotomo ; foliis inferioribus pinnatifidis , lobo extremo maximo , rotundato , dentato ; caulinis tripartitis , lobis lanceolatis , acutis , serratis ; capite carpellorum subrotundo ; carpellis villosis ; stylis apice intortis , geniculatis.

Affine *G. heterophyllo* , distinctum carpellis villosissimis.

**PRUNUS INCANA.** An *AMYGDALUS INCANA* Marsch ? Foliis lanceolato-ellipticis , serratis , subtus tomentosis , incanis ; stipulis multifidis ; laciniis subulatis ; drupa subrotunda.

Frutex 6-8-pedalis. Folia decidua , lanceolata , obtusa et acuta , levissime et creberrime serrata , superne glabra , subtus tomentosa , incana , uncias 2-3 longa , lineas 5-8 lata. Petioli breves , glandulosi. Stipulæ squamosæ , adpressæ , multifidæ , laciniis subulato-setaceis. Petala rosea. Drupa subrotunda , pisi magnitudine.

#### **GLEDITSCHIA SINENSIS.**

Legumen planum , crassum , læve , oblongo-ellipticum , uncias 5-6 longum , 2 latum.

**GLEDITSCHIA FEROX.** Foliis abrupte pinnatis ; foliolis 6-9-jugis ,

ovatis, obtusis, crenulatis; spinis elongatis, validis, 2-3-furcatis, subteretibus.

Rami juniores punctis albis conspersi. Legumina crassa, recta, rarius incurva, utrinque convexa, uncias 6-7 longa, lineas 6-7 lata. Suturae marginales elevatae. An folia constanter pinnata?

**GLEDITSCHIA MACRANTHA.** Foliis abrupte bipinnatis; foliolis lanceolatis, crenulatis; spinis validissimis, compressis, trifurcatis.

Rami juniores venosi, nec punctati. Folia bipinnata. Spinæ validissimæ.

**TRIGONELLA MICRANTHA.** Pubescens; caule procumbente, floribus aggregatis, axillaribus, sessilibus; leguminibus planis, hinc arcuatis, villosis, mucronatis.

Herba pubescens, procumbens. Caules ex eodem cespite plures. Folia 3-foliata, foliolis denticulatis, ellipticis, obtusis, intermedio petiolato. Flores aggregati, axillares, sessiles. Laciniae calicis subulato-setaceæ, corollæ longitudine. Corolla minima, lutea, magnitudine Meliloti lupulinæ. Legumina plana, brevia, mucronata, villosa, hinc arcuata, transversim striata, 1-2-sperma.

**DIOCLEA CASSINOIDES.** Fruticosa, volubilis; foliis trifoliatis; floribus racemosis, axillaribus.

Rami graciles. Folia perennantia. Foliola glabra, oblonga, obtusa, apice sæpe emarginata, petiolata, unciam 1 longa, lineas 4-5 lata. Stipulæ minimæ, acutæ, adpressæ, basi hinc et inde tuberculo stipatæ. Flores racemosi, axillares, coccinei, eadem magnitudine qua flos Sophoræ capensis. Calix 4-dentatus, dentibus acutis; vexillum alis paulo longius, vix surrectum; alæ longitudine carinæ, carina dipetala, basi calcharata. Stamina monadelphæ. Ovarium teres. Stylus filiformis. Stigma obtusum. Legumen....

**VICIA TETRAGONA.** Foliolis ovatis, obtusis, mucronulatis; racemis longe petiolatis; leguminibus compressis, acutis, glaberrimis.

Planta glabra. Caulis tetragonus, 5-6-pedalis. Folia alterna, 5-7 aut plura in communi petiolo. Stipulæ dentato-lobatæ, lobis mucronatis. Pedunculi longi, axillares, multiflori. Flores secundi, racemosi. Calix persistens, dentes inferiores longiores, mucronatæ. Corolla flavescens. Legumina compressa, acuta, lineas 12-16 longa, 4-5 lata, 3-5-sperma. Affinis *V. sylvaticæ*. Lin.

**PITTOSPORUM CRISPUM.** Foliis glabris, alternis, lanceolatis, acutis, petiolatis, margine crispis; floribus corymbosis, confertis, terminalibus.

Caulis frutescens, ramosus. Rami juniores tuberculosi. Folia glaberrima, uncias 4-5 longa, lineas 6-9 lata, perennantia. Flores albi, terminales.

**EUPHORBIA DENTATA.** Caule hirsuto; foliis ovatis, petiolatis, dentatis; floribus capitato-umbellatis, axillaribus.

Caulis erectus, ramosus, hirtus, 1-2-pedalis. Folia ovata, alterna, dentata, uncias 1-2 longa, paulo angustiora. Petioli hirti. Flores capitato-umbellati, axillares, ad summitatem caulis et ramorum. Pedunculi breves.

Capsulae laeves, monospermæ. Semina rotunda, fusca, verrucis minimis exasperata. ☉

**LOUREIRA PELTATA.** Foliis peltatis, ovatis, acutis, glabris, lævibus; pedunculis dichotomis, divaricatis.

Frutex dioicus, ramosus. Rami teretes. Folia alterna, petiolata, peltata, quandoque ovata et cordata, lævia, integerrima, glabra, quinque-nervia. Pedunculi extra-axillares, dichotomi, divaricati, folio longiores, sæpe demissi et quasi refracti. Flores breviter pedicellati, parvi. Calix exiguus, 5-partitus, laciniis oblongis, obtusis, adpressis. Corolla calice longior, alba, campanulata, 5-partita, lobis obtusis, conniventibus. Stamina 8; filamenta basi monadelpha, quatuor aut quinque breviora. Glandulae 5, columnam staminiferam basi cingentes. Antherae globosae, biloculares. Florem femineum non vidi.

**SAPIUM LAUROCERASUM.** Foliis ellipticis, obtusis, nitidis, integris, basi biglandulosis; floribus axillaribus, femineis breviter pedunculatis.

Caulis fruticosus, arboreus. Rami juniores cicatricibus foliorum secedentium exasperati. Folia alterna, parum remota, elliptica, obtusa, nitida, crassiuscula, margine non nihil cartilaginea, tenuissime denticulata, retrorsum asperula, basi superne biglandulosa, perennantia, uncias 3-5 longa, 2 lata. Petioli breves. Stipulae 2, squamiformes, exiguae. Feminei floris pedunculi axillares, solitarii, breves, 1-3-flori; glandulae 3-5 urceolatae, florem circumdantes; corolla nulla; ovarium læve, globosum, rostratum, triloculare; stylus 1, brevis; stigmata 3. Florem masculinum non vidi (an arbor dioica?). Rami et folia succo lacteo, urente, turgescunt.

**OMPHALEA LEVIGATA.** Foliis ellipticis, obtusis, basi superne biglandulosis, glandulisque remotis, subtus extra marginem uniserialibus, conspersis.

Caulis teres, fruticosus, ramosus. Folia elliptica, obtusa, petiolata, crassiuscula, glabra, integerrima, uncias 6-12 longa, 3 lata. Flores racemosi; racemi sæpe pedales, penduli. Pedunculi extra petiolares. Bractea foliacea, virides, lanceolato-spathulatae, longe petiolatae. Flores monoici, parvi, virescentes. MASC. : calix 5, rarius 4-partitus, lobis ovatis, obtusis, crassiusculis, patentibus; corolla nulla; stamina 3 monadelpha; columna staminum apice peltata, triloba, lobis atro-rubentibus; antherae globosae, biloculares, intra lobos. FEM. : calix ut in mare, adpressus; corolla nulla; stylus columnaris, obtusus; ovarium globosum, læve, triloculare, loculis monospermis; capsulae....

**PASSIFLORA BRASILIANA.**

Affinis omnino *P. quadrangulari*, cujus petioli quadriglandulosi, in *P. brasiliensi* biglandulosi. Flos paulo major quam in *P. alata*.

**FICUS AQUATICA.** Foliis oblongis, trilobis sinuatisque, integerrimis, utrinque scabris; receptaculis pyriformibus, pedunculatis. Willd. Spec. 4. p. 1153. H. malab. 3. t. 62. *F. heterophylla* Lamk. An Lin. Suppl? *F. rufescens* Vahl. Enum. Ind. Cald.

Folia quercina. Fructus pyriformes, breviter pedicellati, tuberculis conspersi, *Prunellæ sylvestris* magnitudine, paulo minores quam in icone Horti malabarici. Umbilicus ruber.

**FICUS FULVA.** Foliis quinquelobis , denticulatis. Fructibus solitariis geminisque , axillaribus, sessilibus, subrotundis, villosissimis.

Rami juniores villosi. Folia Sterculiæ platanifoliæ , 5-loba , subtus lanugine molli vestita, petiolata. Fructus rufescens, villosus, Cerasi magnitudine. An eadem ac *F. fulva*. Sprengel, Syst. ?.

**FICUS SYMPHYTIFOLIA.** Lamk. Encycl. *F. scabra* Jacq. H. schœn. t. 315.

Distincta à *F. oppositifolia* Roxb. Corom. t. 124, cujus folia ovata; alterna et opposita sunt in *F. symphytifolia*, sed obovata.

**FICUS PURPURASCENS.** Foliis ovatis, asperis, dentatis, rugulosis subtus purpurascentibus, reticulatis, nervis prominulis.

Folia uncias 5-8 longa, 4-5 lata, perennantia.

**FICUS MACROPHYLLA.** Pers. Syn.

Folia cordata, rigida, glabra, breviter petiolata, superne nitida, subtus reticulata, integerrima, uncias 7-10 longa, 5-6 lata, perennantia. Petioli vix pollicares. Fructus solitarii, globosi, pyriformes, nutantes, magnitudine Pyri minoris. Pedunculus parte media articulatus.

**FICUS RIGIDA.** Caule arboreo; foliis petiolatis, lato-ellipticis, glabris, trinerviis, integerrimis, subtus reticulatis, nervisque prominentibus, distantibus. *F. Neumanni*. Cels.

Caulis erectus, arborescens. Folia rigida, perennantia, bi-tri-pedalia, uncias 6-7 lata, glaberrima, trinervia, subtus reticulata, nervis remotis, prominulis. Petioli crassi, superne depressi, uncias 5-8 longi.

**FICUS FERRUGINEA.** Foliis oblongis, obtuse acuminatis, superne nitidis, integerrimis, ramis foliisque junioribus pube densa, ferruginea vestitis. Cald. 5

Caulis arboreus, erectus. Folia petiolata, elliptica, versus basim non nihil angustiora, uncias 9-12 longa, 4-5 lata, petiolata, petiolo pubescente, vix pollicari, distincta à *F. rubiginosa* Ventenat.

**▲FICUS BRASILIENSIS.** Cels.

Valde affinis præcedenti, cui simillimus, et cujus forte varietas; differt ramis foliisque junioribus pube longe minus densa vestitis.

**FICUS POPULNEA.** Foliis oblongis, breve acuminatis, integerrimis, glabris. Willd. Sp. 1141. Amer. m. Cald. 5.

**FICUS POPULEASTER.** Foliis cordatis, acuminatis, nitidis, integerrimis, longe petiolatis; fructibus solitariis geminisve, globosis, sessilibus.

Fructus Pisi magnitudine. Affinis omnino *F. populifoliæ* Vahl. Symb., t. 22. Differt fructibus sessilibus, qui in *populifolia* pedicellati.

**FICUS RECLINATA.**

Rami recurvi. Folia ovata, acuminata, glaberrima, integerrima, levia,

perennantia, uncias 3-4 longa. Nervi transversales. Petioli graciles, paralleli, subtus prominuli, 1-2 unciales, superne canaliculo exarati.

**FICUS LUTESCENS.** Foliis ellipticis, utrinque angustatis, punctatis, basi-que biglandulosis; fructibus globosis, pedicellatis.

Caulis erectus, ramosus. Folia breviter petiolata, uncias 3 longa, 1 lata, integerrima, perennantia, obtusiuscula, superne lævia, subtus pallidiora, reticulata, punctisque plurimis lenti vitreo conspicuis adspersa, basi biglandulosa. Fructus globosi, Pisi magnitudine, pedicellati, distantes, maturi flavescentes.

**FICUS CERASIFORMIS.** Foliis ovato-ellipticis, acuminatis, basi trinerviis, subtus venosis, pubescentibus; petiolis arcuatis; fructibus globosis, tuberculosi.

Caulis fruticosus. Rami juniores pubescentes. Folia ovata aut elliptica, perennantia, uncias 8-10 longa, 4-5 lata, basi 3-nervia, subtus rigidula, nervosa, nervis anastomosantibus, brevissime pubescentibus. Petioli breves, arcuati. Fructus globosi, pedicellati, gemini aut solitarii, pubescentes, tuberculosi, Cerasi magnitudine, maturi rufo-flavescentes.

**FICUS VESTITA.** Deleatur; eadem ac *F. pumila*.

**FICUS PHYTOLACCÆFOLIA.**

Folia elliptica, firma, crassiuscula, obtuse mucronata, integerrima, glabra, superne longitudinaliter canaliculata, uncias 3-4 longa, 1-2 lata. Petioli breves.

**FICUS PYRIFOLIA.**

Folia ovata, integerrima, lævia, acuminata, acumine obtuso aut acuto, uncias 2-3 longa, 1-2 lata. Petioli graciles, unciales.

**FICUS SALICIFOLIA.** Foliis lanceolatis, acuminatis; fructibus geminis, axillaribus, pedunculatis. Vahl. Symb. t. 23. Arabia. Cald. 5.

Folia integerrima, perennantia, uncias 6-8 longa, 1-2 lata; juniora punctis albis conspersa.

**FICUS RADICANS.** Caudice radicante; ramis junioribus compressis villosis; foliis petiolatis, acutis, lævibus, undulatis, perennantibus, integerrimis.

Folia uncias 5-7 longa, 1-2 lata, glabra. Petiolus villosus. Hanc Ficum sub nomine *F. spuria* accepimus. Non floruit.

**FICUS CILIOLOSA.** Foliis oblongis, acuminato-obtusis, basi attenuatis, subtus reticulatis; stipulis scariosis, minutissime ciliatis. Link. Enum. 2. p. 450. Cald. 5.

**FICUS CUSPIDATA.** Ramis recurvis; foliis lanceolatis, integerrimis, lævibus, longe acuminatis. An *F. pendula* Link. Enum. 2. p. 450. Cald. 5.

Folia uncias 5-6 longa, 8-10 lineas lata, perennantia, brevissime petiolata.

**FICUS LÆVIS.** Foliis ellipticis, obtusis, integerrimis, glabris, planis, perennantibus, superne lævissimis. Cald. 5

Folia uncias 2-3 longa, et ultra lata, intense virentia. Petioli superne depressi, rubescentes. Sub nomine *F. bulbosi* missa fuit, sed radix non bulbosa.

**PIPER DISCOLORUM.**

Frutex glaber, nodosus, ramosus, sarmentosus. Folia cordata, acuta, rugulosa, superne nitida, subtus pallida, integerrima, 5-nervia, basi non nihil inæqualia, alterna. Spicæ graciles, foliis oppositæ, pendulæ, uncias 3-5 longæ. Affine *P. medio*; differt caule sarmentoso, spicis longis, pendulis.

**PIPER CELTIDIFOLIUM.**

Frutex glaber, ramosus, 5-6-pedalis. Rami nodosi, teretes, virides, divaricati. Folia ovato-lanceolata, glabra, alterna, 5-nervia, breviter petiolata. Spicæ florum foliis oppositæ, erectæ, teretes, 1-2-pollicares.

**PIPER OBTUSIFOLIUM.** Foliis obovatis, obtusis; spicis terminalibus, solitariis; caule decumbente, radicante. Valh. Enum. 1. p. 39. Plum. Am. t. 70. *P. Clusiæfolium* Jacq. Rar. t. 212. Am. m. Cald. 7.

**PIPER PELLUCIDUM.**

Caulis annuus, procumbens, fragilis, albus, succosus, dichotomus, palmaris et ultra. Folia petiolata, cordata, integerrima, superne nitida, subtus pallida, 5-nervia, lineas 4-10 longa, latitudine fere æquali. Spicæ subulatæ, 1-2-unciales. Flores distincti.

**PIPER RHOMBOIDALE.**

Caules herbacei, semipedales et ultra, erecti, simplices, purpurascens, lenti vitreo pubescentes. Folia opposita, rhomboidea, lineas 8-9 longa, duplo fere angustiora, crassiuscula.

**PIPER PERESKIÆFOLIUM.** Jacq. Rar. t. 219.

Caulis striatus, humilis. Folia verticillata, crassa, firma, rhomboidea, integerrima, perennantia, obtusiuscula, lineas 5-10 longa, dimidio fere angustiora, breviter petiolata, trinervia. Spicæ terminales, rectæ. Flores conferti. — Deleatur *P. nitens* H. p. idem ac *P. pereskiaefolium* Jacq.

**PIPER SUAVEOLENS.**

Caulis suffruticosus, erectus, glaber, nodosus, carnosus. Folia elliptico-spathulata, obtusa, crassiuscula, verticillata, quina, horizontalia, glabra, unciam 1 longa, lineas 4-5 lata, fragilia; contrita suavem odorem exhalantia.

**PIPER PURPURASCENS.**

Caules herbacei, erecti, fere filiformes, ramosi, villosi, purpurascens, 5-6-unciales. Folia 4-5-verticillata, ovata et elliptica, parva, integerrima, lævia, carnosus, crassiuscula, subtus convexa, purpurea, breviter petiolata. Affine *P. pulchello*; differt caulibus foliisque subtus purpureis. Cald. 7.

**QUERCUS NEPAULENSIS.**

Folia uncias 4-5 longa, 2 lata, perennantia, obovata, breviter petiolata, superne lævia, subtus incana, tomentosa, argute serrata. Nervi transversales, obliqui, paralleli.



# INDEX PLANTARUM

## QUÆ ANNOTATÆ SUNT.

|                                  | Pag.        |                                   | Pag.        |
|----------------------------------|-------------|-----------------------------------|-------------|
| ACHILLEA semipectinata.          | 403         | COMMELINA stricta.                | 388         |
| ACHYRANTHES rivinæ folia.        | 390         | CONYZA laxiflora.                 | 400         |
| ÆGIPHILA macrophylla.†           | 391         | COOKIA anisata.                   | 406         |
| AMARANTHUS recurvatus.           | 390         | CRATÆGUS serratifolia, C. sorbi-  |             |
| AMARYLLIS Osbeckii.              | 388         | folia, C. umbellata, C. ova-      |             |
| ANCHUSA altissima.               | 397         | lis.                              | 408 et seq. |
| ARUM trifidum, A. clavatum,      |             | CREPIS parviflora.                | 399         |
| A. subulatum, A. colocasioides,  |             | CYPERUS asperifolius.             | 387         |
| A. punctatum.                    | 385         | DATURA HUMILIS.                   | 396         |
| ASTER conyzoides, A. roseus,     |             | DIGITALIS aurea.                  | 396         |
| A. confertus, A. leucanthemus,   |             | DIOCLEA cassinoides.              | 410         |
| A. horizontalis.                 | 401 et seq. | DRACÆNA elliptica.                | 388         |
| ATRIPLEX lacera, A. multifida.   | 389         | DURANTA microphylla.              | 392         |
| ATROPA organifolia.              | 396         | ECHITES trichotoma.               | 398         |
| BANISTERIA glauca.               | 406         | ELYMUS ramosus, E. hordeifor-     |             |
| BETA hastata.                    | 389         | mis.                              | 387         |
| BIGNONIA æsculus, B. pseudo-un-  |             | ERIGERON longifolium, E. am-      |             |
| guis, B. fraxinea.               | 397 et seq. | plexicaule.                       | 400 et seq. |
| BOMBAX serrata.                  | 407         | ERYNGIUM tripartitum.             | 405         |
| BROMUS parviflorus, B. platysta- |             | EUCALYPTUS perfoliata, E. disco-  |             |
| chys.                            | 387         | lor, E. glandulosa, E. rubricau-  |             |
| CACALIA odorata.                 | 400         | lis, E. puchella, E. populifolia. | 408         |
| CALADIUM variegatum, C. brasi-   |             | EUGENIA SESSILIFOLIA.             | 408         |
| liense, C. trifoliatum, C. rugo- |             | EUPHORBIA dentata, E. chenopo-    |             |
| sum.                             | 386         | diatifoliae.                      | 410 et seq. |
| CALYXHYMENIA paniculata, C. Cer- |             | FICUS aquatica, F. fulva, F. sym- |             |
| vantesii.                        | 390         | phytifolia, F. purpurascens, F.   |             |
| CAPPARIS glandulosa.             | 405         | macrophylla, F. rigida, F. fer-   |             |
| CARISSA myrtoides.               | 398         | ruginea, F. brasiliensis, F. po-  |             |
| CESTRUM macrophyllum.            | 397         | pulnea, F. populeaster, F. re-    |             |
| CHEROPHYLLUM daucifolium.        |             | clinata, F. lutescens, F. cerasi- |             |
| C. lucidum.                      | 405         | formis, F. vestita, F. phytolac-  |             |
| CHRYSOPHYLLUM macrophyllum.      | 398         | cæfolia, F. pyrifolia, F. sa-     |             |
| CINERARIA alliarifolia.          | 403         | licifolia, F. radicans, F. cilio- |             |
| CITHAREXYLUM coriaceum.          | 392         | losa, F. cuspidata, F. laevis.    |             |
| CITRUS TRIPTERA, C. emarginata,  |             |                                   | 411 et seq. |
| C. hystrix.                      | 406         | FRANKENIA virens.                 | 407         |
| CNICUS pubigerus.                | 399         | GEUM heterophyllum, G. rugo-      |             |
| COCCOLOBA rhæifolia, C. rugosa,  |             | sum.                              | 409         |
| C. pyrifolia.                    | 388 et seq. | GLEDITSCHIA sinensis, G. ferox,   |             |
| COCCOCYPSELUM violaceum.         | 404         | G. macrantha.                     | 410         |

|                                          | Pag.        |                                           | Pag.        |
|------------------------------------------|-------------|-------------------------------------------|-------------|
| <b>GNAPHALIUM</b> globosum.              | 399         | <b>PITTOSPORUM</b> crispum.               | 410         |
| <b>GREWIA</b> candida.                   | 407         | <b>PLANTAGO</b> chilensis.                | 390         |
| <b>GUETTARDA</b> hirsuta.                | 404         | <b>PLUMBAGO</b> micrantha.                | 391         |
|                                          |             | <b>POA</b> senegalensis, P. rariflora.    | 387         |
| <b>HELIANTHUS</b> petiolaris.            | 403         | <b>POLYGONUM</b> cymosum.                 | 289         |
| <b>HIERACIUM</b> ceratophyllum,          |             | <b>POTHOS</b> maxima, P. platine-         |             |
| H. globosum, H. stolonife-               |             | vron, P. cartilaginea, P. sua-            |             |
| rum.                                     | 398 et seq. | veolens.                                  | 386         |
|                                          |             | <b>PRUNUS</b> incana.                     | 409         |
| <b>IPOMEA</b> subpedata.                 | 397         | <b>QUERCUS</b> nepaulensis.               | 414         |
|                                          |             | <b>RHEUM</b> rugosum.                     | 389         |
| <b>LANTANA</b> achyranthifolia, L. al-   |             | <b>RUPELLIA</b> achyranthifolia.          | 391         |
| ba, L. parvifolia, L. albo-pur-          |             | <b>RUMEX</b> cordatus, R. undulatus.      | 389         |
| purea, L. lilacina, L. mollissi-         |             |                                           |             |
| ma, L. suaveolens.                       | 392 et seq. | <b>SALVIA</b> scorodoniaefolia, S. erosa, |             |
| <b>LAVANDULA</b> latifolia.              | 395         | S. clandestina, S. lanigera,              |             |
| <b>LEEA</b> maculata.                    | 406         | S. asperula, S. gigantea, S. ne-          |             |
| <b>LEONURUS</b> villosus, L. multifidus. | 395         | petifolia, S. verbenaca.                  | 393 et seq. |
| <b>LYCIUM</b> carnosum.                  | 397         | <b>SAPIUM</b> laurocerasam.               | 411         |
| <b>LOUREIRA</b> peltata.                 | 411         | <b>SCROPHULARIA</b> humilis.              | 396         |
|                                          |             | <b>SELINUM</b> peucedanoides.             | 405         |
| <b>MALPIGHIA</b> myrtifolia.             | 406         | <b>SENECIO</b> valerianaeifolius.         | 403         |
| <b>MALVA</b> brasiliensis.               | 406         | <b>SIDA</b> tricuspid.                    | 407         |
| <b>MARRUBIUM</b> coerulescens, M. hu-    |             | <b>SMILAX</b> horrida.                    | 388         |
| mile, M. rugosum.                        | 395         | <b>SOLANUM</b> glaucophyllum, S. ser-     |             |
| <b>MATRICARIA</b> parthenioides.         | 400         | pentinum.                                 | 396 et seq. |
| <b>MESPIUS</b> racemiflora, M. mela-     |             | <b>SOLIDAGO</b> glabra, S. nutans,        |             |
| nocarpa, M. eriocarpa.                   | 409         | S. integrifolia, S. humilis, fus-         |             |
| <b>METROSIDEROS</b> glandulosa.          | 407         | cata, S. plantaginea, S. mul-             |             |
| <b>MORINDA</b> macrophylla.              | 404         | tiflora, S. asperula, S. gran-            |             |
|                                          |             | diflora.                                  | 402 et seq. |
| <b>NEPETA</b> amethystina.               | 394         | <b>STATICE</b> pubigera.                  | 391         |
|                                          |             | <b>SYLPHIUM</b> ternatum.                 | 403         |
| <b>OENOTHERA</b> salicifolia.            | 407         | <b>THALICTRUM</b> angulosum.              | 405         |
| <b>OLEA</b> glandulifera.                | 391         | <b>TEUCRIUM</b> myrtifolium.              | 394         |
| <b>OMPHALEA</b> laevigata.               | 411         | <b>TITHONIA</b> tagetiflora.              | 404         |
| <b>ORIGANUM</b> humile, O. pallidum.     | 395         | <b>TOURNEFORTIA</b> lucida.               | 397         |
|                                          |             | <b>TRIGONELLA</b> micrantha.              | 410         |
| <b>PARONYCHIA</b> tenella.               | 407         | <b>VERBASCUM</b> sulcatum.                | 396         |
| <b>PASSIFLORA</b> brasiliensis.          | 411         | <b>VERBENA</b> gracilis.                  | 393         |
| <b>PASTINACA</b> divaricata.             | 405         | <b>VERNONIA</b> senegalensis, V. persi-   |             |
| <b>PEUCEDANUM</b> petroselinum.          | 405         | cifolia.                                  | 400         |
| <b>PICRIS</b> virens.                    | 399         | <b>VERONICA</b> excelsa, V. nitida.       | 391         |
| <b>PIPER</b> discolorum, P. celtidifo-   |             | <b>VIBURNUM</b> pyriformum.               | 404         |
| lium, P. pellucidum, P. rhom-            |             | <b>VICIA</b> tetragona.                   | 419         |
| boidale, P. pereskiaefolium,             |             | <b>VITEX</b> arborea.                     | 391         |
| P. suaveolens, P. purpuras-              |             |                                           |             |
| cens.                                    | 414         | <b>ZANTHOXYLUM</b> rufescens.             | 407         |
| <b>PISONIA</b> fragrans, P. nitida,      |             |                                           |             |
| P. latifolia.                            | 390 et seq. |                                           |             |

CATALOGUS  
PLANTARUM  
HORTI REGII PARISIENSIS.

AUCTORE PROFESSORE RENATO DESFONTAINES.

EDITIO TERTIA.

ADDITAMENTUM,

ANNO 1832.

---

PARISIIS.

APUD EDITOREM J. S. CHAUDÉ,

VIA VULGO DICTA DU FOIN ST.-JACQUES, 8.

# OUVRAGES

DE M. LE PROFESSEUR DESFONTAINES.

**HISTOIRE DES ARBRES ET DES ARBRISSEAUX** qui peuvent être cultivés en pleine terre en France; 2 vol. in-8°, brochés.  
Prix : 13 fr., et 16 fr. par la poste.

L'auteur indique avec soin les caractères botaniques de chaque espèce d'arbres et d'arbrisseaux, la culture qui leur convient, ceux que l'on doit multiplier dans nos forêts, ceux qui contribuent à l'ornement des jardins, ceux qui sont propres à retenir les sables ou terres mouvantes, ceux dont le bois peut être employé aux constructions, aux travaux de menuiserie ou aux ouvrages de tour; ceux enfin dont on pourrait tirer partie pour les teintures ou pour l'économie domestique.

**CATALOGUS PLANTARUM HORTI REGII PARISIENSIS**, cum Annotationibus de Plantis novis aut minus cognitis; *editio tertia*, CUM ADDITAMENTO (1832). Prix : 8 fr.

**Choix de plantes du Corollaire des Instituts de Tournefort**; in-4°, papier vélin, avec 72 planches d'après les dessins d'Aubriet. Prix : 23 fr.

(A Paris, chez J.-S. CHAUDÉ, libraire-éditeur, rue Saint-Jacques, n° 8.)

# ADDITAMENTA

AD

## CATALOGUM

HORTI REGII BOTANICI PARISIENSIS;

AUCTORE

RENATO DESFONTAINES. (1).

### LYCOPODIACEÆ.

#### LYCOPODIUM.

- denticulatum L. Syst. veget. Clus. Hist. 2. p. 249, Ic.  
Gall. m. 2.  
brasiliense Raddi. Fil. t. 1. f. a. Brasil. Cald. 2.

#### PSILOTUM. Sw.

- { triquetrum Swartz Syn. Ind. Cald. 2.  
Bernhardia dichotoma Willd. Sp.  
{ Lycopodium nudum L. Sp. Dill. Musc. t. 65. f. 4.

### FILICES.

#### OSMUNDA.

- spectabilis Willd. Sp. Am. 3. 2.

#### HYDROGLOSSUM.

- japonicum Willd. Hort. Berol. t. 84. Japon. Temp. 2.

#### ANEIMIA Willd.

- fraxinifolia Raddi Fil. t. 8 bis. Brasil. Cald. 2.  
cordifolia Presl Reliq. Haenk. t. 11. f. 3. Brasil. Cald. 2.  
collina Raddi. Fil. t. 12. Brasil. Cald. 2.

#### ACROSTICHUM.

- conforme Swartz Syn. t. 1. f. 1. Cap. Temp. 2.  
calomelanos L. Willd. Hort. Berol. t. 41. Antill. Cald. 2.  
chrysophyllum Swartz Syn. Antill. Cald. 2.  
tartareum Swartz Syn. Am. m. Cald. 2.  
{ tomentosum Raddi. Fil. t. 19. Brasil. Cald. 2.  
{ Gymnogramma tomentosum Kaulf. Fil.

#### POLYBOTRYA. Kunth.

- Raddiana Hort. Berol. Brasil. Cald. 2.

---

(1) Commemorare D. Spach gratesque eidem persolvere juvat, qui in perquisitione et denominatione specierum hujus Additamenti nobis constantem et indefessum auxilium dedit.

**NOTHOLAENA. R. Br.**

- { lanuginosa Desv. Fil. Barrel. t. 857 et 858. Hispan. Temp. ʒ.
- { Acrostichum lanuginosum Desf. Atl.
- { sinuata Kaulf. Fil. N. Hispan. Cald. ʒ.
- { Acrostichum sinuatum Swartz Syn.

**HEMIONITIS. Linn.**

- palmata. L. Plum. Am. t. 33. Fil. t. 151. Hook. Exot. Fl. t. 33. Antill. Cald. ʒ.
- dealbata Willd. Sp. Hort. Berol. t. 40. Am. m. Cald. ʒ.
- { rufa Swartz Syn. t. 1. f. 3. Antill. Cald. ʒ.
- { Acrostichum rufum. L. Sp.

**POLYPODIUM.**

- Phyllitidis L. Plum. Am. t. 38. Fil. t. 130. Antill. Cald. ʒ.
- repens Swartz Syn. Plum. Fil. t. 134. Antill. Cald. ʒ.
- attenuatum Brown Prodr. N. Holl. Temp. ʒ.
- areolatum Willd. Sp. Cumana. Cald. ʒ.
- distans Raddi Fil. t. 31. Brasil. Cald. ʒ.
- proliferum Kaulf. Fil. Brasil. Cald. ʒ.
- auriculatum Swartz Fil. Burm. Zeyl. t. 44. f. 2. Ind. Cald. ʒ.
- pectinatum L. Plum. Fil. t. 83. Antill. Cald. ʒ.
- tetragonum Swartz Fil. Antill. Cald. ʒ.
- deflexum Kaulf. Fil. Brasil. Cald. ʒ.
- concinnum Willd. Sp. Am. m. Cald. ʒ.
- simile L. Sloan. Jam. 1. t. 32. Antill. Cald. ʒ.
- effusum Swartz Syn. Am. m. Cald. ʒ.
- Kaulfussii Wickstr. Act. Holm. Brasil. Cald. ʒ.

**ASPIDIUM.**

- macrophyllum Swartz Syn. Plum. Fil. t. 145. Antill. Cald. ʒ.
- brasiliense Encycl. Brasil. Cald. ʒ.
- exaltatum Swartz Syn. Plum. Fil. t. 63. Antill. Cald. ʒ.
- unitum Swartz Syn. Burm. Zeyl. t. 44. f. 1. Ind. Cald. ʒ.
- serra Willd. Sp. Pluck. t. 244. f. 1. Antill. Cald. ʒ.
- parasiticum Swartz Syn. Java. Cald. ʒ.
- acrostichoïdes Swartz Syn. Am. s. ʒ.
- coriaceum Swartz Syn. Schkuhr. Fil. t. 50. Am. m. Cald. ʒ.

**DOODIA.**

- rupestris R. Brown Prodr. N. Holl. Temp. ʒ.

**ASPLENIUM.**

- rhizophyllum L. Pluck. t. 105. f. 3. Virgin. ʒ.
- { ebenum. Wild. Sp. Am. s. ʒ.
- { polypodioides. Schkuhr. Crypt. t. 73.
- pumilum Swartz Syn. Plum. Fil. t. 66. Antill. Cald. ʒ.
- serra Fischer. Spreng. Syst. Brasil. Cald. ʒ.
- auritum Swartz Syn. Sloan. Jam. VI. t. 33. f. 2. Antill.

striatum L. Plum. Fil. t. 18, 19. Antill. Cald. 2.

{ flabelliforme Swartz Syn. t. 3. f. 2. Ins. Borbon. Cald. 2.  
 { flabellifolium R. Br. Hook. Ex. fl. t. 208.

**LOMARIA.** Willd.

densa Kaulf. Fil. Cap. Temp. 2.

auriculata Desv. Spreng. Syst. Brasil? Cald. 2.

**BLECHNUM.**

gracile Kaulf. Fil. Brasil. Cald. 2.

angustifolium Willd. Sp. Guian. Cald. 2.

polypodioides Raddi Fil. t. 60. Brasil. Cald. 2.

hastatum Kaulf. Fil. Brasil. Cald. 2.

brasiliense Desv. Fil. Kaulf. Fil. Brasil. Cald. 2.

lanceolatum Raddi Fil. t. 60. f. 3. Brasil. Cald. 2.

**PTERIS.**

grandifolia L. Plum. Fil. t. 105. Antill. Cald. 2.

costata Willd. Sp. Ins. Franc. Cald. 2.

falcata Brown Prodr. Nov. Holl. Temp. 2.

denticulata Swartz Syn. Antill. Cald. 2.

acuminata Desv. Fil. Spreng. Syst. Porto-Rico. Cald. 2.

alata Presl Rel. Haenk. (non Lamk) 2.

peruviana Spreng. Syst. Peruv. Cald. 2.

atropurpurea L. Pluck. t. 319. Am. s. Temp. 2.

tremula Brown Prodr. Nov. Holl. Temp. 2.

pedata Linn. Plum. Fil. t. 152. Antill. Cald. 2.

leptophylla Spreng. Syst. Brasil. Cald. 2.

inframarginalis Kaulf. ined. Cald. 2.

argentea Gmel. Nov. Com. Petrop. vol. 12. t. 12. f. 1.  
 Davur. 2.

caudata Jacq. Ic. rar. t. 645. Am. s. 2.

**CHEILANTHES.**

microphylla Swartz Syn. Plum. Fil. t. 58. Antill. Cald. 2.

pteroïdes Swartz Syn. Cap. Temp. 2.

hirta Swartz Syn. Cap. Temp. 2.

ferruginea Spreng. Syst. Peruv. Cald. 2.

spectabilis Kaulf. Fil. Brasil. Cald. 2.

**ADIANTUM.**

tenerum Swartz Syn. Antill. Cald. 2.

cuneatum Langsd. et Fisch. Fil. t. 26. Brasil. Cald. 2.

**DIKSONIA.** Willd.

adiantoides Willd. Sp. Plum. Fil. t. 30. Am. m. Cald. 2.

rubiginosa Kaulf. Fil. Brasil. Cald. 2.

{ pilosiuscula Willd. En. Am. S. 4.

{ pubescens Schk. Crypt. t. 131.

**AROIDEÆ.**

**ARUM.**

campanulatum Roxb. Corom. t. 272. Comm. Hort. v. 1.  
 t. 53. Ind. Cald. 2.

- { clavatum H. p. Caracas. Cald. 2.
- { pedatum Link. et Otto. Ic. Select. t. 8.
- indicum Link. En. Gochinch. Cald. 2.

**CALADIUM.**

- esculentum Willd. Sp. Sloan. Jam. 8. 1. t. 106. f. 1. Am. m. Cald. 2.
- odoratum Bot. Reg. t. 641. Ind. Cald. 2.

**POTHOS.**

- macrophylla Willd. Sp. Plum. Am. t. 63. Jacq. Rar. t. 610. Antill. Cald. 2.
- microphylla Bot. Mag. t. 2953. Brasil. Cald. 2.
- glauca Parment. Cald. 2.
- viridis Parment. Cald. 2.

**GRAMINEÆ.****ANTHOXANTHUM.**

- ovatum Lagasc. Hispan. ☉.
- gracile Bivon. Sicil. ☉.

**PASPALUM.**

- platense Spreng. Syst. Brasil. Cald. 2.

**DIGITARIA.**

- { ciliaris Willd. Sp. Gall. ☉.
- { Panicum ciliare. Retz.

**PANICUM.**

- maritimum Lamk. Encycl. ☉.
- cruciforme Flor. Græc. t. 59. Oriens. ☉.
- scabriusculum Elliot. Flor. Georgia. 2.
- asperrimum Link. Hort. Berol. Cald. 2.
- pubens Mich. Flor. Am. s. 2.

**GASTRIDIDIUM.**

- { muticum Spreng. Syst. Sicil. ☉.
- { Miliun scabrum Gusson. Flor. Sicul. Prodr.

**AGROSTIS.**

- { minutiflora. H. p. ☉.
- { Sporolobus minutiflorus Link. Hort. Berol.
- sobolifera Muhlenbg. Am. s. 2.
- nitens Gusson. Fl. Sicul. Prodr. Sicil. ☉.

**POLYPOGON.**

- { vaginatus Marsch. Cauc. Oriens. 2.
- { Alopecurus angustifolius Sibth. Flor. Græc. v. 1. t. 64.
- chilense H. p. Chili. ☉.

**PODOSÆMUM Kunth.**

- quadridentatum Kunth. Nov. Gen. t. 682. Chili. Temp. 2.

**STIPA.**

- parviflora Desf. Atl. 29. Tunis. Temp. 2.



**HOLCUS.**

- { borealis Schrad. Fl. Germ. Europ. boreal. 2.
- { Hierochloa borealis Roem. et Schult. Syst.

**ANDROPOGON.**

avenaceum Mich. Fl. Am. s. 2.

**CHLORIS.**

- polydactyla Swartz Fl. Ind. Antill. Cald. 2.
- distichophylla Lagasc. Spreng. Syst. Am. m. Cald. 2.
- barbata Swartz Ind. ☉.

**ISCHÆMUM Linn.**

rugosum Salisb. Stirp. rar. 1. t. 1. Ind. ☉.

**CENCHRUS.**

spinifex Cav. Ic. t. 461. Chili. ☉.

**AIRA.**

- { Tenorii Gusson. Fl. Sicul. Prodr. Ital. ☉.
- { Airepsis pulchella. Tenor.

**ELEUSINE.**

- { tenerrima Horn. Hort. Hafn. China. ☉.
- { Leptochloa tenerrima Roem et Schult. Syst.

**LOLIUM.**

aryense Smith. Fl. Host. Gram. v. 3. t. 25. Gall. ☉.

**ELYMUS.**

- canadensis L. Sp. Am. s. 2.
- tener L. Sp. Sibir. 2.
- glaucifolius Muhlenbg. Willd. Enum. Am. s. 2.
- villosus Muhlenbg. Am. s. 2.
- hordeaceus Lagasc. Hispan. 2.

**TRITICUM.**

- dasyanthum Ledeb. Reichenb. Ic. t. 414. Russ. m. 2.
- desertorum Fisch. Spreng. Syst. Caucas. 2.

**BROMUS.**

lanuginosus Poir. Encycl. Suppl. Europ. austr. ☉.

**FESTUCA.**

- aspera. H. p. ☉.
- { cynosuroides Desf. Atl. t. 21. Mauritan. ☉.
- { delicatula Lagasc.
- varia Jacq. Collect. Host. Gram. v. 2. t. 90. Alp. 2.
- { polystachya Mich. Fl. Am. s. 2.
- { fascicularis Lamk. Encycl.

**POA.**

- { Molineri Balbis. Miscell. t. 5. Alp. 2.
- { badensis Willd. Sp.
- divaricata Gouan. Ill. t. 2. f. 1. Gall. m. ☉.
- chilensis H. p. Chili ☉.
- { fusca H. p. Seneg. ☉.
- { Festuca fusca L. Delil. Fl. Egypt. t. 11.

tenuissima Schrad. Ind. sem. Hort. Goett. ☉.

{ seslerioides Mich. Fl. Am. s. 2.

{ Triodia cuprea Jacq. Ecl. gram. 2. t. 16.

#### AVENA.

rigida Marsch. Cauc. Caucas. 2.

Lœfflingiana L. Sp. Hispan. ☉.

#### ARUNDO.

ægyptia Delil. Fl. Ægypt. Ægypt. Temp. 2.

### CYPEROIDEÆ.

#### CAREX.

{ pyrenaica Willd. Sp. Pyren. 2.

{ Ramondiana Dec. Fl. Fr.

#### SCIRPUS.

atrovirens Willd. Hort. Berol. t. 99. Am. s. 2.

pubigerus Schrad. Pl. Hort. Goett. Fasc. 1. India. ☉.

Savii Sebast. et Mauri Fl. Rom. Prodr. Ital. ☉.

#### CYPERUS.

Sellowii Hort. Berol. Montevideo. Temp. 2.

ferax Rich. Act. Soc. d'Hist. nat. Guian. 2.

{ fascicularis Desf. Atl. Lamk. Ill. t. 38. f. 2. Mauritan.  
Temp. 2.

{ polystachyos. Rottb. Rar. t. 11. f. 1.

difformis Vahl. Enum. Pluck. t. 192. f. 2. Ind. Cald. 2.

globosus All. Auct. Reichenb. Ic. t. 229. Ital. 2.

{ rubiginosus H. p. Am. s. 2.

{ strigosus Mich. Fl. (non Willd.)

aureus Tenor. Prodr. Reichenb. Ic. t. 212. Ital. 2.

xanthocomus Hort. Berol. ☉.

#### MARISCUS Vahl.

{ ovularis Vahl. Enum. Carolin. Temp. 2.

{ Kyllingia ovularis Mich. Fl.

{ Schoenus umbellatus Jacq. Rar. t. 10.

aggregatus Willd. Enum. Am. m. Cald. 2.

{ polycephalus Link. Hort. Berol. Brasil. Cald. 2.

{ Kyllingia polycephala Link. Enum.

### JUNCEÆ.

#### JUNCUS.

{ balticus Willd. Berl. Magaz. Europ. bor. 2.

{ Helodes Link. Enum.

{ Gerardi Lois. Fl. Gall. 2.

{ bottnicus Wahlenb. Fl. Lapp.

{ aristatus Mich. Fl. Am. s. 2.

{ Luzula juncoïdes Encycl. Suppl.

- { fusco-ater Schreb. Gall. 2.
- { ustulatus Hoppe.
- pallidus Br. Prodr. N. Holl. 2.

**LUZULA.**

- { sudetica Dec. Fl. Suppl. Alp. 2.
- { Juncus sudeticus Willd. Sp. (Variet. campestris.)

**PALMÆ.****ELATE Willd.**

- sylvestris L. H. Malab. v. 3. t. 22, 25. Ind. Cald. 2.

**ARECA.**

- { rubra Bory.
- { Euterpe globosa Gaertn. ex Loddig.

**ASTROCARYUM Martius.**

- acaule Mart. N. Gen. et Sp. v. 1. t. 24. Brasil. Cald. 2.

**SABAL.**

- umbraculifera ex Mart. Cald. 2.

**CHAMÆROPS.**

- excelsa Thunb. Jap. Japon. Temp. 2.

**CUCIFERA Delile.**

- thebaica Delil. Fl. Ægypt. t. 1 et 2. Ægypt. Cald. 2.

**ASPARAGINEÆ.****DRACÆNA.**

- australis Willd. Sp. Bot. Mag. t. 2835. Nov. Zeland.
- Temp. 2.
- brasiliensis H. P. Cald. 2.

**ASPARAGUS.**

- mauritanus H. p. Ins. Franc. Cald. 2.
- verticillatus L. Sp. Oriens. 2.

**EUSTREPHUS.**

- angustifolius Brown Prodr. Nov. Holl. Temp. 2.

**TRILLIUM.**

- { grandiflorum Saltsb. Parad. t. 1. Am. s. 2.
- { erythrocarpum Bot. Mag. t. 855. (non Mich.).

**XANTHORRHÆA BROWN.**

- minor Brown Prodr. Nov. Holl. Temp. 2.

**POLYGONATUM.**

- { oppositifolium Don Prodr. Nepaul. Temp. 2.
- { Convallaria oppositifolia Wallich. Bot. Cab. t. 640.
- Hook. Exot. Fl. t. 125.

**COMMELINEÆ.****TRADESCANTIA.**

- crassula Link et Otto Ic. Rar. t. 6. Brasil. Cald. 2.

undata Kunth Nov. gen. Bot. Reg. t. 1403. Cumana. ☉.  
 brasiliensis H. p. Brasil. Cald. 2.  
 latifolia Flor. Peruv. t. 272. Peruv. Cald. 2.

## ALISMACEÆ.

## TRIGLOCHIN.

bulbosum L. Jacq. Ic. rar. t. 454. Bot. Mag. 1445. Cap.  
 Temp. 2.  
 Barrelieri Lois. Fl. Gall. Barr. Ic. t. 271. Gall. m. 2.

## COLCHICACEÆ.

## SCHELLHAMMERA BROWN.

undulata Brown Prodr. Bot. Mag. t. 2712. Nov. Holl.  
 Temp. 2.

## NARTHECIUM.

{ ossifragum H. p. Gall. 2.  
 Anthericum ossifragum L. Sp.  
 Abama ossifraga Red. Lil. t. 218.

## LILIACEÆ.

## METHONICA.

{ simplex H. p. Seneg. Cald. 2.  
 Gloriosa simplex Spreng. Syst.  
 virescens Bot. Mag. t. 2539.

## UVULARIA.

grandiflora Smith Exot. Bot. t. 51. Am. s. 2.

## FRITILLARIA.

præcox Sweet H. Brit. Europ. austr. 2.  
 { pyrenæa Clus. Hist. Pyren. 2.  
 pyrenæica Linn. Cliff. (non L. Sp.) Bot. Mag. 664.  
 aquitanica Clus. Hist. (var. concolor.)

## LILIUM.

Catesbæi Willd. Sp. Bot. Mag. t. 259. Carolin. 2.  
 carolinianum Lamk. Encycl. Bot. Mag. 519. Carolin. 2.  
 spectabile Fisch. Salisb. Rar. t. 5. Sweet Brit. Fl. Gard.  
 75. Reich. Ic. exot. t. 30. Sibir. 2.

## YUCCA.

glaucescens Haw. Suppl. Sweet Brit. Fl. Gard. t. 53. Am.  
 s. 2.  
 puberula Haw. Philos. Magaz. Sweet Brit. Fl. Gard. t.  
 251. Am. s. 2.

## PITCAIRNIA.

integrifolia Bot. Mag. t. 1462. Am. m. Cald. 2.

## ALOE.

serrulata Haw. Bot. Mag. t. 1415. Cap. Cald. 2.  
 nitida Salm-Dyck. Cap. Cald. 2.

**ASPHODELUS.**

- creticus L. Desf. Coroll. t. 1. Creta. 2.  
 { altaicus Willd. Sp. Sibir. 2.  
 { Eremurus spectabilis Marsch. Cauc. Cent. Pl. Ross. t.  
   61. Sweet. Br. Fl. Gard. t. 188.  
 { intermedius Horn. Hort. Eur. m. 2.  
 { æstivus Reichenb. Ic. t. 546 (non Brot.).

**HYACINTHUS.**

- revolutus H. p. Seneg. Cald. 2.

**ALLIUM.**

- { azureum Ledeb. Sibir. 2.  
 { coeruleum Link. et Otto. Ic. rar. (8°) tab. 20.  
 strictum Schrad. Reichenb. Ic. t. 405. Europ. 2.  
 { serotinum Lapeyr. Flor. Pyren. 2.  
 { ambiguum Dec. Fl. Suppl.  
 triquetrum L. Red. Lil. t. 319. Gall. m. 2.  
 fuscum Wald. et Kit. Hung. t. 241. Hungar. 2.  
 guttatum Steven, Spreng. Syst. Tauria. 2.  
 saxatile Marsch. Cauc. Reichenb. Ic. t. 408. Caucas. 2.  
 acutangulum Willd. Enum. Reich. Ic. t. 734. German. 2.  
 præscissum Reichenb. Ic. t. 429. Sibir. 2.  
 flexum Wald. et Kit. Hung. t. 478. Reich. Ic. t. 147. Eu-  
   rop. austr. 2.  
 descendens L. Sp. Fl. Græc. t. 316. Græc. 2.

**NARCISSEÆ.****LITTEA.**

- { geminiflora Tagliab. Am. s. Temp. 2.  
 { Agave geminiflora Bot. Mag. t. 1155.

**ALSTROEMERIA.**

- rosea Hook. Exot. Flor. t. 181. Chili. Temp. 2.  
 pulchella Bot. Reg. t. 1008. Chili. Temp. 2.  
 acutifolia Link. et Otto. Ic. Bar. t. 29. Mexico. Temp. 2.

**HÆMANTHUS.**

- carneus Bot. Reg. 507. Cap. Temp. 2.

**IMATOPHYLLUM.**

- Aitoni Bot. Mag. 2856. Afr. Cald. 2.

**AMARYLLIS.**

- acuminata Bot. Reg. 534. Brasil. Cald. 2.  
 fulgida Bot. Reg. 226. Brasil. Cald. 2.  
 hyacinthina Bot. Reg. 163. Brasil. Cald. 2.  
 miniata Bot. Mag. 1943. Am. m. Cald. 2.

**NARCISSUS.**

- unicolor Tenore Fl. Napol. t. 26. Ital. 2.

**BROMELIA.**

- { pyramidalis Bot. Mag. 1732. Brasil. Cald. 2.  
 { Billbergia pyramidalis Bot. Reg. 1181.

- { fasciata H. p. Brasil. Cald. 7.
- { *Billbergia fasciata* Bot. Reg. 1130.

**TILLANDSIA.**

*acaulis* Bot. Reg. 1157. Brasil. Cald. 7.

- { *aeranthos* H. p. Brasil. Cald. 7.
- { *Pourretia aeranthos* Lois. Herb. de l'amat. v. 5. t. 304.

**GUZMANNIA. R. et Pav.**

*tricolor* Fl. Peruv. t. 261. Peruv. Cald. 7.

**HÆMODORACEÆ.****XIPHIDIUM Juss.**

*albidum* Willd. Sp. Antill. Cald. 7.

**IRIDEÆ.****RENEALMIA Roscoe.**

- { *paniculata* Brown Prodr. Addit. N. Holl. Temp. 7.
- { *Sisyrinchium paniculatum* Brown Prodr.
- { *pulchella* Brown Prodr. Addit. N. Holl. Temp. 7.
- { *Sisyrinchium pulchellum* Brown Prodr.

**IRIS.**

*hungarica* Wald. et Kit. Hung. t. 226. Sweet Br. Fl. Gard. 74. Hungar. 7.

*virginiana* L. Sp. Bot. Mag. 1703. Virgin. 7.

*halophilla* Pallas. It. Bot. Mag. 1131. Russ. 7.

*prismatica* Pursh. Fl. Bot. Mag. 1504. Am. s. 7.

*amoena* Red. Lil. t. 36. 7.

*neglecta* Horn. Hort. Bot. Mag. 2435. 7

*Pallasii* Bot. Mag. 2331. Sibir. 7.

*verna* Mich. Fl. Sweet Br. Fl. Gard. t. 68. Am. s. 7.

*hæmatophylla* Fisch. Bot. Mag. 1604. Sweet Br. Fl. Gard. t. 118. Sibir. 7.

**VIEUSSEUXIA.**

*tricuspis lutea*. Bot. Mag. 772. Cap. Temp. 7.

**CROCUS.**

*stellaris* Sabine Hort. Trans. 1. p. 136. Ic. Eur. m. 7.

*lagenæflorus* Salisb. Parad. Lond. Bot. Mag. 2655. Græc. 7.

**PONTEDERIA.**

*crassipes* Mart. N. pl. bras. t. 4. Brasil. Cald. 7.

**MUSEÆ. .****MUSA.**

*rosacea* Jacq. H. Schoenb. t. 445. Ind. Cald. 7.

**CANNÆ.****CANNA.**

*discolor* Bot. Reg. 1231. Antill. Cald. 7.

*pedunculata* Bot. Mag. 2323. Cald. 7.

**AMOMUM.**

- { rubrum H. p. Ind. Cald. 4.
- { Zingiber rubens Roscoe. Scit. t. 88.
- granum paradisi L. H. Malab. v. 2. t. 6. Ind. Cald. 4.

**HEDYCHIUM.**

- gardnerianum Bot. Reg. 774. Nepaul. Cald. 4.
- carneum Bot. Mag. 2637. Nepaul. Cald. 4.
- spicatum Bot. Mag. 2300. Nepaul. Cald. 4.
- heteromallum Bot. Reg. t. 767. Nepaul. Cald. 4.
- flavum Wallich. Bot. Mag. 2378. Ind. Cald. 4.

**MARANTA.**

- gibba Smith. Spreng. Syst. Antill. Cald. 4.
- { grandifolia H. p. Brasil. Cald. 4.
- { Calathea grandifolia Bot. Reg. 1210.
- truncata Parment. Cald. 4.

**KÆMPFERIA.**

- { pandurata Roxb. Bot. Reg. 173. Sumatra. Cald. 4.
- { Curcuma rotunda. L.

**ORCHIDEÆ.****CALANTHE.** Bot. Reg.

- { veratrifolia Bot. Reg. 720. Bot. Mag. 2615. Ind.
- { Cald. 4.
- { Limodorum veratrifolium Willd. Sp.

**CYMBIDIUM.**

- { pendulum Swartz Orchid. Ind. Cald. 4.
- { Epidendrum pendulum Roxb. Corom. t. 44.

**DENDROBIUM.**

- { Harrisoniæ Hook. Ex. Fl. t. 120. Am. m. 4.
- { Maxillaria Harrisoniæ Bot. Reg. 897.
- { Colax Harrisoniæ Spreng. Syst.

**CYPRIPEDIUM.**

- guttatum Swartz Act. Holm. Reichenb. Ic. t. 210. Russ.
- 4.
- Calceolus Linn. Hall. Hist. t. 43. Red. Lil. t. 10. Alp. 4.

**EPIDENDRUM.**

- umbellatum Swartz Fl. Bot. Reg. 80. Antill. Cald. 4.

**ANGRÆCUM.** Lindl.

- maculatum Bot. Reg. 618. Brasil. Cald. 4.

**EULOPHIA.** Bot. Reg.

- streptopetala Bot. Reg. 1002. Bot. Mag. 2931. Brasil.
- Cald. 4.

**BRASSIA.** H. K.

- { maculata H. Kew. Am. m. Cald. 4.
- { caudata Bot. Reg. 832.
- { Epidendrum caudatum. L.
- { Malaxis caudata Willd. Sp.

## HYDROCHARIDEÆ.

## NYMPHÆA.

- { pumila Reichenb. Ic. t. 52. f. 1. Gall. 2.
- { Nuphar pumila Dec. Prodr.
- odorata H. Kew. Bot. Mag. 819. Am. s. 2.

## ELÆAGNEÆ.

## CONOCARPUS. Linn.

- erecta L. Jacq. Amer. t. 52. f. 1. Antill. Cald. 5.

## TERMINALIA.

- procera Roxb. Corom. t. 224. Ind. Cald. 5.
- macrocarpa H. p. Seneg. Cald. 5.

## THYMELEÆ.

## PASSERINA.

- laxa L. suppl. Bot. Cab. 755. Cap. Temp. 5.

## PIMELEA.

- incarnata Brown Prodr. N. Holl. Temp. 5.

## PROTEACEÆ.

## PROTEA.

- { anemonifolia Bot. Mag. 697. N. Holl. Temp. 5.
- { Isopogon anemonifolius R. Br.

## BANKSIA.

- verticillata Brown Prodr. N. Holl. Temp. 5.
- occidentalis Brown Prodr. N. Holl. Temp. 5.
- oblongifolia Brown Prodr. N. Holl. Temp. 5.
- marginata microstachya Bot. Mag. 1947. Cav. Ic. t. 541.
- (excl. Linn. syn.) N. Holl. Temp. 5.
- { integrifolia L. suppl. Brown Prodr. N. Holl. Temp.
- { 5.
- { oleifolia Cav. Ic. t. 545. Variet.

## HAKEA.

- ilicifolia Brown Prodr. N. Holl. Temp. 5.
- nitida Brown Prodr. N. Holl. Temp. 5.

## LOMATIA.

- longifolia Brown Prodr. Bot. Reg. 542. N. Holl. Temp. 5.

## GREVILLEA. Brown.

- juniperina Br. Prodr. Bot. Cab. 1003. Bot. Reg. 1084.
- N. Holl. Temp. 5.

## LAURINEÆ.

## HERNANDIA.

- ovigera L. Rumph. Amb. v. 3. t. 123. Ind. Cald. 5.



## POLYGONEÆ.

## POLYGONUM.

- undulatum Murr. Comm. Goett. 1774. t. 5. Sibir. 2.  
 { equisetiforme Sibth. et Smith Fl. Græc. t. 364. Eur.  
   austr. 5.  
 { elegans Tenor. Fl. Napol. t. 35.

## RUMEX.

- domesticus Hartm. Reichenb. Ic. t. 344. Suec. 2.  
 { chilensis H. p. Chili. 2.  
 { chrysocarpus Moris ind. sem. H. Taurin. a 1831.  
 persicarioides L. Virgin. ☉.  
 nepalensis Spreng. Syst. Reich. Ic. exot. t. 234. Nepaul. 2.  
 hamatus Trevir. Act. Nat. Cur. vol. 13. p. 174. Nepaul. 2.  
 { littoralis Kunth. Nov. Gen. Am. m. ☉.  
 { brasiliensis Link. H. Berol.  
 longifolius Kunth. Nov. Gen. Reichenb. Ic. exot. t. 225.  
 Mexico? 2.  
 cordifolius Horn. Reich. Ic. t. 487. Russ. 2.  
 montevidensis Spreng. Syst. Montevide. 2.

## RHEUM.

- australe Don. Prodr. Sweet Brit. Fl. Gard. t. 269, Tibet.  
 2.

## ATRIPLICEÆ.

## ANCISTROCARPUS. Kunth.

- maypurensis Kunth. Nov. Gen. t. 122. Am. m. ☉.

## POLYCNEMUM.

- oppositifolium Pallas Itin. v. 1. t. 27. f. 1. Ed. Gall.  
 Tatar. ☉.  
 monandrum Pallas Itin. t. 21. Ed. Gall. Russ. m. ☉.

## CAMPHOROSMA.

- ovata Wald. et Kit. Hung. t. 63. Hungar. ☉.

## SALSOLA.

- prostrata Fischer. Russ. 2. (distincta a S. prostrata Jacq.)  
 { cinerea Waldst. et Kit. Hung. t. 106. Hungar. ☉.  
 { sedoides Marsch. Cauc.  
 { clavifolia Marsch. Cauc. Tatar. ☉.  
 { Anabasis foliosa L.  
 vermiculata Marsch. Caucas. Tatar. ☉.  
 pygmæa Fisch. ☉.

## SPINACIA.

- fera L. Gmel. Sibir. 3. t. 16. Sibir ☉.

## BETA.

- macrocarpa Gusson. Fl. Sicul. Ic. t. 106. Sicil. ☉.  
 patula H. Kew. Madera. ♂.

**MONOLÉPIS. Schrad.**

- { trifida Schrad. ind. sem. H. Goett. a. 1830. Am. s. ☉.  
 { *Chenopodium trifidum* Trevir. ind. sem. H. Vrat. a.  
 1829.

**CHEENOPODIUM.**

- { *crassifolium* Horn. Hort. Gall. ☉.  
 { *botryodes* Engl. Bot. 2247.  
*opulifolium* Schrad. Dec. Fl. suppl. Vaill. Bot. t. 7. f.  
 1. Gall. ☉.  
 { *trigynum* R. et S. Syst. Gall. ☉.  
 { *Salsola altissima* Cav. Ic. t. 289. (non L.)  
*acutifolium* Engl. Bot. 1481. Gall. ☉.

**ATRIPLEX.**

- rosea* Fischer (distincta ab *A. rosea* H. p. quæ est *A. polysperma* Tenor.)  
*crassifolia* Ledeb. Ic. t. 42. Songaria. ☉.

**AXYRIS.**

- hybrida* L. Sibir. ☉.

**CORISPERMUM.**

- nitidum* Kit. Roem. et Schult. Syst. Hungar. ☉.  
*canescens* Kit. Roem. et Schult. Syst. Hungar. ☉.

**AMARANTHEÆ.****HABLITZIA. Marsch.**

- tamnoïdes* Marsch. Cauc. Reichenb. Ic. t. 754. Caucas. ʔ.

**IREGINE.**

- herbacea* H. p. Temp. ʔ.

**GOMPHRENA.**

- villosa* Mart. Amar. Montev. Temp. ʔ.

**MOGIPHANES. Martius.**

- virgata* Schrad. Brasil. Cald. ʔ.

**PLANTAGINEÆ.****PLANTAGO.**

- { *pumila* L. suppl. Eur. austr. ☉.  
 { *exigua* Murray Comm. Goett. 1778. t. 5.  
*camtchatica* Link. Spreng. Syst. Camtch. ʔ.  
*brutia* Tenor. Fl. Nap. t. 113. Ital. ʔ.  
*mexicana* Link. Enum. ☉.  
*canescens* Schrad. ind. sem. H. Goett. ☉.

**NYCTAGINEÆ.****CALYXHYMENIA.**

- chilensis* H. p. Chili. Temp. ʔ.

**MIRABILIS.**

hybrida Lepellet. Nov. Granat. ☉.

**PLUMBAGINEÆ.****PLUMBAGO.**

mexicana Kunth. Nov. Gen. Mexico. Cald. ʒ.

micrantha Ledeb. Ic. t. 21. Tatar. ☉.

rhomboïdea Bot. Mag. 2917. ☉.

**STATICE.**

acerosa Marsch. Cauc. (excl. synonym. Tournef.) Iber. ʒ.

**LYSIMACHIEÆ.****ANAGALLIS.**

crassifolia Thore Chl. Gall. m. ʒ.

**LUBINIA. Vent.**

atropurpurea Link et Otto Ic. Select. t. 27. Cap. Temp. ʒ.

**ANDROSACE.**

filiformis Retz. Obs. Sibir. ☉.

**PRIMULA.**

verticillata Forsk. Fl. Vahl. Symb. t. 5. Bot. Mag. 2842.

Arab. Temp. ʒ.

**GLOBULARIA.**

bisnagarica L. Pluck. t. 58 f. 5. ʒ.

**PEDICULARINEÆ.****VERONICA.**

biloba L. Mant. Buxb. Cent. 1. t. 36. Oriens. ☉

aphylla L. Sp. Seguiet. Ver. 1. t. 3. f. 20. Pluck. t. 114.  
f. 3. Alp. ʒ.

**ACANTHEÆ.****THUNBERGIA.**

angulata Hook. Exot. Fl. t. 166. Madagascar. Cald. ʒ.

**ERANTHEMUM.**

strictum Bot. Reg. 867. Nepaul. Cald. ʒ.

**RUELLIA.**

sabiniana Bot. Reg. 1238. Ind. Cald. ʒ.

geniculata H. p. Georgia. Temp. ʒ.

**JUSTICIA.**

ventricosa Bot. Mag. 2766. China. Cald. ʒ.

lurido-sanguinea Bot. Mag. 1870. Ind. Cald. ʒ.

speciosa Roxb. Bot. Mag. 2722. Ind. Cald. ʒ.

cuneata Vahl. Enum. Cap. Temp. ʒ.

Betonica L. H. Malab. v. 1. t. 21. Ind. Cald. ʒ.

micrantha H. Berol. Cald. ʒ.

## VITICEÆ.

## CLERODENDRUM.

- { fragrans Vent. Malm. t. 70. China. Cald. ♀.
- { Volkameria japonica Jacq. H. Schoenbr. t. 338.
- hastatum Bot. Reg. 1307. Ind. Cald. ♀.

## GMELINA.

- asiatica L. Sp. Ind. Cald. ♀.

## LANTANA.

- mixta L. Syst. veg. Dill. Elth. t. 56. f. 64. Antill. Cald. ♀.
- lavandulacea Willd. Sp. Cald. ♀.
- Sellowiana Link et Otto. Ic. Select. t. 50. Bot. Mag. 2981.
- Cald. ♀.
- { achyranthifolia Cat. H. p. Mexico.
- { Lippia purpurea Jacq. Fil. Ecl. t. 85.

## LIPPIA. Linn.

- { dulcis Trevir. N. Act. Nat. Cur. vol. 13. pag. 187. Am.
- { m. Cald. 2.
- { Lippia asperifolia Reichenb. Ic. exot. t. 169. (Excl. syn.)

## VERBENA.

- lasiostachys Link. En. Californ. 2.
- Melindres Bot. Reg. 1184. Paraguay. Temp. 2.
- pulchella Sweet Br. Fl. Gard. 295. Bonar. Temp. 2.
- littoralis Kunth Nov. Gen. t. 137. Chili. Temp. 2.
- { gracilis H. p. Mexico. ☉.
- { canescens Kunth Nov. Gen. t. 136.
- angustifolia Mich. Fl. Am. s. 2.

## SELAGO.

- rapunculoides L. Burm. Afr. t. 42. f. 1. Cap. ♂.

## HEBENSTREITIA.

- tenuifolia Schrad. Reichenb. Ic. exot. t. 138. Cap. ☉.

## LABIATÆ.

## MONARDA.

- parviflora H. p. Georgia. ♂.
- micrantha H. p. Am. s. 2.
- mollis Linn. Sp. Reichenb. Ic. exot. t. 171. Am. s. 2.
- rugosa Ait. H. Kew. Am. s. 2.
- Kalmiana Pursh Fl. t. 1. Am. s. 2.

## ZIZIPHORA.

- taurica Marsch. Cauc. Tauria. ☉.
- persica H. p. Persia. ☉.
- serpyllacea Marsch. Cauc. Bot. Mag. 906. Caucas. 2.
- media Link. Enum. Caucas. 2.

**SALVIA.**

Spielmanni Scop. Insubr. v. 3. t. 15. Jacq. fil. Ecl. t. 16.

Reich. Ic. t. 532. Oriens ☉.

Clusii Jacq. Schoenbr. t. 195. Oriens. Temp. ☿. (distincta a *S. sypileia* Lamk.)

bullata Jacq. H. Schoenbr. t. 481. Am. m. ♀.

{ *erosa* H. p. Hispan. ☉.

{ *clandestina* Lamk. (non Linn.)

*bracteata* Bot. Mag. 2320. Russia. ♀.

*rubra* Ehrenb. H. Berol. Ægypt. ♀.

{ *Tenorii* Spreng. pug. 1. n° 3. Sweet Br. Fl. Gard. t. 26. Ital. ♀.

{ *Barrelieri* Tenor. Fl. Nap. t. 2.

*odorata* Jacq. fil. Ecl. t. 16. Oriens ♀.

**TEUCRIUM.**

*chilense* H. p. Chili. Temp. ☿.

**SATUREIA.**

*cuneifolia* Tenor. Fl. Nap. t. 151. f. 2. Ital. ☿.

*rupestris* Jacq. Ic. Rar. t. 494. Carniol. ♀.

**NEPETA.**

*Mussini* Marsch. Cauc. Reichenb. Ic. t. 587. Iber. ♀.

*reticulata* Desf. Atl. t. 124. Mauritan. ♀.

**SIDERITIS.**

*taurica* Marsch. Cauc. Reich. Ic. t. 384. Tauria. ♀.

**ÆOLLANTHUS. Martius.**

*suaveolens* Mart. H. Monac t. .: Brasil. ☉.

**HYPTIS.**

{ *stachyoides* Link. Spr. Syst. Brasil. ☉.

{ *Aphanochilus foetens* Benth in Wallich Pl. As. rar.

{ *inflata* Spreng. Syst. Brasil. ☉.

{ *Marsupianthes hyptoides* Mart.

*glandulosa* Sieber Pl. exs. Oriens. ☉.

**STACHYS.**

*polystachia* Tenor. Fl. Nap. 2. t. 53. Ital. ♀.

*albicaulis* Bertero. Chili. Temp. ♀.

*Salviæ* Bot. Reg. 1226. Chili. Temp. ♀.

*salviæ folia* Tenor. Prodr. Ital. ♀.

*grandidentata* Bot. Reg. 1080. Chili ☉.

*corsica* Pers. Syn. Reichenb. Ic. t. 646. Cors. Temp. ♀.

*cretica* L. Europ. m. ♀.

*heraclea* Willd. sp. All. Ped. t. 84. Gall. m. Temp. ♀.

*pubescens* Tenor. Prodr. Ital. ♀.

**MARRUBIUM.**

*astracanicum* Jacq. Rar. t. 109. Oriens.

{ *coerulescens* H. p. Hungar. ♀.

{ *leonuroides* Desrouss. Encycl. Reichenb. Ic. t. 299.

paniculatum Desrouss. Encycl. Reichenb. Ic. t. 300. Eur.  
2.

**LEONURUS.**

altaicus Spreng. Syst. Sibir. 2.

**LEUCAS.**

{ aspera Spreng. Syst. Persia. ☉.  
Phlomis aspera Willd. Enum.  
{ zeylanica Willd. Enum. ☉.  
Phlomis zeylanica L. Jacq. Rep. t. 111.

**MOLUCCELLA.**

frutescens L. All. Ped. t. 2. f. 2. Gall. m. Temp. 5.

**BRACHYSTEMON.** Michx.

verticillatum Mich. Flor. t. 31. Carolin. 2.

**ORIGANUM.**

Majorana L. Sp. Europ. m. ☉.

**THYMUS.**

Teneriffæ Pers. Syn. Tener. Temp. 5.

Herba baronæ Loisel Fl. Gall. 2. t. 9. Cors. Temp. 5.

**DRACOCEPHALUM.**

botryoides Stev. Soc. Nat. Cur. Mosq. v. 3. Martia. Cauc.  
Suppl. Caucas. 2.

argunense Fischer. Sweet Brit. Fl. Gard. t. 47. Sibir. 2.

speciosum Sweet Br. Fl. Gard. t. 93. Am. s. 2.

denticulatum H. kew. Bot. Mag. t. 214. Am. s. 3.

variegatum Vent. H. Cels. t. 44. Am. s. 2.

**ISODON.** Schrad.

plectranthoides Schrad. ind. sem. H. Gert. d. 1829.  
Cald. 2.

**PLECTRANTHUS.**

incanus Link. Enum. Nepaul. Temp. 2.

crassifolius Vahl. En. Arab. Cald. 5.

**OCYUM.**

polystachium L. Mant. Ind. ☉.

**SCUTELLARIA.**

macrantha Fischer. Reichenb. Ic. t. 488. Davuria 2.

**PERILOMIA** Kunth.

ocymoides Kunth Nov. Gen. et Sp. Bot. Reg. t. 1394.

Peruv. Temp. 2.

**SCROPHULARIÆ.**

**BUDLEIA.**

{ thapsoïdes H. p. Bratt. Temp. 5.

{ brasiliensis Bot. Mag. 2713.

**SCROPHULARIA.**

- divaricata Ledeb. Fl. alt. Sibir. 2.  
 mellifera Desf. Atl. t. 143. Mauritan. 2.  
 grandiflora Dec. Cat. hort. monsp. Reichenb. Ic. exot. t. 98.  
 2.  
 variegata Marsch. Cauc. Reichenb. Ic. t. 257. Caucas. 2.  
 cretacea Fischer. Caucas. 2.

**STEMODIA.**

- { arenaria Kunth Nov. Gen. t. 179. Am. m. ☉.  
 { senegalensis Cat. H. p. 1829.  
 verticillaris Link Enum. Brasil. ☉

**SALPIGLOSSIS. R. et P.**

- atropurpurea Sweet Brit. Fl. Gard. t. 271.  
 Chili. Temp. 2.  
 straminea Hook. Ex. Fl. t. 229. Sweet Brit. Fl. Gard. t.  
 231. Chili. Temp. 2.

**LINARIA.**

- acutiloba Fischer. Reichenb. Ic. t. 424. Davur. 2.  
 macroura Marsch. Cauc. Reichenb. Ic. t. 432. Tauria ☉.  
 italica Trevir. Reichenb. Ic. t. 421. ☉.  
 pubescens H. p. ☉.  
 reflexa Desf. Atl. Mauritan. ☉.  
 silenifolia Reichenb. Ic. t. 437. Eur. m? 2.

**ANARRHINUM.**

- fruticosum Desf. Atl. t. 142. Alger. Temp. 2.

**DIGITALIS.**

- micrantha Roth nov. pl. Reichenb. Ic. tab. 153. Hel-  
 vet. 2.  
 lævigata Wald. et Kit. Hung. t. 158. Hungar. 2.

**USTERIA (Maurandya).**

- Barclayana Bot. Reg. 1108. Mexico. Cald. 2.

**COLLINSIA. Nuttall.**

- grandiflora Bot. Reg. 1107. Californ. ☉.  
 parviflora Bot. Reg. 1082. Californ. ☉

**SCHIZANTHUS.**

- porrigens Hook. Exot. Fl. 86. Bot. Mag. 2521. Chili. ☉.

**CALCEOLARIA.**

- plantaginea Smith Ic. ined. v. 1. t. 2. Magell. 2.  
 rugosa Hook. Exot. Fl. 99. Bot. Mag. 2523. Chili. Temp.  
 2.  
 integrifolia Bot. Reg. 744. Chili. Temp. 2. (an var. præ-  
 ced.)  
 connata Bot. Mag. 2876. Chili. Temp. 2.  
 Herbertiana Bot. Reg. 1313. Chili. Temp. 2.

**MIMULUS.**

- propinquus Bot. Reg. 1330. Am. s. ☉.

moschatus Bot. Reg. 1118. Am. s. 2.  
 variegatus H. p. Chili. Temp. 2.  
 floribundus Bot. Reg. 1125. Am. s. ☉.

**LINDENBERGIA** Lehm.

urticifolia Lehm. ind. sem. Hort. Hamburg. a. 1830. Link.  
 et Otto. Ic. Rar. t. 48. Nepaul. ☉.

**BROWALLIA.**

demissa Willd. Sp. Bot. Mag. 1136. Nov. Hispan. ☉.

**SOLANÆÆ.**

**CELSIA.**

heterophylla Jacq. Fragm. t. 97. ♂.

**VERBASCUM.**

gnaphalodes Marsch. Cauc. Suppl. Tauria. ♂.  
 ovatum Schrad. Diss. Europ. m. ♂.  
 mucronatum Lamk. Encycl. Oriens. Temp. ♂.  
 speciosum Schrad. Diss. Europ. m. ♂.  
 grandiflorum Schrad. Diss. ♂.

**HYOSCYAMUS.**

canariensis Bot. Reg. 180. Canar. ☉. (An variet. H. albi?)  
 orientalis Marsch. Cauc. Bot. Mag. 2414. Sweet Brit. Fl.  
 Gard. t. 12. Caucas. 2.

**NICOTIANA.**

alata Lk. et Otto. Ic. Rar. t. 32. Brasil. m. Temp. 2.  
 glauca Bot. Mag. 2837. Bonar. Temp. 2.  
 multivalvis Bot. Reg. 1057. Am. s. ☉.  
 { micrantha H. p. Chili. ☉.  
 { ~~Petunia~~ *vistosa* Bertero.  
 acuminata Hooker Bot. Mag. 2919. Chili. ☉.  
 Berterii H. p. Chili. ☉.

**DATURA.**

hybrida Tenor. ind. sem. Neapol. ☉.

**NICANDRA.**

{ anomala Link et Ott. Ic. select. t. 35. Nepaul. 2.  
 { Anisodus luridus. Nees.  
 { Whitleya stramonifolia Sweet Brit. Fl. Gard. t. 125.

**PHYSALIS.**

lancifolia Link Cat. Sem. H. Berol. ☉.  
 Lagascæ Roem. et Sch. Syst. N. Hisp. ☉.  
 pruinosa L. Dill. Elth. t. 12. f. 12. Am. s. ☉.  
 flexuosa L. Sp. Jacq. Fil. Ecl. t. 23. Ind. Temp. 2.

**SARACHA.**

contorta R. et P. Fl. per. t. 180. f. a. (mala) Peruv. ☉.

**LYCOPERSICUM.**

pyriforme Dunal Sol. t. 26. Am. m. ☉.



**SOLANUM.**

- pterocaulon Dunal. Sol. Antill. ☉.  
 humile Dunal Sol. Eur. ☉.  
 Besseri Roem. et Sch. Syst. Am. s. ☉.  
 gracile Link. ☉.  
 Capsicastrum Link Cat. Sem. H. Berol. Cald. ♀.  
 { salvifolium Lamk. Ill. Guian. Cald. ♀  
 { Radula Vahl. Ecl. Bot. Mag. 2739.  
 quitoëense Lamk. Ill. Bot. Mag. 2739. Dunal Sol. 2.  
 t. 92. f. b. Peruv. Cald. ♀.  
 Berterii H. p. Chili. ☉.  
 Dillenii Schult. Fl. Austr. Reichenb. Ic. t. Dill. Elth.  
 t. 275. f. 355. Hungar. ☉.  
 fastigiatum Jacq. f. Ecl. t. 6. Am. m. Cald. ♀.

**LYCIUM.**

- chilense Miers trav. Chili. Temp. ♀.

**BORRAGINEÆ.****COLDENIA. Linn.**

- procumbens L. Pluck. t. 64, fig. 6. Ind. ☉.

**NEMOPHILA. Barton.**

- phacelioides Nuttall. Bart. Fl. Am. Bot. Mag. 2373. Bot.  
 Reg. 740. Sweet Brit. Fl. Gard. 32. Am. s. ☉.  
 peduncularis Bart. Am. s. ☉.

**DICHONDRA.**

- sericea Swartz Fl. Ind. Antill. Cald. ♀.  
 repanda Bertero. Chili, ♀.

**HELIOTROPIMUM.**

- suaveolens Marsch. Cauc. Reichenb. Ic. t. 379. Caucas.

**ECHIUM.**

- rubrum Jacq. Austr. App. t. 3. Hungar. ♀.  
 { Sibthorpii R. et S. Syst. Græc. ☉.  
 { hispidum Sibth. Fl. Gr. t. 131. (nec aliorum).  
 argenteum. L. Mant. Andr. Rep. 154. Cap. Temp. ♀.  
 lineatum Jacq. fil. Ecl. t. 42. Temp. ♀.  
 fastuosum Jacq. fil. Ecl. t. 41. Canar. Temp. ♀.

**LITHOSPERMUM.**

- orientale L. Dill. Elth. t. 52. f. 60. Oriens. Temp. ♀.

**PULMONARIA.**

- { davurica Bot. Mag. 1743. Davur. ♀.  
 { Lithospermum davuricum Lehm. Asperif. Sweet Brit.  
 Fl. Gard. t. 121.

**ONOSMA.**

- taurica Marsch. Cauc. Bot. Mag. 889. Taur. ♂.  
 stellulata Wald. et Kit. Hung. t. 173. Hungar. ♂.

tinctoria Marsch. Cauc. Iber. ʒ.  
 rupestris Marsch. Cauc. Iber. Temp. ʒ.  
 arenaria Wald. et Kit. Hung. t. 279. Hungar. ʒ.

**SYMPHITUM.**

tuberosum L. Jacq. Obs. t. 63. Fl. austr. t. 225. Gall. ʒ.  
 echinatum Ledeb. H. Dorpat. ʒ.

**MYOSOTIS.**

deflexa Wahlenb. Act. Stockh. a. 1819. p. 113. t. 4. Eu-  
 rop. ♂.

**ANCHUSA.**

hybrida Tenor. Fl. Napol. t. 11. Ital. ♂.

**BORRAGO.**

crassifolia Vent. H. Cels. t. 100. Oriens. ʒ.

**CYNOGLOSSUM.**

Dioscoridis Villars Delph. Alp. ʒ.

**NOLANA.**

paradoxa Bot. Reg. 165. Chili. ☉.

**CONVOLVULACEÆ.****POIANA, Burm.**

volubilis Willd. Sp. Burm. Ind. t. 21. f. 1. Ind. Cald. ♀.

**CONVOLVULUS.**

bonariensis. Cav. Ic. t. 480. Brasil. Cald. ʒ.  
 copticus L. Mant. Oriens. ☉.  
 Scammonia L. Fl. Græc. t. 192. Oriens. ʒ.  
 linearis Bot. Mag. 289. Ital. Temp. ♀.  
 Schottianus H. Camald. ☉.  
 chilensis Bertero. Chili. ☉.

**IPOMEA.**

{ muricata Jacq. H. Schœnbr. t. 323. Ind. ☉.  
 { Convolvulus muricatus L. Mant.  
 hirsutula Jacq. Fil. Ecl. t. 44. ☉.

**FABIANA, R. et Pav.**

imbricata, R. et P. Fl. per. t. 122. Chili. Temp. ♀.

**POLEMONIACEÆ.****PHLOX.**

nivalis Bot. Cab. t. 780. Sweet Brit. Fl. Gard. t. 185.  
 Am. s. ʒ.  
 pyramidalis Smith Exot. Bot. t. 87. Am. s. ʒ.  
 cordata Elliot Fl. Carolin. ʒ.  
 { scabra Sweet Brit. Fl. Gard. t. 248. Am. s. ʒ.  
 { Sickmanni Lehm. Nov. Act. Nat. Cur. vol. 14. pars. 2  
 t. 46.

*reflexa* Sweet Brit. Fl. Gard. t. 232. Am. s. 2.  
*canadensis* Sweet Br. Fl. Gard. t. 221. Am. s. 2.

**POLEMONIUM.**

*pulchellum* Ledeb. Ic. t. 18. Sibir. 2.  
 { *dissectum* Reichenb. Ic. t. 463. Sibir. 2.  
 { *sibiricum* Sweet Brit. Fl. Gard. t. 182.

**GILIA. R. et Pav.**

*capitata* Hook. Bot. Mag. 2698. Californ. ☉.  
*laciniata* R. et Pav. Chili.

**COLLOMIA. Nutt.**

*heterophylla* Bot. Mag. 2895. Californ. ☉.  
*grandiflora* Bot. Reg. 1174. Bot. Mag. 2894. Californ. ☉.  
 { *linearis* Nutt. Gen? Bot. Reg. 1166. Bot. Mag. 2893.  
 { Am. s. ☉.  
 { *pumila* Horn. Hort. Hafn.

**CANTUA.**

*picta*. H. P. Georgia. Temp. ♂.

**BIGNONIACEÆ.****CHELONE.**

{ *major* Bot. Mag. 1864. Am. s. 2.  
 { *Lyonii* Pursh Flor. Sweet Brit. Fl. Gard. t. 293.  
*latifolia* Elliot. Fl. Georg. 2.  
*nemorosa* Bot. Reg. t. 1211. Am. s. 2.

**PENTSTEMON.**

*pulchellum* Bot. Reg. 1138. Mexico. Temp. 2.  
*Digitalis* Bot. Mag. 2587. Sweet Brit. Fl. Gard. t. 120.  
 Carolin. 2.  
*diffusum* Bot. Reg. 1132. Am. s. 2.  
*confertum* Bot. Reg. 1260. Am. s. 2.  
*ovatum* Bot. Mag. t. 2903. Am. s. 2.  
*Richardsonii* Bot. Reg. 1121. Am. s. 2.  
*atropurpureum* Sweet Brit. Fl. Gard. 235. Mexico. 2.  
 { *angustifolium* Bot. Reg. 1122. Mexico. Temp. 2.  
 { *Chelone angustifolia* Kunth N. Gen. 2. t. 178.  
 { — *rosea* Sweet Br. Fl. Gard. t. 230.  
*gracile* Nutt. Gen. Bot. Mag. 2945. Am. s. 2.

**ECCREMOCARPUS. R. et P.**

*scaber* Bot. Reg. 939. Chili. Temp. ♀.

**LOPHOSPERMUM. Don.**

{ *erubescens* Bot. Reg. 1381. Mexico. Temp. 2.  
 { *scandens* Bot. Mag. 3038. (non Don.)

**JACARANDA.**

*echinata* Lamk. Encycl. Aubl. Guian. t. 263 et 264. Guian.  
 Cald. 2.  
 { *alba* Spreng. Syst. Guian. Cald. 2.  
 { *Bigonia alba* Aubl. Guian. t. 266.

**ROGERIA. Gay.**

*adenophylla* Gay Ann. des Sc. nat. Delil. Cent. t. 63.  
Seneg. ☉.

**DIDYMOCARPUS. Jack.**

{ *Rexii* Hook. Exot. Fl. 227. Afr. Cald. 2.  
{ *Streptocarpus Rexii* Bot. Reg. 1173.

**MARTYNIA.**

{ *hirsuta* H. p. Brasil. Cald. 2.  
{ *Gloxinia hirsuta* Bot. Reg. 1004.  
{ *caulescens* H. p. Fernamb. Cald. 2.  
{ *Gloxinia caulescens* Bot. Reg. 1127.

**GENTIANEÆ.****LOGANIA. R. Br.**

{ *latifolia* Br. Prodr. N. Holl. Temp. 5.  
{ *Exacum vaginale* La Bill. N. Holl. Spec. t. 51.

**CHIRONIA.**

*jasminoides* L. Sp. Bot. Reg. 197. Cap. Temp. 2.  
*lychnoides* L. Mant. Cap. Temp. 2.

**APOCYNEÆ.****TABERNÆMONTANA.**

{ *nervosa* H. p. Ins. Franc. Cald. 5.  
{ *persicariæfolia* Willd. Jacq. Rar. t. 320.

**ECHITES.**

*trichotoma* H. p. Cald. 5.

**STROPHANTHUS.**

*hirsutus* H. p. Seneg. Cald. 5.

**DISCHIDIA.**

*benghalensis* Bot. Mag. 2916. Bengal. Cald. 5.

**PERGULARIA.**

*odoratissima* Smith. Ic. pict. 16. Bot. Reg. 412. China.  
Cald. 5.

**ASCLEPIAS.**

*fuscata* Willd. Sp. Lusitan. 2.

**SCHOLLIA. Jacq. Fil.**

*crassifolia* Jacq. f. Ecl. t. 2. China. Cald. 5.

**STRYCNOS.**

*madagascariensis* Du Petit-Th. Madag. Cald. 5.

**THEOPHRASTA.**

*latifolia* Spreng. Syst. Am. m. Cald. 5.

**CLAVIJA. R. et Pav.**

*lancifolia* H. p. Guian. Cald. 5.  
{ *longifolia* H. p. Caracas. Cald. 5.  
{ *Theophrasta longifolia* Jacq. H. Schoenbr. t. 116.

## SAPOTEÆ.

## IMBRICARIA. Juss.

maxima Lamk. Ill. t. 300. Ins. Borbon. Cald. ♀.

## MYRSINEÆ.

## MYRSINE.

variabilis Brown Prodr. N. Holl. Temp. ♀.

## ANDISIA.

{ pyramidalis Roem. et Schult. Syst. Am. m. Cald. ♀.  
Anguillaria pyramidalis Cav. Ic. t. 502.

## GUAIACANÆ.

## DIOSPYROS.

Mabola Bot. Reg. 1139. Ind. Cald. ♀.

## ROYENA.

glabra L. Comm. Hort. v. 1. t. 65. Cap. Temp. ♀.

## RHODORACEÆ.

## RHODODENDRON.

catawbiense Pursh Fl. Bot. Mag. 1671. Am. s. ♀.

## ERICEÆ.

## BLÆRIA. Linn.

ericoides L. Wendl. Coll. t. 25. Cap. Temp. ♀.

## ARBUTUS.

{ andrachnoïdes Link Enum. Temp. ♀.  
hybrida Bot. Reg. 619.  
serratifolia Bot. Cab. 580.

## ANDROMEDA.

buxifolia Lamk. Encycl. Ins. Borbon. Cald. ♀.

salicifolia Lamk. Smith Icon. ined. t. 58. Ins. Borbon. Cald. ♀.

## GAULTHERIA.

Shallon Pursh Fl. Bot. Mag. 2843. Bot. Reg. 1411. Californ. ♀.

## VACCINIUM.

Arctostaphylos Bot. Mag. 974. Oriens. Temp. ♀. (non Linn.)

nitidum Andr. Rep. 480. Am. s. ♀.

{ fuscum Pursh Fl. Bot. Reg. 302. Am. s. ♀.  
formosum Bot. Rep. 97.

{ maderense Spreng. Syst. Canar. Temp. ♀.  
Arctostaphylos Andr. Rep. 30 (non Linn.).

## ESCALLONIA.

floribunda Kunth N. Gen. Nov. Granat. Temp. ♀.

bifida Link et Otto Ic. Rar. t. 23. Montevide. Temp. 5.  
**ERYTHRORHIZA.** Michx.

- { rotundifolia Mich. Fl. t. 36. Carol. Temp. 7.
- { Blandfordia cordata Andr. Rep. 343.
- { Galax aphylla Willd. Sp. Bot. Mag. 754.

### EPACRIDEÆ.

#### STENANTHERA.

pinifolia Brown Prodr. Bot. Reg. 218. Nov. Holl. Temp. 5.

### CAMPANULEÆ.

#### MICHAUXIA.

lævigata Vent. H. Cels. t. 81. Bot. Mag. 3118. Persia  
 Temp. 5.

#### CAMPANULA.

Steveni Marsch. Cauc. Suppl. Caucas. 7.

- { Lorei Link Enum. Ital. ☉.
- { ramosissima Sibth. Fl. Græc. t. 240.
- { repens H. p. Cap. Temp. 7.
- { Wahlenbergia repens Schrad. Comm. Goett. Reichenb  
 Ic. exot. t. 165.
- { denticulata Spr. Syst. Davur. 7.
- { Adenophora denticulata Ledeb. Dorp. Sweet Fl. Gard.  
 t. 116. Reichenb. Ic. exot. t. 2.
- spathulata Wald. et Kit. Hung. t. 258. Hungar. 7.
- capensis L. Bot. Mag. t. 782. Cap. ☉.
- dichotoma L. Bocc. Sic. t. 45. Sibth. Fl. Græc. t. 211.  
 Reichenb. Ic. t. 441. Europ. m. ☉.
- lamiifolia Marsch. Reichenb. Ic. t. 551. Caucas. 7.
- { falcata R. et S. Syst. Ital. ☉.
- { Prismatocarpus falcatus Tenor. Fl. Napol. t. 20.
- { pentagonia L. Sp. Desf. Choix de pl. t. 33. Oriens. ☉
- { Prismatocarpus pentagonius L'Her. Sert. Angl. t. 2.  
 Bot. Reg. 56.
- alliariæfolia Willd. Sp. Salisb. Par. Lond. t. 26. Caucas. 7.
- { fragilis Cyrill. pl. fasc. 1. t. 11. f. 2. Ital. Temp. 7.
- { cochlearifolia Vahl Symb. (non Lamk.)
- { crassifolia Nees Amoen. Bot. Fasc. 2. t. 4.

#### SINNINGIA. Nees.

Helleri Nees. N. Act. Nat. cur. v. 6. t. 12. Brasil. Cald.  
 7.

#### GESNERIA.

verticillata H. p. Brasil. Cald. 7.  
 elongata Kunth N. Gen. t. 192. Peruv. Cald 7.

#### LOBELIA.

cuneifolia Link. et Otto Ic. Select. t. 39. Cap. Temp. 7.  
 unidentata H. kew. Bot. Mag. 1484. Cap. Temp. 7.

**CLINTONIA.** Douglas.*elegans* Bot. Reg. t. 1241. Californ. ☉.**SCÆVOLA.***Koenigii* Vahl Symb. Lamk. Ill. t. 124. f. 2. Bot. Mag. 2732. Ind. Cald. ☿.*crassifolia* Leprieur. ined. Seneg. Cald. ♀.**SEMIFLOSCULOSE.****CHONDRILLA.***latifolia* Marsch. Cauc. Tauria. ♀.**LACTUCA.***augustana* All. Ped. t. 52. f. 1. Sabaud. ☉.*altissima* Marsch. Caucas. ☉.**SONCHUS.**{ *lapponicus* L. Lappon. ♂.{ *alpinus* Smith Ic. ined. t. 21.**HIERACIUM.**{ *incanum* Jacq. Austr. t. 287. Gall. ♀.{ *Apargia incana*. Willd. Sp.*anethifolium* Reichenb. Teneriff. Temp. ☿.**CREPIS.***cernua* Tenor. Prodr. Reichenb. Ic. t. 306. Ital. ☉.*multicaulis* Ledeb. Ic. t. 36. Sibir. ♀.**BARCKHAUSIA.***hyemalis* Bivon. Reich. Ic. t. 40. Sicil. ☉.{ *intybacea* Spreng. Syst. Lusitan. ☉.{ *Crepis intybacea* Brot. Fl.{ *bellidifolia* Dec. Fl. Fr. suppl. Reichb. Ic. t. 203 Cors. ☉.{ *Crepis bellidifolia* Lois. Fl. Gall. t. 18.**APARGIA.**{ *strigosa* Marsch. Cauc. Caucas. ♀.{ *Scorzonera asperifolia* Willd. Sp.**KRIGIA.** Schreb.*chilensis* Bertero Mercur. chil. Chili. ☉.**PICRIS.***strigosa* Marsch. Cauc. Caucas. ♀.{ *asplenioides* Desf. Atl. Mauritan. Temp. ♀.{ *Leontodon muricatum* L'Her. Stirp. t. 173.**SCORZONERA.***ensifolia* Marsch. Cauc. Caucas. ♀.*austriaca* Willd. Sp. Austr. ♀.{ *purpurea* L. Clus. Hist. 2. p. 139. Ic. sup. Jacq. Austr. t. 35. Bot. Mag. 2294. German. ♀.{ *rosea* Wald. et Kit. Hung. t. 121. Variet.**TRAGOPOGON.***floccosum* Wald. et Kit. Hung. t. 112. Hungar. ♀.

**HYPOCHÆRIS.**

sonchoïdes Kunth N. Gen. t. 301. Am. m. Temp. ʒ.

**SERIOLOA.**

{ commutata H. p. Ins. Jon. ☉.  
 { Rodigia commutata Spreng. Syst. Reichenb. Ic. exot. t. 14.  
 apargioïdes Reichenb. ind. sem. H. Dresd. ♂.

**FLOSCULOSÆ.****CNICUS.**

{ pannonicus. Hungar. ʒ.  
 { Carduus pannonicus L. Suppl. Clus. Hist. 2. p. 148.  
 { Ic. exter.  
 { Carduus serratuloïdes Jacq. Austr. 3. t. 5 (non Linn.).  
 setigerus Ledeb. Ic. t. 35. Sibir. ʒ.

**ERYTHROLÆNA.** Sweet.

conspicua Sweet Brit. Fl. Gard. t. 134. Bot. Mag. 2909.  
 Mexico. Temp. ♂.

**CARDUUS.**

montosus Pollin. Fl. Veron. Ital. ʒ.  
 cichoraceus Cyrill. pl. rar. fasc. 2 t. 7. Sicil. ʒ.  
 atriplicifolius Trevir. ind. sem. h. Vratisl. a. 1820. N. Act.  
 Nat. Cur. vol. 13. Reich. Ic. exot. t. 18. Sibir. ʒ.

**LEUZEA.**

davurica Fisch. Davur. ʒ.

**ATRACTYLIS.**

flava Desf. Atl. t. 254. Mauritan. Temp. ʒ.

**SAUSSUREA.**

pulchella Fischer. Davur. ʒ.

**SERRATULA.**

{ simplex Dec. Ann. du Mus. v. 16. Clus. Hist. v. 2. p.  
 { 150. Ic. German. ʒ.  
 { Carduus mollis. L. Jacq. Austr. t. 18.

**CENTAUREA.**

coronopifolia Lamk. Encycl. Armen. ☉.  
 americana Nuttall. Colla Hort. Rip. App. 1: t. 5. Reichenb.  
 Ic. exot. t. 132. Am. s. ☉.  
 ovina Willd. Sp. Caucas. ♂.  
 arenaria Marsch. Cauc. Reichenb. Ic. t. 443. Caucas. ♂.  
 sibirica L. Gmel. Sib. v. 2. t. 42. f. 2. Sibir. ʒ.  
 dissecta Tenor. Prodr. Ital. ʒ.  
 Stoebe L. Sp. Eur. m. ♂.  
 Adami Willd. Sp. Iberia. ☉.  
 reflexa Lamk. Encycl. Armen. ♂.  
 salicifolia Willd. En. Caucas. ʒ.  
 aurea H. kew. Bot. Mag. 421. Europ. austr. ☉.  
 pulchella Ledeb. Ic. t. 93. Songaria. ☉.



- { incana Desf. Atl. Mauritan. 2.  
 { ceratophylla Tenor. Prodr. Fl. Nap. t. 75. var.  
 parviflora Desf. Atl. Mauritan. ☉.

**ECHINOPS.**

- exaltatus Schrad. Diss. Russ. 2.  
 bannaticus Rochel. Schrad. Diss. Hungar. 2.

**GYMNOSTYLES.**

- pterosperma Juss. Ann. du Mus. v. 4. t. 61. f. 3. Bonar.  
 ☉.

**ARTEMISIA.**

- nutans Willd. Sp. Russ. m. ♂.  
 salsoloïdes Willd. Sp. Sibir. 2.  
 Tournefortiana Reich. Ic. exot. t. 5. Oriens. 2.  
 inodora Marsch. Cauc. Gmel. Sib. v. 2. t. 63. f. 1 et 2.  
 Tauria. 2.  
 fasciculata Marsch. Cauc. Georgia. 2.  
 viridifolia Ledeb. Fl. Reichenb. Ic. t. 389. Sibir. 2.  
 peduncularis Stev. Soc. Nat. Mosq. (Absynthium). Marsch.  
 Cauc. Suppl. Caucas. 2.  
 borealis Pallas. Itin. 3. app. n. 129. t. H. h. f. 1. Sibir. 2.  
 mexicana Willd. Herb. Spreng. Syst. Mexico. Temp. 2.  
 { alpina Marsch. Cauc. Caucas. 2.  
 { caucasica Willd. Sp.

**CASSINIA.**

- leptophylla Spreng. Syst. Nov. Zeland. Temp. 5.

**XERANTHEMUM.**

- cylindraceum Sibth. et Sm. Prodr. Reichenb. Ic. t. 639.  
 Gall. ☉.

**PODOLEPIS.** La Bill.

- gracilis Sweet. Br. Fl. Gard. t. 285. Bot. Mag. t. 2904.  
 N. Holl. ☉.

**GNAPHALIUM.**

- { cauliflorum Desf. Atl. Tunis. ☉.  
 { spicatum Vahl.  
 chilense H. p. ☉.

**LEYSSERA.**

- cilitata Thunb. Prodr. Cap. ☉.

**SELLOA.** Spreng.

- glutinosa Spr. Syst. Bot. Reg. 462. Brasil. Cald. 2.

**BACCHARIS.**

- sessiliflora Mich. Fl. Carol. Temp. 5. (non Vahl).  
 xalapensis Kunth N. Gen. Mexico. Temp. 5.

**CONYZA.**

- amœna Link Enum. Reichenb. Ic. exot. t. 69. Congo.  
 Cald. 2.

- { longifolia H. p. Chili. Temp. ♂.
- { chilensis Link. Spreng. Syst. Reichenb. Ic. exot. t. 167.
- asperula H. p. Chili. ☉.

**TUSSILAGO.**

- { nivea Willd. Sp. Alp. 2.
- { paradoxa Retz. Obs. 2. t. 3.
- hybrida L. Dill. Elth. t. 230. f. 297. Alp. 2.

**CACALIA.**

- canescens Willd. Enum. Suppl. Cap. Temp. ♀.
- hastata L. Gmel. Sib. v. 2. t. 66. Pall. Fl. Ross. t. 110.
- Sibir. 2.

**VERNONIA.**

- { scorpioides Pers. Syn. Brasil. Cald. ♀.
- { Conyza scorpioides Lamk. Encycl.
- { senegalensis H. p. ☉.
- { Centrapalus senegalensis H. Cass. Dict. v. 7. p. 48.
- centriflora Link et Otto. Ic. sel. (4°) t. 55. Brasil. Cald. ♀.
- flexuosa Bot. Mag. 2477. Brasil. Cald. 2.
- axilliflora H. Berol. Mexico. Temp. 2.

**AMPHEREPHIS.**

- intermedia Link et Ott. Ic. Sel. t. 29. Brasil. ☉. (Excl. Hort. t. 5.)

**EUPATORIUM.**

- rotundifolium L. Pluk. t. 48. f. 4. Am. 2.
- Berterianum Colla H Rip. App. 3. t. 8. Cald. 2.
- iresinoides Kunth N. Gen. t. 340. Nov. Granat. Temp. 2.
- { ageratoides. L. Suppl. Cornut. Canad. t. 21. Am. 2.
- { 2.
- { Ageratum altissimum L.

**STEVIA.**

- salicifolia Cav. Ic. t. 354. Mexico. Temp. 2.

**AGERATUM.**

- { coeruleum H. P. Cat.
- { mexicanum Bot. Mag. 2524.

**GRÆMIA. Hook.**

- { aromatica Hook. Ex. Fl. 189. Chili. ☉.
- { Grahamia aromatica Spreng. Syst.
- { Cephalophora aromatica Schrad.

**MOSCHARIA. R. et Pav.**

- rosea H. p. Chili. ☉.
- { Gastrocarpha H. p. Chili. ☉.
- { Gastrocarpha runcinata Don. Sweet Br. Fl. Gard. t. 229.

## RADIATÆ.

## CHRYSANTHEMUM.

- tanacetifolium H. p. Canar. Temp. ♀.  
 præcox Marsch. Cauc. (Pyrethrum) Caucas. ☉.

## MADIA.

- sativa Molina. Hist. Nat. Chil. Chili. ☉.

## BELLUM.

- crassifolium Moris. Elench. Sard. Sardin. ♀.

## HELENIUM.

- mexicanum Kunth Nov. Gen. et Sp. Mexico. ☉.

## ACHYROPAPPUS. Kunth.

- schkuhrioides Link. et Otto Ic. Rar. t. 30. Mexico. ☉.

## TAGETES.

- tanacetifolia H. p. Chili. ☉  
 Feuillei Bertero. Chili. ☉.  
 conariensis Pers. Syn. Bonar. ☉.  
 { foeniculacea H. p.  
 { coronopifolia Willd. En. Jacq. fil. Ed. t. 80.

## DORONICUM.

- altaicum Pallas Act. Petrop. 1779. 2. t. 16. Altaï. ♀.  
 macrophyllum Bernh. ♀.

## GRINDELIA.

- coronopifolia Lehm. Cat. sem. Hort. Hamburg. a. 1828.  
 Mexico. Temp. ♀.

## HETEROTHECA.

- { inuloides H. Cass.  
 { Doronicum mexicanum Link. et Otto Ic. Rar. t. 22.  
 { Diplocoma villosa Sweet Br. Fl. Gard. 246.

## ADENOTRICHIA. Lindl.

- amplexicaulis Bot. Beg. t. 1190. Chili. ☉.

## INULA.

- Bubonium L. Jacq. Austr. App. t. 19. Gall. ♀.  
 caspica Ledeb. ind. sem. Dorpat. a. 1822. Trevir. N.  
 Act. Acad. Nat. cur. vol. 18. p. 202. Tatar. ♂.

## ERIGERON.

- maximum Link. et Otto. Mexico. Temp. ♀.  
 involucratum Link. et Otto. Mexico? Temp. ♀.  
 glabellum Nutt. Bot. Mag. 2923. Am. s. ♀.  
 affine H. p. Am s. ♂.

## ASTER.

- linarifolius L. Pluk. t. 14. f. 7. Am. s. ♀.  
 marylandicus Michx. Fl. Am. s. ♀.  
 hyssopifolius Willd. Sp. Am. s. ♀.  
 surculosus Michx. Fl. Am. s. ♀.  
 subulatus Michx. Fl. Am. s. ♀.  
 roseus H. p. Am. s. ♀.

- { ledifolius Pursh Fl. Am. s. ʒ.  
 { uniflorus Mich. Fl.  
 { biflorus Mich. Fl.  
 prenanthoides Willd. Sp. Am. s. ʒ.  
 sagittæfolius Willd. Sp. Am. s. ʒ.  
 tataricus L. Sp. Tatar. ʒ.  
 dianthifolius H. p. Georgia. ʒ.  
 præcox Willd. Sp. Am. s. ʒ.  
 salsuginosus Richards. in Frankl. Voy. Bot. Mag. 2942.  
 Am. s. ʒ.

## SOLIDAGO.

- gigantea H. kew. Am. s. ʒ.  
 ulmifolia Willd. Sp. Am. s. ʒ.  
 recurvata Willd. Enum. Am. s. ʒ.  
 virgata Mich. Fl. Am. s. ʒ.  
 fragrans Willd. Enum. Am. s. ʒ.  
 lateriflora Willd. Sp. Am. s. ʒ.  
 lithospermifolia Willd. Sp. Am. s. ʒ.  
 arguta H. kew. Am. s. ʒ.  
 elongata H. p. Georgia. ʒ.  
 patula Willd. Sp. Am. s. ʒ.

## CINERARIA.

- robusta Ledeb. Ic. t. 94. Sibir. ʒ.  
 papposa Reichenb. Ic. t. 124. German. ʒ.  
 { speciosa Schrad. Bot. Reg. t. 812. Sibir. ʒ.  
 { Hoppea speciosa Reich. Ic. exot. t. 10.  
 scapiflora L'her. Sert. Cap. Temp. ʒ.  
 gibbosa Gusson. Sicil. Temp. ʒ.  
 angulata Link et Otto. Mexico. Temp. ʒ.

## SENECIO.

- erraticus Bertol. Reichenb. Ic. t. 357. Ital. ʒ.  
 umbrosus Wald. et Kit. Hung. t. 110. Hungar. ʒ.  
 arenarius Marsch. Spreng. Syst. Ucran. ʒ.  
 gallicus Villars Fl. Delph. Gall. austr. ☉.  
 lyratifolius Reichenb. Ic. t. 136. Alp. ʒ.  
 lilacinus Schrad. Diss. de Blumenb. t. 4. f. 1. Cap. Temp.  
 ʒ.  
 venustus H. kew. Bot. Reg. 901. Cap. Temp. ʒ.  
 ilicifolius L. Sp. Comm. Rar. t. 42. Cap. Temp. ʒ.

## ANTHEMIS.

- retusa Delil. Egypt. ☉.  
 fuscata Broter. Phytogr. Biv. pl. sicul. Cent. 2. t. 1. Eu-  
 rop. austr. ☉.  
 secundiramea Bivon. pl. sicul. Cent. 2. t. 2. Sicil. ☉.

## ACHILLEA.

- leptophylla Marsch. Cauc. Tauria. ʒ.  
 ochroleuca Willd. Sp. (non Wald. et Kit). ʒ.  
 myriophylla Willd. Enum. ʒ.

*taurica* Marsch. Cauc. Tauria. ʒ.

*lingulata* Wald. et Kit. Hung. t. 2. Hungar. ʒ.

**PERIMENIUM.** Schrad.

*discolor* Schrad. ind. sem. H. Goetting. 1830. Mexico.  
Temp. ʒ.

**COREOPSIS.**

*Atkinsoniana* Bot. Reg. 1376. Am. s. ♂.

**COSMOS.**

{ *parviflora* Willd. Sp. Mexico. ☉.

{ *Coreopsis parviflora* Jacq. H. Schoenbr. t. 374.

**RUDBECKIA.**

*multifida* H. p. Am. s. ʒ.

**HELIANTHUS.**

*truncatus* Elliot Fl. Georgia. ʒ.

*doronicoides* Lamk. Encycl. Am. s. ʒ.

**AMELLUS.** Linn.

*Lychnitis* L. Breyn. Prodr. t. 15. f. 2. Jacq. Coll. v. 5. t.  
10. f. 1. Cap. Temp. ʒ.

**ERIOPHYLLUM.** Bot. Reg.

{ *cæspitosum* Bot. Reg. 1167. Am. s. ʒ.

{ *Alcmella lanata* Pursh Fl.

{ *Trichophyllum lanatum* Nuttall. Gen.

**EUXENIA.** Chamiss.

*grata* Chamiss. Hor. Phys. Berol. p. 75. t. 16. Californ.  
Temp. ʒ.

**VERBESINA.**

*buphthalmoides* Link. et Otto Ic. Sel., (4°). t. 49. Montevi-  
deo. Temp. ʒ.

**SPILANTHES.**

*multiflora* H. Berol. ☉.

**RELHANIA.**

*tenuifolia* Schrad. Diss. de Blumenb. Cap. ☉.

**AMBROSIA.**

*elator* Willd. Sp. Am. s. ☉.

**XANTHIUM.**

*echinatum* Murr. Comm. Goett. 1784. Ic. ☉.

*italicum* Morett. Pl. ital. Decad. Reich. Ic. t. 323. Ital. ☉.

## DIPSACEÆ.

**DIPSACUS.**

*Gmelini* Marsch. Fl. Caucas. ♂.

**SCABIOSA.**

*agrestis* Wald. et Kit. Hung. t. 204. Europ. m. ʒ.

{ *ambigua* Tenor. Prodr. app. Ital. ☉.

{ *Saviana*. Reich. Ic. exot. t. 53.

*maritima* L. Sp. Eur. m. ☉.

## VALERIANEÆ.

## VALERIANA.

congesta Bot. Reg. 1094. Am. s. ☉.

## FEDIA.

scabiosæfolia Fisch. (Patrinia). Reichenb. Ic. exot. t. 20.

Sweet Brit. Fl. Gard. t. 154. Davur. ʒ.

intermedia Horn. Hort. Reichenb. Ic. exot. t. 83. (Patrinia.)

Sibir. ʒ.

serratulifolia Fisch. (Patrinia). Reichenb. Ic. exot. t. 94.

Davur. ʒ.

pumila Vahl. Reichenb. Ic. t. 113. Gall. ☉.

uncinata Marsch. Reichenb. Ic. t. 69. Tauria. ☉.

brachystephana Tenor. Syll. Aprut. ☉.

pteroloba Steven. Iber. ☉.

## RUBIACEÆ.

## ASPERULA.

Aparine Marsch. Cauc. Caucas. ʒ.

## GALIUM.

articulatum Lamk. Encycl. Oriens. ʒ.

chinense Spreng. Syst. China. bor. ʒ.

cinereum All. Ped. t. 77. f. 4. Alpes. ʒ.

Barrelieri Salzm. Bot. Zeit. Barrel. Ic. 324. Cors. ʒ.

## CRUCIANELLA.

aspera Marsch. Cauc. Caucas. ʒ.

## VALANTIA.

chersonensis Willd. Sp. Tauria ʒ. (variet. V. cruciatæ.)

prostrata Presl. Fl. sicul. Sicil. ☉.

## RUBIA.

Brownei Mich. Fl. Carol. Temp. ʒ.

## DIODIA.

virginica L. Syst. Jacq. Ic. Rar. t. 29. Am. s. ☉.

dasycephala Chamiss. et Schlecht. in Linnea. Brasil. Temp. ʒ.

## SPERMACOCE.

hirta L. Sp. Antill. ☉.

{ Fischeri Link. Enum. Jamaic. ☉.

{ Mitracarpon Fischeri Chamiss. et Schlecht. in Linnea.

## RUTIDEA.

parviflora Dec. Prodr. Seneg. Cald. ʒ.

## MELANOPSIDIUM. H. Cels.

nigrum Colla. H. Rip. t. 35. Cald. ʒ.

## MUSSENDA.

{ frondosa L. Bot. Reg. 517. Cald. ʒ.

{ pubescens Bot. Mag. 2099.

## RANDIA.

longistyla Dec. Prodr. Seneg. Cald. ʒ.

**GADENIA.**

- { tubiflora Andr. Rep. 183. Sierra-Leone. Cald. ♀ :  
Oxyanthus tubiflorus Dec. Prodr.
- triacantha Dec. Prodr. Seneg. Cald. ♀ .
- tetracantha H. p. Cald. ♀ .
- latifolia H. Kew. Roxb. Corom. t. 134. Ind. Cald. ♀ .

**ERITHALIS. P. Br.**

- fruticosa L. Brown. Jam. t. 17. f. 3. Antill. Cald. ♀ .

**CAPRIFOLIACEÆ.**

**LONICEEA.**

- grata H. Kew. Hort. Angl. t. 8. Am. s. ♀ .
- etrusca Santi Viagg. t. 1. Europ. mer. ♀ .

**VIBURNUM.**

- { acuminatum H. P. (non Wallich) Georgia. ♀ :  
nudum var. fol. persistentibus Mich. Herb.

**ARALIACEÆ.**

**PANAX.**

- rotundifolia Link. Enum. Ind. Cald. ♀ .

**UMBELLIFERÆ.**

**PIMPINELLA.**

- { Kitaibelii Marsch. Cauc. Hungar. Taur. ♂ :  
glauca Wald. et Kit. Hung. t. 72.

**THAPSIA.**

- Asclepium L. sp. Col. Ecphr. 86. Ic. Moris. ox. s. 9. t. 18.  
f. 9. Fl. Græc. t. 286. Ital. Temp. 4.

**SESELI.**

- peucedanifolium Bess. Enum. Podol. 4.
- gracile Wald. et Kit. Hung. t. 117. Hungar. 4.
- Hippomarathrum L. Jacq. Austr. t. 143. Alpes. 4.
- varium. Trevir. N. Act. Nat. Cur. vol. 13. p. 168. Caucas.  
4.
- campestre Bess. Enum. Podol. ♂ .

**CHÆROPHYLLUM.**

- { Cyminum Fischer. Volhyn. ♂ .  
gracile Trevir. Nov. Act. Ac. Nat. Cur. vol. 13. p. 172.
- Sphallerocarpus Cyminum Besser. Dec. Pr.

**SCANDIX.**

- brachycarpa Guss. Fl. sic. Prodr. Sicil. ☉.

**AETHUSA.**

- elata Fisch. Dec. Prodr. Russ. ♂ .

**ARRACACHA. Bancroft.**

esculenta Dec. Prodr. Hook. Ex. Fl. t. 152. Bogota. Temp.  
 2.

OENANTHE.

apiifolia Brot. Fl. Lusit. Phytogr. t. 33. Europ. austr. 2.

peucedanifolia L. Poll. Fl. Palat. vol. 1. t. 2. Gall. 2.

{ Lachenalii Gmel. Fl. Bad. Gall. 2.

{ rhenana Dec. Fl. Fr. suppl.

SISON.

{ salsum L. suppl. Pall. Act. petrop. 1779. t. 8. Tauria.

{ 2.

{ Palimbia salsa Bess. Dec. Prodr.

SIMUM.

lancifolium Marsch. Cauc. suppl. Tauria. 2.

ANGELICA.

{ pratensis Spreng. Syst. German. 2.

{ Ostericum pratense Hoffm. Dec. Prodr.

{ palustre Besser. Reichenb. Ic. t. 402.

Rasoultii Gouan. Ill. t. 6. Pyren. ♂.

LIGUSTICUM.

{ athamantoides Spreng. Syst. Alp. 2.

{ Libanotis athamantoides Dec. Prodr.

HERACLEUM.

asperum Marsch. Cand. suppl. Rochel. Banat. t. 26. Cau-  
 cas. 2.

caucasicum Steven. Dec. Prodr. Caucas. 2.

caspicum H. P. Dec. Prodr. Russ. m. 2.

gummiferum Willd. Hort. Berol. t. 53 et 54. 2.

persicum H. P. Persia. 2.

villosum Fischer. Dec. Prodr. Caucas. 2.

LASERPITIUM.

angustifolium L. sp. Europ. m. 2.

Archangelica Jacq. Coll. Ic. Rar. 1. t. 58. Austr. 2.

pruthenicum L. sp. Jacq. Fl. Austr. t. 53. German. 2.

FERULA.

campestris Besser Enum. Podol. 2. ( Distincta a F.  
 sulcata Desf. )

sylvatica Besser Enum. Reichenb. Ic. t. 371. Podol. 2.

PEUCEDANUM.

longifolium Wald. et Kit. Hung. t. 251. Hungar. 2.

CACHRYS.

{ seseloides Marsch. Fl. Cauc. Tatar. 2.

{ Trinia seseloides Ledeb. Ic. t. 8.

SELINUM.

{ cachroides H. P. Sibir. 2.

{ Cachrys sibirica Fisch. Reichenb. Ic. t. 489.

{ peucedanoides H. P. German.

{ Peucedanum involucreatum Dec. Prodr.



- { *elegans* Balb. Austria. 2.
- { *Peucedanum rabiense* Mert. et Koch Fl. Germ.

## CALLISACE.

- davurica* Fisch. Dec. Prodr. Davur. 2.

## DAUCUS.

- montevidensis* Link. Spr. Syst. Montevid. ☉.
- muricatus* L. Mant. Europ. m. ☉.

## TORDYLIUM.

- Hasselquistii* Dec. Prodr. Oriens. ☉.
- { *absynthifolium* Pers. Syn. Persia. 2.
- { *Heracleum absynthifolium* Vent. Ch. de pl. t. 7.
- { *Zozima orientalis* Hoffm. Umb.

## BUPLEURUM.

- aristatum* Bartl. Reichenb. Ic. t. 578. Gall. m. ☉.
- Gerardi* Jacq. Fl. Austr. t. 256. Reichenb. Ic. t. 164 et 165. Gall. ☉.
- altaicum* Ledeb. Fl. Sibir. 2.
- protractum* Link. Enum. Reich. Ic. t. 824. Gall. ☉.
- multinerve* Dec. Mem. Soc. Genev. vol. 4. Sibir. 2.

## DIDISCUS. Dec.

- { *cœruleus* Hook. Bot. Mag. 2875. Dec. Mem. 5. t. 4.
- { N. Holl. ☉.
- { *Hugelia cyanea* Reich. Ic. exot. t. 201.
- { *Trachymene cœrulea* Bot. Reg. 1225.

## ECHINOPHORA.

- trichophylla* Smith. ex Bot. Reg. 1025. Iberia. 2.

## ASTRANTIA.

- { *caucasica* Spreng. Syst. Caucas. 2.
- { *intermedia* Marsch. Cauc.
- { *Epipactis* Scop. Carn. Jacq. Austr. App. t. 11. Carniol.
- { 2.
- { *Dondia Epipactis* Spreng. Syst. 2.

## SANICULA.

- chilensis* Bertero. Chili. Temp. 2.

## HYDROGOTYLE.

- ficarioides* Mich. Fl. Rich. Monogr. t. 55. f. 1 et 2. Am. s. 2.
- { *bonariensis* Lamk. Encycl. Bonar. Temp. 2.
- { *multiflora* Fl. Peruv. t. 246. a.

## BOWLESIA. R. et Pav.

- tenera* Link. et Otto Ic. Rar. t. 4. Brasil. ☉.

## RANUNCULACEÆ.

## CLEMATIS.

- crispa* L. Dill. Elth. t. 73. f. 8. Bot. Mag. 1892. Am. s. 2.
- maritima* L. sp. Europ. mer. 5.

## THALICTRUM.

purpurascens L. sp. Am. s. 2.  
 carolinianum Dec. Prodr. Carol. 2.

## ANEMONE.

{ alba Juss. Ann. du Mus. v. 3. t. 20. f. 1. Bot. Mag.  
 2167. Davur. 2.  
 { ochotensis Fischer. H. Gor.

## RANUNCULUS.

{ montanus Willd. sp. Alpes. 2.  
 { nivalis Jacq. Austr. t. 325, 326.  
 illyricus L. Jacq. Austr. t. 222. Europ. m. 2.  
 caucasicus Marsch. Cauc. Caucas. 2.  
 angulatus Presl. Fl. Sic. Sicil. 2.

## PÆONIA.

arietina Dec. Prodr. Oriens. 2.  
 hybrida Pall. Ross. v. 2. t. 86. Bot. Reg. 1208. Russ. 2.  
 humilis Retz. Obs. Bot. Mag. 1422. Hispan. 2.  
 peregrina Mill. Dict. Bot. Mag. 1050. Gall. 2.

## MAGNOLIEÆ.

## MAGNOLIA.

Thompsoniana Sweet. H. Brit.

## MENISPERMEÆ.

## MENISPERMUM.

{ Leea Delil. Fl. Ægypt. t. 51. f. 2 et 3. Ægypt, Cald.  
 2.  
 { Coccuhus Leea Dec. Prodr.  
 Bakis Rich. et Guill. Fl. Seneg. Cald. 2.

## BERBERIDEÆ.

## BERBERIS.

{ ristata Dec. Syst. Bot. Mag. 2549. Hook. Exot. Fl. t.  
 98. Nepaul. 2.  
 { Chitria Bot. Reg. 729.  
 asiatica Dec. Syst. Deless. Ic. Sel. v. 2. t. 1. Nepaul. 2.  
 emarginata Willd. En. Sibir. 2.

## LEONTICE.

Leontopetalon L. sp. Camer. Epit. p. 565. Ic. Oriens. 2.

## PAPAVERACEÆ.

## ARGEMONE.

albiflora Horn. Hort. Bot. Mag. 2342. Am. s. ☉.  
 grandiflora Bot. Reg. t. 1264. Sweet br. Fl. Gard. 226.  
 Mexico. ☉.  
 ochroleuca Bot. Reg. 1343. Sweet br. Fl. Gard 242.  
 Mexico. ☉.

ESCHOLTZIA Chamisso.

californica Chamiss. Hor. phys. Berol. Ic. Bot. Mag. 2887.  
Californ. 2.

PAPAVER.

hispidum H. P. Iber. ♂.

CHELIDONIUM.

grandiflorum Dec. Prodr. Davur. 2.

FUMARIACEÆ.

FUMARIA.

- { eximia Bot. Reg. 50. Am. s. 2.
- { Diclytra eximia Dec. Syst.
- { Gebleri. Altaï. ♂.
- { Corydalis Gebleri Ledeb. Ic. t. 49.
- { stricta. Altaï. 2.
- { Corydalis stricta Lebed. Ic. t. 56.

GRUCIFERÆ.

RAPHANUS.

Landra Morett. pl. ital. Deless. Ic. sel. v. 2. t. 94. Ital. ☉.  
caudatus L. Mant. Linn. Fil. Decad. 1. t. 10. Java. ☉.

SINAPIS.

turgida Delil. Egypt. ☉.

BRAYA. Sternb. et Hopp.

alpina Sternb. et Hopp, Deless. Ic. sel. 2. t. 22. Hook. Ex.  
Fl. t. 121. Carinth. 2.

ARBABIS.

- { auriculata Lamk. Encycl. Alpes. 2.
- { aspera All. Ped. t. 2. f. 2.
- { recta Vill. Hist. v. 3. t. 37.
- serpyllifolia Vill. Fl. Delph. v. 3. t. 37. Alpes. 2.
- cheiranthifolia H. P. Am. s. ♂.

HESPERIS.

lyrata Lamk. Encycl. Gall. m. ☉.

SCHIZOPETALUM.

Walkeri Bot. Mag. 2379. Hook. Exot. Fl. t. 74. Chili. ☉.

HELIOPHILA.

- pusilla L. suppl. Pluck. t. 432. f. 2. Cap. ☉.
- { Peltaria Dec. Syst. Cap. ☉.
- { Peltaria capensis L. suppl.

NOTOCERAS.

hispanicum Dec. Syst. Deless. Ic. Sel. v. 2. t. 71. Hispan.  
☉.

CHEIRANTHUS.

- tenuifolius L'Her. Stirp. Mader. Temp. 2.
- { arborescens Sieber. Creta. ♂.
- { Mathiola arborescens Schrad. ind. sem. H. Götting.

**ERYSIMUM.**

- repandum L. Reichenb. Ic. t. 79. Hisp. ☉.  
 exaltatum Dec. Prodr. Russ. ♂.  
 { leptophyllum Dec. Prodr. Iber. ♂.  
 { Cheiranthus collinus Marsch. Cauc.  
 { diffusum Willd. sp. Alpes. ♂.  
 { Cheiranthus alpinus Jacq. Austr. t. 75.  
 hieracifolium L. sp. Reichenb. Ic. t. 72. Gall. ♂.

**SISYMBRIUM.**

- clandestinum Spreng. Syst. Brasil. Chili. ☉.  
 pannonicum Jacq. Rar. t. 123. Gall. ♂.  
 { canescens Nuttall Gen. Am. s. ☉.  
 { Nasturtium canescens Dec. Prodr.

**DENTARIA.**

- bulbifera Linn. sp. Engl. Bot. 309. Gall. ♀.

**BISCUTELLA.**

- ambigua Dec. Diss. t. 11. f. 1. Reichenb. Ic. t. 618. Gall.  
 m. ♀.

**ALYSSUM.**

- { podolicum Bess. En. Russia mer. ♀.  
 { Schiwereckia podolica Andr. in. Dec. Syst. Deless.  
 { Ic. sel. vol. 2. t. 36. Sweetbr. Fl. Gard. t. 77.  
 edentulum Wald. et Kit. Hung. t. 92. Hungar. ♂.  
 { eriocarpum H. P. Cyprus. ♂.  
 { Farsetia eriocarpa Dec. Syst. Deless. Ic. sel. v. 2. t. 34.  
 { linifolium Willd. sp. Tauria. ☉.  
 { Meniocus linifolius Dec. Syst. Deless. Ic. sel. v. 2. t. 42.  
 canescens Dec. Syst. Sibir. ♀.  
 { mutabile Vent. H. Cels. t. 85. Græcia. ♂.  
 { Berteroa mutabilis Dec. Prodr. Reichenb. Ic. t. 231.  
 { Draba Steven. Oriens. ☉.  
 { Draba nummularia Ehrenb. ex H. Berol.

**DRABA.**

- { rupestris R. Brown. Eur. bor. ♀.  
 { hirta Smith. Engl. Bot. 1338.  
 repens Marsch. Cauc. Reichenb. Ic. t. 771. Caucas. ♀.

**ÆTHIONEMA.**

- cristatum Dec. Syst. Deless. Ic. sel. v. 2. t. 74. Oriens. ☉.  
 coridifolium Dec. Syst. Deless. Ic. sel. v. 2. t. 76. Oriens.  
 Temp. ♀.

**LEPIDIUM.**

- cordatum Willd. herb. ex. Dec. Syst. Sibir. ♀.  
 Eckloni Schrad. ind. sem. H. Goett. a. 1830. Cap. ☉.  
 micranthum Ledeb. Ic. t. 92. Sibir. ♂.  
 spinosum L. sp. Oriens. ♂.

**ERUCARIA.**

- { aleppica Dec. Syst. Tourn. voyage: v. 1. p. 257. Ic.  
   Oriens. ☉.  
 { Bunias myagroïdes L. Mant.  
   Cordylocarpus lævigatus Willd. sp.

**GOLDBACHIA.** Dec.

torulosa Dec. Syst. Oriens. ☉.

lævigata Dec. Syst. Deless. Ic. sel. v. 2. t. 81. Tatar. ☉.

**CAMELINA.**

dentata Pers. Syn. Gall. ☉.

**CRAMBE.**

juncea Marsch. Cauc. Iber. 4.

**TAUSCHERIA.** Fisch.

lasiocarpa Fisch. Dec. Syst. Sibir. ☉.

gymnocarpa Fisch. Dec. Syst. Sibir. ☉.

**ISATIS.**

littoralis Dec. Syst. Deless. Ic. sel. v. 2. t. 78. Tauria. ♂.

iberica Steven. Dec. Prodr. Iber. ♂.

hebecarpa Dec. Syst. Deless. Ic. sel. v. 2. t. 79. Tauria. ♂.

latisiliqua Steven. Dec. Syst. Cappadocia. ♂.

megacarpea Fischer. Persia. ♂.

sabulosa Steven. Iberia. ♂.

tetraptera Ledeb. Fl. Alt. Sibir. ♂.

**CAPPARIDEÆ.****CLEOME.**

fugax Schrad. ind. sem. H. Gœtt. a. 1830. ☉.

{ monandra Dec. Hort. Genev. t. 15. ☉.

{ Dactylæna micrantha Schrad.

**RESEDA.**

fruticulosa L. Syst. Jacq. Ic. Rar. t. 474. Europ. mer. ☉.

subulata Delil. Fl. Ægypt. ☉.

**SAPINDEÆ.****CARDIOSPERMUM.**

microcarpum Kunth. Nov. Gen. Am. m. ☉.

**PAULLINIA.**

caribæa Jacq. Obs. t. 62. f. 7. Am. m. Cald. ♂.

**DODONÆA.**

discolor H. P. Temp. ♀.

**ACERINEÆ.****ÆSCULUS.**

humilis Loddig. Cat. Bot. Reg. 1018. Am. s. ♀.

neglecta Bot. Reg. 1009. Am. s. ♀.

hybrida H. P. (non Dec. Prodr.) Am. s. ♀.

**ACER.**

Negundo L. Mich. Fil. Arb. vol. 2. t. 18. Am. s. ♀.

*coriaceum* Lodd. Cat. Oriens? ♪.

## MALPHIGHIÆ.

### BANISTERIA.

*auriculata* Cav. Diss. t. 255. Brasil. Cald. ♪.

*benghalensis* L. Ind. Cald. ♪.

*Molina racemosa* Cav. Diss. t. 263.

*Gærtnera racemosa* Roxb. Corom. t. 18.

## HYPERICEÆ.

### HYPERICUM.

*diversifolium* Dec. Fl. fr. suppl. Gall. ♥.

*elongatum* Lebed. Reichenb. Ic. t. 282. Tatar. ♥.

*elegans* Steph. Reichenb. Ic. t. 280. German. ♥.

*empetrifolium* Willd. sp. Tournef. Voy. vol. 2. p. 220.

Oriens. Temp. ♪.

*undulatum* Schousb. Reichenb. Ic. exot. t. 39. Mauritan.

♥.

## GUTTIFERÆ.

### MAMMEA.

*emarginata* Moc. et Sess. Dec. Prodr. Mexico. Temp. ♪.

### ELÆOCARPUS.

*reticulatus* Bot. Reg. 657. N. Holl. Temp. ♪.

*cyaneus* Bot. Mag. 1737.

## AURANTIEÆ.

### LIMONIA.

*monophylla* L. Burm. Zeyl. t. 65. f. 1. Ind. Cald. ♪.

## CAMELLIÆ.

### CAMELLIA.

*Kissi* Wall. Asiat. Res. ex. Dec. Prodr. Nepaul. Temp. ♪.

## MELIACEÆ.

### QUIVISIA. Commers.

*heterophylla* Cav. Diss. t. 213. Ins. Borbon. Cald. ♪.

## GERANIEÆ.

### ERODIUM.

*botrys* Cav. Diss. t. 90. f. 2. Hispan. ☉.

*Stephanianum*. Wild. sp. Sibir. ♥.

*serotinum* Stev. Act. Acad. Petrop. v. 3. t. 2. f. 2. Tauris.

♥.

**GERANIUM.**

- vlassovianum Fisch. Link. Enum. Reich. Ic. exot. t. 27.  
 Davur. 2.  
 nepalense Sweet Ger. t. 12. Nepaul. 2.  
 parviflorum Willd. Enum. Nov. Holl. Temp. ☉.  
 eriostemon Fisch. Reichenb. Ic. exot. t. 9. Davur. 2.  
 Wallichianum Sweet Ger. t. 90. Nepaul. 2.  
 { longipes Dec. Prodr. Davur. 2.  
 { Londesii Fisch. Reich. Ic. exot. t. 68.  
 albiflorum Ledeb. Ic. t. 20. (non Bot. Mag.) Altaï. 2.  
 palustre L. Amœn. Fl. Dan. t. 596. Sweet Ger. t. 3.  
 Gall. 2.

**TROPÆOLUM.**

- pentaphyllum A. St.-Hil. Pl. Us. des Bras. t. 41. Paraguay.  
 Chili. Temp. 2.  
 { aduncum Smith. Dec. Prodr. Peru. ☉.  
 { peregrinum Jacq. H. Schoenb. t. 98. Bot. Mag. 1351.  
 (non Linn.)

**IMPATIENS.**

- parviflora Dec. Prodr. Ledeb. Ic. t. 89. Sibir. ☉.

**OXALIS.**

- hirta Jacq. Ox. t. 13 et 17. Cap. Temp. 2.  
 hirtella Jacq. Ox. t. 14. Cap. Temp. 2.  
 variabilis Jacq. Ox. t. 52. Cap. Temp. 2.  
 rubra Jacq. Ox. t. 53. Cap. Temp. 2.  
 lobata Bot. Mag. 2386. Chili. Temp. 2.

**MALVACEÆ.****MALVA.**

- mauritiana Cav. Diss. t. 23. f. 2. Sweet br. Fl. Gard. 81.  
 China. ☉.  
 purpurata Bot. Reg. 1362. Chili. 2.  
 nicæensis All. Ped. Cav. Diss. t. 25. f. 1. Gall. m. ☉.  
 fastigiata Cav. Diss. t. 23. f. 2. Gall. mer. ☉.  
 lobata Cav. Diss. t. 18. f. 4. Hispan. ☉.  
 Moreni Pollin. pl. veron. Bot. Mag. 2793. Ital. 2.

**LAVATERA.**

- biennis Marsch. Cauc. Caucas. ♂.

**NUTTALLIA. Barton.**

- { digitata Bart. Fl. Am. 2. t. 62. Hook. Ex. Fl. t. 171.  
 { Callirhoë digitata Nuttall Journ. Acad. Sc. Philad.  
 { vol. 2. Georgia. Temp. 2.  
 { Malva Papaver Cav. Diss. t. 15. f. 3.

**SIDA.**

- { acerifolia Zucc. obs. Mexico. ☉.  
 { Anoda acerifolia Dec. Prodr.  
 aurita Link. Enum. Bot. Mag. 2495. Ind. Cald. 2.

*malvæflora* Bot. Reg. t. 1036. Am. s. 7.

*spicata* Kunth. Nov. Gen. (Abutilon). ☉.

{ *Dilleniana* Willd. Sp. Mexico. ☉.

{ *Anoda Dilleniana* Cav. Diss. t. 11. f. 1.

*subtriloba* Kunth. N. Gen. (Gaya). N. Granat. ☉.

#### MALVAVISCUS.

*morifolius* H. P. Cald. 5.

### BOMBACEÆ.

#### BOMBAX.

*pentandrum* L. Cav. Diss. t. 151. Ind. Cald. 5.

#### HELICTERES.

*angustifolia* L. Osbeck Itin. t. 5. China. Cald. 5.

### HERMANNIÆ.

#### HERMANNIA.

*angularis* Jacq. H. Schoenbr. t. 126. Cap. Temp. 5.

*disermæfolia* Jacq. H. Schoenbr. t. 121. Cap. Temp. 5.

#### MAHERNIA.

*diffusa* Lodd. Bot. Cab. t. 187. (non Jacq. Schoenb.) Cap.  
Temp. 4.

#### MELOCHIA.

{ *borbonica* Cav. Diss. t. 174. f. 1. Ins. Borbon. Cald. 5.

{ *Riedleia borbonica* Dec. Prodr.

#### RULINGIA. R. Brown.

*pannosa* Bot. Mag. 2191. N. Holl. Temp. 5.

### TILIÆ.

#### CORCHORUS.

*tridens* L. Mant. Ind. ☉.

#### TRIUMFETTA.

*cordata* Perr. Rich. et Guill. Fl. Seneg. Senegamb. Cald. 5.

#### ENTELEA. Bot. Mag.

*arborescens* Bot. Mag. 2480. Nov. Zeel. Temp. 5.

#### GREWIA.

*corylifolia* Perr. Rich. et Guill. Fl. Seneg. Senegamb.  
Cald. 5.

*guazumæfolia* Juss. Ann. du Mus. vol. 4. t. 48. Seneg.  
Cald. 5.

*betulæfolia* Juss. Ann. du Mus. vol. 4. t. 50. Seneg. Cald.  
5.

*lactea* Delile ined. Seneg. Cald. 5.

### RUTEÆ.

#### ZYGOPHYLLUM.



*sessilifolium* Linn. sp. Dill. Elth. t. 16. f. 142. Burm. Afr. t. 2. f. 1. Cap. Temp. 5.

**CORREA.**

*pulchella* Lindl. Bot. Reg. 1224. N. Holl. Temp. 5.

**RUTA.**

*divaricata* Tenor. Cat. 1819. p. 42. Reichenb. Ic. t. 787. Europ. m. 4.

*bracteosa* Dec. Prodr. Reichenb. Ic. t. 788. Europ. m. 4.

**DIOSMA.**

{ *villosa* Thunb. Prodr.  
{ *Bucco villosa* Wendl. Coll. t. 2.

**CISTINEÆ.****CISTUS.**

*laurifolius* Linn. sp. Clus. Hist. 1. p. 78. Ic. ext. Gall. m. Temp. 5.

*hirsutus* Lamk. Enc. Gall. m. Temp. 5.

**HELIANTHEMUM.**

{ *algarvense* Dec. Prodr. Lusitan. Temp. 5.

{ *Cistus algarvensis* Bot. Mag. 627.

*hirsutum* Dec. Prodr. Pyren. 5.

*ibericum* H. P. Iber. 5.

*ellipticum* Desf. Atl. t. 107. Mauritan. Temp. 5.

*intermedium* Dec. Prodr. Gall. m. ☉.

*lasiocarpum* H. P. Iber. ☉.

**LECHEA.** Linn.

*mexicana* Link. et Otto. Mexico. Temp. 4.]

**VIOLARIEÆ.****VIOLA.**

{ *hederacea* Labill. N. Holl. t. 91. Hook. exot. Fl. t. 225. Nov. Holl. Temp. 4.

{ *Erpetion reniforme* Sweet Brit. Fl. Gard. 170.

*cucullata* H. Kew. Bot. Mag. 1795. Am. s. 4.

*lanceolata* L. sp. Reich. Ic. t. 52. fig. 106. Am. s. 4.

*pedata* L. sp. Pluck. t. 114. f. 7. Bot. Mag. 89. Bot. Rep. t. 153. Virgin. 4.

*multifida* Willd. En. Sibir. 4.

*Miersii* Bertero. Chili. ☉.

*primulifolia* L. sp. Reichenb. Ic. t. 45. fig. 96. Am. s. 4.

*sagittata* H. Kew. Reichenb. Ic. t. 42. fig. 88. Am. s. 4.

{ *arenaria* Dec. Fl. fr. Gall. 4.

{ *Allionii* Pio Diss. t. 1. fig. 2. Reichenb. Ic. t. 72 et 73.  
{ *glauca* Marsch. Cauc.

## FRANKENIÆ.

## FRANKENIA.

- virens** H. P. Nov. Holl. Temp. 9.
- pauciflora** Bot. Mag. 2896.

## CARYOPHYLLÆ.

## DRYMARIA. Willd.

- gracilis** Link. Mexico. Temp. 4.

## CERASTIUM.

- inflatum** Link. Persia. ☉.

- campanulatum** Vivian. Ann. Bot. t. i. p. 171. t. i.
- Sebast. et Mauri** Fl. rom. Prodr. t. Gall. ☉.
- præcox** Tenor. Fl. Nap. t. 40. fig. 2.
- pilosum** Ledeb. (non Horn.) Sibir. 4.
- Ledebourianum** Dec. Prodr.
- Biebersteinii** Dec. Prodr. H. Genev. t. 11. Caucas. 4.
- repens** Marsch. Fl. Cauc. (non Linn.)

## SPERGULA.

- pilifera** Dec. Fl. fr. Reichenb. Ic. t. 141. Cors. 4.

## ARENARIA.

- hispida** L. Sp. Gall. m. 4.

## STELLARIA.

- cerastoides** L. sp. Fl. Dan. t. 92. Smith. Ic. Ined. v. 1. t. 5. Alp. 4.
- viscida** Marsch. Cauc. Tauria. ☉.
- Cerastium anomalum** Willd. sp. Wald. et Kit. Hung. t. 21.

## GYPSOPHILA.

- scorzoneræfolia** H. P. Caucas. 4.
- dichotoma** Bess. Enum. Podol. 4.
- acutifolia** Fisch. Sibir. 4.

## DIANTHUS.

- pulcherrimus** H. P. 4.
- sylvestris** Jacq. Austr. t. 82. Gall. 4.
- virgineus** Bot. Mag. 1740.
- Seguierii** Vill. Reichenb. Ic. t. 543. Gall. 4.
- campestris** Marsch. Reichenb. Ic. t. 520. Caucas. 4.
- petræus** Wald. et Kit. Hung. t. 222. Hung. 4.
- arboreus** Willd. sp. (non Linn.) Reichenb. Ic. t. 541.
- Oriens**. Temp. 9.
- Libanotis** Labill. Decad. t. 5. Syria. 4.

## SILENE.

- holopetala** Ledeb. Fl. Alt. Sibir. 4.
- amoena** L. sp. Tatar. 4.
- ocymoïdes** H. P.
- nemoralis** Wald. et Kit. Hung. t. 249. Reichenb. Ic. t. 254.

*compacta* Marsch. suppl. Reichenb. Ic. exot. t. 26. Caucas.

♂.  
 { *alpestris* Jacq. Austr. 1. t. 96. Sweet br. Fl. Gard.  
 111. Austr. 2.  
 { *Lychnis alpestris* L. suppl.

#### CUCUBALUS.

*Czerei* Baumg. Fl. Trans. Transylvan. 2.

### LINEÆ.

#### LINUM.

*nodiflorum* L. sp. Sibth. Fl. Gr. t. 307. Europ. austr.  
 Temp. 2.

*arboreum* L. sp. Sibth. Fl. Gr. t. 305. Cret. Temp. 2.

### PARONYCHIEÆ.

#### PARONYCHIA.

*brasiliensis* Poir. Enc. Brasil. mer. Temp. 2.

{ *polygonoides* H. P. Am. m. Temp. 2.

{ *Gomphrena polygnoïdes* L.

*polygonifolia* Dec. Fl. fr. Gall. m. 2.

### PORTULACEÆ.

#### PORTULACA.

*mucronata* Link. Enum. ☉.

#### CALANDRINIA. Kunth.

*grandiflora* Lindl. Bot. Reg. 1894. Chili. Temp. 2.

*speciosa* Lehm. ind. sem. H. Hamb. a. 1831 Chili. Temp. 2.

#### TAMARIX.

*indica* Willd. Nov. Act. Nat. Cur. Ind. Temp. 2.

#### CLAYTONIA.

*sibirica* L. sp. Bot. Mag. 2243. Sweet br. Fl. Gard. t. 16.  
 Sibir. ☉.

### SEMPERVIVÆ.

#### SEPTAS. Linn.

*capensis* L. Amoen. Lamk. Ill. t. 276. Cap. Temp. 2.

#### CRASSULA.

{ *paniculata* H. P. Cap. Temp. 2.

{ *Globulea paniculata* Haw. Phil. magaz. Dec. Prodr.

#### CALANKOE.

{ *crenata* Haw. Syn. Dec. Prodr. Sierr. Leon. Cald. 2.

{ *Cotyledon crenata* Vent. Malm. t. 49. Bot. Mag. 1436.

#### SEDUM.

*cœruleum* Vahl. Symb. Bot. Mag. 2224. Mauritan. ☉.

*ternatum* Mich. Fl. Bot. Mag. 1977. Am. s. 2.

*sempervivoides* Bot. Mag. 2474. Lk. et Ott. Ic. Rar. t. 57.  
Iber. 2.

*Eversii* Ledeb. Ic. t. 58. Sibir. 2.

#### SEMPERVIVUM.

*tabulæforme* Haw. Dec. Prodr. Madera. Temp. 5.

{ *cæspitosum* Dec. Prodr. Canar. Temp. 2.  
{ *ciliatum* Bot. Mag. 1978. (non Willd.)

#### SAXIFRAGEÆ.

##### SAXIFRAGA.

*Aizoon* Willd. sp. Jacq. Austr. t. 438. Alpes. 2.

*hieracifolia* Willd. sp. Wald. et Kit. Hung. t. 18. Hungar. 2.

{ *virginiensis* Mich. Fl. Am. s. 2.

{ *vernalis* Willd. H. Berol. t. 43.

*erosa* Pursh. Fl. Am. s. 2.

*cordifolia* Haw. Syn. Sibir. 2.

{ *elegans* Mackay. Reichenb. Ic. t. 625. Hibern. 2.

{ *dentata* Link. Enum.

*polita* Haw. Reichenb. Ic. t. 627. Scotia. 2.

*davurica* Pall. Itin. 3. App. n° 91. t. P. f. 2. Davur. 2.

{ *Schraderi* Sternb. Rev. Sax. suppl. t. 8. Cambria. 2.

{ *platypetala* Smith Engl. Bot. 2276.

##### BAUERA. Kenn.

*rubroides* Andr. Rep. 198. Bot. Mag. 715. Nov. Holl.  
Temp. 5.

*humilis* Sweet H. suburb. Bot. Cab. 1197. N. Holl. Temp.  
2.

#### GROSSULARIÆ.

##### RIBES.

*saxatile* Pallas. Nov. Act. Petrop. X. p. 276. Sibir. 5.

*divaricatum* Bot. Reg. 1539. Am. s. 5.

*sanguineum* Pursh Fl. Bot. Reg. 1349. Am. s. 5.

#### CACTEÆ

*Ex horto Berolinensi, nominibus propriis subsequentibus  
designatæ.*

##### OPUNTIA.

*pulvinata.*

*Stapelia.*

*horizontalis.*

*tunicata.*

*exuviata.*

*moniliformis.*

##### PERESKIA.

*grandifolia* Haw. Dec. Prodr. Brasil.

##### MAMMILLARIA.

*leucanthina.*

*cæspitosa.**intertexta.**sukerosa.**angularis* Link Mexico.{ *flavescens* Dec. Prodr. Am. m.{ *graminea* Haw.**ECHINOCACTUS.***multiplex* Link. Brasil. mer.*oxygonus* Link Verhandl. d. Preus. Gart. Vereins. vol. 6. t. 1.**MELOCACTUS.***Eryesii* Turpin.*curvispinus.**ambiguus* (non ? Bonpl. Navar.).**CEREUS.***lætus* Kunth N. Gen. Quito.*obtus* Haw. Am. m.*albiflorus.**chilensis* Colla.*pseudocoronatus.**leptopus.**strigosus* H. Angl. Mendoza.*squamulosus* Salm. Brasil.*serpens.**myosurus* Salm. Brasil.*pusillus.***FICOIDEÆ.****REAUMURIA.** Linn.*vermiculata* L. Barrel. Ic. t. 888. Mauritan. Temp. 5.**TETRAGONIA.***fruticosa* L. sp. Mill. Ic. 2. t. 263. f. 2. Cap. Temp. 5.**ONAGRARIÆ.****CLARKIA.** Pursh.*pulchella* Pursh. Fl. v. 1. t. 11. Bot. Reg. 1100. Am. s.**OENOTHERA.***cæspitosa* Bot. Mag. 1593. Louisan. 2.{ *triloba* Bart. Fl. Bot. Mag. 2566. Reichenb. Ic. exot. t. 145. Am. s. ♂.{ *rhizocarpa* Spreng. Syst.{ *taraxacifolia* Sweet br. Fl. Gard. t. 294. Chili. 2.{ *grandiflora* Fl. Peruv. 5. t. 318. f. 6.{ *missouriensis* Bot. Mag. 1592. Am. s. 2.{ *alata* Nuttall ex Sweet.

- macrocarpa Pursh. Fl. (excl. Syn. Nutt.) Sweet br. Fl. Gard. t. 5. Am. s. 2.  
 pinnatifida Kunth N. Gen. Mexico. ☉.  
 hybrida Mich. Fl. Am. s. 2.  
 glauca Mich. Fl. Bot. Mag. 1606. Am. s. 2.  
 serotina Sweet br. Fl. Gard. t. 184. Am. s. 2.  
 serrulata Nuttall Gen. Hook. exot. Fl. t. 140. Sweet br. Fl. Gard. t. 133. Am. s. 2.  
 cheiranthifolia Bot. Reg. 1040. Chili. ☉.  
 striata Ledeb. Link Enum. Bonar. ♂.  
 chilensis H. P. Chili. ☉.  
 villosa Thunb. Prodr. Cap. ☉.  
 cruciata Nuttall. Am. s. ♂.  
 erosa Lehm. Nov. Act. Nat. Cur. vol. 14. pars 2. Cap. ☉.  
 media Link. Am. s. ? ☉.  
 tenella Fl. Peruv. t. 316. Sweet br. Fl. Gard. t. 167. Chili. ☉.  
 { amœna Lehm. N. Act. Nat. Cur. vol. 14. pars 2. t. 45. Am. s. ☉.  
 { roseo-alba Bernh. Reich. Ic. exot. t. 47. Sweet br. Fl. Gard. t. 268.  
 Lindleyana Douglas. Sweet br. Fl. Gard. s. 2. t. 19. Am. s. ☉.  
 decumbens Bot. Reg. 1221. Am. s. ☉.  
 quadrivulnera Bot. Reg. 1119. Am. s. ☉.  
 viminea Bot. Reg. 1220. Am. s. ☉.

**EPILOBIUM.**

- roseum Schreb. Reichenb. Ic. t. 140. Gall. ♀.

**FUCHSIA.**

- excorticata L. suppl. Bot. Reg. 857. N. Zeel. Temp. ♀.  
 conica Bot. Reg. 1052. Chili. Temp. ♀.  
 microphylla Kunth N. Gen. et sp. t. 534. Mexico. Temp. ♀.  
 thymifolia Kunth N. Gen. et sp. t. 535. Mexico. Temp. ♀.  
 macrostemma Fl. Peruv. t. 324. Peruv. Temp. ♀.  
 ovalis Fl. Peruv. t. 324. Peruv. Cald. 2.

**COMBRETUM.**

- comosum Don. Bot. Reg. 1165. Sierra-Leone. Cald. ♀.

**BLUMENBACHIA. Schrad.**

- { insignis Schrad. Diss. t. 1. Bot. Mag. 2865. Reichenb. Ic. exot. t. 121. Brasil. Temp. 2.  
 { Loasa palmata Spreng. Syst.

**LOASA.**

- acanthifolia Juss. Ann. du Mus. v. 5. t. 3. f. 2. Bot. Reg. 785. Chili. Temp. 2.  
 nitida Juss. Ann. du Mus. v. 5. t. 2. Bot. Mag. 2372. Chili. ☉.

tricolor Bot. Reg. 667. Chili. ☉.

## [MYRTEÆ.

### MELALEUCA.

- { Leucadendron Smith Soc. Linn. Lond. v. 3. p. 274.
- { Ind. Cald. ♀.
- { Myrtus leucadendron L. Rumph. Amb. v. 2. t. 16.
- { (mala.)
- imbricata Link Enum. Nov. Holl. Temp. ♀.
- ericifolia Smith exot. Bot. t. 34. (non Vent. Malm.) Nov.
- Holl. Temp. ♀.
- { incana R. Br. Bot. Reg. 410. Nov. Holl. Temp. ♀.
- { canescens Link et Otto. Ic. s. t. 37.
- { tomentosa Colla H. Ripul. t. 37. (mala).
- thymoides Labill. N. Holl. vol. 2. t. 167. Nov. Holl.
- Temp. ♀.
- calycina H. Kew. Nov. Holl. Temp. ♀.
- densa H. Kew. Nov. Holl. Temp. ♀.

### LEPTOSPERMUM.

- grandifolium Smith Soc. Linn. Lond. Bot. Mag. 1810.
- Nov. Holl. Temp. ♀.
- emarginatum Wendl. fil. Reich. Ic. exot. t. 103. N. Holl.
- Temp. ♀.
- { flexuosum Link Enum. Colla Hort. Rip. App. 3. t.
- { 8. Reich. Ic. exot. t. 6. Nov. Holl. Temp. ♀.
- { Metrosideros flexuosa Wild. Enum.
- triloculare Vent. Malm. t. 88. Nov. Holl. Temp. ♀.
- baccatum Smith Act. Soc. Linn. Lond. vol. 3. N. Holl.
- Temp. ♀.

### METROSIDEROS.

- { viridiflora Bot. Mag. 2602. Nov. Holl. Temp. ♀.
- { Callistemon ruscifolium Dec. Prodr.
- axillaris H. P. Nov. Holl. Temp. ♀.

### SYZYGIUM. Goertn.

- { jambolanum Dec. Prodr. Ind. Cald. ♀.
- { jambolifera pedunculata Hoult. Rumph. Amb. vol. 1.
- t. 42.

### EUGENIA.

- obovata Poir. Encycl. suppl. Ins. Franc. Cald. ♀.

### DECUMARIA.

- sarmentosa Linn. sp. Bosc. Soc. Linn. Par. t. 13. Carolin.
- ♀. (Distincta D. Barbara Linn.)

### PHILADELPHUS.

- { gracilis H. P. Am. s. ♀.
- { hirsutus Nuttall. Gen.
- { latifolius Schrad. Diss. Dec. Prodr. Am. s. ♀.
- { pubescens Herb. de l'Amat. t. 208.

## MELASTOMEÆ.

## MELASTOMA.

- malabathrica L. sp. Burm. Zeyl. t. 73. Ind. Cald. ♀.  
 subtripplinervis Link et Otto. Ic. Rar. t. 24. Mexico. Cald. ♀.  
 aquatica Aubl. Guian. t. 169. Guian. Cald. ♀.  
 macrophylla Spreng. Syst. Am. m. Cald. ♀.  
 purpurascens Swartz Fl. Ind. Jamaïc. Cald. ♀.  
 albicans Swartz Fl. Ind. Antill. Cald. ♀.

## RHINCHANTHERA. Dec.

- pentanthera Dec. Prodr. Brasil. Cald. ♀.

## RHEXIA.

- { diversifolia Bonpl. Rhex. t. 45. Mexico. Cald. ♀.  
 { Heteronoma diversifolia Dec. Prodr. Link et Otto Ic.  
 Rar. t. 37.

## SALICARIEÆ.

## LYTHRUM.

- { triflorum L. suppl. Ins. Franc. Cald. ʒ.  
 { Neesea triflora Kunth Nov. Gen.  
 alatum Pursh Fl. Bot. Mag. t. 1812. Georg. Temp. ʒ.

## GRISLEA. Linn.

- { tomentosa Roxb. Corom. t. 31. Bot. Mag. 1906. Ind.  
 Cald. ♀.  
 { Lythrum tomentosum. L.

## NEESEA.

- myrtifolia Link et Otto. (Heïmia) Mexico. Temp. ♀.

## AMMANIA.

- latifolia Lamk. ill. t. 77. f. 1. Carol. ☉.

## ROSACEÆ.

## CYDONIA.

- { indica Wallich. pl. as. rar. t. 173. (sub Pyro) Nepaul.  
 ♀.  
 { Pyrus nepalensis Hortul.

## CRATÆGUS.

- { corymbosa H. Par. ♀.  
 { umbellata Cat. H. Par. ed. 3. p. 408. (excl. Syn.)  
 { græca H. P. ♀.  
 { Sorbus græca Lodd. Cat.  
 { sanguinea H. P. Am. s. ♀.  
 { Amelanchier sanguinea Bot. Reg. 1171.  
 { grandifolia H. P. Am. s. ♀.  
 { Pyrus grandifolia Bot. Reg. 1154.

## MEZPILUS.



- { acuminata Loddig. Bot. Cab. t. 919. Nepaul. ♀.
- { Cotoneaster acuminata Lindl. Soc. Linn. Lond. vol. 13. t. 9.
- odorata Bosc. Am. s. ♀.
- tomentosa Mich. Fl. Am. s. ♀.
- { stipulacea H. P. ♀.
- { Cratægus stipulacea Loddig. Cat.
- { corallina H. P. Am. s. ♀.
- { Cratægus cordata H. Kew. Bot. Reg. 1151.
- { microphylla H. P. Nepaul. ♀.
- { Cotoneaster microphylla Lindl. Bot. Reg. 1114.
- { affinis Don. Pr. Nepaul. ♀.
- { Cotoneaster affinis Lindl. Soc. Linn. Lond. vol. 13. Bot. Cab. 1522.
- { laxiflora H. P. ♀.
- { Cotoneaster laxiflora Jacq. fil. Bot. Reg. t. 1305.

**POTERIUM.**

hybridum L. sp. Moris. s. 8. t. 18. f. 9. Gall. m. Temp. 4.

**ANCISTRUM.**

sericeum Jacq. f. Ecl. 1. t. 55. (sub Acaena) Magell. 4.

**MARGYRICARPUS. R. et Pav.**

- { setosus Willd. sp. Brasil. Cald. ♀.
- { Empetrum pinnatum Lamk. Encycl.
- { Ancistrum barbatum Poiret. Encycl.

**AGRIMONIA.**

pilosa Ledeb. Reichenb. Ic. t. 252. Russ. 4.

repens L. sp. Armen. 4.

**CLIFFORTIA.**

cuneata H. Kew. Cap. Temp. ♀.

**POTENTILLA.**

viscosa Lehm. Pot. Davur. 4.

collina Lehm. Pot. German. 4.

umbrosa Steven. Tauria. 4.

chrysantha Trevir. N. Act. Nat. Cur. Reichenb. Ic. t. 589. 4.

virgata Lehm. Pot. Sibir. 4.

tridentata Willd. sp. Fl. Dan. t. 799. Am. bor. 4.

- { Siemersiana Lehm. N. Act. Nat. Cur. vol. 14. pars 2. t. 45. Nepaul. 4.
- { splendens Don. Prodr. Bot. Mag. 2700. (non Vaill. Par.)
- { lineata Trevir. N. Act. Nat. Cur. Reichenb. Ic. exot. t. 8

crocea Hall. Lehm. Pot. Alp. 4.

**GEUM.**

- { coccineum Dec. Prodr. Bot. Reg. 1088. (non Sibth.)
- { Chili. 4.
- { chilense Balbis. Bot. Reg. 1348.
- { Quellyon Sweet br. Fl. Gard. 292.

- { *potentilloides* H. Kew. Sibir. 2.  
*Laxmanni* Dec. Prodr.  
 { *Dryas geoides* Pallas Flor. Ross. t. 104. Itin. ed. gall.  
 t. 9 et 10. Jacq. Hort. Vind. v. 3. t. 68.  
*hirsutum* Miiblenb. Cat. Am. s. 2.

**RUBUS.**

- { *pedatus* Smith Ic. ined. t. 63. Am. s. 2.  
 { *saxatilis* Mich. Fl. (non Lin.)  
*strigosus* Mich. Fl. Am. s. 2.

**SPIRÆA.**

- flexuosa* Fischer. Cambess. Diss. t. 26. Sibir. 2.  
*alpina* Pall. Fl. Ross. v. 1. t. 15. Sibir. 2.

**PRUNUS.**

- macrophylla* Poir. Encycl. suppl. 2.  
*græca* H. P. Orients. 2.  
 { *incana* H. P. Russ. 2.  
 { *Amygdalus incana* Willd. sp. Pall. Ross. v. 1. t. 7.  
 (distinct. a *P. prostrata* Labill.).

**CALYCANTHUS.**

- fertilis* H. Kew. Bot. Reg. 404. Am. s. 2.

**PARINARIUM. Juss.**

- excelsum* Sabine Trans. hort. Soc. 3. p. 451. Senegal.  
 Cald. 2.

**LEGUMINOSÆ.****ACACIA.**

- nigricans* Labill. Nov. Holl. t. 238. Nov. Holl. Temp. 2.  
 { *mollissima* Willd. sp. Bot. Reg. 371. N. Holl. Temp.  
 2.  
 { *dealbata* Dec. Prodr.  
 { *Houstoni* Willd. sp. Bot. Reg. 78. Am. m. Cald. 2.  
 { *Gleditsia inermis*. L.  
*cordata* Sweet H. Brit. Nov. Holl. Temp. 2.  
 { *uncinella* H. P. N. Hisp. Cald. 2.  
 { *acanthocarpa*. Willd. En.  
*linearis* Bot. Mag. 2156. Nov. Holl. Temp. 2.  
*marginata* H. Kew. Wendl. Ac. t. 5. Nov. Holl. Temp. 2.  
*mucronata* Wendl. Ac. t. 12. Nov. Holl. Temp. 2.

**MIMOSA.**

- asperata* L. Breyti. Cent. t. 19. Jamaïc. Cald. 2.

**SCHOTIA**

- dentata* H. Kew. Bot. Reg. 1233. N. Holl. Temp. 2.

**CASSIA.**

- australis* Bot. Mag. 2676. Nov. Holl. Temp. 2.  
 { *brasiliensis* Lamk. Encycl. Brasil. Cald. 2.  
 { *Cathartocarpus brasiliensis* Jacq. Fragm. t. 85. f. 3.  
*Procumbens* L. sp. Am. s. ☉.

- { torosa Cav. descr. China. Temp. ♀.
- { chinensis Jacq. Rar. t. 73. (non Lahik.)

**CÆSALPINIA.**

- { punctata Willd. Enum. Brasil. Cald. ♀.
- { Poinciana punctata Poir. Encycl.

**BAUHINIA.**

- racemosa Vahl Symb. 3. t. 62. Ind. Cald. ♀.

**SOPHORA.**

- velutina Bot. Reg. 1185. Nepaul. Cald. ♀.

**THERMOPSIS.**

- { nepaulensis Dec. Prodr. Nepaul. Temp. ♀.
- { Baptisia nepalensis Hook. Ex. Fl. 131.
- { Piptanthus nepalensis Sweet br. Fl. Gard. 264.

**JACKSONIA. R. Br.**

- scoparia H. Kew. Lodd. Bot. Cab. t. 427: N. Holl. Temp. ♀.

**GENISTA.**

- ovata Wald. et Kit. Hung. t. 84. Hungar. ♀.

**CYTISUS.**

- { calycinus Marsch. Cauc. Caucas. ♀.
- { pauciflorus Willd. sp. Reichenb. Ic. t. 259.

**LODDIGESIA. Sims. Bot. Mag.**

- oxalidifolia Bot. Mag. 965. Cap. Temp. . ♀

**LUPINUS.**

- polyphyllus Bot. Reg. 1096. Am. s. 2.
- mutabilis Sweet Brit. Fl. Gard. t. 130. Peruv. ☉.
- arboreus Bot. Mag. 682. Temp. ♀.
- bicolor Bot. Reg. 1109. Californ. ☉.
- micranthus Bot. Reg. 1251. Californ. ☉.
- Cruikshanksii Bot. Mag. 1356. Peruv. ☉.
- microcarpus Bot. Mag. 2413. Chili. ☉.
- ornatus Bot. Reg. 1216. Am. s. 2.
- pulchellus Sweet br. Fl. Gard. s. 2. t. 67. Mexico. Temp. ♀.
- Terminis Forsk. Fl. Egypt. ☉.
- albus Willd. sp. Oriens. ☉.
- tomentosus Dec. Prodr. Sweet br. Fl. Gard. t. 261. Peruv. Temp. ♀.

**ONONIS.**

- reclinata L. sp. Barrel. Ic. t. 354. Gall. m. ☉.
- breviflora Dec. Prodr. Europ. m. ☉.
- sicula Gusson. Cat. Sicil. ☉.
- oligophylla Tenor. Fl. Nap. 2. t. 67. Ital. 2.
- pendula Desf. Atl. t. 191. Mauritan. ☉.
- ramosissima Desf. Atl. t. 186. Gall. m. ☉.
- variegata L. sp. Desf. Atl. t. 185. Gall. m. ☉.

**PSORALEA.**

- hirta Jacq. Schoenbr. t. 228. Cap. Temp. ♀.

**MELILOTUS.**

- gracilis Dec. Fl. suppl. Gall. m. ☉.  
 macrorhiza Wald. et Kit. Hung. t. 26. Gall. ʒ.  
 taurica Stev. Dec. Prodr. Tauria. ♂.  
 suaveolens Ledeb. Sibir. ♂.  
 { Besseriana Dec. Prodr. Tauria. ♂.  
 { imbricata Besser Enum.

**TRIFOLIUM.**

- { hybridum Savi Obs. Gall. m. ☉.  
 { pallescens Dec. Fl. fr. suppl.  
 phleoides Pourret. Hispan. ☉.  
 intermedium Gusson. Cat. Sicil. ☉.  
 libanoticum Ehrenb. ex H. Berol. Liban. ☉.  
 badium Schreb. in Sturm. Fl. Germ. Alpes. ʒ.  
 supinum Savi Obs. Gall. ☉.

**MEDICAGO.**

- Terebellum Willd. sp. Gall. ☉.  
 pentacycla Dec. Cat. Monsp. Gall. ☉.  
 disciformis Dec. Cat. Monsp. Gall. ☉.  
 littoralis Dec. Cat. Monsp. Gall. ☉.  
 sardoa Moris. Elench. Sardin. ☉.  
 obscura Retz. obs. fasc. 1. t. 1. Gall. ☉.  
 { Tenoreana Dec. Prodr. Ital. ☉.  
 { cancellata Tenor. (non Marsch.)  
 { Gerardi Willd. sp. Gall. ☉.  
 { villosa Dec. Fl. suppl.

**TRIGONELLA.**

- maritima Delil. Ægypt. ☉.

**LOTUS.**

- decumbens Poiret. Encycl. Gall. ʒ.  
 { subpinnatus Lagasc. N. Gen. Chili. ☉.  
 { Anthyllis chilensis Dec. Prodr.  
 microphyllus Bot. Mag. 2808. Cap. ☉.

**GLYCINE.**

- { clandestina Wendl. Obs. N. Holl. Temp. ʒ.  
 { Teramnus clandestinus Spreng. Syst.

**CARAGANA.**

- { grandiflora Dec. Prodr. Iber. ʒ.  
 { Robinia grandiflora Marsch. Cauc.

**LESSERTIA.**

- virgata Link. Cap. Temp. ʒ.

**OXYTROPIS.**

- floribunda Pallas Astr. t. 37. Sibir. ʒ.  
 glabra Dec. Astr. t. 8. Sibir. ʒ.  
 { argyrophylla Ledeb. Ic. t. 54. Altaï. ʒ.  
 { argyroa Dec. Prodr.  
 sulphurea Ledeb. Ic. t. 55. Altaï. ʒ.

**ASTRAGALUS.**

- reticulatus Marsch. cauc. suppl. Iber. ☉.  
 brachyceras Ledeb. Reichenb. Ic. t. 382. Persia. ☉.  
 buceras Willd. Enum. suppl. ☉.  
 rariflorus Ledeb. Ic. t. 88. Songar. ✕.  
 Laxmanni L. suppl. Jacq. Hort. v. 3. t. 38. Sibir. ✕.  
 ponticus Pallas Astr. t. 11. Oriens. ✕.  
 bicolor H. P. Chili. Temp. ✕.  
 sphærocarpus H. P. Chili. Temp. ✕.  
 caucasicus Pallas Astr. t. 2. Iber. ♀.  
 stipulatus Don Prodr. Bot. Mag. 2380. Nepaul. ✕.  
 { mollis Marsch. Cauc. suppl. Iber. ✕.  
 { eriocarpus Marsch. Cauc. (non Dec. Astr.)

## GALEGA.

- { stricta H. Kew. Cap. Temp. ♀.  
 { pulchella Scop. insub. 1. t. 2.  
 { Tephrosia stricta Pers. Syn.  
 { Indigofera stricta L. suppl.

## INDIGOFERA.

- frutescens L. suppl. Cap. Temp. ♀.

## LATHYRUS.

- californicus Bot. Mag. 1144. Californ. ✕.  
 incurvus Willd. sp. Caucas. ✕.  
 pisiformis L. sp. Gmel. Sib. 4. p. 7. t. 1. Sibir. ✕.  
 angulatus L. sp. Gall. ☉.

## OROBUS.

- { vicioïdes Dec. Prodr. Clus. Hist. 2. p. 231. Ic. Hungar.  
 { ✕.  
 { Vicia oroboïdes Wald. et Kit. Hung. t. 242.

## VICIA.

- multicaulis Ledeb. Ic. t. 50. Altaï. ✕.  
 { gracilis Lois. Fl. Gall. ☉.  
 { Ervum gracile Dec. Fl. fr. suppl.  
 ochroleuca Tenor. Fl. Nap. t. 174. Ital. ✕.  
 calcarata Desf. Atl. Alger. ☉.  
 { megalosperma Marsch. cauc. Tauria. ☉.  
 { Michauxii Spreng. Syst.

## HIPPOCREPIS.

- biflora Spreng. Syst. ☉.

## HEDYSARUM.

- obscurum L. sp. Jacq. Austr. t. 168. Alpes. ✕.  
 splendens Ledeb. Ic. t. 52. Altaï. ✕.  
 { rutidocarpum Dec. Prodr. Sibir. ✕.  
 { polymorphum var. Ledeb. Ic. t. 51.

## ONOBRYCHIS.

- { Pallasii Marsch. Pl. Ross. 1. t. 35. Tauria. ✕.  
 { Hedysarum Pallasii Willd. sp. Marsch. cauc.

- { Buxbaumii Marsch. Cauc. Oriens. 2.  
 { Hedysarum radiatum Desf. Ann. Mus. 12. t. 13.  
 Michauxii Dec. Prodr. Oriens. 2.

## POLYGALEÆ.

## POLYGALA.

- latifolia Bot. Reg. 645. Cap. Temp. 5.  
 { mixta L. suppl. Andr. Rep. 455. Bot. Mag. 1714. Cap.  
 { Temp. 5.  
 { Muraltia mixta Dec. Prodr.

## TEREBINTHEÆ.

## SEMECARPUS. Linn.

- Anacardium L. suppl. Roxb. Corbm. t. 12. Ind. Cald. 5.

## RHAMNEÆ.

## EVONYMUS.

- japonicus Thunb. jap. Japon. Temp. 5.

## CELASTRUS.

- { edulis Vahl. Symb. Arab. Cald. 5.  
 { Catha edulis Forsk. descript.

## ILEX.

- ligustrina Jacq. Ic. Rar. t. 310. Am. s. 5. (distinct. ab I. vomitoria.)

## PRINOS.

- lucida Willd. sp. Am. s. 5.

## GOUANIA.

- integrifolia Lamk. Encycl. Cald. 5.

## CEAONOTHUS.

- intermedius Pursh Fl. Am. s. 2.

## BRUNIACEÆ.

## BRUNIA.

- nodiflora L. sp. Breyn. Cent. t. 10. Cap. Temp. 5.

## PITTOSPOREÆ.

## PITTOSPORUM.

- ferrugineum H. Kew. Guinea. Cald. 5.

## EUPHORBACEÆ.

## EUPHORBIA.

- ptericocœa Brotero. Reichenb. Ic. t. 464. Lusitan. ☉.  
 ceratocarpa Tenor. Fl. Nap. t. 43. Ital. 2.

- saxatilis Jacq. Austr. t. 345. Europ. m. 2.  
 procera Marsch. cauc. Reichenb. Ic. t. 146. Tauria. 2.  
 achanocarpa Gusson. Sicil. 2.  
 lutescens Ledeb. Ic. t. 12. Sibir. 2.  
 piscatoria H. Kew. Madera. Temp. 5.  
 { Milii Desmoul.  
 { splendens Bot. Mag. 2902.

**CROTON.**

- mucronatum Willd. sp. Am. m. Cald. 5.  
 { lanceolatum Cav. Ic. t. 557. fig. 2. Chili. Temp. 5.  
 { Ditaxis cheiropetala Bertero.

**ACALYPHA.**

- rubra Willd. Enum. Am. m. ☉.  
 cordata Thunb. Prodr. Cap. ☉.

**SAPIUM.**

- { aucuparium Jacq. Amer. t. 158. Am. m. Cald. 5.  
 { Hippomane biglandulosa L. sp. Plum. Ic. t. 171. f. 2.

**HIPPOMANE.**

- Mancinella L. sp. Jacq. Amer. ed. pict. t. 238. Am. m.  
 Cald. 5.

**CUCURBITACEÆ.****CUCUMIS.**

- muricatus Willd. sp. Ind. ☉.  
 dipsaceus Ehrenb. Egypt. ☉.  
 amarissimus Schrad. ind. sem. H. Gotting. ☉.

**JOLIFFIA. Bojer.**

- { africana Bojer. Delile Diss. cum Ic. Afric. or. Cald. 5.  
 { Feuillea pedata Smith in Bot. Mag. 2681. (individ.  
 masc.)  
 { Telfairia pedata Bot. Mag. 2751, 2752. (individ. foem.)

**FEVILLEA. Linn.**

- { trilobata L. sp. ed. 1. Brasil. 2. Cald.  
 { scandens var. b. L. sp. ed. 2.  
 { hederacea Poir. Enc.

**PASSIFLOREÆ.****PASSIFLORA.**

- normalis L. Am. m. Cald. 5.  
 discolor Link et Otto Ic. sel. t. 5. Brasil. Cald. 5.  
 alba Link et Otto Ic. Rar. t. 33. Brasil. Cald. 5.

**GYNOPLEURA Cavan.**

- cœrulea H. P. Chili. Temp. 2.

## URTICEÆ.

## FICUS.

Reinwardtii Link et Otto Ic. Rar. t. 31: Java. Cald. ♪.

## DORSTENIA.

arifolia Lamk. Encycl. Brasil. Cald. ♪.

## ARTOCARPUS.

incisa L. suppl. Bot. Mag. 2869, 2870 et 2871.

integrifolia Bot. Mag. 2833 et 2834.

## MORUS.

multicaulis Perrottet. Diss. in Ann. Hort. de Fremont.  
(exclus. Ic.) China ♪.

## URTICA.

{ heterophylla Vahl: Symb. Dec. H. Genev. t. 23: Arab.  
Cald. ♪.

{ palmata Forsk. Ægypt.

rubricaulis Horn. Hort. ☉.

æstuans L. sp. Am. m. ☉.

## PILEA. Lindl.

muscosa Lindl. Coll. bot. t. 4. Antill. ☉:

## FORSKALEA.

viridis Ehrenb. Arab. ☉.

## PARIETARIA.

cretica L. sp. Cret. ☉.

## PIPER.

colubrinum Link Enum. Brasil. Cald. ♪.

## AMENTACEÆ.

## PLANERA

{ crenata H. P. Mich. fil. Diss. cum Icon. Immeretia. ♪.  
carpinifolia Wats. Dendr. Brit. t. 106.

## SALIX.

arbuscula L. Fl. Lapp. t. 8. f. E. Alpes. ♪.

{ acutifolia Willd. sp. Russ. ♪.

{ violacea Andr. Rep. 581.

lapponum L. Fl. Lapp. t. 8. f. T. Europ. bor. ♪.

## CARPINUS.

orientalis Lamk. Encycl. Oriens ♪.

## CONIFERÆ.

## CUPRESSUS.

chinensis H. P. (Schubertia?) China, ♪.

## THUYA.

{ quadrivalvis Desf. Atl.

{ Fresnella Fontanesii Mirb. Mem. du Mus.



**PINUS.**

- maritima** H. P. (non Lamb. Pin.)
- Pinaster** Lamb. Pin. t. 4 et 5.
- adunca** Bosc. Californ. Temp. ♪.
- excelsa** Lamb. Pin. vol. 2. t. 3. Nepaul. Temp. ♪.
- Banksiana** Pursh. Fl. Lamb. Pin. t. 3. Am. s.
- chinensis** H. Cels. China. Temp. ♪.

**ABIES.**

- Picea** H. P. Gall. ♪.
- Pinus Abies** L. Lamb. Pin. t. 25.
- rubra** H. P. Am. s. ♪.
- Pinus rubra** Lamb. Pin. t. 28.

**ARAUCARIA.**

- brasiliensis** H. P. Lamb. Pin. vol. 2. t. 5. Brasil. m. Temp. ♪.
- Cunninghamii** H. Angl. N. Holl. Temp. ♪.

**INCERTÆ SEDIS.****CREMATOSTEMON.**

- capensis** Jacq. Fragm. t. 103. Cap. Temp. ♪.

**BEGONIA.**

- sanguinea** Raddi. Link et Otto Ic. Rar. t. 13. Brasil. Cald. ♪.
- incarnata** Link et Otto Ic. Rar. t. 19. Mexico Temp. ♪.
- semperflorens** Link et Otto Ic. Rar. t. 5. Brasil. Cald. ♪.
- heracleifolia** Chamiss. et Schlecht. in Linnea. Mexico. Temp. ♪.
- Martiana** Link et Otto Ic. Rar. t. 25. Mexico. Temp. ♪.

## ADDITAMENTUM AD BIBLIOGRAPHIAM.

- Bart. Fl. Am. — Barton, Flora Boreali Americana.  
 Baumg. Fl. Transylv. — Baumgarten, Flora transylvanica.  
 Bertero. — Bertero, Plantæ chilenses ineditæ.  
 Bertero Mercur. chilén. — Bertero, plantarum chilensium Catalogus et Descriptiones, in Mercurio chileno.  
 Bess. Enum. — Besser, Enumeratio plantarum Volhyniæ, Podoliæ, Bessarabiæ, etc.  
 Bonpl. Rhex. — Bonpland, Monographie des Melastomes et autres plantes de cet ordre.  
 Chamiss. et Schlecht. in Linnea. — Chamisso et Schlechtendal, Descriptiones plantarum expeditionis Romanzowianæ, etc.  
 Desv. Fil. — Desvaux, Mémoires sur les fougères.  
 Douglas. — Douglas, Plantæ ineditæ oræ occidentalis Amer. bor.  
 Ehrenb. — Ehrenberg, Plantæ ineditæ Arabiæ et Ægypti, ex Hort. Reg. Bot. Berolinensi.  
 Elliot Fl. — Elliot, Sketch of the Botany of South-Carolina and Georgia.  
 Fischer. — Fischer, Plantæ ineditæ seminibus communicatæ.  
 Gmel. Fl. Bad. — Gmelin, Flora Badensis.  
 Gusson. Fl. sic. ic. — Gussone, Floræ sicilæ icones.  
 Gusson. Prodr. — Gussone, Floræ sicilæ prodromus.  
 H. Camald. — Dehnhardt, Catalogus (et indices seminum) Horti Camaldulensis.  
 Hoffm. — Hoffmann, plantarum umbelliferarum Genera.  
 Hook. Ex. Fl. — Hooker, Exotic. Flora.  
 Kaulf. Fil. — Kaulfuss, Enumeratio filicum expeditionis Romanzowianæ.  
 Langsdorf et Fisch. Fil. — Langsdorf et Fischer. Icones filicum.  
 Ledeb. Fl. Alt. — Ledebour, Flora altaica.  
 Ledeb. Ic. — Ledebour, Icones Floræ altaicæ.  
 Lehm. ind. sem. H. Hamb. — Lehmann, Indices seminum Horti Bot. Hamburgensis.  
 Lehm. N. Act. Nat. Cur. — Lehmann, Novarum stirpium pugilli, in novis Actis Academiae Naturæ Curiosorum.  
 Leprieur. — Leprieur, Plantæ senegalenses ineditæ.  
 Link et Otto Ic. sel. — Link et Otto, Icones plantarum selectarum Hort. Reg. Bot. Berolinensis. 1820—1828. 4°.  
 Link et Otto Ic. Rar. — Link et Otto, Icones plantarum rariorum Hort. Reg. Bot. Berolin. (Series nova 8°.)  
 Lodd. Cat. — Catalogues of plants in the collection of Conrad Loddiges and sons at Hackney near London.  
 Mert. et Koch Fl. Germ. — Mertens et Koch, Deutschlands Flora.  
 Miers, Trav. — Miers, Travels in Chili.  
 Molina Hist. Nat. — Molina, Storia naturale del Chili.  
 Moris, Elench. — Moris, Elenchus stirpium sardoarum.  
 Muhlenb. — Muhlenberg, Plantæ Pensylvaniæ, In Willd. Enum.

- Nees Hor. Phys. Berol. — Nees v. Esenbeck, Horæ Physicæ Berolinenses.
- Nees Amœn. bot. — Nees v. Esenbeck, Amœnitates botanicæ. Parment. — Plantæ ineditæ ex Horto D. Parmentier.
- Presl, Fl. Sic. — Presl, Flora Sicula.
- Presl, Rel. Haenk. — Presl, Reliquiæ Haenkeanæ.
- Radd. Fil. — Raddi, Filicum brasiliensium nova genera et species.
- Reichenb. (Reich.) Ic. — Reichenbach, Icones plantarum criticarum.
- Reichenb. Ic. exot. — Reichenbach, Hortus botanicus, s. Icones exoticarum.
- Rich. Perr. et Guill. Fl. Seneg. — Richard, Perrotet et Guillemain, Flora Senegambiæ.
- Rochel Banat. — Rochel, Plantæ Banatûs rariores.
- Roscœ Scit. — Roscœ, Figures of the Order Scitamineæ.
- Santi Viagg. — Santi, Viaggio al monte Amiata.
- Schkuhr Fil. (v. Crypt.) — Schkuhr, Abbildungen Cryptogamischer Gewächse.
- Schrad. Diss. — Schrader, Dissertatio de Blumenbachia, novo Loasarum genere, adjectis observationibus de quibusdam stirpibus minus cognitis.
- Schrad. ind. sem. — Schrader, Indices seminum Horti Bot. Universitatis Gœttingensis.
- Schreb. in Sturm. — Schreber in Sturm Deutschlands Flora.
- Sibth. Fl. Græc. — Sibthorp et Smith, Flora Græca.
- St.-Hilaire, Pl. us. Bras. — Aug. de St.-Hilaire, Plantes usuelles des Brésiliens.
- Sternb. Rev. Sax. — Sternberg, Revisio Saxifragarum Iconibus illustrata.
- Sternb. et Hoppe. Bot. Zeit. — Sternberg et Hoppe, in Botanische Zeitung.
- Sweet br. Fl. Gard. — Sweet, british flower garden.
- Sweet br. Fl. gard. s. 2. — Sweet, british flower garden, series 2<sup>a</sup>.
- Sweet Ger. — Sweet, Geraniaceæ.
- Sweet H. brit. — Sweet, Hortus britannicus
- Sweet H. suburb. — Sweet, Hortus suburbanus Londinensis.
- Tenore. Prodr. — Tenore, prodromus Floræ Neapolitanæ.
- Tenore. Syll. — Tenore, Sylloge plantarum vascularium Floræ Neapolitanæ.
- Trevir. N. Act. Nat. Cur. — Treviranus, Pugillus stirpium novarum, in Novis Actis Academiæ Naturæ Curiosorum.
- Wallich Asiat. Res. — Wallich, in Asiatic Researches.
- Wallich Pl. As. Rar. — Wallich, Plantæ asiaticæ rariores.
- Wendland. Ac. — Wendland, Commentatio de Acaciis aphyllis.
- Wickstr. Act. Holm. — Wickstroem, in Actis Academiæ Holmiensis.
- Zucc. Obs. — Zuccagni, Observationes.

## TABULA ADDITAMENTI.

|                 |          |               |     |                |     |
|-----------------|----------|---------------|-----|----------------|-----|
| A.              |          | Arenaria.     | 462 | C.             |     |
|                 |          | Argemone.     | 454 |                |     |
| Abies.          | pag. 477 | Arracacha.    | 451 | Cacalia.       | 446 |
| Acacia.         | 470      | Artemisia.    | 445 | Cachrys.       | 452 |
| Acalypha.       | 475      | Artocarpus.   | 476 | Cæsalpinia.    | 471 |
| Acer.           | 457      | Arum.         | 419 | Caladium.      | 420 |
| Achillea.       | 448      | Arundo.       | 422 | Calandrinia.   | 463 |
| Achyropappus.   | 447      | Asclepias.    | 440 | Calankoë.      | 463 |
| Acrostichum.    | 417      | Asparagus.    | 423 | Calanthe.      | 427 |
| Adenotrichia.   | 447      | Asperula.     | 450 | Calceolaria.   | 435 |
| Adiantum.       | 419      | Aspidium.     | 418 | Callisace.     | 453 |
| Æollanthus.     | 433      | Asplenium.    | ib. | Calycanthus.   | 470 |
| Æsculus.        | 457      | Aster.        | 447 | Calyxhymenia.  | 430 |
| Æthionema.      | 456      | Astragalus.   | 472 | Camelina.      | 457 |
| Æthusa.         | 451      | Astrantia.    | 453 | Camellia.      | 458 |
| Ageratum.       | 446      | Astrocaryum.  | 423 | Campanula.     | 442 |
| Agrimonia.      | 468      | Atractylis.   | 444 | Camphorosma.   | 429 |
| Agrostis.       | 420      | Atriplex.     | 430 | Canna.         | 426 |
| Aira.           | 421      | Avena.        | 422 | Cantua.        | 439 |
| Allium.         | 425      | Axyris.       | 430 | Caragana.      | 472 |
| Alœ.            | 424      |               |     | Carex.         | 422 |
| Alstroemeria.   | 425      | B.            |     | Cardiospermum. | 457 |
| Alyssum.        | 456      | Baccharis.    | 445 | Carduus.       | 444 |
| Amaryllis.      | 425      | Banisteria.   | 458 | Carpinus.      | 476 |
| Ambrosia.       | 449      | Banksia.      | 428 | Cassia.        | 470 |
| Amellus.        | ib.      | Barckhausa.   | 443 | Cassinia.      | 445 |
| Ammania.        | 468      | Bauera.       | 464 | Ceanothus.     | 474 |
| Amomum.         | 427      | Bauhinia.     | 471 | Celastrus.     | ib. |
| Ampherephis.    | 446      | Begonia.      | 477 | Celsia.        | 436 |
| Anagallis.      | 431      | Bellium.      | 447 | Cenchrus.      | 421 |
| Anarrhinum.     | 435      | Berberis.     | 454 | Centaurea.     | 424 |
| Anchusa.        | 438      | Beta.         | 429 | Cerastium.     | 464 |
| Ancistrocarpus. | 429      | Biscutella.   | 456 | Cereus.        | 465 |
| Ancistrum.      | 468      | Blaeria.      | 441 | Chærophyllyum. | 451 |
| Aneimia.        | 417      | Blechnum.     | 419 | Chamærops.     | 423 |
| Anemone.        | 454      | Blumenbachia. | 466 | Cheilanthes.   | 419 |
| Andromeda.      | 441      | Bombax.       | 460 | Cheiranthus.   | 455 |
| Andropogon.     | 421      | Borago.       | 438 | Chelidonium.   | ib. |
| Androsace.      | 431      | Bowlesia.     | 453 | Chelone.       | 439 |
| Angelica.       | 452      | Brachystemon. | 434 | Chenopodium.   | 430 |
| Angræcum.       | 427      | Brassia.      | 427 | Chironia.      | 440 |
| Anthemis.       | 448      | Braya.        | 455 | Chloris.       | 421 |
| Anthoxanthum.   | 420      | Bromelia.     | 425 | Chondrilla.    | 443 |
| Apargia.        | 443      | Bromus.       | 421 | Chrysanthemum. | 447 |
| Arabis.         | 455      | Browallia.    | 436 | Cineraria.     | 448 |
| Araucaria.      | 477      | Brunia.       | 474 | Cistus.        | 461 |
| Arbutus.        | 441      | Budleja.      | 434 | Clarkia.       | 465 |
| Ardisia.        | ib.      | Bupleurum.    | 453 | Clavija.       | 440 |
| Areca.          | 423      |               |     |                |     |

|                |     |                |     |                |     |
|----------------|-----|----------------|-----|----------------|-----|
| Cleytonia.     | 463 | Dischidia.     | 440 | Fuchsia.       | 466 |
| Clematis.      | 453 | Dodonaea.      | 457 | Fumaria.       | 455 |
| Cleome.        | 457 | Doodia.        | 418 |                |     |
| Clerodendrum.  | 432 | Doronicum.     | 447 | G.             |     |
| Cliffortia.    | 468 | Dorstenia.     | 476 |                |     |
| Clintonia.     | 443 | Draba.         | 456 | Galega.        | 473 |
| Cnicus.        | 444 | Dracaena.      | 423 | Galium.        | 450 |
| Coldenia.      | 437 | Dracocephalum. | 434 | Gardenia.      | 451 |
| Collinsonia.   | 435 | Drymaria.      | 462 | Gastrium.      | 420 |
| Cotomia.       | 439 |                |     | Gaultheria.    | 441 |
| Combretum.     | 466 | E.             |     | Genista.       | 471 |
| Conocarpus.    | 428 | Eccremocarpus. | 429 | Geranium.      | 459 |
| Convolvulus.   | 438 | Echinocactus.  | 465 | Gessneria.     | 442 |
| Conyza.        | 445 | Echinophora.   | 453 | Geum.          | 468 |
| Corchorus.     | 460 | Echinops.      | 445 | Gilia.         | 439 |
| Coreopsis.     | 449 | Echites.       | 440 | Globularia.    | 431 |
| Corispermum.   | 430 | Echium.        | 437 | Glycine.       | 472 |
| Correa.        | 461 | Elæocarpus.    | 458 | Gmelina.       | 432 |
| Cosmos.        | 449 | Elate.         | 423 | Gnaphalium.    | 445 |
| Crambe.        | 457 | Eleusine.      | 421 | Goldbachia.    | 457 |
| Crassula.      | 463 | Elymus.        | 421 | Gomphrena.     | 430 |
| Cratægus.      | 468 | Entelea.       | 460 | Gouania.       | 474 |
| Crematostemon. | 477 | Epidendrum.    | 427 | Græmia.        | 446 |
| Crepis.        | 443 | Epilobium.     | 466 | Grewia.        | 460 |
| Crocus.        | 426 | Eranthemum.    | 431 | Grevillea.     | 428 |
| Croton.        | 475 | Erigeron.      | 447 | Grindelia.     | 447 |
| Crucianella.   | 450 | Eriophyllum.   | 449 | Grislea.       | 468 |
| Eucifera.      | 423 | Erithalis.     | 451 | Gymnostyles.   | 445 |
| Cucubalus.     | 463 | Erodium.       | 458 | Gynopleura.    | 475 |
| Cucumis.       | 475 | Erucaria.      | 456 | Gypsophila.    | 462 |
| Cupressus.     | 476 | Erysimum.      | 456 |                |     |
| Cydonia.       | 468 | Erythrolæna.   | 444 | H.             |     |
| Cymbidium.     | 427 | Erythrorhiza.  | 442 | Hablitia.      | 430 |
| Cynoglossum.   | 438 | Escallonia.    | 441 | Hæmanthus.     | 425 |
| Cyperus.       | 422 | Eschholtzia.   | 454 | Hakea.         | 428 |
| Cypripedium.   | 427 | Eugenia.       | 467 | Hebenstreitia. | 432 |
| Cytisus.       | 471 | Eulophia.      | 427 | Hedychium.     | 427 |
|                |     | Eupatorium.    | 446 | Hedysarum.     | 473 |
| D.             |     | Euphorbia.     | 474 | Helenium.      | 447 |
| Datura.        | 436 | Eustrephus.    | 423 | Helianthemum.  | 461 |
| Daucus.        | 453 | Euxenia.       | 449 | Helianthus.    | 449 |
| Decumaria.     | 467 | Evonymus.      | 474 | Helicteres.    | 460 |
| Dendrobinum.   | 427 |                |     | Heliophila.    | 455 |
| Dentaria.      | 456 | F.             |     | Heliotropium.  | 437 |
| Dianthus.      | 462 | Fabiana.       | 438 | Hemionitis.    | 418 |
| Dichondra.     | 437 | Fedia.         | 450 | Heracleum.     | 452 |
| Dicksonia.     | 419 | Ferula.        | 452 | Hermannia.     | 460 |
| Didiscus.      | 453 | Festuca.       | 421 | Hernandia.     | 428 |
| Didymocarpus.  | 440 | Fevillea.      | 475 | Hesperis.      | 455 |
| Digitalis.     | 435 | Ficus.         | 476 | Heterotheca.   | 447 |
| Diodia.        | 450 | Forskalea.     | 476 | Hieracium.     | 443 |
| Diosma.        | 461 | Frankenia.     | 462 | Hippocrepis.   | 473 |
| Diospyros.     | 441 | Fritillaria.   | 424 | Hippomane.     | 475 |
| Dipsacus.      | 449 |                |     | Holcus.        | 421 |

Hyacinthus. 425  
 Hydrocotyle. 453  
 Hydroglossum. 417  
 Hyoscyamus. 436  
 Hypericum. 458  
 Hypochaeris. 444  
 Hyptis. 433

## I.

Ilex. 474  
 Imbricaria. 441  
 Impatiens. 459  
 Imatophyllum. 425  
 Indigofera. 453  
 Inula. 447  
 Ipomea. 438  
 Iresine. 430  
 Iris. 426  
 Isatis. 457  
 Ischæmum. 421  
 Isodon. 434

## J.

Jacaranda. 439  
 Jacksonia. 471  
 Joliffia. 475  
 Juncus. 422  
 Justicia. 431

## K.

Kæmpferia. 427  
 Krigia. 443

## L.

Lactuca. 443  
 Lantana. 432  
 Laserpitium. 452  
 Lathyrus. 473  
 Lavatera. 459  
 Lechea. 461  
 Leontice. 454  
 Leonurus. 434  
 Lepidium. 456  
 Leptospermum. 467  
 Lessertia. 472  
 Leucas. 434  
 Leuzea. 444  
 Leyssera. 445  
 Ligusticum. 452  
 Lilium. 424  
 Limonia. 458

Linaria. 435  
 Lindenbergia. 436  
 Linum. 463  
 Lippia. 432  
 Lithospermum. 437  
 Littæa. 425  
 Loasa. 466  
 Lobelia. 442  
 Loddigesia. 471  
 Logania. 440  
 Lolium. 421  
 Lomaria. 419  
 Lomatia. 428  
 Lonicera. 451  
 Lophospermum. 439  
 Lotus. 472  
 Lubinia. 431  
 Lupinus. 471  
 Luzula. 423  
 Lycium. 437  
 Lycopersicum. 436  
 Lycopodium. 417  
 Lythrum. 468

## M.

Madia. 477  
 Magnolia. 454  
 Mahernia. 460  
 Malva. 459  
 Malvaviscus. 460  
 Mammea. 458  
 Mammillaria. 464  
 Maranta. 427  
 Margyricarpus. 468  
 Mariscus. 422  
 Marrubium. 433  
 Martynia. 440  
 Medicago. 472  
 Melaleuca. 467  
 Melanopsidium. 450  
 Melastoma. 468  
 Melilotus. 472  
 Melocactus. 465  
 Melochia. 460  
 Menispermum. 454  
 Mespilus. 468  
 Methonica. 424  
 Metrosideros. 467  
 Michauxia. 442  
 Mimosa. 470  
 Mimulus. 435  
 Mirabilis. 431  
 Mogiphanes. 430  
 Molucceile. 434

Monarda. 432  
 Monolepis. 430  
 Morua. 476  
 Moscharia. 446  
 Musa. 426  
 Mussenda. 450  
 Myrsine. 441  
 Myosotis. 438

## N.

Narcissus. 425  
 Narthecium. 424  
 Neesea. 468  
 Nemophila. 437  
 Nepeta. 433  
 Nicandra. 436  
 Nicotiana. 436  
 Nolana. 438  
 Notholæna. 418  
 Notoceras. 455  
 Nntalia. 459  
 Nymphaea. 428

## O.

Ocymum. 437  
 OEnanthe. 452  
 OEnothera. 465  
 Onobrychis. 473  
 Ononis. 471  
 Onosma. 437  
 Opuntia. 464  
 Origanum. 434  
 Orobus. 473  
 Osmunda. 417  
 Oxalis. 459  
 Oxytropis. 472

## P.

Pæonia. 454  
 Panax. 451  
 Panicum. 420  
 Papaver. 455  
 Parietaria. 476  
 Parinarium. 470  
 Paronychia. 463  
 Paspalum. 420  
 Passerina. 428  
 Passiflora. 475  
 Paullinia. 457  
 Pentstemon. 439  
 Pereskia. 464  
 Pergularia. 440




|            |     |              |      |              |      |
|------------|-----|--------------|------|--------------|------|
| <b>U.</b>  |     | Verbena.     | 432  | Xanthorrhæa. | 422  |
|            |     | Verbesina.   | 449  | Xeranthemum. | 445. |
| Urtica.    | 476 | Vernonia.    | 446. | Xiphidium.   | 426. |
| Usteria.   | 435 | Veronica.    | 431  |              |      |
| Uvularia.  | 424 | Viburnum     | 451  | <b>Y.</b>    |      |
|            |     | Vicia.       | 473  |              |      |
| <b>V.</b>  |     | Vicusseuxia. | 426  | Yucca.       | 424  |
|            |     | Viola.       | 461  | <b>Z.</b>    |      |
| Vaccinium. | 441 |              |      |              |      |
| Valantia.  | 450 | <b>X.</b>    |      |              |      |
| Valeriana. | 450 |              |      | Ziziphora.   | 432. |
| Verbascum. | 436 | Xanthium.    | 449  | Zygophyllum. | 460. |

FIN.













3 2044 102 800 695

